

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 14-Mar-2024 Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code(s) VHG-LMSTNG9-500

Product Name ICP-MS Tuning Solution: Be, Mg, Co, In, Ba, Ce, Tl, Pb, Th @ 250 μg/L in 2% HNO3

Form Not applicable

Unique Formula Identifier (UFI) 7JRT-R0JD-X00R-APX3

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Laboratory use

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Supplier

LGC Limited Queens Road Teddington Middlesex TW11 0LY UNITED KINGDOM :+44 (0) 20 8943 7000 Fax :+44 (0) 20 8943 2767

eMail: gb@lgcstandards.com

Web: www.lgcstandards.com

For further information, please contact

E-mail address sds-request@lgcgroup.com

1.4. Emergency telephone number

Emergency Telephone For Hazardous Materials or Dangerous Goods Incident

Spill, Leak, Fire Exposure, or Accident

Call CHEMTREC:

USA & Canada 1-800-424-9300 Rest of the world +1 703-741-5970

EGHS / EN Page 1/27



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 14-Mar-2024 **Revision Number** 1

VHG-LMSTNG9-500 - ICP-MS Tuning Solution: Be, Mg, Co, In, Ba, Ce, Tl, Pb, Th @ 250 μg/L in 2% HNO3

| Emergency Telephone - §45 - (EC) | 1272/2008 |
|----------------------------------|--------------------------|
| Europe | 112 |
| Austria | No information available |
| Bulgaria | |
| Croatia | |
| Cyprus | |
| Czech Republic | |
| Denmark | |
| France | |
| Hungary | |
| Ireland | |
| Italy | |
| Lithuania | |
| Luxembourg | |
| Netherlands | |
| Norway | |
| Portugal | |
| Romania | |
| Slovakia | |
| Slovenia | |
| Spain | |
| Sweden | |
| Switzerland | |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture Classification according to

Regulation (EC) No. 1272/2008 [CLP]

| Skin corrosion/irritation | Category 2 - (H315) |
|-----------------------------------|---------------------|
| Serious eye damage/eye irritation | Category 2 - (H319) |
| Corrosive to metals | Category 1 - (H290) |

2.2. Label elements



EGHS / EN Page 2/27



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 14-Mar-2024 Revision Number 1

VHG-LMSTNG9-500 - ICP-MS Tuning Solution: Be, Mg, Co, In, Ba, Ce, Tl, Pb, Th @ 250 μg/L in 2% HNO3

Warning

Hazard statements

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H290 - May be corrosive to metals

EUH071 - Corrosive to the respiratory tract

Precautionary Statements - EU (§28, 1272/2008)

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves and eye/face protection

P332 + P313 - If skin irritation occurs: Get medical advice/attention

P337 + P313 - If eye irritation persists: Get medical advice/attention

P390 - Absorb spillage to prevent material damage

P201 - Obtain special instructions before use

P234 - Keep only in original container

P406 - Store in corrosive resistant stainless steel container with a resistant inner liner

2.3. Other hazards

No information available.

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors.

| Chemical name | EU - REACH (1907/2006) - Article 59(1) | |
|----------------------|---|------------|
| | - Candidate List of Substances of Very Disruptor Assessment | |
| | High Concern (SVHC) for Authorisation | Substances |
| Nitric Acid | - | - |
| Thallium | • | - |
| Lead | • | - |
| Indium | | - |
| Cobalt | · | - |
| Beryllium Oxyacetate | - | - |
| Barium nitrate | - | - |

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

EGHS / EN Page 3/27



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 14-Mar-2024 Revision Number 1

VHG-LMSTNG9-500 - ICP-MS Tuning Solution: Be, Mg, Co, In, Ba, Ce, Tl, Pb, Th @ 250 μg/L in 2% HNO3

3.2 Mixtures

Chemical nature aqueous solution.

| Chemical name | Weight-% | REACH registration number | Index No) | Classification according to Regulation (EC) No. 1272/2008 [CLP] | concentration limit (SCL) | M-Factor | M-Factor (long-term) |
|---------------------------------------|----------|---------------------------|---------------------------------|---|---|----------|-------------------------|
| Nitric Acid 7697-37-2 | 1 - <3 | - | 231-714-2 | Met. Corr. 1 (H290) Ox. Liq. 2 (H272) Acute Tox. 3 (H331) Skin Corr. 1A (H314) (EUH071) | Ox. Liq. 2 :: C>=99% Ox. Liq. 3 :: C≥65% Skin Corr. 1A :: C>=20% Skin Corr. 1B :: 5%<=C<20% | | |
| Thallium 7440-28-0 | <0.1 | - | 231-138-1 (081-001-00 -3) | STOT RE 2 (H373) Aquatic Chronic 4 (H413) | | | |
| Lead 7439-92-1 | <0.1 | - | 231-100-4 (082-014-00 -7) | Carc. 2 (H351) Repr. 1A (H360FD) Lact. (H362) STOT RE 1 (H372) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) | Repr. 1A :: C>=0.03% | 1 | 10 |
| Indium 7440-74-6 | <0.1 | - | 231-180-0 | STOT RE 1 (H372) | | | |
| Cobalt 7440-48-4 | <0.1 | - | 231-158-0 (027-001-00 -9) | Resp. Sens. 1 (H334) Skin Sens. 1 (H317) Muta. 2 (H341) Carc. 1B (H350) Repr. 1B (H360F) Aquatic Chronic 2 (H411) EUH071 EUH201 | | | |
| Beryllium Oxyacetate 19049-40-2 | <0.1 | - | 242-785-4 (004-002-00 -2) | Acute Tox. 2 (H330) Acute Tox. 3 (H301) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) | | | |

EGHS / EN Page 4/27



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 14-Mar-2024 Revision Number 1

VHG-LMSTNG9-500 - ICP-MS Tuning Solution: Be, Mg, Co, In, Ba, Ce, Tl, Pb, Th @ 250 μg/L in 2% HNO3

| | | | | Skin Sens. 1 (H317) Carc. 1B (H350) STOT SE 3 (H335) STOT RE 1 (H372) Aquatic Chronic 2 (H411) | | |
|------------------------------|------|---|---------------------------------|---|--|--|
| Barium nitrate 10022-31-8 | <0.1 | - | 233-020-5 (056-002-00 -7) | Ox. Sol. 2 (H272) Acute Tox. 4 (H302) Acute Tox. 4 (H332) Eye Irrit. 2 (H319) | | |

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

| Chemical name | Oral LD50 mg/kg | Dermal LD50 | Inhalation LC50 - 4 | Inhalation LC50 - 4 | Inhalation LC50 - 4 |
|------------------------------|-------------------|-------------------|-------------------------|----------------------|---------------------|
| | | mg/kg | hour - dust/mist - mg/L | hour - vapour - mg/L | hour - gas - ppm |
| Nitric Acid 7697-37-2 | No data available | No data available | No data available | 2.65 | No data available |
| Indium 7440-74-6 | 4200 | No data available | No data available | No data available | No data available |
| Cobalt 7440-48-4 | 6171 | No data available | No data available | No data available | No data available |
| Barium nitrate 10022-31-8 | 355 | No data available | 1.1138 | No data available | No data available |

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur.

EGHS / EN Page 5/27



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 14-Mar-2024 Revision Number 1

VHG-LMSTNG9-500 - ICP-MS Tuning Solution: Be, Mg, Co, In, Ba, Ce, Tl, Pb, Th @ 250 μg/L in 2% HNO3

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and

persists.

Skin contact Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical

attention if irritation develops and persists.

Ingestion Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce

vomiting. Call a doctor.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms May cause redness and tearing of the eyes. Burning sensation.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctorsTreat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

No information available.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

EGHS / EN Page 6/27



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 14-Mar-2024 Revision Number 1

VHG-LMSTNG9-500 - ICP-MS Tuning Solution: Be, Mg, Co, In, Ba, Ce, Tl, Pb, Th @ 250 μg/L in 2% HNO3

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required.

Other information Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning upTake up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off

contaminated clothing and wash it before reuse.

General hygiene considerations Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with

skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands

before breaks and after work. Wear suitable gloves and eye/face protection.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from

moisture. Store locked up. Keep out of the reach of children. Store away from other materials. Please refer to the manufacturer's certificate for specific storage and transport temperature conditions. Store only in the original receptacle unless other advice is given on

the CoA.

EGHS / EN Page 7/27



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 14-Mar-2024 Revision Number 1

VHG-LMSTNG9-500 - ICP-MS Tuning Solution: Be, Mg, Co, In, Ba, Ce, Tl, Pb, Th @ 250 μg/L in 2% HNO3

7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

| Chemical name | European Union | Austria | Belgium | Bulgaria | Croatia |
|----------------------|-----------------------------|--------------------------------|------------------------------|-----------------------------|-------------------------------|
| Nitric Acid | - | STEL 1 ppm | STEL: 1 ppm | STEL: 1 ppm | STEL: 1 ppm |
| 7697-37-2 | | STEL 2.6 mg/m ³ | STEL: 2.6 mg/m ³ | STEL: 2.6 mg/m ³ | STEL: 2.6 mg/m ³ |
| Thallium | - | STEL 1 mg/m ³ | TWA: 0.02 mg/m ³ | TWA: 0.05 mg/m ³ | - |
| 7440-28-0 | | | Sk* | | |
| Lead | TWA: 0.15 mg/m ³ | TWA: 0.1 mg/m ³ | - | TWA: 0.05 mg/m ³ | TWA: 0.15 mg/m ³ |
| 7439-92-1 | | STEL 0.4 mg/m ³ | | | |
| Indium | - | TWA: 0.1 mg/m ³ | TWA: 0.1 mg/m ³ | - | TWA: 0.1 mg/m ³ |
| 7440-74-6 | | STEL 0.2 mg/m ³ | | | STEL: 0.3 mg/m ³ |
| Cobalt | - | Sk* | TWA: 0.02 mg/m ³ | TWA: 0.1 mg/m ³ | TWA: 0.1 mg/m ³ |
| 7440-48-4 | | Sa+ | | | Skin Sensitisation |
| | | Sh+ | | | Respiratory |
| | | | | | Sensitisation |
| Beryllium Oxyacetate | - | - | TWA: 0,00005 | - | TWA: 0.0006 mg/m ³ |
| 19049-40-2 | | | mg/m³ | | l Sk* |
| | | | STEL: 0.01 mg/m ³ | | Skin Sensitisation |
| Barium nitrate | TWA: 0.5 mg/m ³ | TWA: 0.5 mg/m ³ | TWA: 0.5 mg/m ³ | TWA: 0.5 mg/m ³ | TWA: 0.5 mg/m ³ |
| 10022-31-8 |] | STEL 2 mg/m ³ |] | | |
| Chemical name | Cyprus | Czech Republic | Denmark | Estonia | Finland |
| Nitric Acid | STEL: 1 ppm | TWA: 1 mg/m ³ | STEL: 1 ppm | STEL: 1 ppm | TWA: 0.5 ppm |
| 7697-37-2 | STEL: 2.6 mg/m ³ | Ceiling: 2.5 mg/m ³ | STEL: 2.6 mg/m ³ | STEL: 2.6 mg/m ³ | TWA: 1.3 mg/m ³ |
| | | | | | STEL: 1 ppm |
| | | | | | STEL: 2.6 mg/m ³ |
| Thallium | - | TWA: 0.1 mg/m ³ | Sk* | _ | TWA: 0.1 mg/m ³ |
| 7440-28-0 | | Sk* | | | Sk* |
| | | Ceiling: 0.5 mg/m ³ | | | |
| Lead | TWA: 0.15 mg/m ³ | TWA: 0.05 mg/m ³ | TWA: 0.05 mg/m ³ | TWA: 0.1 mg/m ³ | TWA: 0.1 mg/m ³ |
| 7439-92-1 | | Ceiling: 0.2 mg/m ³ | STEL: 0.1 mg/m ³ | TWA: 0.05 mg/m ³ | |
| Indium | - | - | TWA: 0.1 mg/m ³ | - | TWA: 0.1 mg/m ³ |
| 7440-74-6 | | | STEL: 0.2 mg/m ³ | | - 3 |
| Cobalt | - | TWA: 0.05 mg/m ³ | TWA: 0.01 mg/m ³ | TWA: 0.05 mg/m ³ | TWA: 0.02 mg/m ³ |
| 7440-48-4 | | S+ | STEL: 0.02 mg/m ³ | S+ | |
| | | Ceiling: 0.1 mg/m ³ | | | |

EGHS / EN Page 8/27



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 14-Mar-2024 Revision Number 1

VHG-LMSTNG9-500 - ICP-MS Tuning Solution: Be, Mg, Co, In, Ba, Ce, Tl, Pb, Th @ 250 μg/L in 2% HNO3

| Beryllium Oxyacetate | - | TWA: 0.001 mg/m ³ | TWA: 0.00002 | - | - |
|---|---|---|--|---|--|
| 19049-40-2 | | Ceiling: 0.002 mg/m ³ | mg/m³ | | |
| | | | STEL: 0.00004 | | |
| | | | mg/m³ | | |
| Barium nitrate | TWA: 0.5 mg/m ³ | TWA: 0.5 mg/m ³ | TWA: 0.5 mg/m ³ | TWA: 0.5 mg/m ³ | TWA: 0.5 mg/m ³ |
| 10022-31-8 | | Ceiling: 2.5 mg/m ³ | STEL: 1 mg/m ³ | | |
| Chemical name | France | Germany TRGS | Germany DFG | Greece | Hungary |
| Nitric Acid | STEL: 1 ppm | TWA: 1 ppm | - | STEL: 1 ppm | STEL: 2.6 mg/m ³ |
| 7697-37-2 | STEL: 2.6 mg/m ³ | TWA: 2.6 mg/m ³ | | STEL: 2.6 mg/m ³ | STEL: 1 ppm |
| Thallium | TWA: 0.1 mg/m ³ | - | - | TWA: 0.1 mg/m ³ | - ' ' |
| 7440-28-0 | · · · · · · · · · · · · · · · · · · · | | | Sk* | |
| Lead | TWA: 0.1 mg/m ³ | - | TWA: 0.004 mg/m ³ | TWA: 0.15 mg/m ³ | TWA: 0.1 mg/m ³ |
| 7439-92-1 | 111711 011 1119/111 | | Peak: 0.032 mg/m ³ | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | TWA: 0.05 mg/m ³ |
| Indium | _ | TWA: 0.0001 mg/m ³ | Sk* | TWA: 1 mg/m ³ | |
| 7440-74-6 | | 1 VV7 \. 0.000 1 mg/m | OK | STEL: 1 mg/m ³ | |
| Cobalt | | | Sk* | TWA: 0.1 mg/m ³ | TWA: 0.02 mg/m ³ |
| 7440-48-4 | _ | - | respiratory and skin | TVVA. U. I IIIg/III | SZ+ |
| 7440-46-4 | | | sensitizer | | 327 |
| Beryllium Oxyacetate | TWA: 0.0006 mg/m ³ | _ | Sensinzer | TWA: 0.005 mg/m ³ | TWA: 0.0006 mg/m ³ |
| 19049-40-2 | T VVA. 0.0006 mg/m ³ | - | - | TVVA. 0.005 mg/m | · · · · · · · · · · · · · · · · · · · |
| | TIMA 0.5 / 3 | TIMA 0.5 / 3 | T)4/4 0 5 / 3 | TIMA 0.5 / 3 | Sk* |
| Barium nitrate | TWA: 0.5 mg/m ³ | TWA: 0.5 mg/m ³ | TWA: 0.5 mg/m ³ | TWA: 0.5 mg/m ³ | TWA: 0.5 mg/m ³ |
| 10022-31-8 | | | Peak: 4 mg/m ³ | | |
| | | | | | |
| Chemical name | Ireland | Italy MDLPS | Italy AIDII | Latvia | Lithuania |
| Nitric Acid | STEL: 1 ppm | STEL: 1 ppm | TWA: 2 ppm | TWA: 0.78 ppm | STEL: 1 ppm |
| | | | TWA: 2 ppm TWA: 5.2 mg/m ³ | TWA: 0.78 ppm TWA: 2 mg/m ³ | |
| Nitric Acid | STEL: 1 ppm | STEL: 1 ppm | TWA: 2 ppm TWA: 5.2 mg/m ³ STEL: 4 ppm | TWA: 0.78 ppm TWA: 2 mg/m³ STEL: 1 ppm | STEL: 1 ppm |
| Nitric Acid 7697-37-2 | STEL: 1 ppm STEL: 2.6 mg/m ³ | STEL: 1 ppm | TWA: 2 ppm TWA: 5.2 mg/m ³ STEL: 4 ppm STEL: 10.3 mg/m ³ | TWA: 0.78 ppm TWA: 2 mg/m ³ | STEL: 1 ppm |
| Nitric Acid 7697-37-2 Thallium | STEL: 1 ppm STEL: 2.6 mg/m ³ TWA: 0.02 mg/m ³ | STEL: 1 ppm | TWA: 2 ppm TWA: 5.2 mg/m³ STEL: 4 ppm STEL: 10.3 mg/m³ TWA: 0.02 mg/m³ | TWA: 0.78 ppm TWA: 2 mg/m³ STEL: 1 ppm | STEL: 1 ppm |
| Nitric Acid 7697-37-2 | STEL: 1 ppm STEL: 2.6 mg/m ³ TWA: 0.02 mg/m ³ STEL: 0.06 mg/m ³ | STEL: 1 ppm | TWA: 2 ppm TWA: 5.2 mg/m ³ STEL: 4 ppm STEL: 10.3 mg/m ³ | TWA: 0.78 ppm TWA: 2 mg/m³ STEL: 1 ppm | STEL: 1 ppm |
| Nitric Acid 7697-37-2 Thallium | STEL: 1 ppm STEL: 2.6 mg/m³ TWA: 0.02 mg/m³ STEL: 0.06 mg/m³ Sk* | STEL: 1 ppm STEL: 2.6 mg/m ³ | TWA: 2 ppm TWA: 5.2 mg/m³ STEL: 4 ppm STEL: 10.3 mg/m³ TWA: 0.02 mg/m³ Sk* | TWA: 0.78 ppm TWA: 2 mg/m³ STEL: 1 ppm STEL: 2.6 mg/m³ | STEL: 1 ppm STEL: 2.6 mg/m ³ |
| Nitric Acid 7697-37-2 Thallium 7440-28-0 Lead | STEL: 1 ppm STEL: 2.6 mg/m³ TWA: 0.02 mg/m³ STEL: 0.06 mg/m³ Sk* TWA: 0.15 mg/m³ | STEL: 1 ppm | TWA: 2 ppm TWA: 5.2 mg/m³ STEL: 4 ppm STEL: 10.3 mg/m³ TWA: 0.02 mg/m³ | TWA: 0.78 ppm TWA: 2 mg/m³ STEL: 1 ppm STEL: 2.6 mg/m³ - TWA: 0.05 mg/m³ | STEL: 1 ppm STEL: 2.6 mg/m ³ - TWA: 0.15 mg/m ³ |
| Nitric Acid 7697-37-2 Thallium 7440-28-0 | STEL: 1 ppm STEL: 2.6 mg/m³ TWA: 0.02 mg/m³ STEL: 0.06 mg/m³ Sk* TWA: 0.15 mg/m³ STEL: 0.45 mg/m³ | STEL: 1 ppm STEL: 2.6 mg/m ³ | TWA: 2 ppm TWA: 5.2 mg/m³ STEL: 4 ppm STEL: 10.3 mg/m³ TWA: 0.02 mg/m³ Sk* TWA: 0.05 mg/m³ | TWA: 0.78 ppm TWA: 2 mg/m³ STEL: 1 ppm STEL: 2.6 mg/m³ | STEL: 1 ppm STEL: 2.6 mg/m³ - TWA: 0.15 mg/m³ TWA: 0.07 mg/m³ |
| Nitric Acid 7697-37-2 Thallium 7440-28-0 Lead | STEL: 1 ppm STEL: 2.6 mg/m³ TWA: 0.02 mg/m³ STEL: 0.06 mg/m³ Sk* TWA: 0.15 mg/m³ | STEL: 1 ppm STEL: 2.6 mg/m ³ | TWA: 2 ppm TWA: 5.2 mg/m³ STEL: 4 ppm STEL: 10.3 mg/m³ TWA: 0.02 mg/m³ Sk* | TWA: 0.78 ppm TWA: 2 mg/m³ STEL: 1 ppm STEL: 2.6 mg/m³ - TWA: 0.05 mg/m³ | STEL: 1 ppm STEL: 2.6 mg/m³ - TWA: 0.15 mg/m³ |
| Nitric Acid 7697-37-2 Thallium 7440-28-0 Lead 7439-92-1 | STEL: 1 ppm STEL: 2.6 mg/m³ TWA: 0.02 mg/m³ STEL: 0.06 mg/m³ Sk* TWA: 0.15 mg/m³ STEL: 0.45 mg/m³ | STEL: 1 ppm STEL: 2.6 mg/m ³ | TWA: 2 ppm TWA: 5.2 mg/m³ STEL: 4 ppm STEL: 10.3 mg/m³ TWA: 0.02 mg/m³ Sk* TWA: 0.05 mg/m³ | TWA: 0.78 ppm TWA: 2 mg/m³ STEL: 1 ppm STEL: 2.6 mg/m³ - TWA: 0.05 mg/m³ | STEL: 1 ppm STEL: 2.6 mg/m³ - TWA: 0.15 mg/m³ TWA: 0.07 mg/m³ |
| Nitric Acid 7697-37-2 Thallium 7440-28-0 Lead 7439-92-1 Indium | STEL: 1 ppm STEL: 2.6 mg/m³ TWA: 0.02 mg/m³ STEL: 0.06 mg/m³ Sk* TWA: 0.15 mg/m³ STEL: 0.45 mg/m³ TWA: 0.1 mg/m³ STEL: 0.3 mg/m³ | STEL: 1 ppm STEL: 2.6 mg/m ³ | TWA: 2 ppm TWA: 5.2 mg/m³ STEL: 4 ppm STEL: 10.3 mg/m³ TWA: 0.02 mg/m³ Sk* TWA: 0.05 mg/m³ | TWA: 0.78 ppm TWA: 2 mg/m³ STEL: 1 ppm STEL: 2.6 mg/m³ - TWA: 0.05 mg/m³ | STEL: 1 ppm STEL: 2.6 mg/m³ - TWA: 0.15 mg/m³ TWA: 0.07 mg/m³ |
| Nitric Acid 7697-37-2 Thallium 7440-28-0 Lead 7439-92-1 Indium 7440-74-6 | STEL: 1 ppm STEL: 2.6 mg/m³ TWA: 0.02 mg/m³ STEL: 0.06 mg/m³ Sk* TWA: 0.15 mg/m³ STEL: 0.45 mg/m³ TWA: 0.1 mg/m³ STEL: 0.3 mg/m³ | STEL: 1 ppm STEL: 2.6 mg/m ³ | TWA: 2 ppm TWA: 5.2 mg/m³ STEL: 4 ppm STEL: 10.3 mg/m³ TWA: 0.02 mg/m³ Sk* TWA: 0.05 mg/m³ TWA: 0.1 mg/m³ | TWA: 0.78 ppm TWA: 2 mg/m³ STEL: 1 ppm STEL: 2.6 mg/m³ - TWA: 0.05 mg/m³ STEL: 0.1 mg/m³ | STEL: 1 ppm STEL: 2.6 mg/m³ - TWA: 0.15 mg/m³ TWA: 0.07 mg/m³ TWA: 0.1 mg/m³ |
| Nitric Acid 7697-37-2 Thallium 7440-28-0 Lead 7439-92-1 Indium 7440-74-6 Cobalt | STEL: 1 ppm STEL: 2.6 mg/m³ TWA: 0.02 mg/m³ STEL: 0.06 mg/m³ Sk* TWA: 0.15 mg/m³ STEL: 0.45 mg/m³ STEL: 0.3 mg/m³ | STEL: 1 ppm STEL: 2.6 mg/m ³ | TWA: 2 ppm TWA: 5.2 mg/m³ STEL: 4 ppm STEL: 10.3 mg/m³ TWA: 0.02 mg/m³ Sk* TWA: 0.05 mg/m³ TWA: 0.1 mg/m³ | TWA: 0.78 ppm TWA: 2 mg/m³ STEL: 1 ppm STEL: 2.6 mg/m³ - TWA: 0.05 mg/m³ STEL: 0.1 mg/m³ | STEL: 1 ppm STEL: 2.6 mg/m³ - TWA: 0.15 mg/m³ TWA: 0.07 mg/m³ TWA: 0.1 mg/m³ TWA: 0.05 mg/m³ |
| Nitric Acid 7697-37-2 Thallium 7440-28-0 Lead 7439-92-1 Indium 7440-74-6 Cobalt 7440-48-4 | STEL: 1 ppm STEL: 2.6 mg/m³ STEL: 2.6 mg/m³ STEL: 0.06 mg/m³ Sk* TWA: 0.15 mg/m³ STEL: 0.45 mg/m³ TWA: 0.1 mg/m³ STEL: 0.3 mg/m³ STEL: 0.3 mg/m³ STEL: 0.3 mg/m³ STEL: 0.3 mg/m³ | STEL: 1 ppm STEL: 2.6 mg/m ³ | TWA: 2 ppm TWA: 5.2 mg/m³ STEL: 4 ppm STEL: 10.3 mg/m³ TWA: 0.02 mg/m³ Sk* TWA: 0.05 mg/m³ TWA: 0.1 mg/m³ TWA: 0.02 mg/m³ senR+ senD+ | TWA: 0.78 ppm TWA: 2 mg/m³ STEL: 1 ppm STEL: 2.6 mg/m³ - TWA: 0.05 mg/m³ STEL: 0.1 mg/m³ - TWA: 0.5 mg/m³ | STEL: 1 ppm STEL: 2.6 mg/m³ - TWA: 0.15 mg/m³ TWA: 0.07 mg/m³ TWA: 0.1 mg/m³ TWA: 0.05 mg/m³ |
| Nitric Acid 7697-37-2 Thallium 7440-28-0 Lead 7439-92-1 Indium 7440-74-6 Cobalt | STEL: 1 ppm STEL: 2.6 mg/m³ STEL: 2.6 mg/m³ STEL: 0.06 mg/m³ Sk* TWA: 0.15 mg/m³ STEL: 0.45 mg/m³ TWA: 0.1 mg/m³ STEL: 0.3 mg/m³ STEL: 0.3 mg/m³ STEL: 0.3 mg/m³ STEL: 0.3 mg/m³ STEL: 0.3 mg/m³ STEL: 0.3 mg/m³ | STEL: 1 ppm STEL: 2.6 mg/m³ - TWA: 0.15 mg/m³ | TWA: 2 ppm TWA: 5.2 mg/m³ STEL: 4 ppm STEL: 10.3 mg/m³ TWA: 0.02 mg/m³ Sk* TWA: 0.05 mg/m³ TWA: 0.1 mg/m³ TWA: 0.02 mg/m³ senR+ senD+ TWA: 0.00005 | TWA: 0.78 ppm TWA: 2 mg/m³ STEL: 1 ppm STEL: 2.6 mg/m³ - TWA: 0.05 mg/m³ STEL: 0.1 mg/m³ | STEL: 1 ppm STEL: 2.6 mg/m³ - TWA: 0.15 mg/m³ TWA: 0.07 mg/m³ TWA: 0.1 mg/m³ TWA: 0.05 mg/m³ |
| Nitric Acid 7697-37-2 Thallium 7440-28-0 Lead 7439-92-1 Indium 7440-74-6 Cobalt 7440-48-4 Beryllium Oxyacetate | STEL: 1 ppm STEL: 2.6 mg/m³ STEL: 2.6 mg/m³ STEL: 0.06 mg/m³ Sk* TWA: 0.15 mg/m³ STEL: 0.45 mg/m³ TWA: 0.1 mg/m³ STEL: 0.3 mg/m³ STEL: 0.3 mg/m³ STEL: 0.3 mg/m³ STEL: 0.3 mg/m³ | STEL: 1 ppm STEL: 2.6 mg/m³ - TWA: 0.15 mg/m³ | TWA: 2 ppm TWA: 5.2 mg/m³ STEL: 4 ppm STEL: 10.3 mg/m³ TWA: 0.02 mg/m³ Sk* TWA: 0.05 mg/m³ TWA: 0.1 mg/m³ TWA: 0.02 mg/m³ senR+ senD+ | TWA: 0.78 ppm TWA: 2 mg/m³ STEL: 1 ppm STEL: 2.6 mg/m³ - TWA: 0.05 mg/m³ STEL: 0.1 mg/m³ - TWA: 0.5 mg/m³ | STEL: 1 ppm STEL: 2.6 mg/m³ - TWA: 0.15 mg/m³ TWA: 0.07 mg/m³ TWA: 0.1 mg/m³ TWA: 0.05 mg/m³ |
| Nitric Acid 7697-37-2 Thallium 7440-28-0 Lead 7439-92-1 Indium 7440-74-6 Cobalt 7440-48-4 Beryllium Oxyacetate | STEL: 1 ppm STEL: 2.6 mg/m³ STEL: 2.6 mg/m³ STEL: 0.06 mg/m³ Sk* TWA: 0.15 mg/m³ STEL: 0.45 mg/m³ TWA: 0.1 mg/m³ STEL: 0.3 mg/m³ STEL: 0.3 mg/m³ STEL: 0.3 mg/m³ STEL: 0.0002 mg/m³ STEL: 0.0006 mg/m³ | STEL: 1 ppm STEL: 2.6 mg/m³ - TWA: 0.15 mg/m³ | TWA: 2 ppm TWA: 5.2 mg/m³ STEL: 4 ppm STEL: 10.3 mg/m³ TWA: 0.02 mg/m³ Sk* TWA: 0.05 mg/m³ TWA: 0.1 mg/m³ TWA: 0.02 mg/m³ senR+ senD+ TWA: 0.00005 | TWA: 0.78 ppm TWA: 2 mg/m³ STEL: 1 ppm STEL: 2.6 mg/m³ - TWA: 0.05 mg/m³ STEL: 0.1 mg/m³ - TWA: 0.5 mg/m³ | STEL: 1 ppm STEL: 2.6 mg/m³ - TWA: 0.15 mg/m³ TWA: 0.07 mg/m³ TWA: 0.1 mg/m³ TWA: 0.05 mg/m³ |
| Nitric Acid 7697-37-2 Thallium 7440-28-0 Lead 7439-92-1 Indium 7440-74-6 Cobalt 7440-48-4 Beryllium Oxyacetate 19049-40-2 | STEL: 1 ppm STEL: 2.6 mg/m³ STEL: 2.6 mg/m³ STEL: 0.06 mg/m³ Sk* TWA: 0.15 mg/m³ STEL: 0.45 mg/m³ TWA: 0.1 mg/m³ STEL: 0.3 mg/m³ STEL: 0.3 mg/m³ STEL: 0.3 mg/m³ STEL: 0.3 mg/m³ STEL: 0.0002 mg/m³ STEL: 0.0006 mg/m³ SK* Sens+ | STEL: 1 ppm STEL: 2.6 mg/m³ - TWA: 0.15 mg/m³ | TWA: 2 ppm TWA: 5.2 mg/m³ STEL: 4 ppm STEL: 10.3 mg/m³ TWA: 0.02 mg/m³ Sk* TWA: 0.05 mg/m³ TWA: 0.1 mg/m³ TWA: 0.02 mg/m³ senR+ senD+ TWA: 0.00005 mg/m³ | TWA: 0.78 ppm TWA: 2 mg/m³ STEL: 1 ppm STEL: 2.6 mg/m³ - TWA: 0.05 mg/m³ STEL: 0.1 mg/m³ - TWA: 0.5 mg/m³ TWA: 0.5 mg/m³ | STEL: 1 ppm STEL: 2.6 mg/m³ - TWA: 0.15 mg/m³ TWA: 0.07 mg/m³ TWA: 0.10 mg/m³ TWA: 0.05 mg/m³ J+ |
| Nitric Acid 7697-37-2 Thallium 7440-28-0 Lead 7439-92-1 Indium 7440-74-6 Cobalt 7440-48-4 Beryllium Oxyacetate 19049-40-2 Barium nitrate | STEL: 1 ppm STEL: 2.6 mg/m³ STEL: 2.6 mg/m³ STEL: 0.06 mg/m³ SK* TWA: 0.15 mg/m³ STEL: 0.45 mg/m³ TWA: 0.1 mg/m³ STEL: 0.3 mg/m³ STEL: 0.3 mg/m³ STEL: 0.3 mg/m³ STEL: 0.0002 mg/m³ STEL: 0.0006 mg/m³ STEL: 0.0006 mg/m³ SK* Sens+ TWA: 0.5 mg/m³ | STEL: 1 ppm STEL: 2.6 mg/m³ - TWA: 0.15 mg/m³ | TWA: 2 ppm TWA: 5.2 mg/m³ STEL: 4 ppm STEL: 10.3 mg/m³ TWA: 0.02 mg/m³ Sk* TWA: 0.05 mg/m³ TWA: 0.1 mg/m³ TWA: 0.02 mg/m³ senR+ senD+ TWA: 0.00005 | TWA: 0.78 ppm TWA: 2 mg/m³ STEL: 1 ppm STEL: 2.6 mg/m³ - TWA: 0.05 mg/m³ STEL: 0.1 mg/m³ - TWA: 0.5 mg/m³ TWA: 0.5 mg/m³ | STEL: 1 ppm STEL: 2.6 mg/m³ - TWA: 0.15 mg/m³ TWA: 0.07 mg/m³ TWA: 0.1 mg/m³ TWA: 0.05 mg/m³ |
| Nitric Acid 7697-37-2 Thallium 7440-28-0 Lead 7439-92-1 Indium 7440-74-6 Cobalt 7440-48-4 Beryllium Oxyacetate 19049-40-2 Barium nitrate 10022-31-8 | STEL: 1 ppm STEL: 2.6 mg/m³ TWA: 0.02 mg/m³ STEL: 0.06 mg/m³ Sk* TWA: 0.15 mg/m³ STEL: 0.45 mg/m³ TWA: 0.1 mg/m³ STEL: 0.3 mg/m³ STEL: 0.3 mg/m³ STEL: 0.3 mg/m³ STEL: 0.0002 mg/m³ STEL: 0.0006 mg/m³ STEL: 0.0006 mg/m³ SK* Sens+ TWA: 0.5 mg/m³ STEL: 1.5 mg/m³ | STEL: 1 ppm STEL: 2.6 mg/m³ - TWA: 0.15 mg/m³ TWA: 0.5 mg/m³ | TWA: 2 ppm TWA: 5.2 mg/m³ STEL: 4 ppm STEL: 10.3 mg/m³ TWA: 0.02 mg/m³ Sk* TWA: 0.05 mg/m³ TWA: 0.1 mg/m³ TWA: 0.02 mg/m³ SenR+ SenD+ TWA: 0.00005 mg/m³ TWA: 0.5 mg/m³ | TWA: 0.78 ppm TWA: 2 mg/m³ STEL: 1 ppm STEL: 2.6 mg/m³ - TWA: 0.05 mg/m³ STEL: 0.1 mg/m³ - TWA: 0.5 mg/m³ TWA: 0.5 mg/m³ TWA: 0.5 mg/m³ | STEL: 1 ppm STEL: 2.6 mg/m³ - TWA: 0.15 mg/m³ TWA: 0.07 mg/m³ TWA: 0.05 mg/m³ J+ - TWA: 0.5 mg/m³ |
| Nitric Acid 7697-37-2 Thallium 7440-28-0 Lead 7439-92-1 Indium 7440-74-6 Cobalt 7440-48-4 Beryllium Oxyacetate 19049-40-2 Barium nitrate | STEL: 1 ppm STEL: 2.6 mg/m³ STEL: 2.6 mg/m³ STEL: 0.06 mg/m³ SK* TWA: 0.15 mg/m³ STEL: 0.45 mg/m³ TWA: 0.1 mg/m³ STEL: 0.3 mg/m³ STEL: 0.3 mg/m³ STEL: 0.3 mg/m³ STEL: 0.0002 mg/m³ STEL: 0.0006 mg/m³ STEL: 0.0006 mg/m³ SK* Sens+ TWA: 0.5 mg/m³ | STEL: 1 ppm STEL: 2.6 mg/m³ - TWA: 0.15 mg/m³ | TWA: 2 ppm TWA: 5.2 mg/m³ STEL: 4 ppm STEL: 10.3 mg/m³ TWA: 0.02 mg/m³ Sk* TWA: 0.05 mg/m³ TWA: 0.1 mg/m³ TWA: 0.02 mg/m³ senR+ senD+ TWA: 0.00005 mg/m³ | TWA: 0.78 ppm TWA: 2 mg/m³ STEL: 1 ppm STEL: 2.6 mg/m³ - TWA: 0.05 mg/m³ STEL: 0.1 mg/m³ - TWA: 0.5 mg/m³ TWA: 0.5 mg/m³ | STEL: 1 ppm STEL: 2.6 mg/m³ - TWA: 0.15 mg/m³ TWA: 0.07 mg/m³ TWA: 0.1 mg/m³ TWA: 0.05 mg/m³ J+ |

EGHS / EN Page 9/27



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 14-Mar-2024 Revision Number 1

VHG-LMSTNG9-500 - ICP-MS Tuning Solution: Be, Mg, Co, In, Ba, Ce, Tl, Pb, Th @ 250 μg/L in 2% HNO3

| 7697-37-2 | STE | L: 2.6 mg/m ³ | STEL: 2.6 mg/m ³ | STEL: 1.3 mg/m ³ | STEL | 5 mg/m ³ _: 4 ppm 10 mg/m ³ | STEL: 2.6 mg/m ³ |
|------------------------------------|--|---------------------------|--|--|---|--|---|
| Thallium 7440-28-0 | | - | - | - | TWA: (| 0.1 mg/m ³ 0.3 mg/m ³ Sk* | TWA: 0.1 mg/m ³ STEL: 0.3 mg/m ³ |
| Lead 7439-92-1 | TWA | : 0.15 mg/m ³ | - | TWA: 0.15 mg/m ³ | STEL: 0 | .05 mg/m ³).15 mg/m ³ | TWA: 0.05 mg/m ³ |
| Indium 7440-74-6 | | - | - | - | STEL: | 0.1 mg/m ³ 0.3 mg/m ³ | - |
| Cobalt 7440-48-4 | | - | - | TWA: 0.02 mg/m ³ | STEL: 0 | 0.02 mg/m ³ 0.06 mg/m ³ A+ | TWA: 0.02 mg/m ³ |
| Beryllium Oxyacetate 19049-40-2 | | - | - | Sk* | | - | - |
| Barium nitrate 10022-31-8 | TWA | A: 0.5 mg/m ³ | - | TWA: 0.5 mg/m ³ | STEL: | 0.5 mg/m ³ 1.5 mg/m ³ | TWA: 0.5 mg/m ³ |
| Chemical name | | Portugal | Romania | Slovakia | | venia | Spain |
| Nitric Acid 7697-37-2 | TWA: 2 ppm STEL: 1 ppm STEL: 2.6 mg/m ³ | | STEL: 1 ppm STEL: 2.6 mg/m ³ | Ceiling: 2.6 mg/m ³ | TWA: 2 | .: 1 ppm 2.6 mg/m ³ .: 1 ppm 2.6 mg/m ³ | STEL: 1 ppm STEL: 2.6 mg/m ³ |
| Thallium 7440-28-0 | TWA | : 0.02 mg/m³ Sk* | - | TWA: 0.1 mg/m ³ | | - | TWA: 0.1 mg/m ³ Sk* |
| Lead 7439-92-1 | | : 0.05 mg/m ³ | TWA: 0.15 mg/m ³ | TWA: 0.15 mg/m ³ TWA: 0.5 mg/m ³ | TWA: 0.1 mg/m ³ STEL: 0.4 mg/m ³ | | TWA: 0.15 mg/m ³ |
| Indium 7440-74-6 | | A: 0.1 mg/m ³ | - | | | 0001 mg/m³ 0008 mg/m³ | |
| Cobalt 7440-48-4 | | : 0.02 mg/m ³ | TWA: 0.05 mg/m ³ STEL: 0.1 mg/m ³ | TWA: 0.05 mg/m ³ S+ | | - | TWA: 0.02 mg/m ³ Sen+ |
| Beryllium Oxyacetate 19049-40-2 | | .: 0.01 mg/m ³ | TWA: 0.0002 mg/m | TWA: 0.002 mg/m³ STEL: 0.025 mg/m³ STEL: 0.01 mg/m³ | - | | TWA: 0.0002 mg/m ³ |
| Barium nitrate 10022-31-8 | TWA | A: 0.5 mg/m ³ | TWA: 0.5 mg/m ³ | TWA: 0.5 mg/m ³ | | 0.5 mg/m ³ 0.5 mg/m ³ | TWA: 0.5 mg/m ³ |
| Chemical name | | | weden | Switzerland | | | ted Kingdom |
| Nitric Acid 7697-37-2 | ric Acid NGV 97-37-2 NGV: Bindand | | : 0.5 ppm 1.3 mg/m³ e KGV: 1 ppm KGV: 2.6 mg/m³ | TWA: 2 ppm TWA: 5 mg/m ³ STEL: 2 ppm STEL: 5 mg/m ³ | | | ΓEL: 1 ppm EL: 2.6 mg/m³ |
| Thallium 7440-28-0 | | | - | TWA: 0.1 mg/m Sk* | 1 ³ | | - |
| Lead 7439-92-1 | | | 0.1 mg/m ³ 0.05 mg/m ³ | TWA: 0.1 mg/m STEL: 0.8 mg/n | | | \: 0.15 mg/m ³ L: 0.45 mg/m ³ |

EGHS / EN Page 10/27



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 14-Mar-2024 Revision Number 1

VHG-LMSTNG9-500 - ICP-MS Tuning Solution: Be, Mg, Co, In, Ba, Ce, Tl, Pb, Th @ 250 μg/L in 2% HNO3

| Indium 7440-74-6 | NGV: 0.1 mg/m ³ | TWA: 0.1 mg/m ³ | TWA: 0.1 mg/m ³ STEL: 0.3 mg/m ³ |
|------------------------------------|--|---|---|
| Cobalt 7440-48-4 | NGV: 0.02 mg/m ³ Sk* S+ | TWA: 0.05 mg/m³ Sk* S+ | TWA: 0.1 mg/m³ STEL: 0.3 mg/m³ Sen+ |
| Beryllium Oxyacetate 19049-40-2 | NGV: 0.0002 mg/m ³ NGV: 0.0006 mg/m ³ S+ | TWA: 0.0006 mg/m ³ S+ | TWA: 0.002 mg/m ³ STEL: 0.006 mg/m ³ |
| Barium nitrate 10022-31-8 | NGV: 0.5 mg/m ³ | TWA: 0.5 mg/m ³ STEL: 4 mg/m ³ | TWA: 0.5 mg/m³ STEL: 1.5 mg/m³ |

Biological occupational exposure limits

| Chemical name | European Union | Austria | Bulgaria | Croatia | Czech Republic |
|---------------|-------------------------------|--------------------------------|--------------------|-----------------------|---------------------|
| Lead | 70 μg/100 mL - | Check | 300 μg/L - blood | 400 μg Pb/L - blood | 13 µmol/mmol |
| 7439-92-1 | blood (Lead) - no | 120 µg/100 mL RBC | (Lead) - not fixed | (Lead) - not critical | Creatinine (urine - |
| | restriction | Erythrocyte | 400 μg/L - blood | 300 µg Pb/L - blood | 5-Aminolevulinic |
| | 0.075 mg/m ³ - air | protoporphyrin | (Lead) - not fixed | (Lead) - not critical | acid discretionary) |
| | (Lead) - 40 hours | (blood - | | 15 U/LE - blood | 0.035 µmol/mmol |
| | per week | Ethylenediaminetetr | | (.deltaAminolevulin | \ |
| | 40 μg/100 mL - | aacetic acid not | | ic acid dehydratase) | |
| | blood (Lead) - no | provided) | | - not critical | discretionary) |
| | restriction | 30 μg/100 mL blood | | 1.50 mg/LE - blood | 15 mg/g Creatinine |
| | | Lead (blood - | | (Protoporphyrin in | (urine - |
| | | Ethylenediaminetetr | | erythrocytes) - after | 5-Aminolevulinic |
| | | aacetic acid not | | exposure during 2-3 | , , |
| | | provided) | | months (sample | 0.2 mg/g Creatinine |
| | | 3.8 million/µL | | protected from light) | (urine - |
| | | Erythrocytes (blood - | | | Coproporphyrin |
| | | Ethylenediaminetetr | | | discretionary) |
| | | aacetic acid not | | | 0.4 mg/L (blood - |
| | | provided) | | | Lead discretionary) |
| | | 12 g/dL Hemoglobin (blood - | | | |
| | | Ethylenediaminetetr | | | |
| | | aacetic acid not | | | |
| | | provided) | | | |
| | | 35 % Hematocrit | | | |
| | | (blood - | | | |
| | | Ethylenediaminetetr | | | |
| | | aacetic acid not | | | |
| | | provided) | | | |
| | | 10 mg/L (urine - | | | |
| | | .deltaAminolevulini | | | |

EGHS / EN Page 11/27



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 14-Mar-2024 Revision Number 1

VHG-LMSTNG9-500 - ICP-MS Tuning Solution: Be, Mg, Co, In, Ba, Ce, Tl, Pb, Th @ 250 μg/L in 2% HNO3

| | | c acid not provided) | | | |
|---------------|---------------------|---------------------------------------|----------------------|------------------------|-----------------|
| | | 3.2 million/µL | | | |
| | | Erythrocytes (blood - | | | |
| | | Ethylenediaminetetr | | | |
| | | aacetic acid not | | | |
| | | provided) | | | |
| | | 10 g/dL Hemoglobin | | | |
| | | (blood - | | | |
| | | Ethylenediaminetetr | | | |
| | | aacetic acid not | | | |
| | | provided) | | | |
| | | 30 % Hematocrit | | | |
| | | (blood - | | | |
| | | Ethylenediaminetetr | | | |
| | | aacetic acid not | | | |
| | | provided) | | | |
| | | 6 mg/L (urine - | | | |
| | | .deltaAminolevulini | | | |
| | | c acid not provided) | | | |
| Cobalt | _ | Check | _ | _ | _ |
| 7440-48-4 | - | 10 µg/L (urine - | - | - | - |
| 7440-40-4 | | spontaneous urine | | | |
| | | • | | | |
| | | after end of work | | | |
| | | day, at the end of a work week/end of | | | |
| | | | | | |
| | | the shift) | | | |
| Chaminal name | Demmark | (-) | Гионов | Carres and DEC | Common TDCC |
| Chemical name | Denmark | Finland | France | Germany DFG | Germany TRGS |
| | 20 μg/100 mL (blood | | 400 μg/L - blood | 150 µg/L (whole | 150 μg/L (whole |
| 7439-92-1 | - Lead) | Lead time of day | (Lead) - | blood - Lead no | blood - Lead no |
| | | does not matter) | 180 µg/L - blood | restriction) | restriction) |
| | | 50 μg/dL (blood - | (Lead) - indifferent | 150 μg/L - BAT (no | |
| | | Lead) | sampling time | restriction in steady | |
| | | 40 μg/dL (blood - | 300 µg/L - blood | state) blood | |
| | | Lead) | (Lead) - | 30 μg/L - BAR (no | |
| | | | 200 µg/L - blood | restriction in steady | |
| | | | (Lead) - | state) blood | |
| | | | 100 μg/L - blood | 40 μg/L - BAR (no | |
| | | | (Lead) - | restriction in steady | |
| | | | | state) blood | |
| Cobalt | - | 130 nmol/L (urine - | - blood (Cobalt) - | 35 μg/L - BLW (for | - |
| 7440-48-4 | | Cobalt after the work | | . 3 | |
| | | phase or shift after a | workweek | exposures: at the | |
| | | working week or | 0,005 mg/g | end of the shift after | |
| | | exposure period) | creatinine - urine | several shifts) urine | |
| | | 1 | (0 1 10 1 1 1 1 10 | 1.5 μg/L - BAR (for | |

EGHS / EN Page 12/27



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 14-Mar-2024 Revision Number 1

VHG-LMSTNG9-500 - ICP-MS Tuning Solution: Be, Mg, Co, In, Ba, Ce, Tl, Pb, Th @ 250 μg/L in 2% HNO3

| at end c | f workweek long-term |
|---|---|
| | exposures: at the |
| | end of the shift after |
| | several shifts) urine |
| | 6 μg/L - (long-term |
| | exposure: at the end |
| | of the shift after |
| | several shifts) - urine |
| | |
| | 15 μg/L - (long-term |
| | exposure: at the end |
| | of the shift after |
| | several shifts) - urine |
| | 30 μg/L - (long-term |
| | exposure: at the end |
| | of the shift after |
| | several shifts) - urine |
| | 60 μg/L - (long-term |
| | exposure: at the end |
| | of the shift after |
| | several shifts) - urine |
| | 300 µg/L - |
| | (long-term exposure: |
| | at the end of the shift |
| | |
| | after several shifts) - |
| | urine |
| | 3 μg/L - (long-term |
| | exposure: at the end |
| | of the shift after |
| | several shifts) - urine |
| Barium nitrate | - 10 μg/L - BAR (for - |
| 10022-31-8 | long-term |
| | exposures: at the |
| | end of the shift after |
| | several shifts) urine |
| Chemical name Hungary Ireland | Italy MDLPS Italy AIDII |
| Lead - 70 μg/100 mL (blood - | 60 Pb µg/100 mL (blood - 30 µg/100 mL - blood |
| 7439-92-1 Lead not critical) | end of workweek) (Lead) - not critical |
| 40 μg/100 mL (blood - | (Lead) - Not critical |
| Lead not critical) | |
| | |
| 30 μg/100 mL (blood - | |
| Lead not critical) | 15 " 10 10 10 |
| Cobalt 0.01 mg/g Creatinine 15 μg/L (urine - Cobalt | |
| 7440-48-4 (urine - Cobalt end of end of shift at end of | end of shift at end of |
| shift) workweek) | workweek |
| | |
| 0.019 µmol/mmol 1 µg/L (blood - Cobalt er Creatinine (urine - Cobalt of shift at end of | |

EGHS / EN Page 13/27



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 14-Mar-2024 **Revision Number** 1

VHG-LMSTNG9-500 - ICP-MS Tuning Solution: Be, Mg, Co, In, Ba, Ce, Tl, Pb, Th @ 250 μg/L in 2% HNO3

| | end of shift) | workweek) | | |
|---------------------|---|---|--|--|
| Chemical name | Latvia | Luxembourg | Romania | Slovakia |
| Lead 7439-92-1 | 30 μg/100 mL - blood (Lead) - 100 μg/g Creatinine - urine (Coproporphyrin) - 5 mg/g Creatinine - urine (Aminolevulinic acid) - | 70 μg/100 mL - blood (Lead) - 0.072 mg/m³ - blood (Lead) - 40 μg/100 mL - blood (Lead) - | 150 µg/L - urine (Lead) - end of shift 70 µg/100 mL - blood (Lead) - end of shift 3 mg/cm - hair (Lead) - end of shift 10 mg/L - urine (.deltaAminolevulinic acid) - end of shift 300 µg/L - urine (Coproporphyrin) - end of shift 100 µg/100 mL Erythrocyte - blood (free Erythrocytes protoporphyrin) - end of shift | 400 μg/L (blood - Lead not critical) 100 μg/L (blood - Lead not critical) 15 mg/L (urinedeltaAminolevulinic acid not critical) 6 mg/L (urinedeltaAminolevulinic acid not critical) |
| Cobalt 7440-48-4 | - | - | 15 µg/L - urine (Cobalt) - end of work week 1 µg/L - blood (Cobalt) - end of work week | 30 μg/L (urine - Cobalt not critical) |
| Chemical name | Slovenia | Spain | Switzerland | United Kingdom |
| Lead 7439-92-1 | 400 μg/L - blood (Lead) - not relevant 300 μg/L - blood (Lead) - not relevant | 70 μg/dL (blood - Lead not critical) | 400 μg/L (whole blood - Lead no restrictions) 1.93 μmol/L (whole blood - Lead no restrictions) 100 μg/L (whole blood - Lead no restrictions) 0.48 μmol/L (whole blood - Lead no restrictions) | - |
| Cobalt 7440-48-4 | - | 15 μg/L (urine - Cobalt end of workweek) 1 μg/L (blood - Cobalt end of workweek) | 30 μg/L (urine - Cobalt end of shift) 509 nmol/L (urine - Cobalt end of shift) | - |

Derived No Effect Level (DNEL) Predicted No Effect Concentration No information available. (PNEC)

No information available.

8.2. Exposure controls

Personal protective equipment

EGHS / EN Page 14/27



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 14-Mar-2024 Revision Number 1

VHG-LMSTNG9-500 - ICP-MS Tuning Solution: Be, Mg, Co, In, Ba, Ce, Tl, Pb, Th @ 250 μg/L in 2% HNO3

Eye/face protection Avoid contact with eyes. Wear safety glasses with side shields (or goggles). If splashes are

likely to occur, wear safety glasses with side-shields.

Hand protection Wear protective Neoprene™ gloves. The protective gloves to be used must comply with the

specifications of EC Directive 89/686/EEC and the related standard EN374. Wear suitable

gloves. Impervious gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing.

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with

skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands

before breaks and after work. Wear suitable gloves and eye/face protection.

Environmental exposure controls Do not allow into any sewer, on the ground or into any body of water.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical stateLiquidAppearanceLiquidColourcolourlessOdourOdourless.

Odour threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Melting point / freezing point No data available None known Initial boiling point and boiling rangeNo data available None known Flammability No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Flash pointNo data availableNone knownAutoignition temperatureNo data availableNone knownDecomposition temperatureNone known

pH No data available None known

pH (as aqueous solution) No data available No information available

Kinematic viscosityNo data availableNone knownDynamic viscosityNo data availableNone known

EGHS / EN Page 15/27



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 14-Mar-2024 Revision Number 1

VHG-LMSTNG9-500 - ICP-MS Tuning Solution: Be, Mg, Co, In, Ba, Ce, Tl, Pb, Th @ 250 μg/L in 2% HNO3

Water solubilityNo data availableNone knownSolubility(ies)No data availableNone knownPartition coefficientNo data availableNone knownVapour pressureNo data availableNone knownRelative densityNo data availableNone known

Bulk density
No data available
No data available

Relative vapour density

No data available

None known

Particle characteristics

Particle Size No information available Particle Size Distribution No information available

9.2. Other information

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None. **Sensitivity to static discharge** None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Exposure to air or moisture over prolonged periods.

10.5. Incompatible materials

Incompatible materials Oxidising agent. Strong acids. Strong bases.

EGHS / EN Page 16/27



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 14-Mar-2024 Revision Number 1

VHG-LMSTNG9-500 - ICP-MS Tuning Solution: Be, Mg, Co, In, Ba, Ce, Tl, Pb, Th @ 250 μg/L in 2% HNO3

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye irritation.

(based on components). May cause redness, itching, and pain.

Skin contact Specific test data for the substance or mixture is not available. Causes skin irritation. (based

on components).

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhoea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. May cause redness and tearing of the eyes.

Numerical measures of toxicity

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 99,999.00 mg/kg

 ATEmix (dermal)
 99,999.00 mg/kg

 ATEmix (inhalation-gas)
 99,999.00 ppm

 ATEmix (inhalation-dust/mist)
 99,999.000 mg/l

 ATEmix (inhalation-vapour)
 139.50 mg/l

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---------------|--------------------|-------------|---------------------------|
| Nitric Acid | | | = 2500 ppm (Rat) 1 h |
| | | | ATE (vapours) = 2.65 mg/L |
| Indium | = 4200 mg/kg (Rat) | | |

EGHS / EN Page 17/27



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 14-Mar-2024 Revision Number 1

VHG-LMSTNG9-500 - ICP-MS Tuning Solution: Be, Mg, Co, In, Ba, Ce, Tl, Pb, Th @ 250 μg/L in 2% HNO3

| Cobalt | = 6171 mg/kg (Rat) | < 0.05 mg/L (Rat) 4 h |
|----------------|--------------------|--------------------------|
| Barium nitrate | = 355 mg/kg (Rat) | > 1.1 mg/L (Rat) 243 min |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitisation No information available.

Germ cell mutagenicity No information available.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as mutagenic.

| Cobalt Muta. 2 | |
|----------------|--|

Carcinogenicity No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical name | European Union | |
|----------------------|----------------|--|
| Cobalt | Carc. 1B | |
| Beryllium Oxyacetate | Carc. 1B | |

Reproductive toxicity No information available.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as reproductive toxins.

| Chemical name | European Union |
|---------------|----------------|
| Lead | Repr. 1A |
| | Lact. |
| Cobalt | Repr. 1B |

STOT - single exposure No information available.

STOT - repeated exposure No information available.

EGHS / EN Page 18/27



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 14-Mar-2024 Revision Number 1

VHG-LMSTNG9-500 - ICP-MS Tuning Solution: Be, Mg, Co, In, Ba, Ce, Tl, Pb, Th @ 250 μg/L in 2% HNO3

Aspiration hazard No information available.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Unknown aquatic toxicityContains 0 % of components with unknown hazards to the aquatic environment.

| | Chemical name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea |
|---|---------------|----------------------|---|----------------------------|-------------------------------------|
| | Lead | - | LC50: =0.44mg/L (96h, Cyprinus carpio) LC50: =1.17mg/L (96h, Oncorhynchus mykiss) LC50: =1.32mg/L (96h, Oncorhynchus mykiss) | - | EC50: =600µg/L (48h, water flea) |
| Ī | Cobalt | - | LC50: >100mg/L (96h, Brachydanio rerio) | - | - |

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

| Component information | | |
|-----------------------|-----------------------|--|
| Chemical name | Partition coefficient | |
| Nitric Acid | -2.3 | |

12.4. Mobility in soil

EGHS / EN Page 19/27



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 14-Mar-2024 **Revision Number** 1

VHG-LMSTNG9-500 - ICP-MS Tuning Solution: Be, Mg, Co, In, Ba, Ce, Tl, Pb, Th @ 250 μg/L in 2% HNO3

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

| Chemical name | PBT and vPvB assessment | |
|----------------|---------------------------------|--|
| Nitric Acid | The substance is not PBT / vPvB | |
| Lead | PBT assessment does not apply | |
| Indium | The substance is not PBT / vPvB | |
| Cobalt | The substance is not PBT / vPvB | |
| Barium nitrate | The substance is not PBT / vPvB | |

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

SECTION 14: Transport information

14.1 UN number or ID number UN3264

14.2 UN proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)

14.3 Transport hazard class(es) 14.4 Packing group

Description UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III

14.5 Environmental hazards Not applicable

14.6 Special precautions for user

Special Provisions A3, A803

EGHS / EN Page 20/27



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 14-Mar-2024 Revision Number 1

VHG-LMSTNG9-500 - ICP-MS Tuning Solution: Be, Mg, Co, In, Ba, Ce, Tl, Pb, Th @ 250 μg/L in 2% HNO3

ERG Code 8L

IMDG

14.1 UN number or ID number UN3264

14.2 UN proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)

14.3 Transport hazard class(es) 814.4 Packing group | | | | |

Description UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III

14.5 Marine pollutant NP

14.6 Special precautions for user

Special Provisions 223, 274

EmS-No. F-A, S-B No information available

14.7 Maritime transport in bulk No information available

according to IMO instruments

<u>RID</u>

14.1 UN number or ID number UN3264

14.2 UN proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)

14.3 Transport hazard class(es) 8 14.4 Packing group III

Description UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III

14.5 Environmental hazards Not applicable

14.6 Special precautions for user

Special Provisions 274
Classification code C1

ADR

14.1 UN number or ID number UN3264

14.2 UN proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)

14.3 Transport hazard class(es) 8 14.4 Packing group III

Description UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III, (E)

14.5 Environmental hazards Not applicable

14.6 Special precautions for user

Special Provisions 274
Classification code C1
Tunnel restriction code (E)

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

France

EGHS / EN Page 21/27



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 14-Mar-2024 Revision Number 1

VHG-LMSTNG9-500 - ICP-MS Tuning Solution: Be, Mg, Co, In, Ba, Ce, Tl, Pb, Th @ 250 μg/L in 2% HNO3

Occupational Illnesses (R-463-3, France)

| | Chemical name | French RG number | Title |
|--|---------------|------------------|-------|
| | Lead | RG 1 | - |
| | 7439-92-1 | | |
| | Cobalt | RG 65,RG 70,RG | - |
| | 7440-48-4 | 70bis,RG 70ter | |

Germany

Water hazard class (WGK) slightly hazardous to water (WGK 1)

TA Luft (German Air Pollution Control Regulation)

Netherlands

| Chemical name | Netherlands - List of Carcinogens | Netherlands - List of Carcinogens | Netherlands - List of Reproductive Toxins |
|----------------------|--------------------------------------|--------------------------------------|--|
| Lead | - | - | Fertility Category 1A |
| | | | Development Category 1A |
| | | | Can be harmful via |
| | | | breastfeeding |
| Cobalt | Present | - | Fertility Category 1B |
| Beryllium Oxyacetate | Present | - | - |

Poland

SDS created according to the following Polish regulation: Act of February 25, 2011 on chemical substances and their mixtures (Journal of Laws of 2018, item 143, as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing the European Chemicals Agency (EC) as amended. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labeling and packaging of substances and mixtures, as amended. Regulation of the Minister of Health of 10 August 2012 on the criteria and method of classifying chemical substances and their mixtures (Journal of Laws of 2012, item 1018). Regulation of the Minister of Health of 20 April 2012 on labeling packaging of hazardous substances and mixtures and some mixtures (Journal of Laws of 2012, item 445), Regulation of the Minister of Family, Labor and Social Policy of 12 June 2018 on the maximum allowable concentrations and intensities of factors harmful to health in the work environment (Journal of Laws of 2018, item 1286). Announcement of the Minister of Economy, Labor and Social Policy of August 28, 2003 on the publication of the unified text of the Ordinance of the Minister of Labor and Social Policy on general health and safety at work regulations (Journal of Laws of 2003, No. 169, item 1650) . Regulation of the Minister of Health of 30 December 2004 on occupational safety and health related to the presence of chemical agents in the workplace (Journal of Laws of 2005, No. 11, item 86). Act of December 14, 2012 on waste (Journal of Laws of 2013, item 21) Regulation of the Minister of Health of

EGHS / EN Page 22/27



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 14-Mar-2024 Revision Number 1

VHG-LMSTNG9-500 - ICP-MS Tuning Solution: Be, Mg, Co, In, Ba, Ce, Tl, Pb, Th @ 250 μg/L in 2% HNO3

December 30, 2004 on occupational health and safety related to the presence of chemical agents in the workplace (Journal U. of 2005, No. 11, item 86). Waste Act of December 14, 2012 (Journal of Laws of 2013, item 21). Act of 13 June 2013 on the management of packaging and packaging waste, Journal of Laws 2013, item 888). Government statement of September 24, 2002 - European Agreement on the International Carriage of Dangerous Goods by Road (ADR) (Journal of Laws No. 194, item 1629 and Journal of Laws of 2003, No. 207, item 2013 and 2014).

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorisations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

DIRECTIVE (EU) 2021/1187 on the marketing and use of explosives precursors

Product contains: Reportable explosives precursors. Making available, introduction, possession and use according to Regulation (EU) 2019/1148, Article 9

| Chemical name | RESTRICTED EXPLOSIVES PRECURSORS - ANNEX I | REPORTABLE EXPLOSIVES PRECURSORS - ANNEX II |
|-------------------------|--|---|
| Nitric Acid - 7697-37-2 | 3 %w/w | - |

| Chemical name | Restricted substance per REACH Annex XVII | Substance subject to authorisation per REACH Annex XIV |
|-------------------------|---|--|
| Nitric Acid - 7697-37-2 | 75. | |
| Thallium - 7440-28-0 | 75. | |
| Lead - 7439-92-1 | 72. 30. 63. 75. | |
| Cobalt - 7440-48-4 | 30. 28. 75. | |

Persistent Organic Pollutants

Not applicable

Export Notification requirements

This product contains substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals

| Chemical name | European Export/Import Restrictions per (EC) 649/2012 - Annex |
|------------------|---|
| | Number |
| Lead - 7439-92-1 | l.1 |

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

EGHS / EN Page 23/27



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 14-Mar-2024 Revision Number 1

VHG-LMSTNG9-500 - ICP-MS Tuning Solution: Be, Mg, Co, In, Ba, Ce, Tl, Pb, Th @ 250 μg/L in 2% HNO3

Not applicable

EU - Water Framework Directive (2000/60/EC)

| 20 Mator Flamouro (2000/00/20) | |
|--------------------------------|---|
| Chemical name | EU - Water Framework Directive (2000/60/EC) |
| Lead - 7439-92-1 | Priority substance |

EU - Environmental Quality Standards (2008/105/EC)

| Chemical name | EU - Environmental Quality Standards (2008/105/EC) |
|------------------|--|
| Lead - 7439-92-1 | Priority substance |

International Inventories

TSCA LGC has not confirmed that the chemical substances in this product are on the TSCA

requirements that apply to its use of this product.

Inventory, and LGC is distributing this product solely for use either in applications statutorily exempt from TSCA and regulated under other laws (e.g., FFDCA, FIFRA) or in research and development activities in accordance with the TSCA Inventory R&D exemption provided

at 40 CFR 720.36. It is the end-user's responsibility to understand and follow the

DSL/NDSL
Contact supplier for inventory compliance status
Contact supplier for inventory compliance status
ENCS
Contact supplier for inventory compliance status
IECSC
Contact supplier for inventory compliance status
KECL
Contact supplier for inventory compliance status
Contact supplier for inventory compliance status
PICCS
Contact supplier for inventory compliance status
AIIC
Contact supplier for inventory compliance status

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

Chemical Safety Report A Chemical Safety Assessment is not required for this substance

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

EGHS / EN Page 24/27



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 14-Mar-2024 Revision Number 1

VHG-LMSTNG9-500 - ICP-MS Tuning Solution: Be, Mg, Co, In, Ba, Ce, Tl, Pb, Th @ 250 μg/L in 2% HNO3

Full text of H-Statements referred to under section 3

EUH071 - Corrosive to the respiratory tract

EUH201 - Contains lead. Should not be used on surfaces liable to be chewed or sucked by children

H272 - May intensify fire; oxidiser

H290 - May be corrosive to metals

H300 - Fatal if swallowed

H301 - Toxic if swallowed

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H330 - Fatal if inhaled

H331 - Toxic if inhaled

H332 - Harmful if inhaled

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H335 - May cause respiratory irritation

H341 - Suspected of causing genetic defects

H350 - May cause cancer

H351 - Suspected of causing cancer

H360F - May damage fertility

H360FD - May damage fertility. May damage the unborn child

H362 - May cause harm to breast-fed children

H372 - Causes damage to organs through prolonged or repeated exposure

H373 - May cause damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H411 - Toxic to aquatic life with long lasting effects

H413 - May cause long lasting harmful effects to aquatic life

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)
Ceiling Maximum limit value Sk* Skin designation

| sification procedure | |
|---|--------------------|
| Classification according to Regulation (EC) No. 1272/2008 [CLP] | Method Used |
| Acute oral toxicity | Calculation method |
| Acute dermal toxicity | Calculation method |
| Acute inhalation toxicity - gas | Calculation method |
| Acute inhalation toxicity - Vapour | Calculation method |
| Acute inhalation toxicity - dust/mist | Calculation method |

EGHS / EN Page 25/27



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 14-Mar-2024 Revision Number 1

VHG-LMSTNG9-500 - ICP-MS Tuning Solution: Be, Mg, Co, In, Ba, Ce, Tl, Pb, Th @ 250 μg/L in 2% HNO3

| Skin corrosion/irritation | On basis of test data |
|-----------------------------------|-----------------------|
| Serious eye damage/eye irritation | On basis of test data |
| Respiratory sensitisation | Calculation method |
| Skin sensitisation | Calculation method |
| Mutagenicity | Calculation method |
| Carcinogenicity | Calculation method |
| Reproductive toxicity | Calculation method |
| STOT - single exposure | Calculation method |
| STOT - repeated exposure | Calculation method |
| Acute aquatic toxicity | Calculation method |
| Chronic aquatic toxicity | Calculation method |
| Aspiration hazard | Calculation method |
| Ozone | Calculation method |
| Corrosive to metals | On basis of test data |

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 14-Mar-2024

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 Disclaimer

The information in this safety data sheet (SDS) has been prepared with due care and is true and accurate to the best of our knowledge. The user must determine the suitability of the information for its particular purpose, ensure compliance with existing laws and regulations, and be aware that other or additional safety or performance considerations may arise

EGHS / EN Page 26/27



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 14-Mar-2024 Revision Number 1

VHG-LMSTNG9-500 - ICP-MS Tuning Solution: Be, Mg, Co, In, Ba, Ce, Tl, Pb, Th @ 250 μg/L in 2% HNO3

when using, handling and/ or storing the material. The information in this SDS does not purport to be all inclusive or a guarantee as to the properties of the material supplied, and should be used only as a guide. LGC makes no warranties or representations as to the accuracy and completeness of the information contained herein, shall not be held responsible for the suitability of this information for the user's intended purposes or the consequences of such use, and shall not be liable for any damage or loss, howsoever arising, direct or otherwise.

End of Safety Data Sheet

EGHS / EN Page 27/27