

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 01-Dec-2022 Revision Number 1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code(s) MM1204.01

**Product Name** 2-Aminoethanol (Ethanolamine)

NOTE [8] - No registration number is given for this substance because it is under the threshold in REACH Article

6(1) and not subject to the registration requirements according to REACH Title II

EC No (EU Index No) 205-483-3

**CAS No** 141-43-5

Chemical name 2-Aminoethanol

Pure substance/mixture Substance

Formula C<sub>2</sub>H<sub>7</sub>NO

Molecular weight 61.08

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Laboratory use

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

#### Supplier

LGC Limited Queens Road Teddington Middlesex TW11 0LY UNITED KINGDOM :+44 (0) 20 8943 7000 Fax :+44 (0) 20 8943 2767

eMail: gb@lgcstandards.com

Web: www.lgcstandards.com

For further information, please contact

E-mail address sds-request@lgcgroup.com

EGHS / EN Page 1/18



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 01-Dec-2022 Revision Number 1

# MM1204.01 - 2-Aminoethanol (Ethanolamine)

\_\_\_\_\_

#### 1.4. Emergency telephone number

Emergency Telephone For Hazardous Materials or Dangerous Goods Incident

Spill, Leak, Fire Exposure, or Accident

Call CHEMTREC:

USA & Canada 1-800-424-9300 Rest of the world +1 703-741-5970

Emergency Telephone - §45 - (EC)1272/2008				
Europe	112			
Austria	No information available			
Bulgaria				
Croatia				
Cyprus				
Czech Republic				
Denmark				
France				
Hungary				
Ireland				
Italy				
Lithuania				
Luxembourg				
Netherlands				
Norway				
Portugal				
Romania				
Slovakia				
Slovenia				
Spain				
Sweden				
Switzerland				

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Acute toxicity - Oral	Category 4 - (H302)
Acute toxicity - Dermal	Category 3 - (H311)
Acute toxicity - Inhalation (Dusts/Mists)	Category 4 - (H332)
Skin corrosion/irritation	Category 1 Sub-category B - (H314)
Serious eye damage/eye irritation	Category 1 - (H318)
Specific target organ toxicity — single exposure	Category 3 - (H335)
Chronic aquatic toxicity	Category 3 - (H412)

EGHS / EN Page 2/18



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 01-Dec-2022 Revision Number 1

## MM1204.01 - 2-Aminoethanol (Ethanolamine)

# 2.2. Label elements

Contains 2-Aminoethanol



Signal word Danger

#### **Hazard statements**

H302 - Harmful if swallowed

H311 - Toxic in contact with skin

H314 - Causes severe skin burns and eye damage

H332 - Harmful if inhaled

H335 - May cause respiratory irritation

H412 - Harmful to aquatic life with long lasting effects

### Precautionary Statements - EU (§28, 1272/2008)

P260 - Do not breathe dust/fume/gas/mist/vapours/spray

P280 - Wear protective gloves/protective clothing and eye/face protection

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower] P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

### 2.3. Other hazards

Toxic to aquatic life.

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

This product does not contain any known or suspected endocrine disruptors.

Chemical name	·	EU - REACH (1907/2	006) - Article 59(1)	EU - REACH (1907/2006) - Endocrine
		- Candidate List of S	ubstances of Very	Disruptor Assessment List of
		High Concern (SVHC	) for Authorisation	Substances
2-Aminoethanol		-		-

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

EGHS / EN Page 3/18



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 01-Dec-2022 Revision Number 1

## MM1204.01 - 2-Aminoethanol (Ethanolamine)

Chemical name	Weight-%	REACH registration number	,	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
2-Aminoethanol 141-43-5	100	<u>-</u>	205-483-3	Acute Tox. 3 (H311) Acute Tox. 4 (H302) Acute Tox. 4 (H332) Skin Corr. 1B (H314) Eye Dam. 1 (H318) STOT SE 3 (H335) Aquatic Chronic 3 (H412)	STOT SE 3 :: C>=5%		

#### Full text of H- and EUH-phrases: see section 16

#### Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg		Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
2-Aminoethanol 141-43-5	1720	1000	No data available	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

**Inhalation** Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical

attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical

advice/attention.

**Eye contact**Do not rub affected area. Remove contact lenses, if present and easy to do. Continue

rinsing. Get immediate medical advice/attention. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing.

EGHS / EN Page 4/18



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 01-Dec-2022 Revision Number 1

## MM1204.01 - 2-Aminoethanol (Ethanolamine)

Skin contact

Get immediate medical advice/attention. Wash off immediately with soap and plenty of

water while removing all contaminated clothes and shoes.

Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious Ingestion

person. Get immediate medical advice/attention.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Ensure that medical personnel are aware of the

material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Avoid breathing vapours or mists. Use personal protective equipment as

required. See section 8 for more information.

4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** Burning sensation. Coughing and/ or wheezing. Difficulty in breathing.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Product is a corrosive material. Use of gastric lavage or emesis is contra-indicated. Possible

perforation of stomach or esophagus should be investigated. Do not give chemical

antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may

occur with moist rales, frothy sputum, and high pulse pressure.

## SECTION 5: Firefighting measures

5.1. Extinguishing media

**Suitable Extinguishing Media** Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Do not scatter spilled material with high pressure water streams. Unsuitable extinguishing media

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition

can lead to release of irritating gases and vapours.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

# SECTION 6: Accidental release measures

EGHS / EN Page 5 / 18



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 01-Dec-2022 Revision Number 1

## MM1204.01 - 2-Aminoethanol (Ethanolamine)

6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions**Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Ensure adequate ventilation. Evacuate personnel to safe areas. Attention! Corrosive material. Keep people away from and upwind of spill/leak. Avoid breathing vapours or mists.

**Other information** Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Should not be released into the

environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.

6.3. Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

**Reference to other sections**See section 8 for more information. See section 13 for more information.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Advice on safe handling Do not eat, drink or smoke when using this product. Handle in accordance with good

industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash it before reuse. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate

exhaust ventilation. Avoid breathing vapours or mists.

**General hygiene considerations** Remove and wash contaminated clothing and gloves, including the inside, before re-use.

Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Contaminated work clothing should not be allowed out of the workplace. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work.

Wear suitable gloves and eye/face protection.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach

EGHS / EN Page 6/18



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 01-Dec-2022 Revision Number 1

## MM1204.01 - 2-Aminoethanol (Ethanolamine)

of children. Store locked up. Protect from moisture. Store away from other materials. Please refer to the manufacturer's certificate for specific storage and transport temperature conditions. Store only in the original receptacle unless other advice is given on the CoA.

#### 7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

# SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

## **Exposure Limits**

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
2-Aminoethanol	TWA: 1 ppm	TWA: 1 ppm	TWA: 1 ppm	STEL: 3 ppm	TWA: 1 ppm
141-43-5	TWA: 2.5 mg/m <sup>3</sup>	TWA: 2.5 mg/m <sup>3</sup>	TWA: 2.5 mg/m <sup>3</sup>	STEL: 7.6 mg/m <sup>3</sup>	TWA: 2.5 mg/m <sup>3</sup>
	*	STEL 3 ppm	STEL: 3 ppm	TWA: 1 ppm	STEL: 3 ppm
		STEL 7.6 mg/m <sup>3</sup>	STEL: 7.6 mg/m <sup>3</sup>	TWA: 2.5 mg/m <sup>3</sup>	STEL: 7.6 mg/m <sup>3</sup>
		Skin sensitizer	*	K*	*
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
2-Aminoethanol	*	TWA: 2.5 mg/m <sup>3</sup>	TWA: 1 ppm	TWA: 1 ppm	TWA: 1 ppm
141-43-5	STEL: 3 ppm	Ceiling: 7.5 mg/m <sup>3</sup>	TWA: 2.5 mg/m <sup>3</sup>	TWA: 2.5 mg/m <sup>3</sup>	TWA: 2.5 mg/m <sup>3</sup>
	STEL: 7.6 mg/m <sup>3</sup>	*	H*	STEL: 3 ppm	STEL: 3 ppm
	TWA: 1 ppm			STEL: 7.6 mg/m <sup>3</sup>	STEL: 7.6 mg/m <sup>3</sup>
	TWA: 2.5 mg/m <sup>3</sup>			A*	iho*
Chemical name	France	Germany	Germany MAK	Greece	Hungary
2-Aminoethanol	TWA: 1 ppm	TWA: 0.2 ppm	TWA: 0.2 ppm	TWA: 1 ppm	TWA: 2.5 mg/m <sup>3</sup>
141-43-5	TWA: 2.5 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>	TWA: 0.51 mg/m <sup>3</sup>	TWA: 2.5 mg/m <sup>3</sup>	STEL: 7.6 mg/m <sup>3</sup>
	STEL: 3 ppm	H*	Peak: 0.2 ppm	STEL: 3 ppm	*
	STEL: 7.6 mg/m <sup>3</sup>	Skin sensitizer	Peak: 0.51 mg/m <sup>3</sup>	STEL: 7.6 mg/m <sup>3</sup>	
	*		skin sensitizer	skin - potential for	
				cutaneous	
				absorption	
Chemical name	Ireland	Italy	Italy REL	Latvia	Lithuania
2-Aminoethanol	TWA: 1 ppm	TWA: 1 ppm	TWA: 3 ppm	TWA: 0.2 ppm	*
141-43-5	TWA: 2.5 mg/m <sup>3</sup>	TWA: 2.5 mg/m <sup>3</sup>	TWA: 7.5 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>	TWA: 2.5 mg/m <sup>3</sup>
	STEL: 3 ppm	STEL: 3 ppm	STEL: 6 ppm	STEL: 3 ppm	TWA: 1 ppm
	STEL: 7.6 mg/m <sup>3</sup>	STEL: 7.6 mg/m <sup>3</sup>	STEL: 15 mg/m <sup>3</sup>	STEL: 7.6 mg/m <sup>3</sup>	STEL: 7.6 mg/m <sup>3</sup>
	Sk*	pelle*		*	STEL: 3 ppm
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
2-Aminoethanol	*	*	TWA: 2.5 mg/m <sup>3</sup>	TWA: 1 ppm	STEL: 7.5 mg/m <sup>3</sup>
141-43-5	STEL: 3 ppm	STEL: 3 ppm	STEL: 7.6 mg/m <sup>3</sup>	TWA: 2.5 mg/m <sup>3</sup>	TWA: 2.5 mg/m <sup>3</sup>
	STEL: 7.6 mg/m <sup>3</sup>	STEL: 7.6 mg/m <sup>3</sup>	H*	STEL: 3 ppm	*

EGHS / EN Page 7/18



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 01-Dec-2022 Revision Number 1

### MM1204.01 - 2-Aminoethanol (Ethanolamine)

		VA: 1 ppm A: 2.5 mg/m <sup>3</sup>	TWA: 1 ppm TWA: 2.5 mg/m <sup>3</sup>	3			5 mg/m³ H*	_
Chemical name		Portugal	Romania		Slovakia	Slo	venia	Spain
2-Aminoethanol 141-43-5	TW <i>A</i> ST	VA: 1 ppm A: 2.5 mg/m³ EL: 3 ppm L: 7.6 mg/m³ P*	TWA: 1 ppm TWA: 2.5 mg/m <sup>3</sup> STEL: 3 ppm STEL: 7.6 mg/m <sup>3</sup>		TWA: 1 ppm TWA: 2.5 mg/m³ * Ceiling: 7.6 mg/m³	TWA: 2 STEL: S	: 1 ppm 2.5 mg/m³ STEL ppm TEL mg/m³ *	TWA: 1 ppm TWA: 2.5 mg/m <sup>3</sup> STEL: 3 ppm STEL: 7.5 mg/m <sup>3</sup> vía dérmica*
Chemical name		Sı	weden		Switzerland		Uni	ted Kingdom
2-Aminoethanol 141-43-5		NGV: 1 ppm NGV: 2.5 mg/m³ Bindande KGV: 3 ppm Bindande KGV: 7.5 mg/m³			TWA: 2 ppm TWA: 5 mg/m³ STEL: 4 ppm STEL: 10 mg/m		TW.	WA: 1 ppm A: 2.5 mg/m³ FEL: 3 ppm :L: 7.6 mg/m³ Sk*

#### Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Derived No Effect Level (DNEL)
Predicted No Effect Concentration
(PNEC)

No information available. No information available.

8.2. Exposure controls

Personal protective equipment

**Eye/face protection** Tight sealing safety goggles. Face protection shield. Avoid contact with eyes. Wear safety

glasses with side shields (or goggles).

**Hand protection** Wear suitable gloves. Impervious gloves. The protective gloves to be used must comply

with the specifications of EC Directive 89/686/EEC and the related standard EN374.

Polyvinyl chloride (PVC).

Skin and body protection Long sleeved clothing. Chemical resistant apron. Wear suitable protective clothing.

exceeded or irritation is experienced, ventilation and evacuation may be required.

**General hygiene considerations** Remove and wash contaminated clothing and gloves, including the inside, before re-use.

Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Contaminated work clothing should not be allowed out of the workplace. Avoid contact with skin, eyes or clothing. Do not

EGHS / EN Page 8/18



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Number 1 Revision date 01-Dec-2022

### MM1204.01 - 2-Aminoethanol (Ethanolamine)

eat, drink or smoke when using this product. Wash hands before breaks and after work.

Wear suitable gloves and eye/face protection.

**Environmental exposure controls** Do not allow into any sewer, on the ground or into any body of water.

# SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

**Physical state** Liquid **Appearance** Oily Colour colourless

Odour Ammonia-like odour. **Odour threshold** No information available

Remarks • Method Property Values

Melting point / freezing point None known 10 °C Initial boiling point and boiling range172 °C None known Flammability No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Flash point 85 °C None known 410 °C **Autoignition temperature** None known None known

**Decomposition temperature** 

12.1 None known pH (as aqueous solution) No data available

No information available Kinematic viscosity No data available None known

**Dvnamic viscosity** No data available None known Water solubility No data available None known Solubility(ies) No data available None known Partition coefficient None known -1.31 0.53 hPa Vapour pressure @ 25 °C @ 20 °C Relative density 1.02

No data available **Bulk density** No data available **Liquid Density** 

Relative vapour density 2.11 None known

**Particle characteristics** 

No information available **Particle Size Particle Size Distribution** No information available

9.2. Other information

Molecular weight 61.08 Molecular formula C<sub>2</sub>H<sub>7</sub>NO

9.2.1. Information with regards to physical hazard classes

EGHS / EN Page 9 / 18



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 01-Dec-2022 Revision Number 1

## MM1204.01 - 2-Aminoethanol (Ethanolamine)

Not applicable

9.2.2. Other safety characteristics No information available

# SECTION 10: Stability and reactivity

10.1. Reactivity

**Reactivity** No information available.

10.2. Chemical stability

**Stability** Stable under normal conditions.

**Explosion data** 

**Sensitivity to mechanical impact** None. **Sensitivity to static discharge** None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

**Conditions to avoid** Exposure to air or moisture over prolonged periods. Excessive heat.

10.5. Incompatible materials

**Incompatible materials** Acids. Bases. Oxidising agent.

Hazardous decomposition products None known based on information supplied.

## SECTION 11: Toxicological information

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

**Product Information** 

**Inhalation** Specific test data for the substance or mixture is not available. Corrosive by inhalation.

(based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs.

Pulmonary edema can be fatal. Harmful by inhalation.

EGHS / EN Page 10/18



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 01-Dec-2022 Revision Number 1

## MM1204.01 - 2-Aminoethanol (Ethanolamine)

**Eye contact** Specific test data for the substance or mixture is not available. Causes serious eye damage.

(based on components). Corrosive to the eyes and may cause severe damage including

blindness. May cause irreversible damage to eyes.

**Skin contact** Specific test data for the substance or mixture is not available. Corrosive. (based on

components). Causes burns. Toxic in contact with skin.

**Ingestion** Specific test data for the substance or mixture is not available. Causes burns. (based on

components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways. Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. Burning. May cause blindness. Coughing and/ or wheezing.

Numerical measures of toxicity

**Acute toxicity** 

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
2-Aminoethanol	= 1720 mg/kg (Rat)	= 1000 mg/kg ( Rabbit )	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes severe skin burns and eye

damage.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye damage. Causes

burns

**Respiratory or skin sensitisation** No information available.

Germ cell mutagenicity No information available.

EGHS / EN Page 11/18



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 01-Dec-2022 Revision Number 1

## MM1204.01 - 2-Aminoethanol (Ethanolamine)

**Carcinogenicity** No information available.

**Reproductive toxicity** No information available.

**STOT - single exposure** May cause respiratory irritation.

**STOT - repeated exposure**No information available.

**Aspiration hazard** No information available.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

11.2.2. Other information

Other adverse effects No information available.

# **SECTION 12: Ecological information**

### 12.1. Toxicity

**Ecotoxicity** 

Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
2-Aminoethanol	EC50: =15mg/L (72h, Desmodesmus subspicatus) EC50: =2.8 mg/l (72h, Pseudokirchneriella subcapitata)	LC50: 114 - 196mg/L (96h, Oncorhynchus mykiss) LC50: 300 - 1000mg/L (96h, Lepomis macrochirus) LC50: =227mg/L (96h, Pimephales promelas)	microorganisms -	EC50: =65mg/L (48h, Daphnia magna)
		LC50: =3684mg/L (96h, Brachydanio rerio) LC50: >200mg/L (96h, Oncorhynchus mykiss)		

EGHS / EN Page 12/18



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 01-Dec-2022 Revision Number 1

## MM1204.01 - 2-Aminoethanol (Ethanolamine)

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

**Bioaccumulation** There is no data for this product.

**Component Information** 

Chemical name	Partition coefficient
2-Aminoethanol	-1.31

#### 12.4. Mobility in soil

**Mobility in soil** No information available.

#### 12.5. Results of PBT and vPvB assessment

**PBT and vPvB assessment** The product does not contain any substance(s) classified as PBT or vPvB.

Chemical name	PBT and vPvB assessment
2-Aminoethanol	The substance is not PBT / vPvB PBT assessment does
	not apply

#### 12.6. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

#### 12.7. Other adverse effects

No information available.

# SECTION 13: Disposal considerations

## 13.1. Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

# **SECTION 14: Transport information**

EGHS / EN Page 13/18



**Special Provisions** 

Classification code

**Tunnel restriction code** 

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 01-Dec-2022 Revision Number 1

## MM1204.01 - 2-Aminoethanol (Ethanolamine)

IATA 14.1 UN number or ID number UN2491 14.2 UN proper shipping name Ethanolamine 14.3 Transport hazard class(es) 14.4 Packing group Description UN2491, Ethanolamine, 8, III 14.5 Environmental hazards Yes 14.6 Special precautions for user **Special Provisions** A3, A803 **ERG Code** 8L IMDG 14.1 UN number or ID number UN2491 14.2 UN proper shipping name Ethanolamine 14.3 Transport hazard class(es) 14.4 Packing group Ш Description UN2491, Ethanolamine, 8, III, Marine pollutant 14.5 Marine pollutant Yes **Environmental hazards** 14.6 Special precautions for user **Special Provisions** 223 **EmS-No** F-A, S-B No information available No information available 14.7 Maritime transport in bulk according to IMO instruments RID 14.1 UN number or ID number UN2491 14.2 UN proper shipping name Ethanolamine 14.3 Transport hazard class(es) 14.4 Packing group Ш UN2491, Ethanolamine, 8, III, Environmentally Hazardous Description 14.5 Environmental hazards Yes 14.6 Special precautions for user **Special Provisions** None Classification code C7 ADR 14.1 UN number or ID number UN2491 14.2 UN proper shipping name Ethanolamine 14.3 Transport hazard class(es) 8 14.4 Packing group Ш Description UN2491, Ethanolamine, 8, III, (E), Environmentally Hazardous 14.5 Environmental hazards Yes 14.6 Special precautions for user

EGHS / EN Page 14/18

None

C7

(E)



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 01-Dec-2022 Revision Number 1

MM1204.01 - 2-Aminoethanol (Ethanolamine)

# **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

#### France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number	Title
2-Aminoethanol	RG 49,RG 49bis	-
141-43-5		

Water hazard class (WGK)

obviously hazardous to water (WGK 2)

Poland

SDS created according to the following Polish regulation: Act of February 25, 2011 on chemical substances and their mixtures (Journal of Laws of 2018, item 143, as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing the European Chemicals Agency (EC) as amended. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labeling and packaging of substances and mixtures, as amended. Regulation of the Minister of Health of 10 August 2012 on the criteria and method of classifying chemical substances and their mixtures (Journal of Laws of 2012, item 1018). Regulation of the Minister of Health of 20 April 2012 on labeling packaging of hazardous substances and mixtures and some mixtures (Journal of Laws of 2012, item 445). Regulation of the Minister of Family, Labor and Social Policy of 12 June 2018 on the maximum allowable concentrations and intensities of factors harmful to health in the work environment (Journal of Laws of 2018, item 1286). Announcement of the Minister of Economy, Labor and Social Policy of August 28, 2003 on the publication of the unified text of the Ordinance of the Minister of Labor and Social Policy on general health and safety at work regulations (Journal of Laws of 2003, No. 169, item 1650) . Regulation of the Minister of Health of 30 December 2004 on occupational safety and health related to the presence of chemical agents in the workplace (Journal of Laws of 2005, No. 11, item 86). Act of December 14, 2012 on waste (Journal of Laws of 2013, item 21) Regulation of the Minister of Health of December 30, 2004 on occupational health and safety related to the presence of chemical agents in the workplace (Journal U. of 2005, No. 11, item 86). Waste Act of December 14, 2012 (Journal of Laws of 2013, item 21). Act of 13 June 2013 on the management of packaging and packaging waste, Journal of Laws 2013, item 888). Government statement of September 24, 2002 - European Agreement on the International Carriage of Dangerous Goods by Road (ADR) (Journal of Laws No. 194, item 1629 and Journal of Laws of 2003, No. 207, item 2013 and 2014).

#### **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

EGHS / EN Page 15/18



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 01-Dec-2022 Revision Number 1

# MM1204.01 - 2-Aminoethanol (Ethanolamine)

#### Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

# DIRECTIVE (EU) 2021/1187 on the marketing and use of explosives precursors

Not applicable

#### **Persistent Organic Pollutants**

Not applicable

#### Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

## **International Inventories**

**TSCA** Complies

DSL/NDSL
Contact supplier for inventory compliance status
Contact supplier for inventory compliance status
ENCS
Contact supplier for inventory compliance status
IECSC
Contact supplier for inventory compliance status
KECL
Contact supplier for inventory compliance status
Contact supplier for inventory compliance status
PICCS
Contact supplier for inventory compliance status
AllC
Contact supplier for inventory compliance status

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### 15.2. Chemical safety assessment

Chemical Safety Report A Chemical Safety Assessment is not required for this substance

# **SECTION 16: Other information**

EGHS / EN Page 16/18



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 01-Dec-2022 Revision Number 1

## MM1204.01 - 2-Aminoethanol (Ethanolamine)

#### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

H302 - Harmful if swallowed

H311 - Toxic in contact with skin

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H332 - Harmful if inhaled

H335 - May cause respiratory irritation

H412 - Harmful to aquatic life with long lasting effects

#### Legend

SVHC: Substances of Very High Concern for Authorisation:

#### Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

Method Used
Calculation method

### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s))

EGHS / EN Page 17/18



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 01-Dec-2022 Revision Number 1

# MM1204.01 - 2-Aminoethanol (Ethanolamine)

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 01-Dec-2022

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 Disclaimer

The information in this safety data sheet (SDS) has been prepared with due care and is true and accurate to the best of our knowledge. The user must determine the suitability of the information for its particular purpose, ensure compliance with existing laws and regulations, and be aware that other or additional safety or performance considerations may arise when using, handling and/ or storing the material. The information in this SDS does not purport to be all inclusive or a guarantee as to the properties of the material supplied, and should be used only as a guide. LGC makes no warranties or representations as to the accuracy and completeness of the information contained herein, shall not be held responsible for the suitability of this information for the user's intended purposes or the consequences of such use, and shall not be liable for any damage or loss, howsoever arising, direct or otherwise.

**End of Safety Data Sheet** 

EGHS / EN Page 18/18