

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 02-Mar-2022 **Revision Number** 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code(s) TRC-X749690-100G

Product Name 2,4-Dimethylaniline (2,4-Xylidine)

NOTE [8] - No registration number is given for this substance because it is under the threshold in REACH Article

6(1) and not subject to the registration requirements according to REACH Title II

EC No 202-440-0

CAS No 95-68-1

2,4-Xylidine **Chemical name**

Pure substance/mixture Substance

C8H11N **Formula**

Molecular weight 121.18

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Laboratory use

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Supplier

LGC Limited Queens Road Teddington Middlesex TW11 0LY UNITED KINGDOM :+44 (0) 20 8943 7000 Fax:+44(0)2089432767

eMail: gb@lgcstandards.com

Web: www.lgcstandards.com

For further information, please contact

E-mail address sds-request@lgcgroup.com

EGHS / EN Page 1/18



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 02-Mar-2022 Revision Number 1

TRC-X749690-100G - 2,4-Dimethylaniline (2,4-Xylidine)

1.4. Emergency telephone number

Emergency Telephone For Hazardous Materials or Dangerous Goods Incident

Spill, Leak, Fire Exposure, or Accident

Call CHEMTREC:

USA & Canada 1-800-424-9300 Rest of the world +1 703-741-5970

Emergency Telephone - §45 - (EC)1272/2008						
Europe	112					
Austria	No information available					
Bulgaria						
Croatia						
Cyprus						
Czech Republic						
Denmark						
France						
Hungary						
Ireland						
Italy						
Lithuania						
Luxembourg	(+352) 8002 5500 Free telephone number with a 24/7 access in French, Dutch and English.					
Netherlands						
Norway						
Portugal						
Romania						
Slovakia						
Slovenia						
Spain						
Sweden						
Switzerland						

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Acute toxicity - Oral	Category 3 - (H301)
Acute toxicity - Dermal	Category 3 - (H311)
Acute toxicity - Inhalation (Vapours)	Category 2 - (H330)
Specific target organ toxicity — repeated exposure	Category 2 - (H373)
Chronic aquatic toxicity	Category 2 - (H411)

2.2. Label elements

EGHS / EN Page 2/18



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 02-Mar-2022 Revision Number 1

TRC-X749690-100G - 2,4-Dimethylaniline (2,4-Xylidine)

202-440-0 Contains 2,4-Xylidine

Signal word Danger

Hazard statements

H301 - Toxic if swallowed

H311 - Toxic in contact with skin

H330 - Fatal if inhaled

H373 - May cause damage to organs through prolonged or repeated exposure

H411 - Toxic to aquatic life with long lasting effects

Precautionary Statements - EU (§28, 1272/2008)

P260 - Do not breathe dust/fume/gas/mist/vapours/spray

P273 - Avoid release to the environment

P280 - Wear protective gloves and protective clothing

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P310 - Immediately call a POISON CENTER or doctor

P391 - Collect spillage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

2.3. Other hazards

No information available.

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

Chemical name	EU - REACH (1907/2006) - Article 59(1)	EU - REACH (1907/2006) - Endocrine
	- Candidate List of Substances of Very	Disruptor Assessment List of
	High Concern (SVHC) for Authorisation	Substances
2,4-Xylidine	-	-

SECTION 3: Composition/information on ingredients

3.1 Substances

Chemical name	Weight-%	REACH registration	EC No	Classification	Specific	M-Factor	M-Factor
		number		according to	concentration		(long-term)

EGHS / EN Page 3/18



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 02-Mar-2022 Revision Number 1

TRC-X749690-100G - 2,4-Dimethylaniline (2,4-Xylidine)

				Regulation (EC) No. 1272/2008 [CLP]	limit (SCL)	
2,4-Xylidine 95-68-1	100	-	202-440-0	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331) STOT RE 2 (H373) Aquatic Chronic 2 (H411)		

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50 - 4	Inhalation LC50 - 4	Inhalation LC50 - 4
	mg/kg	mg/kg	hour - dust/mist - mg/L	hour - vapour - mg/L	hour - gas - ppm
2,4-Xylidine	467	No data available	No data available	No data available	No data available
95-68-1					

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance.

Inhalation If breathing has stopped, give artificial respiration. Get medical attention immediately.

Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel

should) give oxygen.

Eye contact Get immediate medical advice/attention. Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes. Keep eye wide open while rinsing.

Skin contact Get immediate medical advice/attention. Wash off immediately with soap and plenty of

water while removing all contaminated clothes and shoes.

Ingestion Get immediate medical advice/attention. Do NOT induce vomiting. Rinse mouth. Never give

EGHS / EN Page 4/18



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 02-Mar-2022 Revision Number 1

TRC-X749690-100G - 2,4-Dimethylaniline (2,4-Xylidine)

anything by mouth to an unconscious person.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Do not breathe vapour or mist. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Use personal protective equipment as required. See section 8

for more information.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Coughing and/ or wheezing. Difficulty in breathing.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

No information available.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Do not breathe vapour

or mist. Keep people away from and upwind of spill/leak.

Other information Refer to protective measures listed in Sections 7 and 8.

EGHS / EN Page 5/18



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 02-Mar-2022 Revision Number 1

TRC-X749690-100G - 2,4-Dimethylaniline (2,4-Xylidine)

6.2. Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so. Should not be released into the

environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sectionsSee section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Take off contaminated clothing and wash it before reuse. Do not breathe vapour or mist. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust

ventilation. Do not eat, drink or smoke when using this product.

General hygiene considerations Remove and wash contaminated clothing and gloves, including the inside, before re-use.

Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Do not breathe vapour or mist. Contaminated work clothing should not be allowed out of the workplace. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands

before breaks and after work. Wear suitable gloves and eye/face protection.

7.2. Conditions for safe storage, including any incompatibilities

Storage ConditionsStore locked up. Keep containers tightly closed in a dry, cool and well-ventilated place.

Keep out of the reach of children. Please refer to the manufacturer's certificate for specific storage and transport temperature conditions. Store only in the original receptacle unless

other advice is given on the CoA.

7.3. Specific end use(s)

EGHS / EN Page 6/18



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 02-Mar-2022 Revision Number 1

TRC-X749690-100G - 2,4-Dimethylaniline (2,4-Xylidine)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	Euro	pean Union	Austria	Belgium	Bu	Igaria	Croatia
2,4-Xylidine 95-68-1		-	TWA: 5 ppm TWA: 25 mg/m³ H*	TWA: 0.5 ppm TWA: 2.5 mg/m ³	TWA: 1	0.0 mg/m ³	-
Chemical name		Cyprus	Czech Republic	Denmark	Es	stonia	Finland
2,4-Xylidine 95-68-1		<u>-</u>	TWA: 5 mg/m ³ Ceiling: 10 mg/m ³ *	TWA: 0.5 ppm TWA: 2.5 mg/m ³ H*		-	TWA: 5 ppm TWA: 25 mg/m³ STEL: 10 ppm STEL: 50 mg/m³ iho*
Chemical name		France	Germany	Germany MAK		reece	Hungary
2,4-Xylidine 95-68-1		VA: 2 ppm A: 10 mg/m³	Н*	*	TWA: STEL: STEL: skin - p cuta	:: 5 ppm 25 mg/m ³ : 10 ppm 50 mg/m ³ otential for aneous orption	TWA: 10 mg/m³ *
Chemical name		Ireland	Italy	Italy REL	L	atvia	Lithuania
2,4-Xylidine 95-68-1	TW STE	A: 2.5 mg/m ³ 'A: 0.5 ppm EL: 1.5 ppm L: 7.5 mg/m ³ Sk*	-	TWA: 0.5 ppm TWA: 2.5 mg/m ³ *		-	* TWA: 3 mg/m³
Chemical name	Lu	xembourg	Malta	Netherlands		orway	Poland
2,4-Xylidine 95-68-1		-	-	-	TWA: STEL STEL:	i: 1 ppm 5 mg/m³ i: 3 ppm 10 mg/m³ H*	TWA: 10 mg/m ³ *
Chemical name		Portugal	Romania	Slovakia	Slo	venia	Spain
2,4-Xylidine 95-68-1	TW	'A: 0.5 ppm	-	-		-	TWA: 0.5 ppm TWA: 2.5 mg/m³ vía dérmica*
Chemical name		Sı	weden	Switzerland		Uni	ted Kingdom
2,4-Xylidine 95-68-1			-	TWA: 2 ppm TWA: 10 mg/m	3		-

EGHS / EN Page 7/18



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 02-Mar-2022 Revision Number 1

TRC-X749690-100G - 2,4-Dimethylaniline (2,4-Xylidine)

	H*	

Biological occupational exposure limits

Chemical name	Hungary	Ireland	Italy	Italy REL
2,4-Xylidine	-	-	-	1.5 % of hemoglobin -
95-68-1				blood (Methemoglobin) -
				during or end of shift

Derived No Effect Level (DNEL)
Predicted No Effect Concentration
(PNEC)

No information available. No information available.

8.2. Exposure controls

Personal protective equipment

Eye/face protection Avoid contact with eyes. Wear safety glasses with side shields (or goggles).

Hand protectionWear suitable gloves. Impervious gloves. The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374.

Gloves					
Duration of contact	PPE - Glove material	Glove thickness	Break through time		
Wear protective butyl rubber gloves		0.5 mm	8 hours		
	Wear protective Viton™ gloves	0.4 mm	8 hours		

Skin and body protection Long sleeved clothing. Chemical resistant apron. Wear suitable protective clothing.

Respiratory protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

General hygiene considerations Remove and wash contaminated clothing and gloves, including the inside, before re-use.

Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Do not breathe vapour or mist. Contaminated work clothing should not be allowed out of the workplace. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands

before breaks and after work. Wear suitable gloves and eye/face protection.

Environmental exposure controls Do not allow into any sewer, on the ground or into any body of water.

EGHS / EN Page 8/18



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Number 1 Revision date 02-Mar-2022

TRC-X749690-100G - 2,4-Dimethylaniline (2,4-Xylidine)

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid **Appearance** Oily Colour yellow Odourless. Odour

Odour threshold No information available

Property Values Remarks • Method

< -30 °C Melting point / freezing point None known Boiling point / boiling range 218 °C None known Flammability (solid, gas) No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits Flash point

95 °C None known **Autoignition temperature** No data available None known None known

Decomposition temperature

No data available None known

pH (as aqueous solution) No information available Kinematic viscosity No data available None known **Dynamic viscosity** No data available None known Water solubility 5.6 g/L None known

No data available

Solubility(ies) Chloroform, Methanol None known **Partition coefficient** 2 02 None known Vapour pressure 0.016 hPa None known Relative density 0.9747 g/ml None known

No data available **Bulk density** No data available **Liquid Density**

Relative vapour density No data available None known

Particle characteristics

Particle Size No information available **Particle Size Distribution** No information available

9.2. Other information

Molecular weight 121.18 C8H11N Molecular formula

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics No information available

EGHS / EN Page 9 / 18



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 02-Mar-2022 Revision Number 1

TRC-X749690-100G - 2,4-Dimethylaniline (2,4-Xylidine)

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None. **Sensitivity to static discharge** None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions
None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Excessive heat.

10.5. Incompatible materials

Incompatible materialsNone known based on information supplied.

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. Fatal if inhaled. (based on

components).

Eye contact Specific test data for the substance or mixture is not available.

Skin contact Specific test data for the substance or mixture is not available. Toxic in contact with skin.

(based on components).

Ingestion Specific test data for the substance or mixture is not available. Toxic if swallowed. (based

on components).

EGHS / EN Page 10/18



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 02-Mar-2022 Revision Number 1

TRC-X749690-100G - 2,4-Dimethylaniline (2,4-Xylidine)

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Coughing and/ or wheezing. Difficulty in breathing.

Numerical measures of toxicity

Acute toxicity

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
2,4-Xylidine	= 467 mg/kg (Rat)		1.53 mg/L (Rat) 4hr

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationBased on available data, the classification criteria are not met.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitisation No information available.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard No information available.

11.2. Information on other hazards

EGHS / EN Page 11/18



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 02-Mar-2022 Revision Number 1

TRC-X749690-100G - 2,4-Dimethylaniline (2,4-Xylidine)

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
2,4-Xylidine	EC50: 28.6 mg/L (72h, Desmodesmus subspicatus)	-	-	-

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient
2,4-Xylidine	2.02

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

EGHS / EN Page 12/18



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 02-Mar-2022 **Revision Number** 1

TRC-X749690-100G - 2,4-Dimethylaniline (2,4-Xylidine)

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

SECTION 14: Transport information

IATA

14.1 UN number or ID number UN1711

14.2 UN proper shipping name Xylidines, liquid

14.3 Transport hazard class(es) 14.4 Packing group

Description UN1711, Xylidines, liquid, 6.1, II

14.5 Environmental hazards Yes

14.6 Special precautions for user

Special Provisions None **ERG Code** 6L

IMDG

14.1 UN number or ID number UN1711

14.2 UN proper shipping name Xylidines, liquid

14.3 Transport hazard class(es) 6.1 14.4 Packing group Ш

Description UN1711, Xylidines, liquid, 6.1, II, Marine pollutant

14.5 Marine pollutant

Yes **Environmental hazards**

14.6 Special precautions for user

Special Provisions

EmS-No F-A, S-A No information available

14.7 Maritime transport in bulk according to IMO instruments

No information available

RID

14.1 UN number or ID number UN1711

14.2 UN proper shipping name Xylidines, liquid

14.3 Transport hazard class(es) 6.1

EGHS / EN Page 13/18



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 02-Mar-2022 Revision Number 1

TRC-X749690-100G - 2,4-Dimethylaniline (2,4-Xylidine)

14.4 Packing group

Description UN1711, Xylidines, liquid, 6.1, II, Environmentally Hazardous

14.5 Environmental hazards Yes

14.6 Special precautions for user

Special Provisions None **Classification code** T1

ADR

14.1 UN number or ID number UN1711

14.2 UN proper shipping name Xylidines, liquid

14.3 Transport hazard class(es)6.114.4 Packing group

Description UN1711, Xylidines, liquid, 6.1, II, (D/E), Environmentally Hazardous

14.5 Environmental hazards Ye

14.6 Special precautions for user

Special ProvisionsNoneClassification codeT1Tunnel restriction code(D/E)

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number	Title
2,4-Xylidine	RG 15,RG 15bis	-
95-68-1		

Water hazard class (WGK) strongly hazardous to water (WGK 3)

Poland

SDS created according to the following Polish regulation: Act of February 25, 2011 on chemical substances and their mixtures (Journal of Laws of 2018, item 143, as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing the European Chemicals Agency (EC) as amended. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labeling and packaging of substances and mixtures, as amended. Regulation of the Minister of Health of 10 August 2012 on the criteria and method of classifying chemical substances and their mixtures (Journal of Laws of 2012, item 1018). Regulation of the Minister of Health of 20 April 2012 on labeling packaging of hazardous substances and mixtures and some mixtures (Journal of Laws of 2012, item 445). Regulation of the Minister of Family, Labor and Social Policy

EGHS / EN Page 14/18



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 02-Mar-2022 Revision Number 1

TRC-X749690-100G - 2,4-Dimethylaniline (2,4-Xylidine)

of 12 June 2018 on the maximum allowable concentrations and intensities of factors harmful to health in the work environment (Journal of Laws of 2018, item 1286). Announcement of the Minister of Economy, Labor and Social Policy of August 28, 2003 on the publication of the unified text of the Ordinance of the Minister of Labor and Social Policy on general health and safety at work regulations (Journal of Laws of 2003, No. 169, item 1650), Regulation of the Minister of Health of 30 December 2004 on occupational safety and health related to the presence of chemical agents in the workplace (Journal of Laws of 2005, No. 11, item 86). Act of December 14, 2012 on waste (Journal of Laws of 2013, item 21) Regulation of the Minister of Health of December 30, 2004 on occupational health and safety related to the presence of chemical agents in the workplace (Journal U. of 2005, No. 11, item 86). Waste Act of December 14, 2012 (Journal of Laws of 2013, item 21). Act of 13 June 2013 on the management of packaging and packaging waste, Journal of Laws 2013, item 888). Government statement of September 24, 2002 - European Agreement on the International Carriage of Dangerous Goods by Road (ADR) (Journal of Laws No. 194, item 1629 and Journal of Laws of 2003, No. 207, item 2013 and 2014).

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

DIRECTIVE (EU) 2021/1187 on the marketing and use of explosives precursors Not applicable

Persistent Organic Pollutants

Not applicable

Dangerous substance category per Seveso Directive (2012/18/EU)

H2 - ACUTE TOXIC

E2 - Hazardous to the Aquatic Environment in Category Chronic 2

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

International Inventories

TSCA DSL/NDSL EINECS/ELINCS Contact supplier for inventory compliance status Contact supplier for inventory compliance status Contact supplier for inventory compliance status

EGHS / EN Page 15/18



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 02-Mar-2022 Revision Number 1

TRC-X749690-100G - 2,4-Dimethylaniline (2,4-Xylidine)

ENCS Contact supplier for inventory compliance status

IECSC Contact supplier for inventory compliance status

KECL Contact supplier for inventory compliance status
PICCS Contact supplier for inventory compliance status
AICS Contact supplier for inventory compliance status

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

Chemical Safety Report A Chemical Safety Assessment has been carried out for this substance

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H301 - Toxic if swallowed

H311 - Toxic in contact with skin

H331 - Toxic if inhaled

H373 - May cause damage to organs through prolonged or repeated exposure

H411 - Toxic to aquatic life with long lasting effects

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

Classification procedure			
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used		
Acute oral toxicity	Calculation method		
Acute dermal toxicity	Calculation method		
Acute inhalation toxicity - gas	Calculation method		
Acute inhalation toxicity - Vapour	Calculation method		
Acute inhalation toxicity - dust/mist	Calculation method		

EGHS / EN Page 16/18



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 02-Mar-2022 Revision Number 1

TRC-X749690-100G - 2,4-Dimethylaniline (2,4-Xylidine)

Skin corrosion/irritation	Calculation method	
Serious eye damage/eye irritation	Calculation method	
Respiratory sensitisation	Calculation method	
Skin sensitisation	Calculation method	
Mutagenicity	Calculation method	
Carcinogenicity	Calculation method	
Reproductive toxicity	Calculation method	
STOT - single exposure	Calculation method	
STOT - repeated exposure	Calculation method	
Acute aquatic toxicity	Calculation method	
Chronic aquatic toxicity	Calculation method	
Aspiration hazard	Calculation method	
Ozone	Calculation method	

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date

02-Mar-2022

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 Disclaimer

The information in this safety data sheet (SDS) has been prepared with due care and is true and accurate to the best of our knowledge. The user must determine the suitability of the information for its particular purpose, ensure compliance with existing laws and regulations, and be aware that other or additional safety or performance considerations may arise when using, handling and/ or storing the material. The information in this SDS does not purport to be all inclusive or a guarantee as to the properties of the material supplied, and should be used only as a guide. LGC makes no warranties or representations as to the accuracy and completeness of the information contained herein, shall not be held responsible

EGHS / EN Page 17/18



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 02-Mar-2022 Revision Number 1

TRC-X749690-100G - 2,4-Dimethylaniline (2,4-Xylidine)

for the suitability of this information for the user's intended purposes or the consequences of such use, and shall not be liable for any damage or loss, howsoever arising, direct or otherwise.

End of Safety Data Sheet

EGHS / EN Page 18/18