

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 19-Feb-2024

Revision Number 1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier				
Product Code(s)	DRE-XA15030100AC			
Product Name	Methomyl D3 100 µg/mL in Acetone			
Form	Not applicable			
Unique Formula Identifier (UFI)	XV8T-60HH-K004-7A92			
Pure substance/mixture	Mixture			
1.2. Relevant identified uses of the	substance or mixture and uses advised against			
Recommended use	Laboratory use			
Uses advised against	No information available			
1.3. Details of the supplier of the sa	fety data sheet			
<u>Supplier</u>				
LGC Limited Queens Road Teddington Middlesex TW11 0LY UNITED KINGDOM :+44 (0) 20 8943 7000 Fax :+44 (0) 20 8943 2767 eMail : gb@lgcstandards.com				
Web : www.lgcstandards.com				
For further information, please contact	<u>t_</u>			
E-mail address	sds-request@lgcgroup.com			
1.4. Emergency telephone number	-			
Emergency Telephone	For Hazardous Materials or Dangerous Goods Incident Spill, Leak, Fire Exposure, or Accident Call CHEMTREC: USA & Canada 1-800-424-9300 Rest of the world +1 703-741-5970			



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 19-Feb-2024

**Revision Number** 1

### DRE-XA15030100AC - Methomyl D3 100 µg/mL in Acetone

Emergency Tologhama S45 (EQ)4070/0000				
mergency Telephone - §45 - (EC)1272/2008				
Europe	112			
Austria	No information available			
Bulgaria				
Croatia				
Cyprus				
Czech Republic				
Denmark				
France				
Hungary				
Ireland				
Italy				
Lithuania				
Luxembourg				
Netherlands				
Norway				
Portugal				
Romania				
Slovakia				
Slovenia				
Spain				
Sweden				
Switzerland				

## SECTION 2: Hazards identification

## **2.1. Classification of the substance or mixture** Classification according to

Regulation (FC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation	Category 2 - (H319)
Specific target organ toxicity — single exposure	Category 3 - (H336)
Category 3 Narcotic effects	
Flammable liquids	Category 2 - (H225)

#### 2.2. Label elements

**Contains Acetone** 



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 19-Feb-2024

**Revision Number** 1

## DRE-XA15030100AC - Methomyl D3 100 µg/mL in Acetone



Danger

#### **Hazard statements**

H319 - Causes serious eye irritation H336 - May cause drowsiness or dizziness H225 - Highly flammable liquid and vapour EUH066 - Repeated exposure may cause skin dryness or cracking

#### Precautionary Statements - EU (§28, 1272/2008)

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking P261 - Avoid breathing dust/fume/gas/mist/vapours/spray P312 - Call a POISON CENTER or doctor if you feel unwell P370 + P378 - In case of fire: Use dry chemical, CO2, water spray or alcohol-resistant foam to extinguish P501 - Dispose of contents/ container to an approved waste disposal plant P403 + P235 - Store in a well-ventilated place. Keep cool

#### 2.3. Other hazards

No information available.

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Endocrine Disruptor Information	This product does not contain any known or suspected endocrine disruptors.				
Chemical name	EU - REACH (1907/2006) - Article 59(1) EU - REACH (1907/2006) - Endocrine				
	- Candidate List of Substances of Very Disruptor Assessment List of				
	High Concern (SVHC) for Authorisation Substances				
Acetone					

## SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Not applicable

### 3.2 Mixtures



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 19-Feb-2024

Revision Number 1

## DRE-XA15030100AC - Methomyl D3 100 µg/mL in Acetone

#### **Chemical nature**

Mixture of organic compounds.

Chemical name	Weight-%	REACH registration	EC No (EU	Classification according	Specific	M-Factor	M-Factor
	_	number	Index No)	to Regulation (EC) No.	concentration		(long-term)
				1272/2008 [CLP]	limit (SCL)		-
Acetone	80 - 100	-	200-662-2	Eye Irrit. 2 (H319)			
67-64-1			(606-001-00	(EUH066)			
			-8)	STOT SE 3 (H336)			
				Flam. Liq. 2 (H225)			

#### Full text of H- and EUH-phrases: see section 16

#### Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg		Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4	Inhalation LC50 - 4 hour - gas - ppm
Acetone 67-64-1	5800	15700	100.2	No data available	No data available

#### Additional information

This product contains a stable isotope.

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## SECTION 4: First aid measures

#### 4.1. Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance.			
Inhalation	Remove to fresh air. IF exposed or concerned: Get medical advice/attention.			
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.			
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.			



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 19-Feb-2024

**Revision Number** 1

## DRE-XA15030100AC - Methomyl D3 100 µg/mL in Acetone

Ingestion	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Call a doctor.			
Self-protection of the first aider	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing.			
4.2. Most important symptoms and	effects, both acute and delayed			
Symptoms May cause redness and tearing of the eyes. Burning sensation. Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.				
4.3. Indication of any immediate medical attention and special treatment needed				
Note to doctors	Treat symptomatically.			

SECTION 5: Firefighting measures					
5.1. Extinguishing media					
Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.					
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.				
<b>Unsuitable extinguishing media</b> Do not scatter spilled material with high pressure water streams.					
5.2. Special hazards arising from the substance or mixture					
<b>Specific hazards arising from the</b> <b>chemical</b> Risk of ignition. Keep product and empty container away from heat and sources of In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.					
5.3. Advice for firefighters					
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.				

## SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

#### Revision date 19-Feb-2024

**Revision Number** 1

### DRE-XA15030100AC - Methomyl D3 100 µg/mL in Acetone

	ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.			
Other information	Ventilate the area. Refer to protective measures listed in Sections 7 and 8.			
For emergency responders	Use personal protection recommended in Section 8.			
6.2. Environmental precautions				
Environmental precautions	Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.			
6.3. Methods and material for conta	inment and cleaning up			
Methods for containment	Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapour suppressing foam may be used to reduce vapours. Dyke far ahead of spill to collect run-off water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.			
Methods for cleaning up	Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labelled containers.			
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.			
6.4. Reference to other sections				
Reference to other sections	See section 8 for more information. See section 13 for more information.			

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Advice on safe handling	Use personal protection equipment. Avoid breathing vapours or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. In case of insufficient ventilation, wear suitable respiratory equipment.
General hygiene considerations	Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

#### Revision date 19-Feb-2024

Revision Number 1

### DRE-XA15030100AC - Methomyl D3 100 µg/mL in Acetone

immediately after handling the product. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage ConditionsKeep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat,<br/>sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static<br/>electricity). Keep in properly labelled containers. Do not store near combustible materials.<br/>Keep in an area equipped with sprinklers. Store in accordance with the particular national<br/>regulations. Store in accordance with local regulations. Please refer to the manufacturer's<br/>certificate for specific storage and transport temperature conditions. Store only in the<br/>original receptacle unless other advice is given on the CoA.

#### 7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### **Exposure Limits**

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Acetone	TWA: 500 ppm	TWA: 500 ppm	TWA: 246 ppm	TWA: 600 mg/m <sup>3</sup>	TWA: 500 ppm
67-64-1	TWA: 1210 mg/m <sup>3</sup>	TWA: 1200 mg/m <sup>3</sup>	TWA: 594 mg/m <sup>3</sup>	STEL: 1400 mg/m <sup>3</sup>	TWA: 1210 mg/m <sup>3</sup>
		STEL 2000 ppm	STEL: 492 ppm		-
		STEL 4800 mg/m <sup>3</sup>	STEL: 1187 mg/m <sup>3</sup>		
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Acetone	TWA: 500 ppm	TWA: 800 mg/m <sup>3</sup>	TWA: 250 ppm	TWA: 500 ppm	TWA: 500 ppm
67-64-1	TWA: 1210 mg/m <sup>3</sup>	Ceiling: 1500 mg/m <sup>3</sup>	TWA: 600 mg/m <sup>3</sup>	TWA: 1210 mg/m <sup>3</sup>	TWA: 1200 mg/m <sup>3</sup>
	Sk*		STEL: 500 ppm		STEL: 630 ppm
			STEL: 1200 mg/m <sup>3</sup>		STEL: 1500 mg/m <sup>3</sup>
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
Acetone	TWA: 500 ppm	TWA: 500 ppm	TWA: 500 ppm	TWA: 1780 mg/m <sup>3</sup>	TWA: 500 ppm
67-64-1	TWA: 1210 mg/m <sup>3</sup>	TWA: 1200 mg/m <sup>3</sup>	TWA: 1200 mg/m <sup>3</sup>	STEL: 3560 mg/m <sup>3</sup>	TWA: 1210 mg/m <sup>3</sup>
	STEL: 1000 ppm	-	Peak: 1000 ppm	-	-
	STEL: 2420 mg/m <sup>3</sup>		Peak: 2400 mg/m <sup>3</sup>		
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
Acetone	TWA: 500 ppm	TWA: 500 ppm	TWA: 250 ppm	TWA: 500 ppm	TWA: 500 ppm
67-64-1	TWA: 1210 mg/m <sup>3</sup>	TWA: 1210 mg/m <sup>3</sup>	TWA: 594 mg/m <sup>3</sup>	TWA: 1210 mg/m <sup>3</sup>	TWA: 1210 mg/m <sup>3</sup>



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

#### Revision date 19-Feb-2024

Revision Number 1

## DRE-XA15030100AC - Methomyl D3 100 µg/mL in Acetone

		L: 1500 ppm		STEL: 500 ppm			STEL: 1000 ppm
	STEL	: 3630 mg/m³		STEL: 1187 mg/m <sup>3</sup>			STEL: 2420 mg/m <sup>3</sup>
Chemical name	Lu	xembourg	Malta	Netherlands	No	orway	Poland
Acetone	TW	A: 500 ppm	TWA: 500 ppm	TWA: 500 ppm	TWA:	125 ppm	TWA: 600 mg/m <sup>3</sup>
67-64-1	TWA	: 1210 mg/m <sup>3</sup>	TWA: 1210 mg/m <sup>3</sup>	TWA: 1210 mg/m <sup>3</sup>	TWA: 2	.95 mg/m <sup>3</sup>	STEL: 1800 mg/m <sup>3</sup>
		-	-	STEL: 1 ppm	STEL: 1	56.25 ppm	-
				STEL: 2420 mg/m <sup>3</sup>	STEL: 36	8.75 mg/m <sup>3</sup>	
Chemical name		Portugal	Romania	Slovakia	Slo	venia	Spain
Acetone	TW	A: 500 ppm	TWA: 500 ppm	TWA: 500 ppm	TWA:	500 ppm	TWA: 500 ppm
67-64-1	TWA	: 1210 mg/m <sup>3</sup>	TWA: 1210 mg/m <sup>3</sup>	TWA: 1210 mg/m <sup>3</sup>	TWA: 12	210 mg/m <sup>3</sup>	TWA: 1210 mg/m <sup>3</sup>
	STE	EL: 750 ppm			STEL: 2	420 mg/m <sup>3</sup>	
					STEL:	1000 ppm	
Chemical name	Sweden		Switzerland Ur		ted Kingdom		
Acetone	NGV: 250 ppm		TWA: 500 ppm		TM	/A: 500 ppm	
67-64-1	NGV: 600 mg/m <sup>3</sup>		600 mg/m <sup>3</sup>	TWA: 1200 mg/m <sup>3</sup> TV		TWA	A: 1210 mg/m <sup>3</sup>
	Vägledande		KGV: 500 ppm	STEL: 1000 ppm S		STE	EL: 1500 ppm
		Vägledande KGV: 1200 mg/m <sup>3</sup>		STEL: 2400 mg/m <sup>3</sup>		STEI	L: 3620 mg/m <sup>3</sup>

#### **Biological occupational exposure limits**

Chemical name	European Union	Austria	Bulg	garia	Croatia		Czech Republic
Acetone	-	-	80 mg/l	urine	20.0 mg/L - bl	ood	-
67-64-1				e) - at the	(Acetone) - at		
					end of the work		
			end of w	ork shift	20.0 mg/g Creat		
					- urine (Acetone		
					the end of the	work	
					shift		
Chemical name	Denmark	Finland	Fra	nce	Germany DF	G	Germany TRGS
Acetone	-	-		.cetone) -	50 mg/L (urin		50 mg/L (urine -
67-64-1			end o	f shift		· · ·	Acetone end of shift)
					50 mg/L - BAT		
					of exposure or		
					of shift) urin		
					2.5 mg/L - BAR		
					of exposure or		
					of shift) urin	e	
Chemical name	Hungary	Irelan		Italy	/ MDLPS		Italy AIDII
Acetone	-	50 mg/L (urine	- Acetone		-	25 m	g/L - urine (Acetone)
67-64-1		end of s	hift)				- end of shift
Chemical name	Latvia	Luxembo	ourg	R	omania		Slovakia
Acetone	-	-		50 mg/L -	urine (Acetone)	80 m	ng/L (urine - Acetone
67-64-1				- er	nd of shift	end	of exposure or work



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 19-Feb-2024

**Revision Number** 1

## DRE-XA15030100AC - Methomyl D3 100 µg/mL in Acetone

				shift)
Chemical name	Slovenia	Spain	Switzerland	United Kingdom
Acetone	80.0 mg/L - urine	50 mg/L (urine - Acetone	50 mg/L (urine - Acetone	-
67-64-1	(Acetone) - at the end of	end of shift)	end of shift)	
	the work shift		0.86 mmol/L (urine -	
			Acetone end of shift)	

# Derived No Effect Level (DNEL)No information available.Predicted No Effect ConcentrationNo information available.(PNEC)No information available.

8.2. Exposure controls

#### Personal protective equipment

Eye/face protection	Tight sealing safety goggles. Avoid contact with eyes. Wear safety glasses with side shields (or goggles).
Hand protection	Wear protective butyl rubber gloves. Wear suitable gloves. Impervious gloves. The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374.
Skin and body protection	Long sleeved clothing. Chemical resistant apron. Antistatic boots. Wear suitable protective clothing.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection.
Environmental exposure controls	Do not allow into any sewer, on the ground or into any body of water.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Liquid
Colour	colourless



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

#### Revision date 19-Feb-2024

**Revision Number** 1

### DRE-XA15030100AC - Methomyl D3 100 µg/mL in Acetone

Odour Odour threshold

sweet. No information available

<u>Property</u> Melting point / freezing point	<u>Values</u> -94.72 °C	Remarks • Method None known
Initial boiling point and boiling rang		None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	14.3 Vol% - 345 g/m <sup>3</sup>	
Lower flammability or explosive	2.5 Vol% - 60 g/m <sup>3</sup>	
limits	C C	
Flash point	< -20	None known
Autoignition temperature	465 °C	None known
Decomposition temperature		None known
pH	No data available	None known
pH (as aqueous solution)	No data available	No information available
Kinematic viscosity	No data available	None known
Dynamic viscosity	0.32 mPa s	None known
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	-0.24	None known
Vapour pressure	240	@ 20°C
Relative density	0.79	None known
Bulk density	No data available	
Liquid Density	No data available	
Relative vapour density	2.0	None known
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	

#### 9.2. Other information

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics No information available

## SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity

No information available.

10.2. Chemical stability



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 19-Feb-2024

**Revision Number** 1

## DRE-XA15030100AC - Methomyl D3 100 µg/mL in Acetone

Stability	Stable under normal conditions.
Explosion data Sensitivity to mechanical impac Sensitivity to static discharge	t None. Yes.
10.3. Possibility of hazardous reaction	ons
Possibility of hazardous reactions	None under normal processing.
10.4. Conditions to avoid	
Conditions to avoid	Heat, flames and sparks.
10.5. Incompatible materials	
Incompatible materials	None known based on information supplied.
Hazardous decomposition products	None known based on information supplied.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

### **Product Information**

Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract. May cause drowsiness or dizziness.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.
Skin contact	Specific test data for the substance or mixture is not available. May cause irritation. Prolonged contact may cause redness and irritation.
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.
Symptoms related to the physical,	chemical and toxicological characteristics
Symptoms	May cause redness and tearing of the eyes. Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 19-Feb-2024

**Revision Number** 1

### DRE-XA15030100AC - Methomyl D3 100 µg/mL in Acetone

#### Numerical measures of toxicity

Acute toxicity

## The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	99,999.00 mg/kg
ATEmix (dermal)	99,999.00 mg/kg
ATEmix (inhalation-gas)	99,999.00 ppm
ATEmix (inhalation-dust/mist)	99,999.0000 mg/l
ATEmix (inhalation-vapour)	99,999.00 mg/l

### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50			
Acetone	= 5800 mg/kg (Rat)	> 15700 mg/kg (Rabbit)	= 50100 mg/m <sup>3</sup> (Rat) 8 h			
Delayed and immediate effects	as well as chronic effects from	n short and long-term exposure	e			
-			<u> </u>			
Skin corrosion/irritation	May cause skin irritation.	May cause skin irritation.				
Serious eye damage/eye irritati	on Classification based on da	ata available for ingredients. Caus	ses serious eye irritation.			
Respiratory or skin sensitisatio	n No information available.	No information available.				
Germ cell mutagenicity	No information available.					
Carcinogenicity	No information available.					
caromogeniony						
Reproductive toxicity	No information available.					
STOT - single exposure	May cause drowsiness or	May cause drowsiness or dizziness.				
STOT - repeated exposure	No information available.					



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 19-Feb-2024

Revision Number 1

## DRE-XA15030100AC - Methomyl D3 100 µg/mL in Acetone

Aspiration hazard No information available.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

11.2.2. Other information

Other adverse effects

No information available.

## SECTION 12: Ecological information

#### 12.1. Toxicity

Ecotoxicity

Unknown aquatic toxicity

Contains 0 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Acetone	-	LC50: 4.74 - 6.33mL/L	-	EC50: 10294 -
		(96h, Oncorhynchus		17704mg/L (48h, Daphnia
		mykiss)		magna)
		LC50: 6210 - 8120mg/L		EC50: 12600 -
		(96h, Pimephales		12700mg/L (48h, Daphnia
		promelas)		magna)
		LC50: =8300mg/L (96h,		
		Lepomis macrochirus)		

### 12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

**Component Information** 

Chemical name	Partition coefficient
Acetone	-0.24



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 19-Feb-2024

Revision Number 1

## DRE-XA15030100AC - Methomyl D3 100 µg/mL in Acetone

12.4. Mobility in soil

Mobility in soil

No information available.

#### 12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

No information available.

Chemical name	PBT and vPvB assessment	
Acetone	The substance is not PBT / vPvB	

#### 12.6. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

#### 12.7. Other adverse effects

No information available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste from residues/unused products	Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.	
Contaminated packaging	Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.	

## SECTION 14: Transport information

<u>IATA</u>	
14.1 UN number or ID number	UN1090
14.2 UN proper shipping name	Acetone mixture
14.3 Transport hazard class(es)	3
14.4 Packing group	II
Description	UN1090, Acetone mixture, 3, II
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None
ERG Code	3H



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 19-Feb-2024

**Revision Number** 1

### DRE-XA15030100AC - Methomyl D3 100 µg/mL in Acetone

IMDG

UN1090 Acetone mixture 3 II UN1090, Acetone mixture, 3, II, (0°C c.c.) NP
None F-E, S-D No information available No information available
UN1090 Acetone mixture 3 II UN1090, Acetone mixture, 3, II Not applicable None F1
UN1090 Acetone mixture 3 II UN1090, Acetone mixture, 3, II, (D/E) Not applicable None F1 (D/E)

## **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

France

Occupational Illnesses (R-463-3, France)		
Chemical name	French RG number	Title



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 19-Feb-2024

**Revision Number** 1

### DRE-XA15030100AC - Methomyl D3 100 µg/mL in Acetone

Acetone 67-64-1		RG 84	-
Water hazard class (WGK)	slightly haza	rdous to water (WGK 1)	
Poland	chemical su amended). I Council on (REACH), e (EC) No 127 2008 on cla amended. R method of o 2012, item 1 packaging o Laws of 201 of 12 June 2 harmful to R Announcen 2003 on the and Social I of 2003, No 2004 on oco the workpla waste (Jour December 3 chemical ag December 1 managemen Governmen Internationa	abstances and their mixtu Regulation (EC) No 1907/ the Registration, Evaluat stablishing the European 72/2008 of the European F ssification, labeling and p Regulation of the Minister classifying chemical subs 1018). Regulation of the M of hazardous substances 12, item 445). Regulation 2018 on the maximum allo- nealth in the work environ- nent of the Minister of Ec publication of the unifier Policy on general health a 169, item 1650). Regula cupational safety and hea the Journal of Laws of 20 rnal of Laws of 2013, item 30, 2004 on occupational gents in the workplace (Jo 14, 2012 (Journal of Laws int of packaging and pack at statement of Septembe al Carriage of Dangerous	ing Polish regulation: Act of February 25, 2011 on ures (Journal of Laws of 2018, item 143, as 2006 of the European Parliament and of the ion, Authorization and Restriction of Chemicals Chemicals Agency (EC) as amended. Regulation Parliament and of the Council of 16 December backaging of substances and mixtures, as of Health of 10 August 2012 on the criteria and stances and their mixtures (Journal of Laws of linister of Health of 20 April 2012 on labeling and mixtures and some mixtures (Journal of of the Minister of Family, Labor and Social Policy owable concentrations and intensities of factors ment (Journal of Laws of 2018, item 1286). onomy, Labor and Social Policy of August 28, d text of the Ordinance of the Minister of Labor and safety at work regulations (Journal of Laws tion of the Minister of Health of 30 December of 211 Regulation of the Minister of Health of health and safety related to the presence of ournal U. of 2005, No. 11, item 86). Waste Act of of 2013, item 21). Act of 13 June 2013 on the aging waste, Journal of Laws 2013, item 888). r 24, 2002 - European Agreement on the Goods by Road (ADR) (Journal of Laws No. 194, 03, No. 207, item 2013 and 2014).
European Union			

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

### Authorisations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

### DIRECTIVE (EU) 2021/1187 on the marketing and use of explosives precursors

Product contains: Reportable explosives precursors. Making available, introduction, possession and use according to Regulation (EU) 2019/1148, Article 9



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 19-Feb-2024

**Revision Number** 1

## DRE-XA15030100AC - Methomyl D3 100 µg/mL in Acetone

Chemical name	RESTRICTED EXPLOSIVES PRECURSORS - ANNEX I	REPORTABLE EXPLOSIVES PRECURSORS - ANNEX II
Acetone - 67-64-1	-	Present
Chamical name	Postricted substance per PEACH	Substance subject to authorization por

Chemical name	Restricted substance per REACH	Substance subject to authorisation per
	Annex XVII	REACH Annex XIV
Acetone - 67-64-1	75.	

#### **Persistent Organic Pollutants**

Not applicable

#### Dangerous substance category per Seveso Directive (2012/18/EU)

P5a - FLAMMABLE LIQUIDS P5b - FLAMMABLE LIQUIDS P5c - FLAMMABLE LIQUIDS

#### Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

International	Inventories

TSCA	Complies under research and development exemption or is regulated by a different government agency.
DSL/NDSL	Contact supplier for inventory compliance status
EINECS/ELINCS	Contact supplier for inventory compliance status
ENCS	Contact supplier for inventory compliance status
IECSC	Contact supplier for inventory compliance status
KECL	Contact supplier for inventory compliance status
PICCS	Contact supplier for inventory compliance status
AIIC	Contact supplier for inventory compliance status

Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### 15.2. Chemical safety assessment



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 19-Feb-2024

Revision Number 1

## DRE-XA15030100AC - Methomyl D3 100 µg/mL in Acetone

Chemical Safety Report

A Chemical Safety Assessment is not required for this substance

## **SECTION 16: Other information**

Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

EUH066 - Repeated exposure may cause skin dryness or cracking

H225 - Highly flammable liquid and vapour

H319 - Causes serious eye irritation

H336 - May cause drowsiness or dizziness

#### Legend

SVHC: Substances of Very High Concern for Authorisation:

#### Legend Section 8: Exposure controls/personal protection

TWĂ	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	Sk*	Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - Vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method
Flammable liquids	On basis of test data



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 19-Feb-2024

Revision Number 1

## DRE-XA15030100AC - Methomyl D3 100 µg/mL in Acetone

Key literature references and sources for data used to compile the SDS Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme Organisation for Economic Co-operation and Development Screening Information Data Set World Health Organization

Revision date 19-Feb-2024

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 Disclaimer

The information in this safety data sheet (SDS) has been prepared with due care and is true and accurate to the best of our knowledge. The user must determine the suitability of the information for its particular purpose, ensure compliance with existing laws and regulations, and be aware that other or additional safety or performance considerations may arise when using, handling and/ or storing the material. The information in this SDS does not purport to be all inclusive or a guarantee as to the properties of the material supplied, and should be used only as a guide. LGC makes no warranties or representations as to the accuracy and completeness of the information contained herein, shall not be held responsible for the suitability of this information for the user's intended purposes or the consequences of such use, and shall not be liable for any damage or loss, howsoever arising, direct or otherwise.

**End of Safety Data Sheet**