



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 29.09.2020

Version number 1

Revision: 29.09.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Product name:** Phorate-sulfoxide 1000 µg/mL in Acetone

· **Part number:** DRE-A16089000AC-1000

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

· **Application of the substance / the mixture** Reference material for laboratory use only

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

LGC Limited
Queens Road
Teddington
Middlesex TW11 0LY
UNITED KINGDOM

Tel : +44 (0) 20 8943 7000
Fax : +44 (0) 20 8943 2767
eMail : gb@lgcstandards.com
Web : www.lgcstandards.com

· **Further information obtainable from:**

Product safety department
eMail : sds-request@lgcgroup.com

· **1.4 Emergency telephone number:**

For Hazardous Materials or Dangerous Goods Incident
Spill, Leak, Fire Exposure, or Accident
Call CHEMTREC:
USA & Canada 1-800-424-9300
Rest of the world +1 703-741-5970

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**



GHS02 flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.



GHS09 environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H312 Harmful in contact with skin.

Eye Irrit. 2 H319 Causes serious eye irritation.

(Contd. on page 2)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 29.09.2020

Version number 1

Revision: 29.09.2020

Product name: Phorate-sulfoxide 1000 µg/mL in Acetone

(Contd. from page 1)

STOT SE 3 H336 May cause drowsiness or dizziness.

· 2.2 Label elements**· Labelling according to Regulation (EC) No 1272/2008***The product is classified and labelled according to the CLP regulation.***· Hazard pictograms**

GHS02 GHS07 GHS09

· Signal word *Danger***· Hazard-determining components of labelling:***Acetone**Phorate-sulfoxide***· Hazard statements***H225 Highly flammable liquid and vapour.**H302+H312 Harmful if swallowed or in contact with skin.**H319 Causes serious eye irritation.**H336 May cause drowsiness or dizziness.**H410 Very toxic to aquatic life with long lasting effects.***· Precautionary statements***P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.**P280 Wear protective gloves/protective clothing/eye protection/face protection.**P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].**P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.**P405 Store locked up.**P501 Dispose of contents/container in accordance with local/regional/national/international regulations.***· Additional information:***EUH066 Repeated exposure may cause skin dryness or cracking.***· 2.3 Other hazards****· Results of PBT and vPvB assessment****· PBT:** Not applicable.**· vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures**· Description:** Mixture: consisting of the following components.

(Contd. on page 3)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 29.09.2020

Version number 1

Revision: 29.09.2020

Product name: Phorate-sulfoxide 1000 µg/mL in Acetone

(Contd. from page 2)

· Dangerous components:

CAS: 67-64-1 EINECS: 200-662-2 RTECS: AL 3150000	Acetone ⚠ Flam. Liq. 2, H225; ⚠ Eye Irrit. 2, H319; STOT SE 3, H336	>95%
CAS: 2588-03-6 RTECS: TD8750000	Phorate-sulfoxide ⚠ Acute Tox. 1, H300; ⚠ Acute Tox. 1, H310; ⚠ Acute Tox. 1, H330; ⚠ STOT SE 1, H370; ⚠ Aquatic Acute 1, H400; ⚠ Aquatic Chronic 1, H410	<0.25%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures**· General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may occur even after several hours; therefore medical observation for at least 48 hours after the accident is recommended.

· After inhalation: Supply fresh air; consult doctor in case of complaints.**· After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

Seek medical treatment.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse mouth. Do not induce vomiting.

Seek medical treatment.

· 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.**· 4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media**· Suitable extinguishing agents:**

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

· 5.3 Advice for firefighters**· Protective equipment:** Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

(Contd. on page 4)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 29.09.2020

Version number 1

Revision: 29.09.2020

Product name: Phorate-sulfoxide 1000 µg/mL in Acetone

(Contd. from page 3)

· 6.2 Environmental precautions:*Inform respective authorities in case of seepage into water course or sewage system.**Dilute with plenty of water.**Do not allow to enter sewers/ surface or ground water.***· 6.3 Methods and material for containment and cleaning up:***Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).**Dispose of contaminated material as waste according to item 13.**Ensure adequate ventilation.***· 6.4 Reference to other sections***See Section 7 for information on safe handling.**See Section 8 for information on personal protection equipment.**See Section 13 for disposal information.*

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling*Ensure good ventilation/extraction at the workplace.**Store in cool, dry place in tightly closed receptacles.**Prevent formation of aerosols.***· Information about fire - and explosion protection:***Keep ignition sources away - Do not smoke.**Protect against electrostatic charges.***· 7.2 Conditions for safe storage, including any incompatibilities****· Storage:****· Requirements to be met by storerooms and receptacles:***Please refer to the manufacturer's certificate for specific storage and transport temperature conditions.**Store only in the original receptacle unless other advice is given on the CoA.**Keep container in a well-ventilated place. Keep away from sources of ignition and heat.***· Information about storage in one common storage facility: Store away from foodstuffs.****· Further information about storage conditions:***Keep container tightly sealed.**Store in cool, dry conditions in well sealed receptacles.***· 7.3 Specific end use(s) No further relevant information available.**

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.**· 8.1 Control parameters****· Ingredients with limit values that require monitoring at the workplace:****CAS: 67-64-1 Acetone****WEL** Short-term value: 3620 mg/m³, 1500 ppmLong-term value: 1210 mg/m³, 500 ppm**· Additional information: Lists used were valid at the time of SDS preparation.**

(Contd. on page 5)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 29.09.2020

Version number 1

Revision: 29.09.2020

Product name: Phorate-sulfoxide 1000 µg/mL in Acetone

(Contd. from page 4)

· 8.2 Exposure controls**· Personal protective equipment:****· General protective and hygienic measures:***Keep away from foodstuffs, beverages and feed.**Immediately remove all soiled and contaminated clothing**Wash hands before breaks and at the end of work.**Avoid contact with the eyes.**Avoid contact with the eyes and skin.***· Respiratory protection:***In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.***· Protection of hands:***The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.**Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation**The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374*

Protective gloves

· Material of gloves Butyl rubber, BR**· Penetration time of glove material***The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.***· Eye protection:**

Tightly sealed goggles

SECTION 9: Physical and chemical properties**· 9.1 Information on basic physical and chemical properties****· General Information****· Appearance:**

Form: Liquid
Colour: Colourless

· Odour: Sweetish

· Odour threshold: Not determined.

· pH-value: Not determined.

· Change in condition

Melting point/freezing point: -94.7 °C

(Contd. on page 6)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 29.09.2020

Version number 1

Revision: 29.09.2020

Product name: Phorate-sulfoxide 1000 µg/mL in Acetone

(Contd. from page 5)

Initial boiling point and boiling range: 55.8-56.6 °C	
· Flash point:	<-18 °C
· Flammability (solid, gas):	Not determined.
· Ignition temperature:	465 °C
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures is possible.
· Explosion limits:	
Lower:	2.6 Vol %
Upper:	13 Vol %
· Vapour pressure at 20 °C:	233 hPa
· Density at 20 °C:	0.79 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with water:	Fully miscible.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic at 20 °C:	32 mPas
Kinematic:	Not determined.
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity

Stable under normal conditions.

No further relevant information available.

· 10.2 Chemical stability

Stable under normal conditions.

· Thermal decomposition / conditions to be avoided:

Formation of toxic gases is possible during heating or in case of fire.

· 10.3 Possibility of hazardous reactions

May form flammable/explosive vapour-air mixture.

· 10.4 Conditions to avoid

Sources of ignition

Heat.

· 10.5 Incompatible materials:

Strong oxidizing agents.

(Contd. on page 7)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 29.09.2020

Version number 1

Revision: 29.09.2020

Product name: Phorate-sulfoxide 1000 µg/mL in Acetone

(Contd. from page 6)

· 10.6 Hazardous decomposition products:*Formation of toxic gases is possible during heating or in case of fire.***SECTION 11: Toxicological information****· 11.1 Information on toxicological effects****· Acute toxicity***Harmful if swallowed or in contact with skin.***· LD/LC50 values relevant for classification:****CAS: 67-64-1 Acetone**

Oral	LD50	5,800 mg/kg (rat)
Dermal	LD50	20,000 mg/kg (rabbit)

CAS: 2588-03-6 Phorate-sulfoxide

Oral	LD50	2 mg/kg (rat)
------	------	---------------

· Primary irritant effect:**· Skin corrosion/irritation** Based on available data, the classification criteria are not met.**· Serious eye damage/irritation***Causes serious eye irritation.***· Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.**· CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)****· Germ cell mutagenicity** Based on available data, the classification criteria are not met.**· Carcinogenicity** Based on available data, the classification criteria are not met.**· Reproductive toxicity** Based on available data, the classification criteria are not met.**· STOT-single exposure***May cause drowsiness or dizziness.***· STOT-repeated exposure** Based on available data, the classification criteria are not met.**· Aspiration hazard** Based on available data, the classification criteria are not met.**SECTION 12: Ecological information****· 12.1 Toxicity****· Aquatic toxicity:** No further relevant information available.**· 12.2 Persistence and degradability** No further relevant information available.**· 12.3 Bioaccumulative potential** No further relevant information available.**· 12.4 Mobility in soil** No further relevant information available.**· Ecotoxicological effects:****· Remark:** Very toxic for fish**· Additional ecological information:****· General notes:***Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water**Do not allow product to reach ground water, water course or sewage system, even in small quantities.**Danger to drinking water if even extremely small quantities leak into the ground.**Also poisonous for fish and plankton in water bodies.**Very toxic for aquatic organisms*

(Contd. on page 8)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 29.09.2020

Version number 1

Revision: 29.09.2020

Product name: Phorate-sulfoxide 1000 µg/mL in Acetone

(Contd. from page 7)

- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **European waste catalogue**
Waste disposal key numbers from EWC have to be assigned depending on origin and processing.
- **Uncleaned packaging:**
- **Recommendation:** Dispose of in accordance with national regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

SECTION 14: Transport information

- **14.1 UN-Number**
 - **ADR, IMDG, IATA**
 - **ADR**
 - **IMDG**
 - **IATA**
- UN1090
1090 ACETONE mixture, ENVIRONMENTALLY HAZARDOUS
ACETONE mixture, MARINE POLLUTANT
ACETONE mixture

- **14.3 Transport hazard class(es)**

- **ADR, IMDG**



- **Class**
 - **Label**
- 3 Flammable liquids.
3

- **IATA**



- **Class**
 - **Label**
- 3 Flammable liquids.
3

- **14.4 Packing group**

- **ADR, IMDG, IATA**
- II

(Contd. on page 9)

GB



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 29.09.2020

Version number 1

Revision: 29.09.2020

Product name: Phorate-sulfoxide 1000 µg/mL in Acetone

(Contd. from page 8)

· 14.5 Environmental hazards:	
· Marine pollutant:	Symbol (fish and tree)
· Special marking (ADR):	Symbol (fish and tree)
· 14.6 Special precautions for user	
· Danger code (Kemler):	Warning: Flammable liquids. 33
· EMS Number:	F-E,S-D
· Stowage Category	E
· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	
Not applicable.	
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· Transport category	2
· Tunnel restriction code	D/E
· UN "Model Regulation":	UN 1090 ACETONE MIXTURE, 3, II, ENVIRONMENTALLY HAZARDOUS

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Seveso category**
E1 Hazardous to the Aquatic Environment
P5c FLAMMABLE LIQUIDS
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 100 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

The information in this safety data sheet (SDS) has been prepared with due care and is true and accurate to the best of our knowledge. The user must determine the suitability of the information for its particular purpose, ensure compliance with existing laws and regulations, and be aware that other or additional safety or performance considerations may arise when using, handling and/ or storing the material. The information in this SDS does not purport to be all inclusive or a guarantee as to the properties of the material supplied, and should be used only as a guide. LGC makes no warranties or representations as to the accuracy and completeness of the information contained herein, shall not be held responsible for the suitability of this information for the user's intended purposes or the consequences of such use, and shall not be liable for any

(Contd. on page 10)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 29.09.2020

Version number 1

Revision: 29.09.2020

Product name: Phorate-sulfoxide 1000 µg/mL in Acetone

(Contd. from page 9)

damage or loss, howsoever arising, direct or otherwise.

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Acute Tox. 1: Acute toxicity – Category 1

Acute Tox. 4: Acute toxicity – Category 4

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 1: Specific target organ toxicity (single exposure) – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

· **Sources**

Tables 3.1 and 3.2 from Annex 6 of EC 1272/2008, EC 1907/2006, EH40/2005 as amended 2011, Registry of Toxic Effects of Chemical Substances (RTECS), The Dictionary of Substances and their Effects, 1st Edition, IUCLID.

· **Data compared to the previous version altered.** All sections have been updated.

GB