



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.05.2020

Version number 1

Revision: 01.05.2020

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Product name:** o-Toluidine 100 µg/mL in Cyclohexane

· **Part number:** DRE-XA17594800CY

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

· **Application of the substance / the mixture** Reference material for laboratory use only

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

LGC Limited

Queens Road

Teddington

Middlesex TW11 0LY

UNITED KINGDOM

Tel : +44 (0) 20 8943 7000

Fax : +44 (0) 20 8943 2767

eMail : gb@lgcstandards.com

Web : www.lgcstandards.com

· **Further information obtainable from:**

Product safety department

eMail : sds-request@lgcgroup.com

· **1.4 Emergency telephone number:**

For Hazardous Materials or Dangerous Goods Incident

Spill, Leak, Fire Exposure, or Accident

Call CHEMTREC:

USA & Canada 1-800-424-9300

Rest of the world +1 703-741-5970

### SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**



GHS02 flame

Flam. Liq. 2

H225 Highly flammable liquid and vapour.



GHS08 health hazard

Asp. Tox. 1

H304 May be fatal if swallowed and enters airways.



GHS09 environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

(Contd. on page 2)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.05.2020

Version number 1

Revision: 01.05.2020

**Product name: o-Toluidine 100 µg/mL in Cyclohexane**

(Contd. from page 1)



GHS07

Skin Irrit. 2

H315 Causes skin irritation.

STOT SE 3

H336 May cause drowsiness or dizziness.

### · 2.2 Label elements

#### · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

#### · Hazard pictograms



GHS02



GHS07



GHS08



GHS09

#### · Signal word Danger

#### · Hazard-determining components of labelling:

Cyclohexane

#### · Hazard statements

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H304 May be fatal if swallowed and enters airways.

H410 Very toxic to aquatic life with long lasting effects.

#### · Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

#### · 2.3 Other hazards

#### · Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

## SECTION 3: Composition/information on ingredients

### · 3.2 Chemical characterisation: Mixtures

· Description: Mixture: consisting of the following components.

(Contd. on page 3)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.05.2020

Version number 1

Revision: 01.05.2020

**Product name: o-Toluidine 100 µg/mL in Cyclohexane**

(Contd. from page 2)

**· Dangerous components:**

|                                                         |                                                                                                                                                       |        |
|---------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|--------|
| CAS: 110-82-7<br>EINECS: 203-806-2<br>RTECS: GU 6300000 | Cyclohexane<br>⚠ Flam. Liq. 2, H225; ⚠ Asp. Tox. 1, H304; ⚠ Aquatic Acute 1, H400;<br>Aquatic Chronic 1, H410; ⚠ Skin Irrit. 2, H315; STOT SE 3, H336 | > 99%  |
| CAS: 95-53-4<br>EINECS: 202-429-0<br>RTECS: XU2975000   | o-Toluidine<br>⚠ Acute Tox. 3, H301; Acute Tox. 3, H331; ⚠ Carc. 1B, H350; ⚠ Aquatic<br>Acute 1, H400; ⚠ Eye Irrit. 2, H319                           | < 0.1% |

**· Additional information:** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

**· 4.1 Description of first aid measures****· After inhalation:**

In case of unconsciousness place patient in recovery position for transport.

Seek medical treatment in case of complaints.

Take affected persons into fresh air and keep quiet.

**· After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

**· After eye contact:** Rinse opened eye for several minutes under running water.**· After swallowing:**

Rinse mouth. Do not induce vomiting.

Seek immediate medical advice.

**· 4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.**· 4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

### SECTION 5: Firefighting measures

**· 5.1 Extinguishing media****· Suitable extinguishing agents:** CO<sub>2</sub>, sand, extinguishing powder. Do not use water.**· For safety reasons unsuitable extinguishing agents:** Water with full jet**· 5.2 Special hazards arising from the substance or mixture**

Formation of toxic gases is possible during heating or in case of fire.

**· 5.3 Advice for firefighters****· Protective equipment:** Wear self-contained respiratory protective device.

### SECTION 6: Accidental release measures

**· 6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

**· 6.2 Environmental precautions:**

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

(Contd. on page 4)

GB



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.05.2020

Version number 1

Revision: 01.05.2020

**Product name: o-Toluidine 100 µg/mL in Cyclohexane**

(Contd. from page 3)

- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose of contaminated material as waste according to item 13.  
Ensure adequate ventilation.  
Do not flush with water or aqueous cleansing agents
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
Ensure good ventilation/extraction at the workplace.  
Store in cool, dry place in tightly closed receptacles.  
Prevent formation of aerosols.
- **Information about fire - and explosion protection:**  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.
- **7.2 Conditions for safe storage, including any incompatibilities**
  - **Storage:**
  - **Requirements to be met by storerooms and receptacles:**  
Please refer to the manufacturer's certificate for specific storage and transport temperature conditions.  
Store only in the original receptacle unless other advice is given on the CoA.  
Keep container in a well-ventilated place. Keep away from sources of ignition and heat.
  - **Information about storage in one common storage facility:** Store away from foodstuffs.
  - **Further information about storage conditions:**  
Keep container tightly sealed.  
Store in cool, dry conditions in well sealed receptacles.
- **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.

- **8.1 Control parameters**

- **Ingredients with limit values that require monitoring at the workplace:**

**CAS: 110-82-7 Cyclohexane**

|     |                                                                                                        |
|-----|--------------------------------------------------------------------------------------------------------|
| WEL | Short-term value: 1050 mg/m <sup>3</sup> , 300 ppm<br>Long-term value: 350 mg/m <sup>3</sup> , 100 ppm |
|-----|--------------------------------------------------------------------------------------------------------|

- **Additional information:** Lists used were valid at the time of SDS preparation.

- **8.2 Exposure controls**

- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.

(Contd. on page 5)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.05.2020

Version number 1

Revision: 01.05.2020

**Product name: o-Toluidine 100 µg/mL in Cyclohexane**

(Contd. from page 4)

*Immediately remove all soiled and contaminated clothing*

*Wash hands before breaks and at the end of work.*

*Avoid contact with the skin.*

*Avoid contact with the eyes and skin.*

· **Respiratory protection:**

*In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.*

*Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced*

· **Protection of hands:**

*The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.*

*Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation*

*The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374*



Protective gloves

· **Material of gloves** Nitrile rubber, NBR

· **Penetration time of glove material**

*The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.*

· **Eye protection:**



Tightly sealed goggles

### SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

**Form:** Liquid

**Colour:** Colourless

· **Odour:** Sweetish

· **Odour threshold:** Not determined.

· **pH-value:** Not determined.

· **Change in condition**

**Melting point/freezing point:** 6.4 °C

**Initial boiling point and boiling range:** 81 °C

(Contd. on page 6)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.05.2020

Version number 1

Revision: 01.05.2020

**Product name: o-Toluidine 100 µg/mL in Cyclohexane**

(Contd. from page 5)

|                                                           |                                                                                            |
|-----------------------------------------------------------|--------------------------------------------------------------------------------------------|
| · <b>Flash point:</b>                                     | -18 °C                                                                                     |
| · <b>Flammability (solid, gas):</b>                       | Not determined.                                                                            |
| · <b>Ignition temperature:</b>                            | 260 °C                                                                                     |
| · <b>Decomposition temperature:</b>                       | Not determined.                                                                            |
| · <b>Auto-ignition temperature:</b>                       | Product is not selfigniting.                                                               |
| · <b>Explosive properties:</b>                            | Product is not explosive. However, formation of explosive air/vapour mixtures is possible. |
| · <b>Explosion limits:</b>                                |                                                                                            |
| Lower:                                                    | 1.2 Vol %                                                                                  |
| Upper:                                                    | 8.3 Vol %                                                                                  |
| · <b>Vapour pressure at 20 °C:</b>                        | 104 hPa                                                                                    |
| · <b>Density at 20 °C:</b>                                | 0.78002 g/cm <sup>3</sup>                                                                  |
| · <b>Relative density</b>                                 | Not determined.                                                                            |
| · <b>Vapour density</b>                                   | Not determined.                                                                            |
| · <b>Evaporation rate</b>                                 | Not determined.                                                                            |
| · <b>Solubility in / Miscibility with water at 20 °C:</b> | 0.05 g/l                                                                                   |
| · <b>Partition coefficient: n-octanol/water:</b>          | Not determined.                                                                            |
| · <b>Viscosity:</b>                                       |                                                                                            |
| Dynamic:                                                  | Not determined.                                                                            |
| Kinematic:                                                | Not determined.                                                                            |
| · <b>9.2 Other information</b>                            | No further relevant information available.                                                 |

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** Stable under normal conditions.
- **10.2 Chemical stability** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:**  
Formation of toxic gases is possible during heating or in case of fire.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid**  
Sources of ignition  
Heat.
- **10.5 Incompatible materials:** Strong oxidizing agents.
- **10.6 Hazardous decomposition products:**  
Formation of toxic gases is possible during heating or in case of fire.

GB

(Contd. on page 7)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.05.2020

Version number 1

Revision: 01.05.2020

**Product name: o-Toluidine 100 µg/mL in Cyclohexane**

(Contd. from page 6)

### SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **LD/LC50 values relevant for classification:**
- **CAS: 110-82-7 Cyclohexane**
- **Oral LD50** 12,705 mg/kg (rat)
- **Primary irritant effect:**
- **Skin corrosion/irritation**  
Causes skin irritation.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure**  
May cause drowsiness or dizziness.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard**  
May be fatal if swallowed and enters airways.

### SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:**
- **CAS: 110-82-7 Cyclohexane**
- **LC50/96 h** 42.3 mg/l (fish)
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Very toxic for fish
- **Additional ecological information:**
- **General notes:**  
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water  
Do not allow product to reach ground water, water course or sewage system.  
Danger to drinking water if even small quantities leak into the ground.  
Also poisonous for fish and plankton in water bodies.  
Very toxic for aquatic organisms
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 8)

GB



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.05.2020

Version number 1

Revision: 01.05.2020

**Product name: o-Toluidine 100 µg/mL in Cyclohexane**

(Contd. from page 7)

· **12.6 Other adverse effects** No further relevant information available.

### SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **European waste catalogue**

Waste disposal key numbers from EWC have to be assigned depending on origin and processing.

· **Uncleaned packaging:**

· **Recommendation:** Dispose of in accordance with national regulations.

### SECTION 14: Transport information

· **14.1 UN-Number**

· **ADR, IMDG, IATA**

· **ADR**

UN1145

1145 CYCLOHEXANE mixture, ENVIRONMENTALLY  
HAZARDOUS

· **IMDG**

CYCLOHEXANE mixture, MARINE POLLUTANT

· **IATA**

CYCLOHEXANE mixture

· **14.3 Transport hazard class(es)**

· **ADR, IMDG**



· **Class**

3 Flammable liquids.

· **Label**

3

· **IATA**



· **Class**

3 Flammable liquids.

· **Label**

3

· **14.4 Packing group**

· **ADR, IMDG, IATA**

II

· **14.5 Environmental hazards:**

Product contains environmentally hazardous substances:  
Cyclohexane

· **Marine pollutant:**

Yes

Symbol (fish and tree)

(Contd. on page 9)





## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.05.2020

Version number 1

Revision: 01.05.2020

**Product name: o-Toluidine 100 µg/mL in Cyclohexane**

(Contd. from page 8)

|                                                                                  |                                                               |
|----------------------------------------------------------------------------------|---------------------------------------------------------------|
| · <b>Special marking (ADR):</b>                                                  | Symbol (fish and tree)                                        |
| · <b>14.6 Special precautions for user</b>                                       | Warning: Flammable liquids.                                   |
| · <b>Danger code (Kemler):</b>                                                   | 33                                                            |
| · <b>EMS Number:</b>                                                             | F-E,S-D                                                       |
| · <b>Stowage Category</b>                                                        | E                                                             |
| · <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b> | Not applicable.                                               |
| · <b>Transport/Additional information:</b>                                       |                                                               |
| · <b>ADR</b>                                                                     |                                                               |
| · <b>Limited quantities (LQ)</b>                                                 | 1L                                                            |
| · <b>Excepted quantities (EQ)</b>                                                | Code: E2                                                      |
|                                                                                  | Maximum net quantity per inner packaging: 30 ml               |
|                                                                                  | Maximum net quantity per outer packaging: 500 ml              |
| · <b>Transport category</b>                                                      | 2                                                             |
| · <b>Tunnel restriction code</b>                                                 | D/E                                                           |
| · <b>UN "Model Regulation":</b>                                                  | UN 1145 CYCLOHEXANE MIXTURE, 3, II, ENVIRONMENTALLY HAZARDOUS |

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- Directive 2012/18/EU
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 100 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3, 57
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

The information in this safety data sheet (SDS) has been prepared with due care and is true and accurate to the best of our knowledge. The user must determine the suitability of the information for its particular purpose, ensure compliance with existing laws and regulations, and be aware that other or additional safety or performance considerations may arise when using, handling and/ or storing the material. The information in this SDS does not purport to be all inclusive or a guarantee as to the properties of the material supplied, and should be used only as a guide. LGC makes no warranties or representations as to the accuracy and completeness of the information contained herein, shall not be held responsible for the suitability of this information for the user's intended purposes or the consequences of such use, and shall not be liable for any damage or loss, howsoever arising, direct or otherwise.

#### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association

(Contd. on page 10)



**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 01.05.2020

Version number 1

Revision: 01.05.2020

**Product name: o-Toluidine 100 µg/mL in Cyclohexane**

(Contd. from page 9)

*GHS: Globally Harmonised System of Classification and Labelling of Chemicals**EINECS: European Inventory of Existing Commercial Chemical Substances**ELINCS: European List of Notified Chemical Substances**CAS: Chemical Abstracts Service (division of the American Chemical Society)**LC50: Lethal concentration, 50 percent**LD50: Lethal dose, 50 percent**PBT: Persistent, Bioaccumulative and Toxic**vPvB: very Persistent and very Bioaccumulative**Flam. Liq. 2: Flammable liquids – Category 2**Acute Tox. 3: Acute toxicity – Category 3**Skin Irrit. 2: Skin corrosion/irritation – Category 2**Eye Irrit. 2: Serious eye damage/eye irritation – Category 2**Carc. 1B: Carcinogenicity – Category 1B**STOT SE 3: Specific target organ toxicity (single exposure) – Category 3**Asp. Tox. 1: Aspiration hazard – Category 1**Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1**Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1***Sources**

*Tables 3.1 and 3.2 from Annex 6 of EC 1272/2008, EC 1907/2006, EH40/2005 as amended 2011, Registry of Toxic Effects of Chemical Substances (RTECS), The Dictionary of Substances and their Effects, 1st Edition, IUCLID.*