

This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

Revision date 08-Nov-2024 Revision Number 1.01

1. Identification

Product identifier

Product Name MISA Standard 1: Ge, Hf, Mo, Nb, Si, Ta, Ti, W, Zr @ 100 μg/mL in H2O/tr. HF

Other means of identification

Product Code(s) VHG-MISA1-100

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use This product is for research and development only

Restrictions on use Not to be used for human or animal consumption

Details of the supplier of the safety data sheet

Supplier Address

VHG LGC Standards 276 Abby Road Manchester, NH 03103 UNITED STATES OF AMERICA

Tel:+1 (603) 622-7660 Fax:+1 (603) 622-5180 Email: lgcusa@lgcgroup.com

Web: Igcstandards.com

E-mail sds-request@lgcgroup.com

Emergency telephone number

Emergency Telephone

For Hazardous Materials or Dangerous Goods Incident Spill, Leak, Fire Exposure, or Accident Call CHEMTREC: USA & Canada 1-800-424-9300 Rest of the world +1 703-741-3877

2. Hazard(s) identification

AGHS / EN Page 1/13



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

VHG-MISA1-100 - MISA Standard 1: Ge, Hf, Mo, Nb, Si, Ta, Ti, W, Zr @ 100 µg/mL in H2O/tr. HF

Revision date 08-Nov-2024

Classification

Classified according to OSHA.

Serious eye damage/eye irritation	Category 2
Corrosive to metals	Category 1

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Warning

Hazard statements

Classified according to OSHA.
Causes serious eye irritation
May be corrosive to metals



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear eye protection/ face protection
Keep only in original packaging

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Absorb spillage to prevent material damage

Precautionary Statements - Storage

Store in corrosion resistant container with a resistant inner liner

Other information

Causes mild skin irritation.

3. Composition/information on ingredients

AGHS / EN Page 2 / 13



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

VHG-MISA1-100 - MISA Standard 1: Ge, Hf, Mo, Nb, Si,

Revision date 08-Nov-2024

Ta, Ti, W, Zr @ 100 µg/mL in H2O/tr. HF

Substance

Not applicable.

Mixture

Chemical nature aqueous solution.

Chemical name	CAS No.	Weight-%	Trade secret
hydrofluoric acid	7664-39-3	0.1 - 1	*

4. First-aid measures

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and

persists.

Skin contact Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical

attention if irritation develops and persists.

Ingestion Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce

vomiting. Call a physician.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

Symptoms May cause redness and tearing of the eyes. Burning sensation. Prolonged contact may

cause redness and irritation.

Indication of any immediate medical attention and special treatment needed

5. Fire-fighting measures

AGHS / EN Page 3 / 13



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

VHG-MISA1-100 - MISA Standard 1: Ge, Hf, Mo, Nb, Si,

Revision date 08-Nov-2024

Ta, Ti, W, Zr @ 100 µg/mL in H2O/tr. HF

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Do not scatter spilled material with high pressure water streams. Unsuitable extinguishing media

Specific hazards arising from the

chemical

No information available.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Special protective equipment and

precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal Personal precautions

protective equipment as required.

Other information Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from **Storage Conditions**

moisture. Store locked up. Keep out of the reach of children. Store away from other

AGHS / EN Page 4 / 13



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

VHG-MISA1-100 - MISA Standard 1: Ge, Hf, Mo, Nb, Si,

Revision date 08-Nov-2024

Ta, Ti, W, Zr @ 100 µg/mL in H2O/tr. HF

materials. Please refer to the manufacturer's certificate for specific storage and transport temperature conditions. Store only in the original receptacle unless other advice is given on the CoA.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
hydrofluoric acid	TWA: 0.5 ppm F	TWA: 3 ppm F	IDLH: 30 ppm
7664-39-3	S*	(vacated) TWA: 3 ppm F	Ceiling: 6 ppm 15 min
	Ceiling: 2 ppm F	(vacated) STEL: 6 ppm F	Ceiling: 5 mg/m ³ 15 min
			TWA: 3 ppm
			TWA: 2.5 mg/m ³

Biological occupational exposure limits

Chemical name	ACGIH
hydrofluoric acid	3 mg/g creatinine - urine (Fluoride) - prior to shift
7664-39-3	10 mg/g creatinine - urine (Fluoride) - end of shift

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Avoid contact with eyes. Wear safety glasses with side shields (or goggles).

Hand protection Wear protective Neoprene™ gloves. Wear suitable gloves. The protective gloves to be used

must comply with the specifications of EC Directive 89/686/EEC and the related standard

EN374.

Skin and body protection Wear suitable protective clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Environmental exposure controls Do not allow into any sewer, on the ground or into any body of water.

AGHS / EN Page 5 / 13



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

VHG-MISA1-100 - MISA Standard 1: Ge, Hf, Mo, Nb, Si,

Ta, Ti, W, Zr @ 100 μg/mL in H2O/tr. HF

Revision date 08-Nov-2024

General hygiene considerations

Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid
Appearance Liquid
Color colorless
Odor Odorless

Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

No data available На None known Melting point / freezing point 0 °C / 32 °F None known Initial boiling point and boiling range100 °C / 212 °F None known Flash point No data available None known **Evaporation rate** No data available None known **Flammability** No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

23 hPa @ 20°C Vapor pressure No data available Relative vapor density None known Relative density 0.99821 g/cm3 at 20 °C None known Water solubility No data available None known Solubility(ies) No data available None known Partition coefficient No data available None known **Autoignition temperature** No data available None known 100 °C / 212 °F **Decomposition temperature** None known Kinematic viscosity No data available None known Dynamic viscosity No data available None known

Other information

Explosive properties
Oxidizing properties
No information available
VOC content
No information available
Liquid Density
No information available
Bulk density
No information available

AGHS / EN Page 6/13



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

VHG-MISA1-100 - MISA Standard 1: Ge, Hf, Mo, Nb, Si,

Ta, Ti, W, Zr @ 100 µg/mL in H2O/tr. HF

Revision date 08-Nov-2024

10. Stability and reactivity

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

Conditions to avoid Exposure to air or moisture over prolonged periods.

Incompatible materials Oxidizing agent.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye irritation.

(based on components). May cause redness, itching, and pain.

Skin contact Specific test data for the substance or mixture is not available. Causes mild skin irritation.

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms May cause redness and tearing of the eyes. Prolonged contact may cause redness and

irritation.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 99,999.00 mg/kg
ATEmix (dermal) 99,999.00 mg/kg
ATEmix (inhalation-gas) 99,999.00 ppm
ATEmix (inhalation-dust/mist) 99,999.00 mg/l
ATEmix (inhalation-vapor) 99,999.00 mg/l

AGHS / EN Page 7/13



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

VHG-MISA1-100 - MISA Standard 1: Ge, Hf, Mo, Nb, Si,

Ta, Ti, W, Zr @ 100 µg/mL in H2O/tr. HF

Revision date 08-Nov-2024

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
hydrofluoric acid 7664-39-3	-	-	= 0.79 mg/L (Rat) 1 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationClassification based on data available for ingredients. Causes mild skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposureNo information available.

Aspiration hazard No information available.

Other adverse effects No information available.

Interactive effects No information available.

12. Ecological information

Ecotoxicity

	Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
--	---------------	----------------------	------	-------------	-----------

AGHS / EN Page 8 / 13



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

VHG-MISA1-100 - MISA Standard 1: Ge, Hf, Mo, Nb, Si,

Revision date 08-Nov-2024

Ta, Ti, W, Zr @ 100 µg/mL in H2O/tr. HF

			microorganisms	
hydrofluoric acid	-	-	-	EC50: =270mg/L (48h,
7664-39-3				Daphnia species)

Persistence and degradability No information available.

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient
hydrofluoric acid	-1.4
7664-39-3	

Other adverse effects No information available.

13. Disposal considerations

Disposal methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

14. Transport information

DOT

UN number or ID number UN3264

Extended proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. (hydrofluoric acid)

Transport hazard class(es) 8
Packing group 8

Special Provisions IB3, T7, TP1, TP28

DOT Marine Pollutant NP

Description UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (hydrofluoric acid), 8, III

Emergency Response Guide

Number

154

TDG

UN number or ID number UN3264

UN proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. (hydrofluoric acid)

Transport hazard class(es)

AGHS / EN Page 9 / 13



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

VHG-MISA1-100 - MISA Standard 1: Ge, Hf, Mo, Nb, Si,

Revision date 08-Nov-2024

Ta, Ti, W, Zr @ 100 µg/mL in H2O/tr. HF

Ш Packing group **Special Provisions** 16 Marine pollutant NΡ

Description UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (hydrofluoric acid), 8, III

MEX

UN number or ID number UN3264

UN proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. (hydrofluoric acid)

Transport hazard class(es) Packing group

Technical Name hydrofluoric acid

UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (hydrofluoric acid), 8, III Description

Special Provisions 223, 274

IATA

UN number or ID number

Corrosive liquid, acidic, inorganic, n.o.s. (hydrofluoric acid) **UN proper shipping name**

Transport hazard class(es) Packing group Ш

Technical Name hydrofluoric acid

Description UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (hydrofluoric acid), 8, III

Special Provisions A3, A803 **ERG** Code 8L

IMDG

UN number or ID number UN3264

UN proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. (hydrofluoric acid)

Transport hazard class(es) 8 Packing group Ш EmS-No. F-A, S-B **Special Provisions** 223, 274 Marine pollutant NP

Description UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (hydrofluoric acid), 8, III

15. Regulatory information

International Inventories

TSCA LGC has not confirmed that the chemical substances in this product are on the TSCA

> Inventory, and LGC is distributing this product solely for use either in applications statutorily exempt from TSCA and regulated under other laws (e.g., FFDCA, FIFRA) or in research and development activities in accordance with the TSCA Inventory R&D exemption provided at 40 CFR 720.36. It is the end-user's responsibility to understand and follow the

requirements that apply to its use of this product.

AGHS / EN Page 10 / 13



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

VHG-MISA1-100 - MISA Standard 1: Ge, Hf, Mo, Nb, Si, Ta, Ti, W, Zr @ 100 µg/mL in H2O/tr. HF

Revision date 08-Nov-2024

Chemical name	CAS No.	Inventory Listing Status	Commercial Activity Designation
hydrofluoric acid	7664-39-3	Present	Active

*Contact supplier for details. One or more substances in this product are either not listed on the US TSCA inventory, listed on the confidential US TSCA inventory or are otherwise exempted from inventory listing requirements

DSL/NDSL

EINECS/ELINCS

Contact supplier for inventory compliance status.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
hydrofluoric acid - 7664-39-3	1.0

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable	CWA - Toxic Pollutants	CWA - Priority Pollutants	
	Quantities			Substances
hydrofluoric acid	100 lb	-	-	X

AGHS / EN Page 11 / 13



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

VHG-MISA1-100 - MISA Standard 1: Ge, Hf, Mo, Nb, Si,

Revision date 08-Nov-2024

Ta, Ti, W, Zr @ 100 μ g/mL in H2O/tr. HF

7664-39-3		

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	Reportable Quantity (RQ)
hydrofluoric acid 7664-39-3	100 lb	100 lb	RQ 100 lb final RQ RQ 45.4 kg final RQ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water	-	-	Х
7732-18-5			
hydrofluoric acid 7664-39-3	X	X	X
Ammonium silicofluoride 16919-19-0	X	X	X
Molybdenum 7439-98-7	X	X	X
Titanium 7440-32-6	X	-	-
Tungsten 7440-33-7	X	X	X

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPA Health hazards 3 Flammability 0 Instability 0 Special hazards - Health hazards 3 Flammability 0 Physical hazards 0 Personal protection X

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: Exposure controls/personal protection

AGHS / EN Page 12 / 13



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

VHG-MISA1-100 - MISA Standard 1: Ge, Hf, Mo, Nb, Si,

Revision date 08-Nov-2024

Ta, Ti, W, Zr @ 100 µg/mL in H2O/tr. HF

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Sk* Skin designation

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

Environmental Protection Agency

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 08-Nov-2024

Revision NoteNo information available.

Disclaimer

The information in this Safety Data Sheet meets the requirements of the United States OCCUPATIONAL SAFETY AND HEALTH ACT and regulations promulgated thereunder (29 CFR 1910.1200 et. seq.) This document is intended only as a guide to the appropriate precautionary handling of the material by a person trained in, or supervised by a person trained in, chemical handling. The user is responsible for determining the application. Depending on usage, protective clothing including eye and face guards and respirators must be used to avoid contact with material or breathing chemical vapors/fumes. Exposure to this product may have serious adverse health effects. This chemical may interact with other substances. Since the potential uses are so varied, we cannot warn of all of the potential dangers of use or interaction with other chemicals or materials. We warrant that the chemical meets the specifications set forth on the label. We (LGC/VHG/ARMI) disclaim any other warranties, expressed or implied with regard to the product supplied hereunder, its merchantability or its fitness for a particular purpose. The user should recognize that this product can cause severe injury and even death, especially if improperly handled or the known dangers of use are not heeded. Read all precautionary information.

End of Safety Data Sheet

AGHS / EN Page 13 / 13