



Safety Data Sheet

acc. to OSHA HCS

Page 1/10

Printing date 04/18/2016

Reviewed on 04/18/2016

1 Identification

· **Product identifier**

· **Product name:** Chloroacetaldehyde

· **Part number:** DRE-C11347000

· **CAS Number:**

107-20-0

· **EC number:**

203-472-8

· **Index number:**

605-025-00-6

· **Application of the substance / the mixture** Reference material for laboratory use only

· **Manufacturer/Supplier:**

VHG Labs, Inc

LGC Standards

276 Abby Road

Manchester, NH 03103

UNITED STATES OF AMERICA

Tel : +1 (603) 622-7660

Fax : +1 (603) 622-5180

eMail : custsvc@vhglabs.com

Web : www.vhglabs.com

· **Information department:**

Product safety department

eMail : sds-request@lgcgroup.com

· **Emergency telephone number:** 800-424-9300 Chemtrec (24 hrs)

2 Hazard(s) identification

· **Classification of the substance or mixture**



GHS06 Skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed.

Acute Tox. 3 H311 Toxic in contact with skin.

Acute Tox. 2 H330 Fatal if inhaled.



GHS08 Health hazard

Carc. 2 H351 Suspected of causing cancer.



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.



GHS09 Environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

Flam. Liq. 4 H227 Combustible liquid.

· **Label elements**

· **GHS label elements**

The substance is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)



Safety Data Sheet

acc. to OSHA HCS

Printing date 04/18/2016

Reviewed on 04/18/2016

Product name: Chloroacetaldehyde

(Contd. of page 1)

· Hazard pictograms

GHS05 GHS06 GHS08 GHS09

· Signal word *Danger***· Hazard statements**

- H227 Combustible liquid.
H301+H311 Toxic if swallowed or in contact with skin.
H330 Fatal if inhaled.
H314 Causes severe skin burns and eye damage.
H351 Suspected of causing cancer.
H400 Very toxic to aquatic life.

· Precautionary statements

- P280 Wear protective gloves / eye protection / face protection.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P320 Specific treatment is urgent (see on this label).
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Classification system:**· NFPA ratings (scale 0 - 4)**

Health = 3
Fire = 2
Reactivity = 0

· HMIS-ratings (scale 0 - 4)

Health = 3
Fire = 2
Reactivity = 0

· Other hazards**· Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
· **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Substances**· CAS No. Description**

107-20-0 chloroacetaldehyde

· Identification number(s) -· **EC number:** 203-472-8· **Index number:** 605-025-00-6· **RTECS:** AB 2450000

US

(Contd. on page 3)



Safety Data Sheet

acc. to OSHA HCS

Printing date 04/18/2016

Reviewed on 04/18/2016

Product name: Chloroacetaldehyde

(Contd. of page 2)

4 First-aid measures

- **Description of first aid measures**

- **General information:**

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

- **After inhalation:**

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

- **After swallowing:**

Rinse mouth. Do not induce vomiting.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

Call a doctor immediately.

- **Information for doctor:**

- **Most important symptoms and effects, both acute and delayed** No further relevant information available.

- **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**

- **Suitable extinguishing agents:**

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- **Special hazards arising from the substance or mixture**

Formation of toxic gases is possible during heating or in case of fire.

- **Advice for firefighters**

- **Protective equipment:**

Mouth respiratory protective device.

Wear self-contained respiratory protective device.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

- **Environmental precautions:**

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

- **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

- **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

US

(Contd. on page 4)



Safety Data Sheet

acc. to OSHA HCS

Printing date 04/18/2016

Reviewed on 04/18/2016

Product name: Chloroacetaldehyde

(Contd. of page 3)

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Store in cool, dry place in tightly closed receptacles.
Open and handle receptacle with care.
- **Information about protection against explosions and fires:** Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
Store in a cool location.
Please refer to the manufacturers certificate for specific storage and transport temperature conditions.
Store only in the original receptacle.
Keep container in a well-ventilated place. Keep away from sources of ignition and heat.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

Components with limit values that require monitoring at the workplace:**107-20-0 chloroacetaldehyde**

PEL	Ceiling limit value: 3 mg/m ³ , 1 ppm
REL	Ceiling limit value: 3 mg/m ³ , 1 ppm
TLV	Ceiling limit value: 3.2 mg/m ³ , 1 ppm

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Avoid contact with the eyes and skin.
- **Breathing equipment:**
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced
- **Protection of hands:**
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 5)

US



Safety Data Sheet

acc. to OSHA HCS

Page 5/10

Printing date 04/18/2016

Reviewed on 04/18/2016

Product name: Chloroacetaldehyde

(Contd. of page 4)

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374



Protective gloves

· **Material of gloves**

Nitrile rubber, NBR

Butyl rubber, BR

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Liquid

Color: Colorless

· **Odor:** Pungent

· **Odor threshold:** Not determined.

· **pH-value:** Not determined.

· **Change in condition**

Melting point/Melting range: -16.3 °C (3 °F)

Boiling point/Boiling range: 85.5 °C (186 °F)

· **Flash point:** 70 °C (158 °F)

· **Flammability (solid, gaseous):** Not determined.

· **Ignition temperature:**

Decomposition temperature: Not determined.

· **Auto igniting:** Not determined.

· **Danger of explosion:** Not determined.

· **Explosion limits:**

Lower: 3.9 Vol %

Upper: 9 Vol %

· **Vapor pressure at 25 °C (77 °F):** 139 hPa (104 mm Hg)

· **Density at 20 °C (68 °F):** 1.19 g/cm³ (9.931 lbs/gal)

· **Relative density** Not determined.

· **Vapor density** Not determined.

· **Evaporation rate** Not determined.

(Contd. on page 6)

US

**Safety Data Sheet**
acc. to OSHA HCS

Printing date 04/18/2016

Reviewed on 04/18/2016

Product name: Chloroacetaldehyde

(Contd. of page 5)

- **Solubility in / Miscibility with Water at 20 °C (68 °F):** 443 g/l
- **Partition coefficient (n-octanol/water):** Not determined.
- **Viscosity:**
 - Dynamic:** Not determined.
 - Kinematic:** Not determined.
- **Other information** No further relevant information available.

10 Stability and reactivity

- **Reactivity** Stable under normal conditions.
- **Chemical stability** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:**
Formation of toxic gases is possible during heating or in case of fire.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** Heat.
- **Incompatible materials:** Strong oxidizing agents.
- **Hazardous decomposition products:** Formation of toxic gases is possible during heating or in case of fire.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· LD/LC50 values that are relevant for classification:

Oral	LD50	89 mg/kg (rat)
Dermal	LD50	267 mg/kg (rabbit)

- **Primary irritant effect:**
 - **on the skin:** Caustic effect on skin and mucous membranes.
 - **on the eye:** Strong caustic effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.
- **Carcinogenic categories**
- **IARC (International Agency for Research on Cancer)** Substance is not listed.
- **NTP (National Toxicology Program)** Substance is not listed.
- **OSHA-Ca (Occupational Safety & Health Administration)** Substance is not listed.

12 Ecological information

- **Toxicity**

· Aquatic toxicity:

LC50/96 h	3.35 mg/l (fish)
-----------	------------------

- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.

(Contd. on page 7)



Safety Data Sheet

acc. to OSHA HCS

Printing date 04/18/2016

Reviewed on 04/18/2016

Product name: Chloroacetaldehyde

(Contd. of page 6)

- **Ecotoxicological effects:**
- **Remark:** Very toxic for fish
- **Additional ecological information:**
- **General notes:**
 - Water hazard class 3 (Self-assessment): extremely hazardous for water
 - Do not allow product to reach ground water, water course or sewage system, even in small quantities.
 - Must not reach bodies of water or drainage ditch undiluted or unneutralized.
 - Danger to drinking water if even extremely small quantities leak into the ground.
 - Also poisonous for fish and plankton in water bodies.
 - Very toxic for aquatic organisms
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
 - Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Dispose in accordance with national regulations.

14 Transport information

- **UN-Number**
- **DOT, ADR, IMDG, IATA** UN2232
- **DOT** RQ 2-Chloroethanal
- **ADR** 2232 2-Chloroethanal, ENVIRONMENTALLY HAZARDOUS
- **IMDG** 2-CHLOROETHANAL, MARINE POLLUTANT
- **IATA** 2-CHLOROETHANAL

- **Transport hazard class(es)**

- **DOT**



- **Class** 6.1 Toxic substances
- **Label** 6.1

- **ADR, IMDG**



- **Class** 6.1 Toxic substances

(Contd. on page 8)

US


**Safety Data Sheet**
acc. to OSHA HCS

Printing date 04/18/2016

Reviewed on 04/18/2016

Product name: Chloroacetaldehyde

(Contd. of page 7)

· Label	6.1
· IATA	
	
· Class	6.1 Toxic substances
· Label	6.1
· Packing group	
· DOT, ADR, IMDG, IATA	I
· Environmental hazards:	Environmentally hazardous substance, liquid; Marine Pollutant
· Marine pollutant:	Yes (P)
	Symbol (fish and tree)
· Special marking (ADR):	Symbol (fish and tree)
· Special precautions for user	Warning: Toxic substances
· Danger code (Kemler):	66
· EMS Number:	F-A,S-A
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT	
· Remarks:	Special marking with the symbol (fish and tree).
· UN "Model Regulation":	UN2232, 2-Chloroethanal, ENVIRONMENTALLY HAZARDOUS, 6.1, I

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**
- **Section 355 (extremely hazardous substances):** Substance is not listed.
- **Section 313 (Specific toxic chemical listings):** Substance is not listed.
- **TSCA (Toxic Substances Control Act):** Substance is listed.
- **Proposition 65**
- **Chemicals known to cause cancer:** Substance is not listed.
- **Chemicals known to cause reproductive toxicity for females:** Substance is not listed.
- **Chemicals known to cause reproductive toxicity for males:** Substance is not listed.
- **Chemicals known to cause developmental toxicity:** Substance is not listed.
- **Carcinogenic categories**
- **EPA (Environmental Protection Agency)** Substance is not listed.
- **TLV (Threshold Limit Value established by ACGIH)** Substance is not listed.
- **NIOSH-Ca (National Institute for Occupational Safety and Health)** Substance is not listed.
- **GHS label elements**
- The substance is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 9)

US



Safety Data Sheet

acc. to OSHA HCS

Printing date 04/18/2016

Reviewed on 04/18/2016

Product name: Chloroacetaldehyde

(Contd. of page 8)

· Hazard pictograms

GHS05 GHS06 GHS08 GHS09

· Signal word *Danger***· Hazard statements**

- H227 Combustible liquid.
H301+H311 Toxic if swallowed or in contact with skin.
H330 Fatal if inhaled.
H314 Causes severe skin burns and eye damage.
H351 Suspected of causing cancer.
H400 Very toxic to aquatic life.

· Precautionary statements

- P280 Wear protective gloves / eye protection / face protection.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P320 Specific treatment is urgent (see on this label).
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.**16 Other information**

The information in this Safety Data Sheet meets the requirements of the United States OCCUPATIONAL SAFETY AND HEALTH ACT and regulations promulgated thereunder (29 CFR 1910.1200 et. seq.) This document is intended only as a guide to the appropriate precautionary handling of the material by a person trained in, or supervised by a person trained in, chemical handling. The user is responsible for determining the application. Depending on usage, protective clothing including eye and face guards and respirators must be used to avoid contact with material or breathing chemical vapors/fumes. Exposure to this product may have serious adverse health effects. This chemical may interact with other substances. Since the potential uses are so varied, we cannot warn of all of the potential dangers of use or interaction with other chemicals or materials. We warrant that the chemical meets the specifications set forth on the label. We (LGC/VHG/ARMI) disclaim any other warranties, expressed or implied with regard to the product supplied hereunder, its merchantability or its fitness for a particular purpose. The user should recognize that this product can cause severe injury and even death, especially if improperly handled or the known dangers of use are not heeded. Read all precautionary information.

· Date of preparation / last revision 04/18/2016 / -**· Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
P: Marine Pollutant
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent

(Contd. on page 10)



Safety Data Sheet

acc. to OSHA HCS

Printing date 04/18/2016

Reviewed on 04/18/2016

Product name: Chloroacetaldehyde

(Contd. of page 9)

*PBT: Persistent, Bioaccumulative and Toxic**vPvB: very Persistent and very Bioaccumulative**NIOSH: National Institute for Occupational Safety**OSHA: Occupational Safety & Health**TLV: Threshold Limit Value**PEL: Permissible Exposure Limit**REL: Recommended Exposure Limit**Flam. Liq. 4: Flammable liquids, Hazard Category 4**Acute Tox. 3: Acute toxicity, Hazard Category 3**Acute Tox. 2: Acute toxicity, Hazard Category 2**Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B**Carc. 2: Carcinogenicity, Hazard Category 2**Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1***Sources**

Tables 3.1 and 3.2 from Annex 6 of EC 1272/2008, EC 1907/2006, EH40/2005 as amended 2011, Registry of Toxic Effects of Chemical Substances (RTECS), The Dictionary of Substances and their Effects, 1st Edition, IUCLID.

US