

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 05-Mar-2024 Revision Number 1

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product Code(s) VHG-LPENXSUSDIL-500

Product Name ICP-MS Setup Solution: Be, Ce, Fe, In, Li, Mg, Pb, U @ 1 µg/L in 1% HNO3

Form Not applicable

Unique Formula Identifier (UFI) E6WD-80WE-S00G-1Q2R

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Laboratory use

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

#### Supplier

LGC Limited Queens Road Teddington Middlesex TW11 0LY UNITED KINGDOM :+44 (0) 20 8943 7000 Fax :+44 (0) 20 8943 2767 eMail : gb@lgcstandards.com

Web: www.lgcstandards.com

For further information, please contact

E-mail address sds-request@lgcgroup.com

1.4. Emergency telephone number

Emergency Telephone For Hazardous Materials or Dangerous Goods Incident

Spill, Leak, Fire Exposure, or Accident

Call CHEMTREC:

USA & Canada 1-800-424-9300 Rest of the world +1 703-741-5970

EGHS / EN Page 1/24



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 05-Mar-2024 **Revision Number** 1

VHG-LPENXSUSDIL-500 - ICP-MS Setup Solution: Be, Ce, Fe, In, Li, Mg, Pb, U @ 1 µg/L in 1% HNO3

Emergency Telephone - §45 - (EC)1	Emergency Telephone - §45 - (EC)1272/2008							
Europe	112							
Austria	No information available							
Bulgaria								
Croatia								
Cyprus								
Czech Republic								
Denmark								
France								
Hungary								
Ireland								
Italy								
Lithuania								
Luxembourg								
Netherlands								
Norway								
Portugal								
Romania								
Slovakia								
Slovenia								
Spain								
Sweden								
Switzerland								

# **SECTION 2: Hazards identification**

# **2.1. Classification of the substance or mixture** Classification according to

Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 2 - (H319)
Corrosive to metals	Category 1 - (H290)

#### 2.2. Label elements



EGHS / EN Page 2/24



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 05-Mar-2024 Revision Number 1

VHG-LPENXSUSDIL-500 - ICP-MS Setup Solution: Be, Ce, Fe, In, Li, Mg, Pb, U @ 1 µg/L in 1% HNO3

#### Warning

#### **Hazard statements**

H315 - Causes skin irritation

H319 - Causes serious eve irritation

H290 - May be corrosive to metals

#### Precautionary Statements - EU (§28, 1272/2008)

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves and eye/face protection

P332 + P313 - If skin irritation occurs: Get medical advice/attention

P337 + P313 - If eye irritation persists: Get medical advice/attention

P390 - Absorb spillage to prevent material damage

P201 - Obtain special instructions before use

P234 - Keep only in original container

P406 - Store in corrosive resistant stainless steel container with a resistant inner liner

#### 2.3. Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors.

Chemical name	EU - REACH (1907/2006) - Article 59(1)	
	- Candidate List of Substances of Very	
	High Concern (SVHC) for Authorisation	Substances
Nitric Acid	-	-
Lithium carbonate	-	-
Lead	-	-
Indium	-	•
Ferric nitrate nonahydrate	-	-
Beryllium Oxyacetate	-	-

## SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Not applicable

#### 3.2 Mixtures

Chemical nature aqueous solution.

EGHS / EN Page 3/24



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 05-Mar-2024 Revision Number 1

VHG-LPENXSUSDIL-500 - ICP-MS Setup Solution: Be, Ce, Fe, In, Li, Mg, Pb, U @ 1 µg/L in 1% HNO3

Chemical name	Weight-%	REACH registration number	Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	concentration limit (SCL)	M-Factor	M-Factor (long-term)
Nitric Acid 7697-37-2	1 - <3	-	231-714-2	Met. Corr. 1 (H290) Ox. Liq. 2 (H272) Acute Tox. 3 (H331) Skin Corr. 1A (H314) (EUH071)	Ox. Liq. 2 :: C>=99% Ox. Liq. 3 :: C≥65% Skin Corr. 1A :: C>=20% Skin Corr. 1B :: 5%<=C<20%		
uranyl nitrate, hexahydrate 13520-83-7	<0.1	-	233-266-3	Ox. Sol. 2 (H272) Acute Tox. 2 (H300) Acute Tox. 2 (H330) STOT RE 2 (H373) Aquatic Chronic 2 (H411)			
Lithium carbonate 554-13-2	<0.1	-	209-062-5	Acute Tox. 4 (H302) STOT RE 2 (H373) Aquatic Chronic 3 (H412)			
Lead 7439-92-1	<0.1	-	231-100-4 (082-014-00 -7)	Carc. 2 (H351) Repr. 1A (H360FD) Lact. (H362) STOT RE 1 (H372) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	Repr. 1A :: C>=0.03%	1	10
Indium 7440-74-6	<0.1	-	231-180-0	STOT RE 1 (H372)			
Ferric nitrate nonahydrate 7782-61-8	<0.1	-	616-509-1	Ox. Sol. 2 (H272) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319)			
Beryllium Oxyacetate 19049-40-2	<0.1	-	242-785-4 (004-002-00 -2)	Acute Tox. 2 (H330) Acute Tox. 3 (H301) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Skin Sens. 1 (H317) Carc. 1B (H350) STOT SE 3 (H335) STOT RE 1 (H372)			

EGHS / EN Page 4/24



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 05-Mar-2024 Revision Number 1

### VHG-LPENXSUSDIL-500 - ICP-MS Setup Solution: Be, Ce, Fe, In, Li, Mg, Pb, U @ 1 µg/L in 1% HNO3

			Aquatic Chronic 2 (H411)			
--	--	--	-----------------------------	--	--	--

#### Full text of H- and EUH-phrases: see section 16

#### Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg		Inhalation LC50 - 4	Inhalation LC50 - 4	Inhalation LC50 - 4
		mg/kg	hour - dust/mist - mg/L	hour - vapour - mg/L	hour - gas - ppm
Nitric Acid 7697-37-2	No data available	No data available	No data available	2.65	No data available
Lithium carbonate 554-13-2	525	3000	2.17	No data available	No data available
Indium 7440-74-6	4200	No data available	No data available	No data available	No data available
Ferric nitrate nonahydrate 7782-61-8	3250	No data available	No data available	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

**General advice** Show this safety data sheet to the doctor in attendance.

**Inhalation** Remove to fresh air. Get medical attention immediately if symptoms occur.

**Eye contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and

persists.

**Skin contact** Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical

attention if irritation develops and persists.

Ingestion Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce

vomiting. Call a doctor.

EGHS / EN Page 5/24



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 05-Mar-2024 Revision Number 1

VHG-LPENXSUSDIL-500 - ICP-MS Setup Solution: Be, Ce, Fe, In, Li, Mg, Pb, U @ 1 µg/L in 1% HNO3

**Self-protection of the first aider** Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** May cause redness and tearing of the eyes. Burning sensation.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

### **SECTION 5: Firefighting measures**

5.1. Extinguishing media

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

**Unsuitable extinguishing media** Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

No information available.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

## SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required.

Other information Refer to protective measures listed in Sections 7 and 8.

**For emergency responders** Use personal protection recommended in Section 8.

6.2. Environmental precautions

EGHS / EN Page 6/24



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 05-Mar-2024 Revision Number 1

#### VHG-LPENXSUSDIL-500 - ICP-MS Setup Solution: Be, Ce, Fe, In, Li, Mg, Pb, U @ 1 μg/L in 1% HNO3

**Environmental precautions** Prevent further leakage or spillage if safe to do so.

6.3. Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up**Take up mechanically, placing in appropriate containers for disposal.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

**Reference to other sections** See section 8 for more information. See section 13 for more information.

## SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off

contaminated clothing and wash it before reuse.

General hygiene considerations Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with

skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands

before breaks and after work. Wear suitable gloves and eye/face protection.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from

moisture. Store locked up. Keep out of the reach of children. Store away from other materials. Please refer to the manufacturer's certificate for specific storage and transport temperature conditions. Store only in the original receptacle unless other advice is given on

the CoA.

#### 7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

EGHS / EN Page 7/24



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 05-Mar-2024 Revision Number 1

VHG-LPENXSUSDIL-500 - ICP-MS Setup Solution: Be, Ce, Fe, In, Li, Mg, Pb, U @ 1 µg/L in 1% HNO3

### **Exposure Limits**

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Nitric Acid	-	STEL 1 ppm	STEL: 1 ppm	STEL: 1 ppm	STEL: 1 ppm
7697-37-2		STEL 2.6 mg/m <sup>3</sup>	STEL: 2.6 mg/m <sup>3</sup>	STEL: 2.6 mg/m <sup>3</sup>	STEL: 2.6 mg/m <sup>3</sup>
uranyl nitrate,	-	TWA: 0.25 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup>	-
hexahydrate		STEL 1 mg/m <sup>3</sup>	STEL: 0.6 mg/m <sup>3</sup>		
13520-83-7			· ·		
Lead	TWA: 0.15 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	-	TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.15 mg/m <sup>3</sup>
7439-92-1		STEL 0.4 mg/m <sup>3</sup>			
Indium	-	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	-	TWA: 0.1 mg/m <sup>3</sup>
7440-74-6		STEL 0.2 mg/m <sup>3</sup>	Ü		STEL: 0.3 mg/m <sup>3</sup>
Ferric nitrate nonahydrate	-	-	TWA: 1 mg/m <sup>3</sup>	TWA: 1.0 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>
7782-61-8			ŭ	· ·	STEL: 2 mg/m <sup>3</sup>
Beryllium Oxyacetate	-	-	TWA: 0,00005	-	TWA: 0.0006 mg/m <sup>3</sup>
19049-40-2			mg/m³		Sk*
			STEL: 0.01 mg/m <sup>3</sup>		Skin Sensitisation
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Nitric Acid	STEL: 1 ppm	TWA: 1 mg/m <sup>3</sup>	STEL: 1 ppm	STEL: 1 ppm	TWA: 0.5 ppm
7697-37-2	STEL: 2.6 mg/m <sup>3</sup>	Ceiling: 2.5 mg/m <sup>3</sup>	STEL: 2.6 mg/m <sup>3</sup>	STEL: 2.6 mg/m <sup>3</sup>	TWA: 1.3 mg/m <sup>3</sup>
				_	STEL: 1 ppm
					STEL: 2.6 mg/m <sup>3</sup>
uranyl nitrate,	-	-	TWA: 0.2 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup>
hexahydrate			STEL: 0.4 mg/m <sup>3</sup>		TWA: 0.05 mg/m <sup>3</sup>
13520-83-7					
Lead	TWA: 0.15 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>
7439-92-1		Ceiling: 0.2 mg/m <sup>3</sup>	STEL: 0.1 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup>	-
Indium	-	-	TWA: 0.1 mg/m <sup>3</sup>	-	TWA: 0.1 mg/m <sup>3</sup>
7440-74-6			STEL: 0.2 mg/m <sup>3</sup>		
Ferric nitrate nonahydrate	-	-	TWA: 1 mg/m <sup>3</sup>	-	TWA: 1 mg/m <sup>3</sup>
7782-61-8			STEL: 2 mg/m <sup>3</sup>		
Beryllium Oxyacetate	-	TWA: 0.001 mg/m <sup>3</sup>	TWA: 0.00002	-	-
19049-40-2		Ceiling: 0.002 mg/m <sup>3</sup>	mg/m³		
			STEL: 0.00004		
			mg/m³		
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
Nitric Acid	STEL: 1 ppm	TWA: 1 ppm	-	STEL: 1 ppm	STEL: 2.6 mg/m <sup>3</sup>
7697-37-2	STEL: 2.6 mg/m <sup>3</sup>	TWA: 2.6 mg/m <sup>3</sup>		STEL: 2.6 mg/m <sup>3</sup>	STEL: 1 ppm
uranyl nitrate,	-	-	-	TWA: 0.25 mg/m <sup>3</sup>	-
hexahydrate				STEL: 0.6 mg/m <sup>3</sup>	
13520-83-7					
Lithium carbonate	-	-	TWA: 0.2 mg/m <sup>3</sup>	-	-
554-13-2					
Lead	TWA: 0.1 mg/m <sup>3</sup>	-	TWA: 0.004 mg/m <sup>3</sup>	TWA: 0.15 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>
7439-92-1			Peak: 0.032 mg/m <sup>3</sup>	_	TWA: 0.05 mg/m <sup>3</sup>

EGHS / EN Page 8/24



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 05-Mar-2024 Revision Number 1

## VHG-LPENXSUSDIL-500 - ICP-MS Setup Solution: Be, Ce, Fe, In, Li, Mg, Pb, U @ 1 µg/L in 1% HNO3

Indium 7440-74-6	-	TWA: 0.0001 mg/m <sup>3</sup>	Sk*	TWA: 1 mg/m <sup>3</sup> STEL: 1 mg/m <sup>3</sup>	-
Ferric nitrate nonahydrate 7782-61-8	-	-	-	TWA: 1 mg/m <sup>3</sup> STEL: 2 mg/m <sup>3</sup>	-
Beryllium Oxyacetate 19049-40-2	TWA: 0.0006 mg/m <sup>3</sup>	-	-	TWA: 0.005 mg/m <sup>3</sup>	TWA: 0.0006 mg/m <sup>3</sup> Sk*
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
Nitric Acid	STEL: 1 ppm	STEL: 1 ppm	TWA: 2 ppm	TWA: 0.78 ppm	STEL: 1 ppm
7697-37-2	STEL: 2.6 mg/m <sup>3</sup>	STEL: 2.6 mg/m <sup>3</sup>	TWA: 2 ppm TWA: 5.2 mg/m <sup>3</sup>	TWA: 0.76 ppin TWA: 2 mg/m <sup>3</sup>	STEL: 1 ppill STEL: 2.6 mg/m <sup>3</sup>
1097-51-2	STEE. 2.0 mg/m	31LL. 2.0 mg/m²	STEL: 4 ppm	STEL: 1 ppm	31LL. 2.0 mg/m²
			STEL: 4 ppin STEL: 10.3 mg/m <sup>3</sup>	STEL: 2.6 mg/m <sup>3</sup>	
uranyl nitrate,	TWA: 0.2 mg/m <sup>3</sup>	_	TWA: 0.2 mg/m <sup>3</sup>	TWA: 0.015 mg/m <sup>3</sup>	TWA: 0.015 mg/m <sup>3</sup>
hexahydrate	STEL: 0.6 mg/m <sup>3</sup>	-	STEL: 0.6 mg/m <sup>3</sup>	TWA. 0.015 Hig/III	T WA. 0.015 Hig/III°
13520-83-7	STEE. 0.0 mg/m²		STEE. 0.0 mg/m²		
Lead	TWA: 0.15 mg/m <sup>3</sup>	TWA: 0.15 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.15 mg/m <sup>3</sup>
7439-92-1	STEL: 0.45 mg/m <sup>3</sup>	TVVA. 0.13 mg/m	1 VVA. 0.03 mg/m	STEL: 0.1 mg/m <sup>3</sup>	TWA: 0.13 mg/m <sup>3</sup>
Indium	TWA: 0.1 mg/m <sup>3</sup>	_	TWA: 0.1 mg/m <sup>3</sup>		TWA: 0.07 mg/m <sup>3</sup>
7440-74-6	STEL: 0.3 mg/m <sup>3</sup>	_	TVVA. O.T IIIg/III	_	T VVA. 0.1 mg/m²
Ferric nitrate nonahydrate		_	TWA: 1 mg/m <sup>3</sup>	_	_
7782-61-8	STEL: 2 mg/m <sup>3</sup>	-	TVVA. TINg/III	-	-
Beryllium Oxyacetate	TWA: 0.0002 mg/m <sup>3</sup>	_	TWA: 0.00005	TWA: 0.001 mg/m <sup>3</sup>	_
19049-40-2	STEL: 0.0006 mg/m <sup>3</sup>	-	mg/m <sup>3</sup>	TVVA. 0.00 Tilig/III	-
13043 40 2	Sk*		ilig/ili		
	Sens+				
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
Nitric Acid	STEL: 1 ppm	STEL: 1 ppm	STEL: 0.5 ppm	TWA: 2 ppm	TWA: 1.4 mg/m <sup>3</sup>
7697-37-2	STEL: 2.6 mg/m <sup>3</sup>	STEL: 2.6 mg/m <sup>3</sup>	STEL: 1.3 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	STEL: 2.6 mg/m <sup>3</sup>
	3	3	3	STEL: 4 ppm	
				STEL: 10 mg/m <sup>3</sup>	
uranyl nitrate,	-	-	-	TWA: 0.2 mg/m <sup>3</sup>	TWA: 0.015 mg/m <sup>3</sup>
hexahydrate				STEL: 0.6 mg/m <sup>3</sup>	STEL: 0.12 mg/m <sup>3</sup>
40500 00 7				31 EL. U.0 HIQ/III°	31EL. U. 12 HIQ/HI°
13520-83-7				STEL. 0.6 mg/m	31EL. 0.12 mg/m²
13520-83-7 Lead	TWA: 0.15 mg/m <sup>3</sup>	-	TWA: 0.15 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup>	0
	TWA: 0.15 mg/m <sup>3</sup>	-	TWA: 0.15 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup>
Lead	TWA: 0.15 mg/m <sup>3</sup>	-	TWA: 0.15 mg/m <sup>3</sup>	3	0
Lead 7439-92-1	TWA: 0.15 mg/m <sup>3</sup>	-	TWA: 0.15 mg/m³	TWA: 0.05 mg/m³ STEL: 0.15 mg/m³ TWA: 0.1 mg/m³ STEL: 0.3 mg/m³	0
Lead 7439-92-1 Indium	-	-	TWA: 0.15 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup> STEL: 0.15 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup>	0
Lead 7439-92-1 Indium 7440-74-6 Ferric nitrate nonahydrate 7782-61-8	-	-	-	TWA: 0.05 mg/m³ STEL: 0.15 mg/m³ TWA: 0.1 mg/m³ STEL: 0.3 mg/m³	0
Lead 7439-92-1 Indium 7440-74-6 Ferric nitrate nonahydrate	-	- - -	TWA: 0.15 mg/m <sup>3</sup> Sk*	TWA: 0.05 mg/m³ STEL: 0.15 mg/m³ TWA: 0.1 mg/m³ STEL: 0.3 mg/m³ TWA: 1 mg/m³	0
Lead 7439-92-1 Indium 7440-74-6 Ferric nitrate nonahydrate 7782-61-8	-	- - -	-	TWA: 0.05 mg/m³ STEL: 0.15 mg/m³ TWA: 0.1 mg/m³ STEL: 0.3 mg/m³ TWA: 1 mg/m³	0
Lead 7439-92-1 Indium 7440-74-6 Ferric nitrate nonahydrate 7782-61-8 Beryllium Oxyacetate	- - Portugal	- - - - Romania	- Sk* Slovakia	TWA: 0.05 mg/m³ STEL: 0.15 mg/m³ TWA: 0.1 mg/m³ STEL: 0.3 mg/m³ TWA: 1 mg/m³ STEL: 3 mg/m³ - Slovenia	TWA: 0.05 mg/m³  -  -  Spain
Lead 7439-92-1 Indium 7440-74-6 Ferric nitrate nonahydrate 7782-61-8 Beryllium Oxyacetate 19049-40-2	Portugal TWA: 2 ppm	STEL: 1 ppm	- - Sk*	TWA: 0.05 mg/m³ STEL: 0.15 mg/m³ TWA: 0.1 mg/m³ STEL: 0.3 mg/m³ TWA: 1 mg/m³ STEL: 3 mg/m³ - Slovenia TWA: 1 ppm	TWA: 0.05 mg/m³  -  -  Spain STEL: 1 ppm
Lead 7439-92-1 Indium 7440-74-6 Ferric nitrate nonahydrate 7782-61-8 Beryllium Oxyacetate 19049-40-2 Chemical name	Portugal TWA: 2 ppm STEL: 1 ppm		- Sk* Slovakia	TWA: 0.05 mg/m³ STEL: 0.15 mg/m³ TWA: 0.1 mg/m³ STEL: 0.3 mg/m³ TWA: 1 mg/m³ STEL: 3 mg/m³  - Slovenia TWA: 1 ppm TWA: 2.6 mg/m³	TWA: 0.05 mg/m³  -  -  Spain
Lead 7439-92-1 Indium 7440-74-6 Ferric nitrate nonahydrate 7782-61-8 Beryllium Oxyacetate 19049-40-2 Chemical name Nitric Acid	Portugal TWA: 2 ppm	STEL: 1 ppm	- Sk* Slovakia	TWA: 0.05 mg/m³ STEL: 0.15 mg/m³ TWA: 0.1 mg/m³ STEL: 0.3 mg/m³ TWA: 1 mg/m³ STEL: 3 mg/m³ - Slovenia TWA: 1 ppm	TWA: 0.05 mg/m³  -  -  Spain STEL: 1 ppm

EGHS / EN Page 9/24



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 05-Mar-2024 Revision Number 1

## VHG-LPENXSUSDIL-500 - ICP-MS Setup Solution: Be, Ce, Fe, In, Li, Mg, Pb, U @ 1 µg/L in 1% HNO3

		-	-		-	TWA: 0.2 mg/m <sup>3</sup>
STEL: 0.6 mg/m <sup>3</sup>						STEL: 0.6 mg/m <sup>3</sup>
IWA	: 0.05 mg/m <sup>3</sup>	TWA: 0.15 mg/m <sup>3</sup>			-	TWA: 0.15 mg/m <sup>3</sup>
<b>T</b> 14/			TVVA: 0.5 mg/m <sup>3</sup>			T14/4 0 4 / 0
I VV A	A: 0.1 mg/m <sup>3</sup>	-	-			TWA: 0.1 mg/m <sup>3</sup>
T1 A	/A 4 / 2			STEL: 0.0	UUU8 mg/m³	
I VV	A: 1 mg/m <sup>3</sup>	-	-		-	TWA: 1 mg/m <sup>3</sup>
STEL	: 0.01 mg/m <sup>3</sup>	TWA: 0.0002 mg/m			-	TWA: 0.0002 mg/m <sup>3</sup>
	-		Switzerland		United Kingdom	
			TWA: 2 ppm			TEL: 1 ppm
					STE	EL: 2.6 mg/m <sup>3</sup>
	Bindande KGV: 2.6 mg/m <sup>3</sup>					
ate		-		1 <sup>3</sup>		-
			Sk*			
					TWA: 0.15 mg/m <sup>3</sup>	
	NGV: (	0.05 mg/m <sup>3</sup>	STEL: 0.8 mg/n	1 <sup>3</sup>	STEL: 0.45 mg/m <sup>3</sup>	
	NGV:	0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>		TW	'A: 0.1 mg/m <sup>3</sup>
					STE	EL: 0.3 mg/m <sup>3</sup>
ate		-	TWA: 1 mg/m <sup>3</sup>	3	TV	VA: 1 mg/m³
					ST	EL: 2 mg/m³
			TWA: 0.0006 mg/	/m³		: 0.002 mg/m <sup>3</sup>
	NGV: 0.	0006 mg/m <sup>3</sup>	S+		STEI	_: 0.006 mg/m <sup>3</sup>
	TWA TWA TWA STEL	NGV: NGV: Bindande k ate  NGV: NGV: NGV: NGV: NGV: NGV:	STEL: 0.6 mg/m³  TWA: 0.05 mg/m³  TWA: 0.1 mg/m³  -  TWA: 1 mg/m³  -  STEL: 0.01 mg/m³  TWA: 0.0002 mg/m³  NGV: 0.5 ppm NGV: 1.3 mg/m³ Bindande KGV: 1 ppm Bindande KGV: 2.6 mg/m³  ate  NGV: 0.1 mg/m³ NGV: 0.05 mg/m³ NGV: 0.1 mg/m³ NGV: 0.1 mg/m³ NGV: 0.1 mg/m³ NGV: 0.1 mg/m³ NGV: 0.0000 mg/m³ NGV: 0.0000 mg/m³	STEL: 0.6 mg/m³           TWA: 0.05 mg/m³         TWA: 0.15 mg/m³         TWA: 0.15 mg/m³           TWA: 0.1 mg/m³         -         -           TWA: 1 mg/m³         -         -           STEL: 0.01 mg/m³         TWA: 0.0002 mg/m³         TWA: 0.005 mg/m³           STEL: 0.01 mg/m³         TWA: 0.002 mg/m³         STEL: 0.025 mg/m³           STEL: 0.01 mg/m³         STEL: 0.01 mg/m³         STEL: 0.01 mg/m³           NGV: 0.5 ppm         TWA: 2 ppm         NGV: 2 ppm           NGV: 1.3 mg/m³         STEL: 2 ppm         STEL: 2 ppm           Bindande KGV: 1 ppm         STEL: 5 mg/m³         STEL: 5 mg/m³           ate         -         TWA: 0.2 mg/m³           NGV: 0.1 mg/m³         TWA: 0.1 mg/m³           NGV: 0.05 mg/m³         STEL: 0.8 mg/m³           NGV: 0.1 mg/m³         TWA: 0.1 mg/m³           TWA: 0.1 mg/m³         TWA: 0.1 mg/m³	STEL: 0.6 mg/m³         TWA: 0.15 mg/m³         TWA: 0.15 mg/m³         TWA: 0.5 mg/m³         TWA: 0.0 STEL: 0.1         TWA: 0.00 mg/m³         TWA: 0.005 mg/m³         TWA: 0.002 mg/m³         TWA: 0.002 mg/m³         TWA: 0.002 mg/m³         STEL: 0.01 mg/m³         STEL: 2 ppm         STEL: 2 ppm         STEL: 2 ppm         STEL: 5 mg/m³         STEL: 0.0 mg/m³	STEL: 0.6 mg/m³         TWA: 0.15 mg/m³         TWA: 0.15 mg/m³         TWA: 0.1 mg/m³         TWA: 0.1 mg/m³         TWA: 0.1 mg/m³         TWA: 0.1 mg/m³         STEL: 0.4 mg/m³         STEL: 0.4 mg/m³         TWA: 0.0001 mg/m³         STEL: 0.0008 mg/m³         STEL: 0.0008 mg/m³         TWA: 0.0002 mg/m³         TWA: 0.002 mg/m³         STEL: 0.01 mg/m³

### **Biological occupational exposure limits**

Chemical name	European Union	Austria	Bulgaria	Croatia	Czech Republic
Lead	70 μg/100 mL -	Check	300 µg/L - blood	400 μg Pb/L - blood	13 µmol/mmol
7439-92-1	blood (Lead) - no	120 µg/100 mL RBC	(Lead) - not fixed	(Lead) - not critical	Creatinine (urine -
	restriction	Erythrocyte	400 μg/L - blood	300 µg Pb/L - blood	5-Aminolevulinic
	0.075 mg/m <sup>3</sup> - air	protoporphyrin	(Lead) - not fixed	(Lead) - not critical	acid discretionary)
	(Lead) - 40 hours	(blood -		15 U/LE - blood	0.035 µmol/mmol
	per week	Ethylenediaminetetr		(.deltaAminolevulin	Creatinine (urine -
	40 μg/100 mL -	aacetic acid not		ic acid dehydratase)	Coproporphyrin
	blood (Lead) - no	provided)		- not critical	discretionary)
	restriction	30 μg/100 mL blood		1.50 mg/LE - blood	15 mg/g Creatinine
		Lead (blood -		(Protoporphyrin in	(urine -

EGHS / EN Page 10/24



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 05-Mar-2024 Revision Number 1

VHG-LPENXSUSDIL-500 - ICP-MS Setup Solution: Be, Ce, Fe, In, Li, Mg, Pb, U @ 1 µg/L in 1% HNO3

		Ethylenediaminetetr		erythrocytes) - after	5-Aminolevulinic
		aacetic acid not		exposure during 2-3	acid discretionary)
		provided)		months (sample	0.2 mg/g Creatinine
		3.8 million/µL		protected from light)	(urine -
		Erythrocytes (blood -			Coproporphyrin
		Ethylenediaminetetr			discretionary)
		aacetic acid not			0.4 mg/L (blood -
		provided)			Lead discretionary)
		12 g/dL Hemoglobin			,
		(blood -			
		Ethylenediaminetetr			
		aacetic acid not			
		provided)			
		35 % Hematocrit			
		(blood -			
		Ethylenediaminetetr			
		aacetic acid not			
		provided)			
		10 mg/L (urine -			
		.deltaAminolevulini			
		c acid not provided)			
		3.2 million/µL			
		Erythrocytes (blood -			
		Ethylenediaminetetr			
		aacetic acid not			
		provided)			
		10 g/dL Hemoglobin			
		(blood -			
		Ethylenediaminetetr			
		aacetic acid not			
		provided)			
		30 % Hematocrit			
		(blood -			
		Ethylenediaminetetr			
		aacetic acid not			
		provided)			
		6 mg/L (urine -			
		.deltaAminolevulini			
		c acid not provided)			
Chemical name	Denmark	Finland	France	Germany DFG	Germany TRGS
Lead	20 μg/100 mL (blood		400 µg/L - blood	150 µg/L (whole	150 μg/L (whole blood - Lead no
7439-92-1	- Lead )	Lead time of day	(Lead) -	blood - Lead no	
		does not matter) 50 µg/dL (blood -	180 μg/L - blood (Lead) - indifferent	restriction) 150 μg/L - BAT (no	restriction)
		1 7. 1.		restriction in steady	
		Lead ) 40 µg/dL (blood -	sampling time		
		L <del>4</del> 0 μg/α∟ (blood -	300 µg/L - blood	state) blood	

EGHS / EN Page 11/24



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 05-Mar-2024 **Revision Number** 1

### VHG-LPENXSUSDIL-500 - ICP-MS Setup Solution: Be, Ce, Fe, In, Li, Mg, Pb, U @ 1 µg/L in 1% HNO3

	T	11 \	//	1\	00// DAD	1
		Lead )		ad) -	30 μg/L - BAR	
			200 μg/			
				ad) - state) blood		
			. •	L - plood	40 μg/L - BAR	`
			(Lea	ad) -	restriction in st	· 1
					state) blood	
Chemical name	Hungary	Ireland			MDLPS	Italy AIDII
Lead	-	70 μg/100 mL			100 mL (blood -	30 μg/100 mL - blood
7439-92-1		Lead not c	,	end of	workweek)	(Lead) - not critical
		40 μg/100 mL				
		Lead not c				
		30 μg/100 mL				
		Lead not c	ritical)			
Chemical name	Latvia	Luxembo			omania	Slovakia
Lead	30 μg/100 mL - blood	70 μg/100 ml	blood	150 µg/L	- urine (Lead) -	400 μg/L (blood - Lead
7439-92-1	(Lead) -	(Lead)		_	d of shift	not critical)
	100 μg/g Creatinine -	0.072 mg/m <sup>3</sup>	- blood		00 mL - blood	100 μg/L (blood - Lead
	urine (Coproporphyrin) -	(Lead)			<ul> <li>end of shift</li> </ul>	not critical)
	5 mg/g Creatinine - urine	40 μg/100 ml	blood	3 mg/cm	- hair (Lead) -	15 mg/L (urine -
	(Aminolevulinic acid) -	(Lead)	-	en	d of shift	.deltaAminolevulinic acid
				10 m	g/L - urine	not critical)
				(.deltaA	Aminolevulinic	6 mg/L (urine -
				acid) -	end of shift	.deltaAminolevulinic acid
				300 L	ıg/L - urine	not critical)
				(Copropor	phyrin) - end of	0.30 mg/L (urine -
					shift	Coproporphyrins not
				100	ug/100 mL	critical)
				Erythrocy	te - blood (free	
				Ery	throcytes	
				protoporp	hyrin) - end of	
					shift	
Chemical name	Slovenia	Spain		Sw	itzerland	United Kingdom
Lead	400 μg/L - blood (Lead) -	70 µg/dL (bloc	od - Lead	400 μg/L	(whole blood -	-
7439-92-1	not relevant	not critic	al)	Lead no	restrictions)	
	300 µg/L - blood (Lead) -			1.93 µmol	L (whole blood	
	not relevant			- Lead n	o restrictions)	
				100 µg/L	(whole blood -	
				Lead no	restrictions)	
					/L (whole blood	
					o restrictions)	

**Derived No Effect Level (DNEL)** Predicted No Effect Concentration No information available. (PNEC)

No information available.

8.2. Exposure controls

EGHS / EN Page 12/24



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 05-Mar-2024 Revision Number 1

VHG-LPENXSUSDIL-500 - ICP-MS Setup Solution: Be, Ce, Fe, In, Li, Mg, Pb, U @ 1 μg/L in 1% HNO3

Personal protective equipment

**Eye/face protection** If splashes are likely to occur, wear safety glasses with side-shields. Avoid contact with

eyes. Wear safety glasses with side shields (or goggles).

Hand protection Wear protective Neoprene™ gloves. Wear suitable gloves. Impervious gloves. The

protective gloves to be used must comply with the specifications of EC Directive

89/686/EEC and the related standard EN374.

**Skin and body protection** Long sleeved clothing. Wear suitable protective clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with

skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands

before breaks and after work. Wear suitable gloves and eye/face protection.

**Environmental exposure controls** Do not allow into any sewer, on the ground or into any body of water.

## SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical stateLiquidAppearanceLiquidColourcolourlessOdourOdourless.

Odour threshold No information available

Property Values Remarks • Method

Melting point / freezing point0 °CNone knownInitial boiling point and boiling range100 °CNone knownFlammabilityNo data availableNone knownFlammability Limit in AirNone known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Flash pointNo data availableNone knownAutoignition temperatureNo data availableNone knownDecomposition temperature100 °CNone known

EGHS / EN Page 13/24



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 05-Mar-2024 **Revision Number** 1

#### VHG-LPENXSUSDIL-500 - ICP-MS Setup Solution: Be, Ce, Fe, In, Li, Mg, Pb, U @ 1 μg/L in 1% HNO3

No data available pН None known

pH (as aqueous solution) No data available No information available

Kinematic viscosity No data available None known Dynamic viscosity No data available None known Water solubility No data available None known Solubility(ies) No data available None known **Partition coefficient** No data available None known Vapour pressure 23 hPa @ 20°C 0.99821 g/cm3 at 20 °C None known

Relative density

No data available **Bulk density Liquid Density** No data available No data available Relative vapour density

None known

**Particle characteristics** 

**Particle Size** No information available **Particle Size Distribution** No information available

#### 9.2. Other information

9.2.1. Information with regards to physical hazard classes Not applicable 100 °C 100 °C

9.2.2. Other safety characteristics No information available

### SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

**Stability** Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical impact None. Sensitivity to static discharge

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Exposure to air or moisture over prolonged periods.

EGHS / EN Page 14/24



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 05-Mar-2024 Revision Number 1

VHG-LPENXSUSDIL-500 - ICP-MS Setup Solution: Be, Ce, Fe, In, Li, Mg, Pb, U @ 1 μg/L in 1% HNO3

10.5. Incompatible materials

**Incompatible materials** Oxidising agent. Strong acids. Strong bases.

Hazardous decomposition products None known based on information supplied.

### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Information on likely routes of exposure

#### **Product Information**

**Inhalation** Specific test data for the substance or mixture is not available.

**Eye contact** Specific test data for the substance or mixture is not available. Causes serious eye irritation.

(based on components). May cause redness, itching, and pain.

**Skin contact** Specific test data for the substance or mixture is not available. Causes skin irritation. (based

on components).

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhoea.

Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** Redness. May cause redness and tearing of the eyes.

Numerical measures of toxicity

**Acute toxicity** 

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (inhalation-vapour) 265.00 mg/l

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Nitric Acid			= 2500 ppm (Rat) 1 h
			ATE (vapours) = 2.65 mg/L
Lithium carbonate	= 525 mg/kg (Rat)	> 3000 mg/kg (Rabbit)	> 2.17 mg/L (Rat) 4 h

EGHS / EN Page 15/24



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 05-Mar-2024 Revision Number 1

### VHG-LPENXSUSDIL-500 - ICP-MS Setup Solution: Be, Ce, Fe, In, Li, Mg, Pb, U @ 1 µg/L in 1% HNO3

Indium	= 4200 mg/kg (Rat)	
Ferric nitrate nonahydrate	= 3250 mg/kg (Rat)	

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Classification based on data available for ingredients. Causes skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

**Respiratory or skin sensitisation** No information available.

Germ cell mutagenicity No information available.

### Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union	
Beryllium Oxyacetate	Carc. 1B	

### **Reproductive toxicity** No information available.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as reproductive toxins.

Chemical name	European Union
Lead	Repr. 1A
	Lact.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Aspiration hazard** No information available.

11.2. Information on other hazards

EGHS / EN Page 16/24



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 05-Mar-2024 Revision Number 1

VHG-LPENXSUSDIL-500 - ICP-MS Setup Solution: Be, Ce, Fe, In, Li, Mg, Pb, U @ 1 µg/L in 1% HNO3

11.2.1. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

11.2.2. Other information

Other adverse effects No information available.

## **SECTION 12: Ecological information**

12.1. Toxicity

**Ecotoxicity** 

**Unknown aquatic toxicity**Contains 0 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Lithium carbonate	-	LC50: =30.3mg/L (96h,	-	-
		Oncorhynchus mykiss)		
Lead	-	LC50: =0.44mg/L (96h,	-	EC50: =600µg/L (48h,
		Cyprinus carpio)		water flea)
		LC50: =1.17mg/L (96h,		
		Oncorhynchus mykiss)		
		LC50: =1.32mg/L (96h,		
		Oncorhynchus mykiss)		

#### 12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

**Bioaccumulation** There is no data for this product.

**Component Information** 

Chemical name		Partition coefficient	
Ī	Nitric Acid	-2.3	

12.4. Mobility in soil

**Mobility in soil** No information available.

12.5. Results of PBT and vPvB assessment

EGHS / EN Page 17/24



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 05-Mar-2024 Revision Number 1

VHG-LPENXSUSDIL-500 - ICP-MS Setup Solution: Be, Ce, Fe, In, Li, Mg, Pb, U @ 1 µg/L in 1% HNO3

#### PBT and vPvB assessment

Chemical name	PBT and vPvB assessment
Nitric Acid	The substance is not PBT / vPvB
Lithium carbonate	The substance is not PBT / vPvB
Lead	PBT assessment does not apply
Indium	The substance is not PBT / vPvB
Ferric nitrate nonahydrate	PBT assessment does not apply

#### 12.6. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

#### 12.7. Other adverse effects

No information available.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

### **SECTION 14: Transport information**

<u>IATA</u>

14.1 UN number or ID number UN3264

**14.2 UN proper shipping name** Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)

14.3 Transport hazard class(es) 8
14.4 Packing group III
Description U

UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III

14.5 Environmental hazards Not applicable

14.6 Special precautions for user

Special Provisions A3, A803 ERG Code 8L

**IMDG** 

14.1 UN number or ID number UN3264

**14.2 UN proper shipping name** Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)

EGHS / EN Page 18/24



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 05-Mar-2024 Revision Number 1

#### VHG-LPENXSUSDIL-500 - ICP-MS Setup Solution: Be, Ce, Fe, In, Li, Mg, Pb, U @ 1 μg/L in 1% HNO3

14.3 Transport hazard class(es) 8
14.4 Packing group |||

**Description** UN3264, Corrosive liquid, acidic, inorganic, n.o.s., 8, III

14.5 Marine pollutant NP

14.6 Special precautions for user

Special Provisions 223, 274

**EmS-No.** F-A, S-B No information available

14.7 Maritime transport in bulk No information available according to IMO instruments

RID

14.1 UN number or ID number UN3264

**14.2 UN proper shipping name** Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)

14.3 Transport hazard class(es) 814.4 Packing group | | | |

**Description** UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III

14.5 Environmental hazards Not applicable

14.6 Special precautions for user

Special Provisions 274
Classification code C1

ADR

14.1 UN number or ID number UN3264

**14.2 UN proper shipping name** Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)

14.3 Transport hazard class(es)14.4 Packing group

Description UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III, (E)

14.5 Environmental hazards Not applicable

14.6 Special precautions for user

Special Provisions 274
Classification code C1
Tunnel restriction code (E)

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

#### **France**

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number	Title
Lead	RG 1	-
7439-92-1		

EGHS / EN Page 19/24



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 05-Mar-2024 Revision Number 1

VHG-LPENXSUSDIL-500 - ICP-MS Setup Solution: Be, Ce, Fe, In, Li, Mg, Pb, U @ 1 µg/L in 1% HNO3

Water hazard class (WGK) slightly hazardous to water (WGK 1)

#### **Netherlands**

Chemical name	Netherlands - List of Carcinogens	Netherlands - List of Carcinogens	Netherlands - List of Reproductive Toxins
uranyl nitrate, hexahydrate	-	-	Development Category
			2;except radioactive
			substances within the scope of
			Directive 96/29/Euratom
Lithium carbonate	-	-	Fertility Category 2
			Development Category 1A
			Can be harmful via
			breastfeeding
Lead	-	-	Fertility Category 1A
			Development Category 1A
			Can be harmful via
			breastfeeding
Beryllium Oxyacetate	Present	-	-

Poland

SDS created according to the following Polish regulation: Act of February 25, 2011 on chemical substances and their mixtures (Journal of Laws of 2018, item 143, as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing the European Chemicals Agency (EC) as amended. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labeling and packaging of substances and mixtures, as amended. Regulation of the Minister of Health of 10 August 2012 on the criteria and method of classifying chemical substances and their mixtures (Journal of Laws of 2012, item 1018). Regulation of the Minister of Health of 20 April 2012 on labeling packaging of hazardous substances and mixtures and some mixtures (Journal of Laws of 2012, item 445). Regulation of the Minister of Family, Labor and Social Policy of 12 June 2018 on the maximum allowable concentrations and intensities of factors harmful to health in the work environment (Journal of Laws of 2018, item 1286). Announcement of the Minister of Economy, Labor and Social Policy of August 28, 2003 on the publication of the unified text of the Ordinance of the Minister of Labor and Social Policy on general health and safety at work regulations (Journal of Laws of 2003, No. 169, item 1650). Regulation of the Minister of Health of 30 December 2004 on occupational safety and health related to the presence of chemical agents in the workplace (Journal of Laws of 2005, No. 11, item 86), Act of December 14, 2012 on waste (Journal of Laws of 2013, item 21) Regulation of the Minister of Health of December 30, 2004 on occupational health and safety related to the presence of chemical agents in the workplace (Journal U. of 2005, No. 11, item 86). Waste Act of

EGHS / EN Page 20/24



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 05-Mar-2024 Revision Number 1

VHG-LPENXSUSDIL-500 - ICP-MS Setup Solution: Be, Ce, Fe, In, Li, Mg, Pb, U @ 1 μg/L in 1% HNO3

December 14, 2012 (Journal of Laws of 2013, item 21). Act of 13 June 2013 on the management of packaging and packaging waste, Journal of Laws 2013, item 888). Government statement of September 24, 2002 - European Agreement on the International Carriage of Dangerous Goods by Road (ADR) (Journal of Laws No. 194, item 1629 and Journal of Laws of 2003, No. 207, item 2013 and 2014).

#### **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

#### Authorisations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

#### DIRECTIVE (EU) 2021/1187 on the marketing and use of explosives precursors

Product contains: Reportable explosives precursors. Making available, introduction, possession and use according to Regulation (EU) 2019/1148, Article 9

Chemical name	RESTRICTED EXPLOSIVES PRECURSORS - ANNEX I	REPORTABLE EXPLOSIVES PRECURSORS - ANNEX II
Nitric Acid - 7697-37-2	3 %w/w	-

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV
Nitric Acid - 7697-37-2	75.	
Lead - 7439-92-1	72.	
	30.	
	63.	
	75.	

#### **Persistent Organic Pollutants**

Not applicable

Chemical name	European Export/Import Restrictions per (EC) 649/2012 - Annex Number
Lead - 7439-92-1	1.1

## Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

#### EU - Water Framework Directive (2000/60/EC)

- 2		
	Chemical name	EU - Water Framework Directive (2000/60/EC)
	Lead - 7439-92-1	Priority substance

#### EU - Environmental Quality Standards (2008/105/EC)

EGHS / EN Page 21/24



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 05-Mar-2024 Revision Number 1

#### VHG-LPENXSUSDIL-500 - ICP-MS Setup Solution: Be, Ce, Fe, In, Li, Mg, Pb, U @ 1 μg/L in 1% HNO3

Chemical name	EU - Environmental Quality Standards (2008/105/EC)
Lead - 7439-92-1	Priority substance

**International Inventories** 

TSCA Complies under research and development exemption or is regulated by a different

government agency.

DSL/NDSL
EINECS/ELINCS
Contact supplier for inventory compliance status
Contact supplier for inventory compliance status
ENCS
Contact supplier for inventory compliance status
IECSC
Contact supplier for inventory compliance status
KECL
Contact supplier for inventory compliance status
PICCS
Contact supplier for inventory compliance status

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

### 15.2. Chemical safety assessment

Chemical Safety Report A Chemical Safety Assessment is not required for this substance

# **SECTION 16: Other information**

### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

H272 - May intensify fire; oxidiser

H290 - May be corrosive to metals

H300 - Fatal if swallowed

H301 - Toxic if swallowed

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H330 - Fatal if inhaled

H331 - Toxic if inhaled

EGHS / EN Page 22/24



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 05-Mar-2024 Revision Number 1

#### VHG-LPENXSUSDIL-500 - ICP-MS Setup Solution: Be, Ce, Fe, In, Li, Mg, Pb, U @ 1 μg/L in 1% HNO3

H335 - May cause respiratory irritation

H350 - May cause cancer

H351 - Suspected of causing cancer

H360FD - May damage fertility. May damage the unborn child

H362 - May cause harm to breast-fed children

H372 - Causes damage to organs through prolonged or repeated exposure

H373 - May cause damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H411 - Toxic to aquatic life with long lasting effects

H412 - Harmful to aquatic life with long lasting effects

#### Legend

SVHC: Substances of Very High Concern for Authorisation:

#### Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Sk\* Skin designation

Classification procedure		
Classification procedure  Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used	
Acute oral toxicity	Calculation method	
Acute dermal toxicity	Calculation method	
Acute inhalation toxicity - gas	Calculation method	
Acute inhalation toxicity - Vapour	Calculation method	
Acute inhalation toxicity - dust/mist	Calculation method	
Skin corrosion/irritation	On basis of test data	
Serious eye damage/eye irritation	On basis of test data	
Respiratory sensitisation	Calculation method	
Skin sensitisation	Calculation method	
Mutagenicity	Calculation method	
Carcinogenicity	Calculation method	
Reproductive toxicity	Calculation method	
STOT - single exposure	Calculation method	
STOT - repeated exposure	Calculation method	
Acute aquatic toxicity	Calculation method	
Chronic aquatic toxicity	Calculation method	
Aspiration hazard	Calculation method	
Ozone	Calculation method	
Corrosive to metals	On basis of test data	

#### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA)

EGHS / EN Page 23/24



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 05-Mar-2024 Revision Number 1

VHG-LPENXSUSDIL-500 - ICP-MS Setup Solution: Be, Ce, Fe, In, Li, Mg, Pb, U @ 1 μg/L in 1% HNO3

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date

05-Mar-2024

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 Disclaimer

The information in this safety data sheet (SDS) has been prepared with due care and is true and accurate to the best of our knowledge. The user must determine the suitability of the information for its particular purpose, ensure compliance with existing laws and regulations, and be aware that other or additional safety or performance considerations may arise when using, handling and/ or storing the material. The information in this SDS does not purport to be all inclusive or a guarantee as to the properties of the material supplied, and should be used only as a guide. LGC makes no warranties or representations as to the accuracy and completeness of the information contained herein, shall not be held responsible for the suitability of this information for the user's intended purposes or the consequences of such use, and shall not be liable for any damage or loss, howsoever arising, direct or otherwise.

**End of Safety Data Sheet** 

EGHS / EN Page 24/24