



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 12-Jan-2024

Revision Number 1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

|                                        |                                                          |
|----------------------------------------|----------------------------------------------------------|
| <b>Product Code(s)</b>                 | DRE-XA17893000MB                                         |
| <b>Product Name</b>                    | Triphenyl phosphate 500 µg/mL in Methyl-tert-butyl ether |
| <b>Form</b>                            | Not applicable                                           |
| <b>Unique Formula Identifier (UFI)</b> | N2AS-K00S-900D-PV2P                                      |
| <b>Pure substance/mixture</b>          | Mixture                                                  |

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

|                             |                          |
|-----------------------------|--------------------------|
| <b>Recommended use</b>      | Laboratory use           |
| <b>Uses advised against</b> | No information available |

### 1.3. Details of the supplier of the safety data sheet

#### Supplier

LGC Limited  
Queens Road  
Teddington  
Middlesex TW11 0LY  
UNITED KINGDOM  
:+44 (0) 20 8943 7000  
Fax :+44 (0) 20 8943 2767  
eMail : gb@lgcstandards.com

Web : [www.lgcstandards.com](http://www.lgcstandards.com)

For further information, please contact

|                       |                          |
|-----------------------|--------------------------|
| <b>E-mail address</b> | sds-request@lgcgroup.com |
|-----------------------|--------------------------|

### 1.4. Emergency telephone number

|                            |                                                                                                                                                                                      |
|----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Emergency Telephone</b> | For Hazardous Materials or Dangerous Goods Incident<br>Spill, Leak, Fire Exposure, or Accident<br>Call CHEMTREC:<br>USA & Canada 1-800-424-9300<br>Rest of the world +1 703-741-5970 |
|----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 12-Jan-2024

Revision Number 1

DRE-XA17893000MB - Triphenyl phosphate 500 µg/mL in Methyl-tert-butyl ether

| Emergency Telephone - §45 - (EC)1272/2008 |                          |
|-------------------------------------------|--------------------------|
| Europe                                    | 112                      |
| Austria                                   | No information available |
| Bulgaria                                  |                          |
| Croatia                                   |                          |
| Cyprus                                    |                          |
| Czech Republic                            |                          |
| Denmark                                   |                          |
| France                                    |                          |
| Hungary                                   |                          |
| Ireland                                   |                          |
| Italy                                     |                          |
| Lithuania                                 |                          |
| Luxembourg                                |                          |
| Netherlands                               |                          |
| Norway                                    |                          |
| Portugal                                  |                          |
| Romania                                   |                          |
| Slovakia                                  |                          |
| Slovenia                                  |                          |
| Spain                                     |                          |
| Sweden                                    |                          |
| Switzerland                               |                          |

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification according to  
Regulation (EC) No. 1272/2008 [CLP]

|                           |                     |
|---------------------------|---------------------|
| Skin corrosion/irritation | Category 2 - (H315) |
| Flammable liquids         | Category 2 - (H225) |

### 2.2. Label elements



Signal word  
Danger



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 12-Jan-2024

Revision Number 1

## DRE-XA17893000MB - Triphenyl phosphate 500 µg/mL in Methyl-tert-butyl ether

### Hazard statements

H315 - Causes skin irritation

H225 - Highly flammable liquid and vapour

### Precautionary Statements - EU (§28, 1272/2008)

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P233 - Keep container tightly closed

P264 - Wash face, hands and any exposed skin thoroughly after handling

P370 + P378 - In case of fire: Use dry chemical, CO<sub>2</sub>, water spray or alcohol-resistant foam to extinguish

P403 + P235 - Store in a well-ventilated place. Keep cool

### 2.3. Other hazards

No information available.

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors.

| Chemical name           | EU - REACH (1907/2006) - Article 59(1) - Candidate List of Substances of Very High Concern (SVHC) for Authorisation | EU - REACH (1907/2006) - Endocrine Disruptor Assessment List of Substances |
|-------------------------|---------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------|
| Tert-butyl methyl ether | -                                                                                                                   | -                                                                          |
| Triphenyl phosphate     | -                                                                                                                   | -                                                                          |

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not applicable

### 3.2 Mixtures

**Chemical nature** Mixture of organic compounds.

| Chemical name                        | Weight-% | REACH registration number | EC No (EU Index No) | Classification according to Regulation (EC) No. 1272/2008 [CLP] | Specific concentration limit (SCL) | M-Factor | M-Factor (long-term) |
|--------------------------------------|----------|---------------------------|---------------------|-----------------------------------------------------------------|------------------------------------|----------|----------------------|
| Tert-butyl methyl ether<br>1634-04-4 | 80 - 100 | -                         | 216-653-1           | Skin Irrit. 2 (H315)<br>Flam. Liq. 2 (H225)                     |                                    |          |                      |
| Triphenyl phosphate<br>115-86-6      | <0.1     | -                         | 204-112-2           | Repr. 2 (H361)<br>STOT RE 2 (H373)                              |                                    |          |                      |



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 12-Jan-2024

Revision Number 1

**DRE-XA17893000MB - Triphenyl phosphate 500 µg/mL in Methyl-tert-butyl ether**

|  |  |  |  |                                                    |  |  |  |
|--|--|--|--|----------------------------------------------------|--|--|--|
|  |  |  |  | Aquatic Acute 1 (H400)<br>Aquatic Chronic 1 (H410) |  |  |  |
|--|--|--|--|----------------------------------------------------|--|--|--|

**Full text of H- and EUH-phrases: see section 16**

## Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

| Chemical name                        | Oral LD50 mg/kg | Dermal LD50 mg/kg | Inhalation LC50 - 4 hour - dust/mist - mg/L | Inhalation LC50 - 4 hour - vapour - mg/L | Inhalation LC50 - 4 hour - gas - ppm |
|--------------------------------------|-----------------|-------------------|---------------------------------------------|------------------------------------------|--------------------------------------|
| Tert-butyl methyl ether<br>1634-04-4 | 2963            | 10000             | 85                                          | No data available                        | No data available                    |
| Triphenyl phosphate<br>115-86-6      | 3500            | 10000             | 50                                          | No data available                        | No data available                    |

This product does not contain candidate substances of very high concern at a concentration  $\geq 0.1\%$  (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

|                                           |                                                                                                                                                                                                                                                                                                                |
|-------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>General advice</b>                     | Show this safety data sheet to the doctor in attendance.                                                                                                                                                                                                                                                       |
| <b>Inhalation</b>                         | Remove to fresh air. Get medical attention immediately if symptoms occur.                                                                                                                                                                                                                                      |
| <b>Eye contact</b>                        | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area.                                                                                                                                                           |
| <b>Skin contact</b>                       | Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get medical attention if irritation develops and persists.                                                                                                                                               |
| <b>Ingestion</b>                          | Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a doctor.                                                                                                                                                                                                     |
| <b>Self-protection of the first aider</b> | Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. |



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 12-Jan-2024

Revision Number 1

**DRE-XA17893000MB - Triphenyl phosphate 500 µg/mL in Methyl-tert-butyl ether**

---

## **4.2. Most important symptoms and effects, both acute and delayed**

**Symptoms** No information available.

## **4.3. Indication of any immediate medical attention and special treatment needed**

**Note to doctors** Treat symptomatically.

## **SECTION 5: Firefighting measures**

### **5.1. Extinguishing media**

**Suitable Extinguishing Media** Dry chemical. Carbon dioxide (CO<sub>2</sub>). Water spray. Alcohol resistant foam.

**Large Fire** CAUTION: Use of water spray when fighting fire may be inefficient.

**Unsuitable extinguishing media** Do not scatter spilled material with high pressure water streams.

### **5.2. Special hazards arising from the substance or mixture**

**Specific hazards arising from the chemical** Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

### **5.3. Advice for firefighters**

**Special protective equipment and precautions for fire-fighters** Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

## **SECTION 6: Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.

**Other information** Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

**For emergency responders** Use personal protection recommended in Section 8.

---



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 12-Jan-2024

Revision Number 1

**DRE-XA17893000MB - Triphenyl phosphate 500 µg/mL in Methyl-tert-butyl ether**

---

## 6.2. Environmental precautions

**Environmental precautions** Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

## 6.3. Methods and material for containment and cleaning up

**Methods for containment** Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapour suppressing foam may be used to reduce vapours. Dyke far ahead of spill to collect run-off water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

**Methods for cleaning up** Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labelled containers.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

## 6.4. Reference to other sections

**Reference to other sections** See section 8 for more information. See section 13 for more information.

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

**Advice on safe handling** Use personal protection equipment. Avoid breathing vapours or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse.

**General hygiene considerations** Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labelled containers. Do not store near combustible materials.

---



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 12-Jan-2024

Revision Number 1

## DRE-XA17893000MB - Triphenyl phosphate 500 µg/mL in Methyl-tert-butyl ether

Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Please refer to the manufacturer's certificate for specific storage and transport temperature conditions. Store only in the original receptacle unless other advice is given on the CoA.

### 7.3. Specific end use(s)

**Risk Management Methods (RMM)** The information required is contained in this Safety Data Sheet.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure Limits

| Chemical name                        | European Union                                                                              | Austria                                                                                     | Belgium                                                                                   | Bulgaria                                                                                    | Croatia                                                                                          |
|--------------------------------------|---------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|
| Tert-butyl methyl ether<br>1634-04-4 | TWA: 50 ppm<br>TWA: 183.5 mg/m <sup>3</sup><br>STEL: 100 ppm<br>STEL: 367 mg/m <sup>3</sup> | TWA: 50 ppm<br>TWA: 180 mg/m <sup>3</sup><br>STEL 100 ppm<br>STEL 360 mg/m <sup>3</sup>     | TWA: 40 ppm<br>TWA: 146 mg/m <sup>3</sup><br>STEL: 100 ppm<br>STEL: 367 mg/m <sup>3</sup> | STEL: 100 ppm<br>STEL: 367 mg/m <sup>3</sup><br>TWA: 50 ppm<br>TWA: 183.5 mg/m <sup>3</sup> | TWA: 50 ppm<br>TWA: 183.5 mg/m <sup>3</sup><br>STEL: 100 ppm<br>STEL: 367 mg/m <sup>3</sup><br>* |
| Triphenyl phosphate<br>115-86-6      | -                                                                                           | TWA: 3 mg/m <sup>3</sup><br>STEL 6 mg/m <sup>3</sup>                                        | TWA: 3 mg/m <sup>3</sup>                                                                  | -                                                                                           | TWA: 3 mg/m <sup>3</sup><br>STEL: 6 mg/m <sup>3</sup>                                            |
| Chemical name                        | Cyprus                                                                                      | Czech Republic                                                                              | Denmark                                                                                   | Estonia                                                                                     | Finland                                                                                          |
| Tert-butyl methyl ether<br>1634-04-4 | STEL: 367 mg/m <sup>3</sup><br>STEL: 100 ppm<br>TWA: 183.5 mg/m <sup>3</sup><br>TWA: 50 ppm | TWA: 100 mg/m <sup>3</sup><br>Ceiling: 200 mg/m <sup>3</sup>                                | TWA: 40 ppm<br>TWA: 144 mg/m <sup>3</sup>                                                 | TWA: 50 ppm<br>TWA: 183.5 mg/m <sup>3</sup><br>STEL: 100 ppm<br>STEL: 367 mg/m <sup>3</sup> | TWA: 50 ppm<br>TWA: 180 mg/m <sup>3</sup><br>STEL: 100 ppm<br>STEL: 360 mg/m <sup>3</sup>        |
| Triphenyl phosphate<br>115-86-6      | -                                                                                           | -                                                                                           | TWA: 3 mg/m <sup>3</sup>                                                                  | TWA: 3 mg/m <sup>3</sup>                                                                    | TWA: 3 mg/m <sup>3</sup><br>STEL: 6 mg/m <sup>3</sup>                                            |
| Chemical name                        | France                                                                                      | Germany TRGS                                                                                | Germany DFG                                                                               | Greece                                                                                      | Hungary                                                                                          |
| Tert-butyl methyl ether<br>1634-04-4 | TWA: 50 ppm<br>TWA: 183.5 mg/m <sup>3</sup><br>STEL: 367 mg/m <sup>3</sup><br>STEL: 100 ppm | TWA: 50 ppm<br>TWA: 180 mg/m <sup>3</sup>                                                   | TWA: 50 ppm<br>TWA: 180 mg/m <sup>3</sup><br>Peak: 75 ppm<br>Peak: 270 mg/m <sup>3</sup>  | TWA: 50 ppm<br>TWA: 183.5 mg/m <sup>3</sup><br>STEL: 100 ppm<br>STEL: 367 mg/m <sup>3</sup> | TWA: 183.5 mg/m <sup>3</sup><br>STEL: 367 mg/m <sup>3</sup>                                      |
| Triphenyl phosphate<br>115-86-6      | TWA: 3 mg/m <sup>3</sup>                                                                    | -                                                                                           | TWA: 10 mg/m <sup>3</sup><br>Peak: 20 mg/m <sup>3</sup>                                   | TWA: 3 mg/m <sup>3</sup><br>STEL: 6 mg/m <sup>3</sup>                                       | -                                                                                                |
| Chemical name                        | Ireland                                                                                     | Italy MDLPS                                                                                 | Italy AIDII                                                                               | Latvia                                                                                      | Lithuania                                                                                        |
| Tert-butyl methyl ether<br>1634-04-4 | TWA: 50 ppm<br>TWA: 183.5 mg/m <sup>3</sup><br>STEL: 100 ppm<br>STEL: 367 mg/m <sup>3</sup> | TWA: 50 ppm<br>TWA: 183.5 mg/m <sup>3</sup><br>STEL: 100 ppm<br>STEL: 367 mg/m <sup>3</sup> | TWA: 50 ppm<br>TWA: 180 mg/m <sup>3</sup>                                                 | TWA: 50 ppm<br>TWA: 183.5 mg/m <sup>3</sup><br>STEL: 100 ppm<br>STEL: 367 mg/m <sup>3</sup> | TWA: 50 ppm<br>TWA: 183.5 mg/m <sup>3</sup><br>STEL: 100 ppm<br>STEL: 367 mg/m <sup>3</sup>      |



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 12-Jan-2024

Revision Number 1

## DRE-XA17893000MB - Triphenyl phosphate 500 µg/mL in Methyl-tert-butyl ether

|                                      |                                                                                                           |                                                                                             |                                                                                          |                                                                                               |                                                                                             |
|--------------------------------------|-----------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| Triphenyl phosphate<br>115-86-6      | TWA: 3 mg/m <sup>3</sup><br>STEL: 9 mg/m <sup>3</sup>                                                     | -                                                                                           | TWA: 3 mg/m <sup>3</sup>                                                                 | -                                                                                             | -                                                                                           |
| Chemical name                        | Luxembourg                                                                                                | Malta                                                                                       | Netherlands                                                                              | Norway                                                                                        | Poland                                                                                      |
| Tert-butyl methyl ether<br>1634-04-4 | STEL: 367 mg/m <sup>3</sup><br>STEL: 100 ppm<br>TWA: 183.5 mg/m <sup>3</sup><br>TWA: 50 ppm               | STEL: 367 mg/m <sup>3</sup><br>STEL: 100 ppm<br>TWA: 183.5 mg/m <sup>3</sup><br>TWA: 50 ppm | TWA: 180 mg/m <sup>3</sup><br>STEL: 360 mg/m <sup>3</sup>                                | TWA: 50 ppm<br>TWA: 183.5 mg/m <sup>3</sup><br>STEL: 100 ppm<br>STEL: 367 mg/m <sup>3</sup>   | STEL: 270 mg/m <sup>3</sup><br>TWA: 180 mg/m <sup>3</sup>                                   |
| Triphenyl phosphate<br>115-86-6      | -                                                                                                         | -                                                                                           | -                                                                                        | TWA: 3 mg/m <sup>3</sup><br>STEL: 6 mg/m <sup>3</sup>                                         | -                                                                                           |
| Chemical name                        | Portugal                                                                                                  | Romania                                                                                     | Slovakia                                                                                 | Slovenia                                                                                      | Spain                                                                                       |
| Tert-butyl methyl ether<br>1634-04-4 | TWA: 50 ppm<br>TWA: 183.5 mg/m <sup>3</sup><br>STEL: 100 ppm<br>STEL: 367 mg/m <sup>3</sup>               | TWA: 50 ppm<br>TWA: 183.5 mg/m <sup>3</sup><br>STEL: 100 ppm<br>STEL: 367 mg/m <sup>3</sup> | TWA: 50 ppm<br>TWA: 183.5 mg/m <sup>3</sup><br>Ceiling: 367 mg/m <sup>3</sup>            | TWA: 50 ppm<br>TWA: 183.5 mg/m <sup>3</sup><br>STEL: STEL ppm<br>STEL: STEL mg/m <sup>3</sup> | TWA: 50 ppm<br>TWA: 183.5 mg/m <sup>3</sup><br>STEL: 100 ppm<br>STEL: 367 mg/m <sup>3</sup> |
| Triphenyl phosphate<br>115-86-6      | TWA: 3 mg/m <sup>3</sup>                                                                                  | TWA: 2 mg/m <sup>3</sup><br>STEL: 4 mg/m <sup>3</sup>                                       | -                                                                                        | -                                                                                             | TWA: 3 mg/m <sup>3</sup>                                                                    |
| Chemical name                        | Sweden                                                                                                    |                                                                                             | Switzerland                                                                              |                                                                                               | United Kingdom                                                                              |
| Tert-butyl methyl ether<br>1634-04-4 | NGV: 30 ppm<br>NGV: 110 mg/m <sup>3</sup><br>Bindande KGV: 100 ppm<br>Bindande KGV: 367 mg/m <sup>3</sup> |                                                                                             | TWA: 50 ppm<br>TWA: 180 mg/m <sup>3</sup><br>STEL: 75 ppm<br>STEL: 270 mg/m <sup>3</sup> |                                                                                               | TWA: 50 ppm<br>TWA: 183.5 mg/m <sup>3</sup><br>STEL: 100 ppm<br>STEL: 367 mg/m <sup>3</sup> |
| Triphenyl phosphate<br>115-86-6      | -                                                                                                         |                                                                                             | TWA: 3 mg/m <sup>3</sup>                                                                 |                                                                                               | TWA: 3 mg/m <sup>3</sup><br>STEL: 6 mg/m <sup>3</sup>                                       |

### Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

**Derived No Effect Level (DNEL)** No information available.

**Predicted No Effect Concentration (PNEC)** No information available.

### 8.2. Exposure controls

#### Personal protective equipment

##### Eye/face protection

Tight sealing safety goggles. Avoid contact with eyes. Wear safety glasses with side shields (or goggles).

##### Hand protection

Wear protective nitrile rubber gloves. Wear suitable gloves. Impervious gloves. The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374.





# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 12-Jan-2024

Revision Number 1

## DRE-XA17893000MB - Triphenyl phosphate 500 µg/mL in Methyl-tert-butyl ether

|                                        |                                                                                                                                                                                                                                                                                                                                                                                                         |
|----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Skin and body protection</b>        | Long sleeved clothing. Chemical resistant apron. Antistatic boots. Wear suitable protective clothing.                                                                                                                                                                                                                                                                                                   |
| <b>Respiratory protection</b>          | No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.                                                                                                                                                                                                                                |
| <b>General hygiene considerations</b>  | Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection. |
| <b>Environmental exposure controls</b> | Do not allow into any sewer, on the ground or into any body of water.                                                                                                                                                                                                                                                                                                                                   |

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                        |                          |
|------------------------|--------------------------|
| <b>Physical state</b>  | Liquid                   |
| <b>Appearance</b>      | Liquid                   |
| <b>Colour</b>          | colourless               |
| <b>Odour</b>           | Ether.                   |
| <b>Odour threshold</b> | No information available |

| <b>Property</b>                                | <b>Values</b>                   | <b>Remarks • Method</b>  |
|------------------------------------------------|---------------------------------|--------------------------|
| <b>Melting point / freezing point</b>          | -108.61 °C                      | None known               |
| <b>Initial boiling point and boiling range</b> | 55.22 °C                        | None known               |
| <b>Flammability</b>                            | No data available               | None known               |
| <b>Flammability Limit in Air</b>               |                                 | None known               |
| <b>Upper flammability or explosive limits</b>  | 1.6 Vol% - 58 g/m <sup>3</sup>  |                          |
| <b>Lower flammability or explosive limits</b>  | 8.4 Vol% - 310 g/m <sup>3</sup> |                          |
| <b>Flash point</b>                             | -29 °C                          | None known               |
| <b>Autoignition temperature</b>                | 435 °C                          | None known               |
| <b>Decomposition temperature</b>               |                                 | None known               |
| <b>pH</b>                                      | No data available               | None known               |
| <b>pH (as aqueous solution)</b>                | No data available               | No information available |
| <b>Kinematic viscosity</b>                     | No data available               | None known               |
| <b>Dynamic viscosity</b>                       | No data available               | @ 20°C                   |
| <b>Water solubility</b>                        | 26 g/L                          | None known               |
| <b>Solubility(ies)</b>                         | No data available               | None known               |
| <b>Partition coefficient</b>                   | -0.32                           | None known               |
| <b>Vapour pressure</b>                         | 57.3 hPa                        | @ 20°C                   |



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 12-Jan-2024

Revision Number 1

**DRE-XA17893000MB - Triphenyl phosphate 500 µg/mL in Methyl-tert-butyl ether**

|                            |                          |            |
|----------------------------|--------------------------|------------|
| Relative density           | 0.789                    | None known |
| Bulk density               | No data available        |            |
| Liquid Density             | No data available        |            |
| Relative vapour density    | 1.6                      | None known |
| Particle characteristics   |                          |            |
| Particle Size              | No information available |            |
| Particle Size Distribution | No information available |            |

## 9.2. Other information

9.2.1. Information with regards to physical hazard classes  
Not applicable

9.2.2. Other safety characteristics  
No information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Reactivity No information available.

### 10.2. Chemical stability

Stability Stable under normal conditions.

#### Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge Yes.

### 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

### 10.4. Conditions to avoid

Conditions to avoid Heat, flames and sparks.

### 10.5. Incompatible materials

Incompatible materials Strong acids. Strong bases. Strong oxidising agents.

Hazardous decomposition products None known based on information supplied.

## SECTION 11: Toxicological information



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 12-Jan-2024

Revision Number 1

**DRE-XA17893000MB - Triphenyl phosphate 500 µg/mL in Methyl-tert-butyl ether**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Information on likely routes of exposure

#### Product Information

|              |                                                                                                                                                    |
|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| Inhalation   | Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.                                       |
| Eye contact  | Specific test data for the substance or mixture is not available.                                                                                  |
| Skin contact | Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components).                                   |
| Ingestion    | Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea. |

### Symptoms related to the physical, chemical and toxicological characteristics

|          |                                                     |
|----------|-----------------------------------------------------|
| Symptoms | Redness. May cause redness and tearing of the eyes. |
|----------|-----------------------------------------------------|

### Numerical measures of toxicity

#### Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

|                               |                 |
|-------------------------------|-----------------|
| ATEmix (oral)                 | 99,999.00 mg/kg |
| ATEmix (dermal)               | 99,999.00 mg/kg |
| ATEmix (inhalation-gas)       | 99,999.00 ppm   |
| ATEmix (inhalation-dust/mist) | 99,999.00 mg/l  |
| ATEmix (inhalation-vapour)    | 99,999.00 mg/l  |

#### Component Information

| Chemical name           | Oral LD50            | Dermal LD50              | Inhalation LC50                        |
|-------------------------|----------------------|--------------------------|----------------------------------------|
| Tert-butyl methyl ether | = 2963 mg/kg ( Rat ) | = 10000 mg/kg ( Rabbit ) | = 85 mg/L ( Rat ) 4 h                  |
| Triphenyl phosphate     | = 3500 mg/kg ( Rat ) | > 10000 mg/kg ( Rabbit ) | > 200000 mg/m <sup>3</sup> ( Rat ) 1 h |

### Delayed and immediate effects as well as chronic effects from short and long-term exposure



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 12-Jan-2024

Revision Number 1

## DRE-XA17893000MB - Triphenyl phosphate 500 µg/mL in Methyl-tert-butyl ether

---

**Skin corrosion/irritation** Classification based on data available for ingredients. Causes skin irritation.

**Serious eye damage/eye irritation** No information available.

**Respiratory or skin sensitisation** No information available.

**Germ cell mutagenicity** No information available.

**Carcinogenicity** No information available.

**Reproductive toxicity** No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Aspiration hazard** No information available.

### 11.2. Information on other hazards

#### 11.2.1. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

#### 11.2.2. Other information

**Other adverse effects** No information available.

## SECTION 12: Ecological information

### 12.1. Toxicity

#### Ecotoxicity

**Unknown aquatic toxicity** Contains 0 % of components with unknown hazards to the aquatic environment.

---



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 12-Jan-2024

Revision Number 1

**DRE-XA17893000MB - Triphenyl phosphate 500 µg/mL in Methyl-tert-butyl ether**

| Chemical name           | Algae/aquatic plants                                                                                   | Fish                                                                                                                                                                                                                                                | Toxicity to microorganisms | Crustacea                                 |
|-------------------------|--------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|-------------------------------------------|
| Tert-butyl methyl ether | EC50: =184mg/L (96h, Pseudokirchneriella subcapitata)<br>EC50: >800mg/L (72h, Desmodesmus subspicatus) | LC50: =672mg/L (96h, Pimephales promelas)<br>LC50: =887mg/L (96h, Oncorhynchus mykiss)<br>LC50: =929mg/L (96h, Pimephales promelas)<br>LC50: >100mg/L (96h, Brachydanio rerio)                                                                      | -                          | EC50: =542mg/L (48h, Daphnia magna)       |
| Triphenyl phosphate     | EC50: 0.6 - 4mg/L (96h, Pseudokirchneriella subcapitata)                                               | LC50: 0.28 - 0.5mg/L (96h, Oncorhynchus mykiss)<br>LC50: 0.47 - 1.04mg/L (96h, Lepomis macrochirus)<br>LC50: 0.53 - 0.8mg/L (96h, Pimephales promelas)<br>LC50: 0.81 - 0.94mg/L (96h, Pimephales promelas)<br>LC50: =1.2mg/L (96h, Oryzias latipes) | -                          | EC50: 0.86 - 1.2mg/L (48h, Daphnia magna) |

## 12.2. Persistence and degradability

Persistence and degradability No information available.

## 12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

## Component Information

| Chemical name           | Partition coefficient |
|-------------------------|-----------------------|
| Tert-butyl methyl ether | 0.94                  |
| Triphenyl phosphate     | 4.59                  |

## 12.4. Mobility in soil

Mobility in soil No information available.

## 12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 12-Jan-2024

Revision Number 1

DRE-XA17893000MB - Triphenyl phosphate 500 µg/mL in Methyl-tert-butyl ether

| Chemical name           | PBT and vPvB assessment         |
|-------------------------|---------------------------------|
| Tert-butyl methyl ether | The substance is not PBT / vPvB |
| Triphenyl phosphate     | The substance is not PBT / vPvB |

## 12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

## 12.7. Other adverse effects

No information available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**Waste from residues/unused products** Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

## SECTION 14: Transport information

### IATA

|                                   |                                                |
|-----------------------------------|------------------------------------------------|
| 14.1 UN number or ID number       | UN2398                                         |
| 14.2 UN proper shipping name      | Methyl tert-butyl ether mixture                |
| 14.3 Transport hazard class(es)   | 3                                              |
| 14.4 Packing group                | II                                             |
| Description                       | UN2398, Methyl tert-butyl ether mixture, 3, II |
| 14.5 Environmental hazards        | Not applicable                                 |
| 14.6 Special precautions for user |                                                |
| Special Provisions                | None                                           |
| ERG Code                          | 3L                                             |

### IMDG

|                                 |                                                              |
|---------------------------------|--------------------------------------------------------------|
| 14.1 UN number or ID number     | UN2398                                                       |
| 14.2 UN proper shipping name    | Methyl tert-butyl ether mixture                              |
| 14.3 Transport hazard class(es) | 3                                                            |
| 14.4 Packing group              | II                                                           |
| Description                     | UN2398, Methyl tert-butyl ether mixture, 3, II, (-29°C c.c.) |
| 14.5 Marine pollutant           | NP                                                           |



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 12-Jan-2024

Revision Number 1

**DRE-XA17893000MB - Triphenyl phosphate 500 µg/mL in Methyl-tert-butyl ether**

## 14.6 Special precautions for user

Special Provisions

None

EmS-No.

F-E, S-D No information available

## 14.7 Maritime transport in bulk according to IMO instruments

No information available

## RID

14.1 UN number or ID number

UN2398

14.2 UN proper shipping name

Methyl tert-butyl ether mixture

14.3 Transport hazard class(es)

3

14.4 Packing group

II

Description

UN2398, Methyl tert-butyl ether mixture, 3, II

14.5 Environmental hazards

Not applicable

## 14.6 Special precautions for user

Special Provisions

None

Classification code

F1

## ADR

14.1 UN number or ID number

UN2398

14.2 UN proper shipping name

Methyl tert-butyl ether mixture

14.3 Transport hazard class(es)

3

14.4 Packing group

II

Description

UN2398, Methyl tert-butyl ether mixture, 3, II, (D/E)

14.5 Environmental hazards

Not applicable

## 14.6 Special precautions for user

Special Provisions

None

Classification code

F1

Tunnel restriction code

(D/E)

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

##### France

##### Occupational Illnesses (R-463-3, France)

| Chemical name                        | French RG number | Title |
|--------------------------------------|------------------|-------|
| Tert-butyl methyl ether<br>1634-04-4 | RG 84            | -     |

Water hazard class (WGK)

slightly hazardous to water (WGK 1)



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 12-Jan-2024

Revision Number 1

**DRE-XA17893000MB - Triphenyl phosphate 500 µg/mL in Methyl-tert-butyl ether**

---

Poland

SDS created according to the following Polish regulation: Act of February 25, 2011 on chemical substances and their mixtures (Journal of Laws of 2018, item 143, as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing the European Chemicals Agency (EC) as amended. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labeling and packaging of substances and mixtures, as amended. Regulation of the Minister of Health of 10 August 2012 on the criteria and method of classifying chemical substances and their mixtures (Journal of Laws of 2012, item 1018). Regulation of the Minister of Health of 20 April 2012 on labeling packaging of hazardous substances and mixtures and some mixtures (Journal of Laws of 2012, item 445). Regulation of the Minister of Family, Labor and Social Policy of 12 June 2018 on the maximum allowable concentrations and intensities of factors harmful to health in the work environment (Journal of Laws of 2018, item 1286). Announcement of the Minister of Economy, Labor and Social Policy of August 28, 2003 on the publication of the unified text of the Ordinance of the Minister of Labor and Social Policy on general health and safety at work regulations (Journal of Laws of 2003, No. 169, item 1650). Regulation of the Minister of Health of 30 December 2004 on occupational safety and health related to the presence of chemical agents in the workplace (Journal of Laws of 2005, No. 11, item 86). Act of December 14, 2012 on waste (Journal of Laws of 2013, item 21) Regulation of the Minister of Health of December 30, 2004 on occupational health and safety related to the presence of chemical agents in the workplace (Journal U. of 2005, No. 11, item 86). Waste Act of December 14, 2012 (Journal of Laws of 2013, item 21). Act of 13 June 2013 on the management of packaging and packaging waste, Journal of Laws 2013, item 888). Government statement of September 24, 2002 - European Agreement on the International Carriage of Dangerous Goods by Road (ADR) (Journal of Laws No. 194, item 1629 and Journal of Laws of 2003, No. 207, item 2013 and 2014).

## European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

## Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

## DIRECTIVE (EU) 2021/1187 on the marketing and use of explosives precursors

Not applicable

## Persistent Organic Pollutants

Not applicable

**Dangerous substance category per Seveso Directive (2012/18/EU)**

---





# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 12-Jan-2024

Revision Number 1

**DRE-XA17893000MB - Triphenyl phosphate 500 µg/mL in Methyl-tert-butyl ether**

---

P5a - FLAMMABLE LIQUIDS  
P5b - FLAMMABLE LIQUIDS  
P5c - FLAMMABLE LIQUIDS

## Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

## International Inventories

|                      |                                                  |
|----------------------|--------------------------------------------------|
| <b>TSCA</b>          | Complies                                         |
| <b>DSL/NDSL</b>      | Contact supplier for inventory compliance status |
| <b>EINECS/ELINCS</b> | Contact supplier for inventory compliance status |
| <b>ENCS</b>          | Contact supplier for inventory compliance status |
| <b>IECSC</b>         | Contact supplier for inventory compliance status |
| <b>KECL</b>          | Contact supplier for inventory compliance status |
| <b>PICCS</b>         | Contact supplier for inventory compliance status |
| <b>AIIC</b>          | Contact supplier for inventory compliance status |

## Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**AICS** - Australian Inventory of Chemical Substances

## 15.2. Chemical safety assessment

**Chemical Safety Report** A Chemical Safety Assessment is not required for this substance

## SECTION 16: Other information

### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

H225 - Highly flammable liquid and vapour  
H315 - Causes skin irritation  
H361 - Suspected of damaging fertility or the unborn child  
H373 - May cause damage to organs through prolonged or repeated exposure



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 12-Jan-2024

Revision Number 1

## DRE-XA17893000MB - Triphenyl phosphate 500 µg/mL in Methyl-tert-butyl ether

H400 - Very toxic to aquatic life  
H410 - Very toxic to aquatic life with long lasting effects

### Legend

SVHC: Substances of Very High Concern for Authorisation:

### Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)  
Ceiling Maximum limit value Sk\* Skin designation

| Classification procedure                                        |                       |
|-----------------------------------------------------------------|-----------------------|
| Classification according to Regulation (EC) No. 1272/2008 [CLP] | Method Used           |
| Acute oral toxicity                                             | Calculation method    |
| Acute dermal toxicity                                           | Calculation method    |
| Acute inhalation toxicity - gas                                 | Calculation method    |
| Acute inhalation toxicity - Vapour                              | Calculation method    |
| Acute inhalation toxicity - dust/mist                           | Calculation method    |
| Skin corrosion/irritation                                       | Calculation method    |
| Serious eye damage/eye irritation                               | Calculation method    |
| Respiratory sensitisation                                       | Calculation method    |
| Skin sensitisation                                              | Calculation method    |
| Mutagenicity                                                    | Calculation method    |
| Carcinogenicity                                                 | Calculation method    |
| Reproductive toxicity                                           | Calculation method    |
| STOT - single exposure                                          | Calculation method    |
| STOT - repeated exposure                                        | Calculation method    |
| Acute aquatic toxicity                                          | Calculation method    |
| Chronic aquatic toxicity                                        | Calculation method    |
| Aspiration hazard                                               | Calculation method    |
| Ozone                                                           | Calculation method    |
| Flammable liquids                                               | On basis of test data |

### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)  
U.S. Environmental Protection Agency ChemView Database  
European Food Safety Authority (EFSA)  
EPA (Environmental Protection Agency)  
Acute Exposure Guideline Level(s) (AEGl(s))  
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
U.S. Environmental Protection Agency High Production Volume Chemicals  
Food Research Journal  
Hazardous Substance Database  
International Uniform Chemical Information Database (IUCLID)  
Japan GHS Classification  
Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

**Revision date** 12-Jan-2024

**Revision Number** 1

**DRE-XA17893000MB - Triphenyl phosphate 500 µg/mL in Methyl-tert-butyl ether**

---

NIOSH (National Institute for Occupational Safety and Health)  
National Library of Medicine's ChemID Plus (NLM CIP)  
National Library of Medicine's PubMed database (NLM PUBMED)  
National Toxicology Program (NTP)  
New Zealand's Chemical Classification and Information Database (CCID)  
Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications  
Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme  
Organisation for Economic Co-operation and Development Screening Information Data Set  
World Health Organization

**Revision date** 12-Jan-2024

**This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006**

## Disclaimer

The information in this safety data sheet (SDS) has been prepared with due care and is true and accurate to the best of our knowledge. The user must determine the suitability of the information for its particular purpose, ensure compliance with existing laws and regulations, and be aware that other or additional safety or performance considerations may arise when using, handling and/ or storing the material. The information in this SDS does not purport to be all inclusive or a guarantee as to the properties of the material supplied, and should be used only as a guide. LGC makes no warranties or representations as to the accuracy and completeness of the information contained herein, shall not be held responsible for the suitability of this information for the user's intended purposes or the consequences of such use, and shall not be liable for any damage or loss, howsoever arising, direct or otherwise.

**End of Safety Data Sheet**