

This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

Revision date 28-Jun-2023 Revision Number 1

## 1. Identification

Product identifier

Product Name Propyne, ca. 4% in N,N-Dimethylformamide, ca. 1.0mol/L

Other means of identification

Product Code(s) TRC-P835985-1ML

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use Laboratory use

Restrictions on use Not to be used for human or animal consumption

Details of the supplier of the safety data sheet

### **Supplier Address**

VHG LGC Standards 276 Abby Road Manchester, NH 03103 UNITED STATES OF AMERICA

Tel:+1 (603) 622-7660 Fax:+1 (603) 622-5180 Email: lgcusa@lgcgroup.com

Web: Igcstandards.com

E-mail sds-request@lgcgroup.com

#### Emergency telephone number

### **Emergency Telephone**

For Hazardous Materials or Dangerous Goods Incident Spill, Leak, Fire Exposure, or Accident Call CHEMTREC: USA & Canada 1-800-424-9300 Rest of the world +1 703-741-5970

## 2. Hazard(s) identification

AGHS / EN Page 1/15



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

TRC-P835985-1ML - Propyne, ca. 4% in N,N-Dimethylformamide, ca. 1.0mol/L

Revision date 28-Jun-2023

### Classification

Classified according to OSHA.

Acute toxicity - Dermal	Category 4
Acute toxicity - Inhalation (Vapors)	Category 4
Serious eye damage/eye irritation	Category 2
Carcinogenicity	Category 2
Reproductive toxicity	Category 1B
Flammable liquids	Category 3

### Hazards not otherwise classified (HNOC)

Not applicable

#### Label elements

### Danger

#### Hazard statements

Classified according to OSHA.
Harmful in contact with skin
Harmful if inhaled
Causes serious eye irritation
Suspected of causing cancer
May damage fertility or the unborn child
Flammable liquid and vapor



## **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/protective clothing/eye protection/face protection

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Wash face, hands and any exposed skin thoroughly after handling

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

AGHS / EN Page 2/15



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

TRC-P835985-1ML - Propyne, ca. 4% in N,N-Dimethylformamide, ca. 1.0mol/L

Revision date 28-Jun-2023

Use only non-sparking tools

Take precautionary measures against static discharge

## **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention Call a POISON CENTER or doctor if you feel unwell

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

Wash contaminated clothing before reuse

IF INHALED: Remove person to fresh air and keep comfortable for breathing

In case of fire: Use CO2, dry chemical, or foam to extinguish

### **Precautionary Statements - Storage**

Store locked up

Store in a well-ventilated place. Keep cool

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Other information

May be harmful if swallowed.

## 3. Composition/information on ingredients

#### Substance

Not applicable.

#### Mixture

**Chemical nature** 

Mixture of organic compounds.

Chemical name	CAS No	Weight-%	Trade secret
N,N-Dimethylformamide	68-12-2	80 - 100	*
Methyl acetylene	74-99-7	3 - <5	*

## 4. First-aid measures

#### Description of first aid measures

**General advice** Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get

medical advice/attention.

**Inhalation** Remove to fresh air. If symptoms persist, call a physician. If breathing has stopped, give

AGHS / EN Page 3/15



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

TRC-P835985-1ML - Propyne, ca. 4% in N,N-Dimethylformamide, ca. 1.0mol/L

Revision date 28-Jun-2023

artificial respiration. Get medical attention immediately.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

**Skin contact**Wash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes. If symptoms persist, call a physician.

**Ingestion** Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious

person. Get medical attention.

**Self-protection of the first aider** Remove all sources of ignition. Ensure that medical personnel are aware of the material(s)

involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid

contact with skin, eyes or clothing. Avoid breathing vapors or mists.

Most important symptoms and effects, both acute and delayed

**Symptoms** May cause redness and tearing of the eyes. Burning sensation. Coughing and/ or wheezing.

Difficulty in breathing.

Indication of any immediate medical attention and special treatment needed

**Note to physicians**Treat symptomatically.

## 5. Fire-fighting measures

Suitable Extinguishing Media

Large Fire

Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

CAUTION: Use of water spray when fighting fire may be inefficient.

**Unsuitable extinguishing media** Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire

extinguishing water must be disposed of in accordance with local regulations.

**Explosion data** 

Sensitivity to mechanical impact None.

Sensitivity to static discharge Yes.

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

## 6. Accidental release measures

AGHS / EN Page 4/15



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

TRC-P835985-1ML - Propyne, ca. 4% in N,N-Dimethylformamide, ca. 1.0mol/L

Revision date 28-Jun-2023

#### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Evacuate personnel to safe areas. Use personal protective equipment as required. See

section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Avoid breathing

vapors or mists.

Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

### Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor

suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other

non-combustible material and transfer to containers for later disposal.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labeled containers.

## 7. Handling and storage

#### Precautions for safe handling

Advice on safe handling

Use personal protection equipment. Avoid breathing vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes. In case of insufficient ventilation, wear suitable respiratory equipment.

### Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store locked up. Keep out of the

AGHS / EN Page 5/15



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

TRC-P835985-1ML - Propyne, ca. 4% in N,N-Dimethylformamide, ca. 1.0mol/L

Revision date 28-Jun-2023

reach of children. Please refer to the manufacturer's certificate for specific storage and transport temperature conditions. Store only in the original receptacle unless other advice is given on the CoA.

## 8. Exposure controls/personal protection

#### Control parameters

### **Exposure Limits**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
N,N-Dimethylformamide	TWA: 5 ppm	TWA: 10 ppm	IDLH: 500 ppm
68-12-2	S*	TWA: 30 mg/m <sup>3</sup>	TWA: 10 ppm
		(vacated) TWA: 10 ppm	TWA: 30 mg/m <sup>3</sup>
		(vacated) TWA: 30 mg/m <sup>3</sup>	-
		(vacated) S*	
		S*	
Methyl acetylene	STEL: 1250 ppm explosion	TWA: 1000 ppm	IDLH: 1700 ppm
74-99-7	hazard	TWA: 1650 mg/m <sup>3</sup>	TWA: 1000 ppm
	TWA: 1000 ppm explosion	(vacated) TWA: 1000 ppm	TWA: 1650 mg/m <sup>3</sup>
	hazard	(vacated) TWA: 1650 mg/m <sup>3</sup>	STEL: 1250 ppm
		(vacated) STEL: 1250 ppm	STEL: 2250 mg/m <sup>3</sup>
		(vacated) STEL: 2250 mg/m <sup>3</sup>	_

## **Biological occupational exposure limits**

Chemical name	ACGIH
N,N-Dimethylformamide	30 mg/L - urine (Total N-methylformamide) - end of shift
68-12-2	30 mg/L - urine (N-Acetyl-S-(N-methylcarbamoyl)cysteine)
	- end of shift at end of workweek

### **Appropriate engineering controls**

Engineering controls Showers

Eyewash stations Ventilation systems.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Tight sealing safety goggles. Avoid contact with eyes. Wear safety glasses with side shields

(or goggles).

**Hand protection** Wear suitable gloves. Impervious gloves. The protective gloves to be used must comply

with the specifications of EC Directive 89/686/EEC and the related standard EN374. Wear

AGHS / EN Page 6/15



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

TRC-P835985-1ML - Propyne, ca. 4% in N,N-Dimethylformamide, ca. 1.0mol/L

Revision date 28-Jun-2023

protective butyl rubber gloves.

**Skin and body protection**Long sleeved clothing. Chemical resistant apron. Antistatic boots. Wear suitable protective

clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

**Environmental exposure controls** Do not allow into any sewer, on the ground or into any body of water.

General hygiene considerations Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of

equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear

suitable gloves and eye/face protection.

## 9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid
Appearance Liquid
Color colorless
Odor amine

Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

No data available None known pН Melting point / freezing point No data available None known Initial boiling point and boiling rangeNo data available None known Flash point No data available None known **Evaporation rate** No data available None known **Flammability** No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressure No data available None known Relative vapor density No data available None known Relative density No data available None known No data available Water solubility None known Solubility(ies) No data available None known No data available **Partition coefficient** None known **Autoignition temperature** No data available None known **Decomposition temperature** None known

Kinematic viscosity

No data available

None known

AGHS / EN Page 7/15



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

TRC-P835985-1ML - Propyne, ca. 4% in N,N-Dimethylformamide, ca. 1.0mol/L

Revision date 28-Jun-2023

**Dynamic viscosity** No data available None known

Other information

Explosive properties

Oxidizing properties

No information available
VOC content
No information available
Liquid Density
No information available
Bulk density
No information available

## 10. Stability and reactivity

**Reactivity** No information available.

**Chemical stability** Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

Conditions to avoid Heat, flames and sparks. Excessive heat.

**Incompatible materials**None known based on information supplied.

Hazardous decomposition products None known based on information supplied.

## 11. Toxicological information

Information on likely routes of exposure

**Product Information** 

**Inhalation** Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract. Harmful by inhalation. (based on components).

**Eye contact** Specific test data for the substance or mixture is not available. Causes serious eye irritation.

(based on components). May cause redness, itching, and pain.

**Skin contact** Specific test data for the substance or mixture is not available. May cause irritation.

Prolonged contact may cause redness and irritation. May be absorbed through the skin in

harmful amounts. Harmful in contact with skin. (based on components).

**Ingestion** Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea. May be harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

AGHS / EN Page 8/15



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

TRC-P835985-1ML - Propyne, ca. 4% in N,N-Dimethylformamide, ca. 1.0mol/L

Revision date 28-Jun-2023

Symptoms

May cause redness and tearing of the eyes. Coughing and/ or wheezing.

**Acute toxicity** 

**Numerical measures of toxicity** 

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 2,083.30 mg/kg

 ATEmix (dermal)
 1,145.80 mg/kg

 ATEmix (inhalation-gas)
 99,999.00 ppm

 ATEmix (inhalation-dust/mist)
 99,999.00 mg/l

 ATEmix (inhalation-vapor)
 11.50 mg/l

**Component Information** 

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
N,N-Dimethylformamide	= 2000 mg/kg (Rat)	= 1100 mg/kg (Rat)	-
68-12-2			

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** May cause skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

**Respiratory or skin sensitization** No information available.

**Germ cell mutagenicity** No information available.

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for

ingredients. Suspected of causing cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
N,N-Dimethylformamide	A3	-	-	X
68-12-2				

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

AGHS / EN Page 9/15



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

TRC-P835985-1ML - Propyne, ca. 4% in N,N-Dimethylformamide, ca. 1.0mol/L

Revision date 28-Jun-2023

Reproductive toxicity Contains a known or suspected reproductive toxin. Classification based on data available

for ingredients. May damage fertility or the unborn child.

**STOT - single exposure** No information available.

**STOT - repeated exposure**No information available.

Target organ effects Liver, Kidney, Respiratory system, Eyes, Skin, Central nervous system, Central Vascular

System (CVS).

**Aspiration hazard** No information available.

Other adverse effects No information available.

Interactive effects No information available.

# 12. Ecological information

### **Ecotoxicity**

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
N,N-Dimethylformamide	EC50: >500mg/L (96h,	LC50: =10410mg/L (96h,	-	EC50: 6800 - 13900mg/L
68-12-2	Desmodesmus	Pimephales promelas)		(48h, Daphnia magna)
	subspicatus)	LC50: =6300mg/L (96h,		EC50: =7500mg/L (48h,
		Lepomis macrochirus)		Daphnia magna)
		LC50: =9800mg/L (96h,		EC50: =8485mg/L (48h,
		Oncorhynchus mykiss)		Daphnia magna)

Persistence and degradability No information available.

**Bioaccumulation** There is no data for this product.

**Component Information** 

Chemical name	Partition coefficient
N,N-Dimethylformamide 68-12-2	-1.01

Other adverse effects No information available.

AGHS / EN Page 10/15



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

TRC-P835985-1ML - Propyne, ca. 4% in N,N-Dimethylformamide, ca. 1.0mol/L

Revision date 28-Jun-2023

## 13. Disposal considerations

**Disposal methods** 

Waste from residues/unused

products

Should not be released into the environment. Dispose of in accordance with local

regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld

containers.

## 14. Transport information

DOT

**UN number or ID number** UN1993

Extended proper shipping name Flammable liquids, n.o.s. (N,N-Dimethylformamide, Methyl acetylene)

Transport hazard class(es) 3
Packing group III

Reportable Quantity (RQ) (N,N-Dimethylformamide: RQ (kg)= 45.40) N,N-Dimethylformamide: RQ (lb)= 100.00

Reportable quantity kg N,N-Dimethylformamide: RQ (kg)= 47.29

(calculated)

Reportable quantity lbs. N,N-Dimethylformamide: RQ (lb)= 104.00

(calculated)

Special Provisions B1, B52, IB3, T4, TP1, TP29

**DOT Marine Pollutant** NP

**Description** UN1993, Flammable liquids, n.o.s. (N,N-Dimethylformamide, Methyl acetylene), 3, III

Emergency Response Guide 128

Number

**TDG** 

UN number or ID number UN1993

**UN proper shipping name** Flammable liquid, n.o.s. (N,N-Dimethylformamide, Methyl acetylene)

Transport hazard class(es) 3
Packing group III
Special Provisions 16, 150
Marine pollutant NP

**Description** UN1993, Flammable liquid, n.o.s. (N,N-Dimethylformamide, Methyl acetylene), 3, III

MEX

UN number or ID number UN1993

**UN proper shipping name** Flammable liquid, n.o.s. (N,N-Dimethylformamide, Methyl acetylene)

Transport hazard class(es) 3
Packing group III

AGHS / EN Page 11/15



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

TRC-P835985-1ML - Propyne, ca. 4% in N,N-Dimethylformamide, ca. 1.0mol/L

Revision date 28-Jun-2023

**Technical Name** N,N-Dimethylformamide, Methyl acetylene

**Description** UN1993, Flammable liquid, n.o.s. (N,N-Dimethylformamide, Methyl acetylene), 3, III

Special Provisions 223, 274

**IATA** 

UN number or ID number UN1993

**UN proper shipping name** Flammable liquid, n.o.s. (N,N-Dimethylformamide, Methyl acetylene)

Transport hazard class(es) 3
Packing group ||||

**Technical Name** N,N-Dimethylformamide, Methyl acetylene

**Description** UN1993, Flammable liquid, n.o.s. (N,N-Dimethylformamide, Methyl acetylene), 3, III

Special Provisions A3 ERG Code 3L

IMDG Not regulated

UN number or ID number UN1993

**UN proper shipping name** Flammable liquid, n.o.s. (N,N-Dimethylformamide, Methyl acetylene)

Transport hazard class(es)

Packing group

EmS-No.

Special Provisions

3

III

F-E, S-E

Special Provisions

223, 274, 955

Marine pollutant NP

**Description** UN1993, Flammable liquid, n.o.s. (N,N-Dimethylformamide, Methyl acetylene), 3, III

## 15. Regulatory information

### **International Inventories**

TSCA Complies.

Chemical name	CAS No	US TSCA Inventory listing	US TSCA inactive/active designation
N,N-Dimethylformamide	68-12-2	Present	Active
Methyl acetylene	74-99-7	Present	Active

DSL/NDSL

EINECS/ELINCS

Contact supplier for inventory compliance status.

AGHS / EN Page 12/15



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

TRC-P835985-1ML - Propyne, ca. 4% in N,N-Dimethylformamide, ca. 1.0mol/L

Revision date 28-Jun-2023

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
N,N-Dimethylformamide - 68-12-2	0.1

### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	Reportable Quantity (RQ)
N,N-Dimethylformamide 68-12-2	100 lb	-	RQ 100 lb final RQ RQ 45.4 kg final RQ

#### **US State Regulations**

### **California Proposition 65**

This product contains the following Proposition 65 chemicals:.

Chemical name	California Proposition 65
N,N-Dimethylformamide - 68-12-2	Carcinogen

#### U.S. State Right-to-Know Regulations

AGHS / EN Page 13/15



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

TRC-P835985-1ML - Propyne, ca. 4% in N,N-Dimethylformamide, ca. 1.0mol/L

Revision date 28-Jun-2023

Chemical name	New Jersey	Massachusetts	Pennsylvania
N,N-Dimethylformamide 68-12-2	X	X	Х
Methyl acetylene 74-99-7	X	X	X

#### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

## 16. Other information

NFPAHealth hazards2Flammability0Instability0Special hazards-HMISHealth hazards2 \*Flammability0Physical hazards0Personal protectionX

Chronic Hazard Star Legend \*= Chronic Health Hazard

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 28-Jun-2023

AGHS / EN Page 14/15



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

TRC-P835985-1ML - Propyne, ca. 4% in N,N-Dimethylformamide, ca. 1.0mol/L

Revision date 28-Jun-2023

**Revision Note** 

No information available.

Disclaimer

The information in this Safety Data Sheet meets the requirements of the United States OCCUPATIONAL SAFETY AND HEALTH ACT and regulations promulgated thereunder (29 CFR 1910.1200 et. seq.) This document is intended only as a guide to the appropriate precautionary handling of the material by a person trained in, or supervised by a person trained in, chemical handling. The user is responsible for determining the application. Depending on usage, protective clothing including eye and face guards and respirators must be used to avoid contact with material or breathing chemical vapors/fumes. Exposure to this product may have serious adverse health effects. This chemical may interact with other substances. Since the potential uses are so varied, we cannot warn of all of the potential dangers of use or interaction with other chemicals or materials. We warrant that the chemical meets the specifications set forth on the label. We (LGC/VHG/ARMI) disclaim any other warranties, expressed or implied with regard to the product supplied hereunder, its merchantability or its fitness for a particular purpose. The user should recognize that this product can cause severe injury and even death, especially if improperly handled or the known dangers of use are not heeded. Read all precautionary information.

**End of Safety Data Sheet** 

AGHS / EN Page 15/15