Tel:+44(0)2089437000

Fax:+44(0)2089432767

eMail: gb@lgcstandards.com

Web: www.lgcstandards.com



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.02.2018 Version number 1 Revision: 13.02.2018

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Product name: Leucomalachite green 10 µg/mL in Cyclohexane
- · Part number: DRE-L14629500CY
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Reference material for laboratory use only
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

LGC Limited
Queens Road
Teddington
Middlesex TW11 0LY

Middlesex TW11 0LY
UNITED KINGDOM

· Further information obtainable from:

Product safety department

eMail: sds-request@lgcgroup.com

· 1.4 Emergency telephone number: +44 (0) 20 8943 7000 (Monday - Friday : 8am - 5pm)

### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.



GHS08 health hazard

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.



GHS09 environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)



Printing date 13.02.2018 Version number 1 Revision: 13.02.2018

### Product name: Leucomalachite green 10 µg/mL in Cyclohexane

(Contd. from page 1)

#### · Hazard pictograms









GHS02

GHS07

GHS08

· Signal word Danger

#### · Hazard-determining components of labelling:

Cyclohexane

#### · Hazard statements

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H304 May be fatal if swallowed and enters airways. H410 Very toxic to aquatic life with long lasting effects.

#### · Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

#### · 2.3 Other hazards

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

### SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture: consisting of the following components.

· Dangerous components:		
CAS: 110-82-7	Cyclohexane	>99%
EINECS: 203-806-2	Flam. Liq. 2, H225; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; STOT SE 3, H336	
RTECS: GU 6300000	Aquatic Chronic 1, H410; 💠 Skin Irrit. 2, H315; STOT SE 3, H336	
CAS: 129-73-7	Leucomalachite Green	<0.1%
EINECS: 204-961-9	<b>&amp;</b> Muta. 2, H341; Carc. 2, H351	
RTECS: CY1203055		

<sup>·</sup> Additional information: For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation: In case of unconsciousness place patient in recovery position for transport.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact: Rinse opened eye for several minutes under running water.

(Contd. on page 3)



Printing date 13.02.2018 Version number 1 Revision: 13.02.2018

#### Product name: Leucomalachite green 10 µg/mL in Cyclohexane

(Contd. from page 2)

· After swallowing:

Rinse mouth. Do not induce vomiting.

Call for a doctor immediately.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

#### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Store in cool, dry place in tightly closed receptacles.
- $\cdot \textit{Information about fire and explosion protection:} \\$

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage.
- · Requirements to be met by storerooms and receptacles:

Please refer to the manufacturer's certificate for specific storage and transport temperature conditions. Store only in the original receptacle.

Keep container in a well-ventilated place. Keep away from sources of ignition and heat.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

(Contd. on page 4)



Printing date 13.02.2018 Version number 1 Revision: 13.02.2018

#### Product name: Leucomalachite green 10 µg/mL in Cyclohexane

(Contd. from page 3)

 $\cdot$  7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

#### 110-82-7 Cyclohexane

WEL Short-term value: 1050 mg/m³, 300 ppm Long-term value: 350 mg/m³, 100 ppm

- · Additional information: Lists used were valid at the time of SDS preparation.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

· Respiratory protection:

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374



Protective gloves

- · Material of gloves Nitrile rubber, NBR
- · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

## SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid
Colour: Colourless

(Contd. on page 5)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 13.02.2018 Version number 1 Revision: 13.02.2018

#### Product name: Leucomalachite green 10 µg/mL in Cyclohexane

	(Contd. from page
Odour:	Sweetish
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/freezing point:	6.4 °C
Initial boiling point and boiling range	2: 81 °C
Flash point:	-18 °C
Flammability (solid, gas):	Not determined.
Ignition temperature:	260 °C
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of explosive at vapour mixtures is possible.
Explosion limits:	
Lower:	1.2 Vol %
Upper:	8.3 Vol %
Vapour pressure at 20 °C:	104 hPa
Density at 20 °C:	0.78 g/cm³
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water at 20 °C:	0.05~g/l
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic at 20 °C:	0.94 mPas
Kinematic:	Not determined.
9.2 Other information	No further relevant information available.

## SECTION 10: Stability and reactivity

- · 10.1 Reactivity Stable under normal conditions.
- · 10.2 Chemical stability Stable under normal conditions.
- · Thermal decomposition / conditions to be avoided:

Formation of toxic gases is possible during heating or in case of fire.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid

Sources of ignition

Heat.

- · 10.5 Incompatible materials: Strong oxidizing agents.
- · 10.6 Hazardous decomposition products:

Formation of toxic gases is possible during heating or in case of fire.



Printing date 13.02.2018 Version number 1 Revision: 13.02.2018

Product name: Leucomalachite green 10 µg/mL in Cyclohexane

(Contd. from page 5)

#### SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

110-82-7 Cyclohexane

Oral LD50 12,705 mg/kg (rat)

- · Primary irritant effect:
- · Skin corrosion/irritation

Causes skin irritation.

- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure

May cause drowsiness or dizziness.

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard

May be fatal if swallowed and enters airways.

### SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

#### 110-82-7 Cyclohexane

LC50/96 h 42.3 mg/l (fish)

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxicological effects:
- · Remark: Very toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

#### SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)



Version number 1 Revision: 13.02.2018 Printing date 13.02.2018

#### Product name: Leucomalachite green 10 µg/mL in Cyclohexane

(Contd. from page 6)

· European waste catalogue

Waste disposal key numbers from EWC have to be assigned depending on origin and processing.

- · Uncleaned packaging:
- · Recommendation: Dispose of in accordance with national regulations.

#### SECTION 14: Transport information

· 14.1 UN-Number

· ADR, IMDG, IATA UN1145

 $\cdot ADR$ 1145 CYCLOHEXANE mixture, ENVIRONMENTALLY

**HAZARDOUS** 

· IMDG CYCLOHEXANE mixture, MARINE POLLUTANT

 $\cdot$  IATA CYCLOHEXANE mixture

· 14.3 Transport hazard class(es)

· ADR, IMDG





· Class 3 Flammable liquids.

· Label

 $\cdot$  IATA



3 Flammable liquids. · Class

· Label

· 14.4 Packing group

· ADR, IMDG, IATA II

· 14.5 Environmental hazards: Product contains environmentally hazardous substances:

Cyclohexane

Symbol (fish and tree) · Marine pollutant: · Special marking (ADR): Symbol (fish and tree)

· 14.6 Special precautions for user Warning: Flammable liquids.

· Danger code (Kemler): 33 F-E,S-D· EMS Number: · Stowage Category E

· 14.7 Transport in bulk according to Annex II of

Marpol and the IBC Code Not applicable.

· Transport/Additional information:

 $\cdot ADR$ 

· Limited quantities (LQ) 1L

 $\cdot$  Excepted quantities (EQ) Code: E2

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

· Transport category

(Contd. on page 8)



Printing date 13.02.2018 Version number 1 Revision: 13.02.2018

Product name: Leucomalachite green 10 µg/mL in Cyclohexane

(Contd. from page 7)

· Tunnel restriction code	D/E
· UN "Model Regulation":	UN 1145 CYCLOHEXANE MIXTURE, 3, II, ENVIRONMENTALLY HAZARDOUS

#### SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Philippines Inventory of Chemicals and Chemical Substances

110-82-7 Cyclohexane

· Australian Inventory of Chemical Substances

All ingredients are listed.

· Standard for the Uniform Scheduling of Medicines and Poisons

None of the ingredients is listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category

E1 Hazardous to the Aquatic Environment

P5c FLAMMABLE LIQUIDS

- · Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 57
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### SECTION 16: Other information

The information in this safety data sheet (SDS) has been prepared with due care and is true and accurate to the best of our knowledge. The user must determine the suitability of the information for its particular purpose, ensure compliance with existing laws and regulations, and be aware that other or additional safety or performance considerations may arise when using, handling and/or storing the material. The information in this SDS does not purport to be all inclusive or a guarantee as to the properties of the material supplied, and should be used only as a guide. LGC makes no warranties or representations as to the accuracy and completeness of the information contained herein, shall not be held responsible for the suitability of this information for the user's intended purposes or the consequences of such use, and shall not be liable for any damage or loss, howsoever arising, direct or otherwise.

#### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Skin Irrit. 2: Skin corrosion/irritation – Category 2 Muta. 2: Germ cell mutagenicity – Category 2

Carc. 2: Carcinogenicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

 $Asp.\ Tox.\ 1: Aspiration\ hazard-Category\ 1$ 

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

(Contd. on page 9)





Printing date 13.02.2018 Version number 1 Revision: 13.02.2018

### Product name: Leucomalachite green 10 µg/mL in Cyclohexane

(Contd. from page 8)

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

. Sources

Tables 3.1 and 3.2 from Annex 6 of EC 1272/2008, EC 1907/2006, EH40/2005 as amended 2011, Registry of Toxic Effects of Chemical Substances (RTECS), The Dictionary of Substances and their Effects, 1st Edition, IUCLID.

· Data compared to the previous version altered. All sections have been updated.

GB