

# **Certificate of Analysis**

Characterisation methods are accredited according to

**ISO 17025** 

HCI

#### **Reference Material**

#### **Product name**

4-(4-Fluorophenyl)-1-methyl-1,2,3,6-tetrahydropyridine Hydrochloride

Product code
MM1032.07-0025

CAS number
Appearance
1012886-75-7

Molecular weight

Lot number
W1187721

Appearance
light yellow solid
Melting point (DSC)

227.71 180 °C (dec.)

Molecular formula Long-term storage  $C_{12}H_{14}FN$  HCl 2 to 8 °C, dark

2 to 8 °C, dark very hygroscopic

Assay¹ "as is" **99.8 %** 

Uncertainty<sup>2</sup> U **0.4** %

Intended Use: Use for identification and quantification. The assay is verified by a second testing method.

Date of shipment: 08 Nov 2021

Producer confirms that this reference material (RM) meets the specification detailed on this Certificate of Analysis for **two years** from the date of shipment, provided the substance is stored under the recommended conditions unopened in the original container.

Release by: Date of Release:	0	
Dr. Sabine Schröder Luckenwalde, 02 Nov 2021	Toia	Product Release

<sup>1</sup> Calibration and verification were carried out using standards traceable to SI-units. The value is expressed on an "as is" basis.

<sup>&</sup>lt;sup>2</sup> The uncertainty "U" is the expanded uncertainty of the testing method for the assigned value estimated in accordance with the Guide to the Expression of Uncertainty in Measurement (GUM). It corresponds to a level of confidence of about 95%. Coverage factor k = 2.



#### **Product information**

This RM is intended for laboratory use only and is not suitable for human or animal consumption.

This RM conforms to the characteristics of a primary standard as described in the ICH Guidelines. The values quoted in this Certificate of Analysis are the producer's best estimate of the true values within the stated uncertainties and based on the techniques described in this Certificate of Analysis. The characterisation of this material was undertaken in accordance with the requirements of ISO/IEC 17025. The identity is verified by data from international scientific literature.

## Storage and handling

Before usage of the RM, it should be allowed to warm to room temperature. No drying is required, as assigned values are already corrected for the content of water and other volatile materials.

Reference Material quality is controlled by regularly performed quality control tests (retests).





## **Assigned value**

Assay "as is": 99.79 %; U = 0.35 %

The assay "as is" is assessed by carbon titration of elemental analysis and is equivalent to the assay based on the not-anhydrous and not-dried substance. The assay is verified by 100% method/mass\_balance).

The verified result lies inside our acceptance criteria, i.e. less than 1.0 % difference to assay assigning technique.

For quantitative applications, use the assay as a calculation value on the "as is basis". The uncertainty of the assay can be used for estimation/calculation of measurement uncertainty

#### Method 1: Value assigning technique - carbon titration of elemental analysis

Method percentage carbon found in relation to percentage carbon as calculated for molecular formula

**Results** (mass fraction, n = 3) 99.79%; U = 0.35%

#### Method 2: Value verifying technique - 100% method

100% method (mass balance) with chromatographic purity by HPLC

Result 99,68 %

The calculation of the 100% method follows the formula:

Purity (%) Assay (%) = (100 % - volatile contents (%))

Volatile contents are considered as absolute contributions and purity is considered as relative contribution. Inorganic residues are excluded by additional tests.

Page 3/9 MM1032.07-0025 Lot number W1187721



# **Purity**

### Purity by High Performance Liquid Chromatography (HPLC)

HPLC Conditions:		
Column	Hypersil Gold C18; 5 μm, 150 x 4.6 mm	
Column temperature	40 °C	
Detector	DAD, 210 nm	
Injector	Auto 5 µl; 0.110 mg/ml in Acetonitrile/Water 50/50 (v/v)	
Flow rate	1.0 ml/min	
Phase A	Water, 0.1 % H <sub>3</sub> PO <sub>4</sub>	
Phase B	Acetonitrile, 0.1 % H <sub>3</sub> PO <sub>4</sub>	
Gradient program	0-10 min A/B 85/15	
	10-15 min A/B to 60/40	
	15-20 min A/B 60/40	
	20-25 min A/B to 85/15	
	25-30 min A/B-85/15 (v/v)	
HPLC chromatogram and peak table		
700 15 - Substanz - 5/727		
5 - Substanz - 5/727		
5 - Substanz - 5/727		
5 - Substanz - 5/727		
500- 500- 500- 300- 300-		

15,0

Time [min]

20,0

25,0



Area percent report - sorted by signal			
Pk #	Retention time	Area	Area %
1	3.087	0.030	0.02
2	3.270	0.032	0.03
3	3.737	0.106	0.08
4	4.197	0.028	0.02
5	5.727	126.873	99.85
Totals		127.069	100.00

The content of the analyte was determined as ratio of the peak area of the analyte and the cumulative areas of the purities, added up to 100 %. System peaks were ignored in calculation.

Result (n = 3)

99.85%, U = 0.18 %

## Volatile content

Water content	
Method	Karl Fischer titration
Result (n = 3)	0.17%; SD = $0.01%$

<sup>\*</sup>not accredited testing method


Residual solve	vis
Method	1H-NMR
Result (n = 1)	No significant amounts of residual solvents were detected (< 0.05 %).*

<sup>\*</sup>not accredited testing method

LGC GmbH, Louis-Pasteur-Str. 30, D-14943 Luckenwalde, Germany



#### **Inorganic residues**





# **Identity**

The identity is assessed by ISO/IEC 17025 accredited testing methods.

