



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 26-Feb-2024

Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code(s)	VHG-LPEMCAL-500
Product Name	ICP-MS Setup/Stability/Masscal Solution: Ba @ 10 µg/L; Al, Cd, Ce, Cr, Cu, In, Mg, Mn, Pb, Rh, Th @ 1 µg/L in 0.5% HCl
Form	Not applicable
Unique Formula Identifier (UFI)	7SCT-E000-Y00X-QX38
Pure substance/mixture	Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use	Laboratory use
Uses advised against	No information available

1.3. Details of the supplier of the safety data sheet

Supplier

LGC Limited
Queens Road
Teddington
Middlesex TW11 0LY
UNITED KINGDOM
:+44 (0) 20 8943 7000
Fax :+44 (0) 20 8943 2767
eMail : gb@lgcstandards.com

Web : www.lgcstandards.com

For further information, please contact

E-mail address sds-request@lgcgroup.com

1.4. Emergency telephone number

Emergency Telephone	For Hazardous Materials or Dangerous Goods Incident Spill, Leak, Fire Exposure, or Accident Call CHEMTREC: USA & Canada 1-800-424-9300 Rest of the world +1 703-741-5970
---------------------	--



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 26-Feb-2024

Revision Number 1

VHG-LPEMCAL-500 - ICP-MS Setup/Stability/Masscal Solution: Ba @ 10 µg/L; Al, Cd, Ce, Cr, Cu, In, Mg, Mn, Pb, Rh, Th @ 1 µg/L in 0.5% HCl

Emergency Telephone - §45 - (EC)1272/2008	
Europe	112
Austria	No information available
Bulgaria	
Croatia	
Cyprus	
Czech Republic	
Denmark	
France	
Hungary	
Ireland	
Italy	
Lithuania	
Luxembourg	
Netherlands	
Norway	
Portugal	
Romania	
Slovakia	
Slovenia	
Spain	
Sweden	
Switzerland	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to
Regulation (EC) No. 1272/2008 [CLP]

Corrosive to metals	Category 1 - (H290)
---------------------	---------------------

2.2. Label elements



Signal word



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 26-Feb-2024

Revision Number 1

VHG-LPEMCAL-500 - ICP-MS Setup/Stability/Masscal Solution: Ba @ 10 µg/L; Al, Cd, Ce, Cr, Cu, In, Mg, Mn, Pb, Rh, Th @ 1 µg/L in 0.5% HCl

Warning

Hazard statements

H290 - May be corrosive to metals

Precautionary Statements - EU (§28, 1272/2008)

P234 - Keep only in original packaging

P390 - Absorb spillage to prevent material damage

P201 - Obtain special instructions before use

P234 - Keep only in original container

P406 - Store in corrosive resistant stainless steel container with a resistant inner liner

2.3. Other hazards

Causes mild skin irritation.

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors.

Chemical name	EU - REACH (1907/2006) - Article 59(1) - Candidate List of Substances of Very High Concern (SVHC) for Authorisation	EU - REACH (1907/2006) - Endocrine Disruptor Assessment List of Substances
Hydrochloric acid	-	-
Rhodium(III) chloride hydrate	-	-
Manganese(II) nitrate hexahydrate	-	-
Lead	-	-
Indium	-	-
Copper	-	-
Chromium	-	-
Cadmium	-	-
Barium nitrate	-	-
Aluminum	-	-

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 26-Feb-2024

Revision Number 1

VHG-LPEMCAL-500 - ICP-MS Setup/Stability/Masscal Solution: Ba @ 10 µg/L; Al, Cd, Ce, Cr, Cu, In, Mg, Mn, Pb, Rh, Th @ 1 µg/L in 0.5% HCl

Chemical nature aqueous solution.

Chemical name	Weight-%	REACH registration number	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Hydrochloric acid 7647-01-0	0.1 - 1	-	231-595-7 (017-002-00-2)	Met. Corr. 1 (H290) Skin Corr. 1B (H314) STOT SE 3 (H335)	Eye Irrit. 2 :: 10%≤C<25% Skin Corr. 1B :: C≥25% Skin Irrit. 2 :: 10%≤C<25% STOT SE 3 :: C≥10%		
Rhodium(III) chloride hydrate 20765-98-4	<0.1	-	606-630-8	Met. Corr. 1 (H290) Acute Tox. 4 (H302) Eye Dam. 1 (H318) Muta. 2 (H341) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)			
Manganese(II) nitrate hexahydrate 17141-63-8	<0.1	-	627-048-0	Ox. Sol. 3 (H272) Skin Corr. 1B (H314) Eye Dam. 1 (H318) STOT RE 2 (H373)			
Lead 7439-92-1	<0.1	-	231-100-4 (082-014-00-7)	Carc. 2 (H351) Repr. 1A (H360FD) Lact. (H362) STOT RE 1 (H372) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	Repr. 1A :: C≥0.03%	1	10
Indium 7440-74-6	<0.1	-	231-180-0	STOT RE 1 (H372)			
Copper 7440-50-8	<0.1	-	231-159-6	Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)			
Chromium 7440-47-3	<0.1	-	231-157-5	-			
Cadmium 7440-43-9	<0.1	-	231-152-8 (048-002-00-0)	Acute Tox. 4 (H302) Acute Tox. 2 (H330) Muta. 2 (H341)			



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 26-Feb-2024

Revision Number 1

VHG-LPEMCAL-500 - ICP-MS Setup/Stability/Masscal Solution: Ba @ 10 µg/L; Al, Cd, Ce, Cr, Cu, In, Mg, Mn, Pb, Rh, Th @ 1 µg/L in 0.5% HCl

				Carc. 1B (H350) Repr. 2 (H361fd) STOT RE 1 (H372) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)			
Barium nitrate 10022-31-8	<0.1	-	233-020-5 (056-002-00-7)	Ox. Sol. 2 (H272) Acute Tox. 4 (H302) Acute Tox. 4 (H332) Eye Irrit. 2 (H319)			
Aluminum 7429-90-5	<0.1	-	231-072-3 (013-002-00-1)	Flam. Sol. 1 (H228) Water-react. 2 (H261)			

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATE_{mix}) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Hydrochloric acid 7647-01-0	238	5010	No data available	No data available	563.3022
Rhodium(III) chloride hydrate 20765-98-4	No data available	2000	No data available	No data available	No data available
Indium 7440-74-6	4200	No data available	No data available	No data available	No data available
Cadmium 7440-43-9	1140	No data available	No data available	No data available	No data available
Barium nitrate 10022-31-8	355	No data available	1.1138	No data available	No data available
Aluminum 7429-90-5	No data available	No data available	0.888	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 26-Feb-2024

Revision Number 1

VHG-LPEMCAL-500 - ICP-MS Setup/Stability/Masscal Solution: Ba @ 10 µg/L; Al, Cd, Ce, Cr, Cu, In, Mg, Mn, Pb, Rh, Th @ 1 µg/L in 0.5% HCl

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance.
Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.
Skin contact	Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a doctor.
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms	Prolonged contact may cause redness and irritation.
----------	---

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors	Treat symptomatically.
-----------------	------------------------

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	No information available.
--	---------------------------



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 26-Feb-2024

Revision Number 1

VHG-LPEMCAL-500 - ICP-MS Setup/Stability/Masscal Solution: Ba @ 10 µg/L; Al, Cd, Ce, Cr, Cu, In, Mg, Mn, Pb, Rh, Th @ 1 µg/L in 0.5% HCl

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions

Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required.

Other information

Refer to protective measures listed in Sections 7 and 8.

For emergency responders

Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions

Prevent further leakage or spillage if safe to do so.

6.3. Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards

Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections

See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing.

General hygiene considerations

Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection.



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 26-Feb-2024

Revision Number 1

VHG-LPEMCAL-500 - ICP-MS Setup/Stability/Masscal Solution: Ba @ 10 µg/L; Al, Cd, Ce, Cr, Cu, In, Mg, Mn, Pb, Rh, Th @ 1 µg/L in 0.5% HCl

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials. Please refer to the manufacturer's certificate for specific storage and transport temperature conditions. Store only in the original receptacle unless other advice is given on the CoA.

7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Hydrochloric acid 7647-01-0	TWA: 5 ppm TWA: 8 mg/m ³ STEL: 10 ppm STEL: 15 mg/m ³	TWA: 5 ppm TWA: 8 mg/m ³ STEL 10 ppm STEL 15 mg/m ³	TWA: 5 ppm TWA: 8 mg/m ³ STEL: 10 ppm STEL: 15 mg/m ³	TWA: 5 ppm TWA: 8.0 mg/m ³ STEL: 10 ppm STEL: 15.0 mg/m ³	TWA: 5 ppm TWA: 8 mg/m ³ STEL: 10 ppm STEL: 15 mg/m ³
Rhodium(III) chloride hydrate 20765-98-4	-	-	TWA: 0.01 mg/m ³	-	TWA: 0.001 mg/m ³ STEL: 0.003 mg/m ³
Manganese(II) nitrate hexahydrate 17141-63-8	-	TWA: 0.2 mg/m ³ STEL 1.6 mg/m ³	TWA: 0.05 mg/m ³	TWA: 0.05 mg/m ³	TWA: 0.2 mg/m ³ TWA: 0.05 mg/m ³
Lead 7439-92-1	TWA: 0.15 mg/m ³	TWA: 0.1 mg/m ³ STEL 0.4 mg/m ³	-	TWA: 0.05 mg/m ³	TWA: 0.15 mg/m ³
Indium 7440-74-6	-	TWA: 0.1 mg/m ³ STEL 0.2 mg/m ³	TWA: 0.1 mg/m ³	-	TWA: 0.1 mg/m ³ STEL: 0.3 mg/m ³
Copper 7440-50-8	-	TWA: 1 mg/m ³ TWA: 0.1 mg/m ³ STEL 4 mg/m ³ STEL 0.4 mg/m ³	TWA: 0.2 mg/m ³ TWA: 1 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.2 mg/m ³ TWA: 1 mg/m ³ STEL: 2 mg/m ³
Chromium 7440-47-3	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 0.5 mg/m ³	TWA: 2.0 mg/m ³	TWA: 2 mg/m ³
Cadmium 7440-43-9	TWA: 0.001 mg/m ³	-	TWA: 0.01 mg/m ³ TWA: 0.004 mg/m ³	TWA: 0.004 mg/m ³	TWA: 0.004 mg/m ³



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 26-Feb-2024

Revision Number 1

VHG-LPEMCAL-500 - ICP-MS Setup/Stability/Masscal Solution: Ba @ 10 µg/L; Al, Cd, Ce, Cr, Cu, In, Mg, Mn, Pb, Rh, Th @ 1 µg/L in 0.5% HCl

Barium nitrate 10022-31-8	TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³ STEL 2 mg/m ³	TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³
Aluminum 7429-90-5	-	TWA: 10 mg/m ³ STEL 20 mg/m ³	TWA: 1 mg/m ³	TWA: 10.0 mg/m ³ TWA: 1.5 mg/m ³	TWA: 10 mg/m ³ TWA: 4 mg/m ³
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Hydrochloric acid 7647-01-0	TWA: 5 ppm TWA: 8 mg/m ³ STEL: 10 ppm STEL: 15 mg/m ³	TWA: 8 mg/m ³ Ceiling: 15 mg/m ³	STEL: 5 ppm STEL: 8 mg/m ³	TWA: 5 ppm TWA: 8 mg/m ³ STEL: 10 ppm STEL: 15 mg/m ³	STEL: 5 ppm STEL: 7.6 mg/m ³
Rhodium(III) chloride hydrate 20765-98-4	-	-	TWA: 0.001 mg/m ³ STEL: 0.002 mg/m ³	-	TWA: 0.001 mg/m ³
Manganese(II) nitrate hexahydrate 17141-63-8	TWA: 0.2 mg/m ³ TWA: 0.05 mg/m ³	TWA: 1 mg/m ³ Ceiling: 2 mg/m ³	TWA: 0.2 mg/m ³ TWA: 0.05 mg/m ³ STEL: 0.4 mg/m ³ STEL: 0.1 mg/m ³	TWA: 0.2 mg/m ³ TWA: 0.05 mg/m ³	TWA: 0.2 mg/m ³ TWA: 0.02 mg/m ³
Lead 7439-92-1	TWA: 0.15 mg/m ³	TWA: 0.05 mg/m ³ Ceiling: 0.2 mg/m ³	TWA: 0.05 mg/m ³ STEL: 0.1 mg/m ³	TWA: 0.1 mg/m ³ TWA: 0.05 mg/m ³	TWA: 0.1 mg/m ³
Indium 7440-74-6	-	-	TWA: 0.1 mg/m ³ STEL: 0.2 mg/m ³	-	TWA: 0.1 mg/m ³
Copper 7440-50-8	-	TWA: 1 mg/m ³ TWA: 0.1 mg/m ³ Ceiling: 2 mg/m ³ Ceiling: 0.2 mg/m ³	TWA: 1.0 mg/m ³ TWA: 0.1 mg/m ³ STEL: 2 mg/m ³ STEL: 0.2 mg/m ³	TWA: 1 mg/m ³ TWA: 0.2 mg/m ³	TWA: 0.02 mg/m ³
Chromium 7440-47-3	TWA: 2 mg/m ³	TWA: 0.5 mg/m ³ Ceiling: 1.5 mg/m ³	TWA: 0.5 mg/m ³ STEL: 1 mg/m ³	TWA: 2 mg/m ³	TWA: 0.5 mg/m ³
Cadmium 7440-43-9	TWA: 0.001 mg/m ³	TWA: 0.004 mg/m ³ Sk* Ceiling: 0.008 mg/m ³	TWA: 0.001 mg/m ³ STEL: 0.002 mg/m ³	TWA: 0.004 mg/m ³	TWA: 0.004 mg/m ³
Barium nitrate 10022-31-8	TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³ Ceiling: 2.5 mg/m ³	TWA: 0.5 mg/m ³ STEL: 1 mg/m ³	TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³
Aluminum 7429-90-5	-	TWA: 10.0 mg/m ³	TWA: 5 mg/m ³ TWA: 2 mg/m ³ STEL: 10 mg/m ³ STEL: 4 mg/m ³	TWA: 10 mg/m ³ TWA: 4 mg/m ³	TWA: 1.5 mg/m ³
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
Hydrochloric acid 7647-01-0	STEL: 5 ppm STEL: 7.6 mg/m ³	TWA: 2 ppm TWA: 3 mg/m ³	TWA: 2 ppm TWA: 3.0 mg/m ³ Peak: 4 ppm Peak: 6 mg/m ³	TWA: 5 ppm TWA: 7 mg/m ³ STEL: 5 ppm STEL: 7 mg/m ³	TWA: 8 mg/m ³ TWA: 5 ppm STEL: 165 mg/m ³ STEL: 10 ppm
Rhodium(III) chloride hydrate 20765-98-4	-	-	-	TWA: 0.001 mg/m ³ STEL: 0.003 mg/m ³	-
Manganese(II) nitrate	-	TWA: 0.2 mg/m ³	TWA: 0.2 mg/m ³	TWA: 0.2 mg/m ³	TWA: 0.2 mg/m ³



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 26-Feb-2024

Revision Number 1

VHG-LPEMCAL-500 - ICP-MS Setup/Stability/Masscal Solution: Ba @ 10 µg/L; Al, Cd, Ce, Cr, Cu, In, Mg, Mn, Pb, Rh, Th @ 1 µg/L in 0.5% HCl

hexahydrate 17141-63-8		TWA: 0.02 mg/m ³	TWA: 0.02 mg/m ³ Peak: 1.6 mg/m ³ Peak: 0.16 mg/m ³	TWA: 0.05 mg/m ³	TWA: 0.05 mg/m ³
Lead 7439-92-1	TWA: 0.1 mg/m ³	-	TWA: 0.004 mg/m ³ Peak: 0.032 mg/m ³	TWA: 0.15 mg/m ³	TWA: 0.1 mg/m ³ TWA: 0.05 mg/m ³
Indium 7440-74-6	-	TWA: 0.0001 mg/m ³	Sk*	TWA: 1 mg/m ³ STEL: 1 mg/m ³	-
Copper 7440-50-8	TWA: 0.2 mg/m ³ TWA: 1 mg/m ³ STEL: 2 mg/m ³	-	TWA: 0.01 mg/m ³ Peak: 0.02 mg/m ³	TWA: 0.2 mg/m ³ TWA: 1 mg/m ³ STEL: 2 mg/m ³	TWA: 0.1 mg/m ³ TWA: 0.01 mg/m ³ STEL: 0.2 mg/m ³
Chromium 7440-47-3	TWA: 2 mg/m ³	TWA: 2 mg/m ³	-	TWA: 1 mg/m ³	TWA: 2 mg/m ³ SZ+
Cadmium 7440-43-9	TWA: 0.004 mg/m ³	TWA: 0.002 mg/m ³	Sk*	TWA: 0.001 mg/m ³	TWA: 0.004 mg/m ³
Barium nitrate 10022-31-8	TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³ Peak: 4 mg/m ³	TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³
Aluminum 7429-90-5	TWA: 10 mg/m ³ TWA: 5 mg/m ³	TWA: 1.25 mg/m ³ TWA: 10 mg/m ³	TWA: 4 mg/m ³ TWA: 1.5 mg/m ³	TWA: 10 mg/m ³ TWA: 5 mg/m ³	TWA: 1 mg/m ³
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
Hydrochloric acid 7647-01-0	TWA: 8 mg/m ³ TWA: 5 ppm STEL: 10 ppm STEL: 15 mg/m ³	TWA: 5 ppm TWA: 8 mg/m ³ STEL: 10 ppm STEL: 15 mg/m ³	Ceiling: 2 ppm Ceiling: 2.9 mg/m ³	TWA: 5 ppm TWA: 8 mg/m ³ STEL: 10 ppm STEL: 15 mg/m ³	TWA: 5 ppm TWA: 8 mg/m ³ STEL: 10 ppm STEL: 15 mg/m ³
Rhodium(III) chloride hydrate 20765-98-4	TWA: 0.001 mg/m ³ STEL: 0.003 mg/m ³	-	TWA: 0.01 mg/m ³	-	-
Manganese(II) nitrate hexahydrate 17141-63-8	TWA: 0.2 mg/m ³ TWA: 0.05 mg/m ³ STEL: 0.6 mg/m ³ STEL: 0.15 mg/m ³	TWA: 0.05 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.2 mg/m ³ TWA: 0.05 mg/m ³	TWA: 0.2 mg/m ³ TWA: 0.05 mg/m ³
Lead 7439-92-1	TWA: 0.15 mg/m ³ STEL: 0.45 mg/m ³	TWA: 0.15 mg/m ³	TWA: 0.05 mg/m ³	TWA: 0.05 mg/m ³ STEL: 0.1 mg/m ³	TWA: 0.15 mg/m ³ TWA: 0.07 mg/m ³
Indium 7440-74-6	TWA: 0.1 mg/m ³ STEL: 0.3 mg/m ³	-	TWA: 0.1 mg/m ³	-	TWA: 0.1 mg/m ³
Copper 7440-50-8	TWA: 0.2 mg/m ³ TWA: 1 mg/m ³ STEL: 2 mg/m ³ STEL: 0.6 mg/m ³	-	TWA: 0.2 mg/m ³	TWA: 0.5 mg/m ³ STEL: 1 mg/m ³	TWA: 1 mg/m ³ TWA: 0.2 mg/m ³
Chromium 7440-47-3	TWA: 2 mg/m ³ STEL: 6 mg/m ³	TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³	TWA: 2 mg/m ³	TWA: 2 mg/m ³
Cadmium 7440-43-9	TWA: 0.001 mg/m ³ TWA: 0.004 mg/m ³ STEL: 0.003 mg/m ³ STEL: 0.012 mg/m ³	TWA: 0.001 mg/m ³ TWA: 0.004 mg/m ³	TWA: 0.01 mg/m ³	TWA: 0.001 mg/m ³	TWA: 0.004 mg/m ³



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 26-Feb-2024

Revision Number 1

VHG-LPEMCAL-500 - ICP-MS Setup/Stability/Masscal Solution: Ba @ 10 µg/L; Al, Cd, Ce, Cr, Cu, In, Mg, Mn, Pb, Rh, Th @ 1 µg/L in 0.5% HCl

Barium nitrate 10022-31-8	TWA: 0.5 mg/m ³ STEL: 1.5 mg/m ³	TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³ Sk*	TWA: 0.5 mg/m ³
Aluminum 7429-90-5	TWA: 1 mg/m ³ STEL: 3 mg/m ³	-	TWA: 1 mg/m ³	TWA: 2 mg/m ³	TWA: 5 mg/m ³ TWA: 2 mg/m ³ TWA: 1 mg/m ³
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
Hydrochloric acid 7647-01-0	TWA: 5 ppm TWA: 8 mg/m ³ STEL: 10 ppm STEL: 15 mg/m ³	TWA: 5 ppm TWA: 8 mg/m ³ STEL: 10 ppm STEL: 15 mg/m ³	TWA: 5 ppm TWA: 8 mg/m ³ STEL: 10 ppm STEL: 15 mg/m ³	Ceiling: 5 ppm Ceiling: 7 mg/m ³	TWA: 5 mg/m ³ STEL: 10 mg/m ³
Rhodium(III) chloride hydrate 20765-98-4	-	-	-	TWA: 0.001 mg/m ³ STEL: 0.003 mg/m ³	-
Manganese(II) nitrate hexahydrate 17141-63-8	TWA: 0.2 mg/m ³ TWA: 0.05 mg/m ³	-	TWA: 0.2 mg/m ³ TWA: 0.05 mg/m ³	TWA: 0.2 mg/m ³ TWA: 0.05 mg/m ³ STEL: 0.6 ppm STEL: 0.15 mg/m ³	TWA: 0.2 mg/m ³ TWA: 0.05 mg/m ³
Lead 7439-92-1	TWA: 0.15 mg/m ³	-	TWA: 0.15 mg/m ³	TWA: 0.05 mg/m ³ STEL: 0.15 mg/m ³	TWA: 0.05 mg/m ³
Indium 7440-74-6	-	-	-	TWA: 0.1 mg/m ³ STEL: 0.3 mg/m ³	-
Copper 7440-50-8	-	-	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³ TWA: 1 mg/m ³ STEL: 3 mg/m ³ STEL: 0.3 mg/m ³	TWA: 0.2 mg/m ³
Chromium 7440-47-3	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³ STEL: 1.5 mg/m ³	TWA: 0.5 mg/m ³
Cadmium 7440-43-9	-	-	TWA: 0.004 mg/m ³	TWA: 0.001 mg/m ³ STEL: 0.003 mg/m ³	TWA: 0.004 mg/m ³
Barium nitrate 10022-31-8	TWA: 0.5 mg/m ³	-	TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³ STEL: 1.5 mg/m ³	TWA: 0.5 mg/m ³
Aluminum 7429-90-5	-	-	-	TWA: 5 mg/m ³ STEL: 10 mg/m ³	TWA: 2.5 mg/m ³ TWA: 1.2 mg/m ³
Chemical name	Portugal	Romania	Slovakia	Slovenia	Spain
Hydrochloric acid 7647-01-0	TWA: 5 ppm TWA: 8 mg/m ³ STEL: 10 ppm STEL: 15 mg/m ³ Ceiling: 2 ppm	TWA: 5 ppm TWA: 8 mg/m ³ STEL: 10 ppm STEL: 15 mg/m ³	TWA: 5 ppm TWA: 8.0 mg/m ³ Ceiling: 15 mg/m ³	TWA: 5 ppm TWA: 8 mg/m ³ STEL: 10 ppm STEL: 15 mg/m ³	TWA: 5 ppm TWA: 7.6 mg/m ³ STEL: 10 ppm STEL: 15 mg/m ³
Rhodium(III) chloride hydrate 20765-98-4	TWA: 0.01 mg/m ³	-	-	-	TWA: 0.01 mg/m ³
Manganese(II) nitrate hexahydrate	TWA: 0.2 mg/m ³ TWA: 0.05 mg/m ³	TWA: 0.2 mg/m ³ TWA: 0.05 mg/m ³	TWA: 0.2 mg/m ³	TWA: 0.05 mg/m ³ STEL: 0.4 mg/m ³	TWA: 0.2 mg/m ³ TWA: 0.05 mg/m ³



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 26-Feb-2024

Revision Number 1

VHG-LPEMCAL-500 - ICP-MS Setup/Stability/Masscal Solution: Ba @ 10 µg/L; Al, Cd, Ce, Cr, Cu, In, Mg, Mn, Pb, Rh, Th @ 1 µg/L in 0.5% HCl

17141-63-8					
Lead 7439-92-1	TWA: 0.05 mg/m ³	TWA: 0.15 mg/m ³	TWA: 0.15 mg/m ³ TWA: 0.5 mg/m ³	TWA: 0.1 mg/m ³ STEL: 0.4 mg/m ³	TWA: 0.15 mg/m ³
Indium 7440-74-6	TWA: 0.1 mg/m ³	-	-	TWA: 0.0001 mg/m ³ STEL: 0.0008 mg/m ³	TWA: 0.1 mg/m ³
Copper 7440-50-8	TWA: 0.2 mg/m ³ TWA: 1 mg/m ³	TWA: 0.5 mg/m ³ STEL: 0.2 mg/m ³ STEL: 1.5 mg/m ³	TWA: 1 mg/m ³ TWA: 0.2 mg/m ³	-	TWA: 0.01 mg/m ³
Chromium 7440-47-3	TWA: 0.5 mg/m ³	TWA: 2 mg/m ³	-	TWA: 2 mg/m ³ STEL: 2 mg/m ³	TWA: 2 mg/m ³
Cadmium 7440-43-9	TWA: 0.001 mg/m ³ TWA: 0.004 mg/m ³	TWA: 0.001 mg/m ³	TWA: 0.03 mg/m ³ TWA: 0.15 mg/m ³ STEL: 0.15 mg/m ³ STEL: 0.75 mg/m ³	TWA: 0.004 mg/m ³	TWA: 0.01 mg/m ³ TWA: 0.002 mg/m ³
Barium nitrate 10022-31-8	TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³ STEL: 0.5 mg/m ³	TWA: 0.5 mg/m ³
Aluminum 7429-90-5	TWA: 1 mg/m ³	TWA: 3 mg/m ³ TWA: 1 mg/m ³ STEL: 10 mg/m ³ STEL: 3 mg/m ³	TWA: 4 mg/m ³ TWA: 1.5 mg/m ³	-	TWA: 1 mg/m ³
Chemical name	Sweden		Switzerland		United Kingdom
Hydrochloric acid 7647-01-0	NGV: 2 ppm NGV: 3 mg/m ³ Bindande KGV: 4 ppm Bindande KGV: 6 mg/m ³		TWA: 2 ppm TWA: 3 mg/m ³ STEL: 4 ppm STEL: 6 mg/m ³		TWA: 1 ppm TWA: 2 mg/m ³ STEL: 5 ppm STEL: 8 mg/m ³
Rhodium(III) chloride hydrate 20765-98-4	-		TWA: 0.001 mg/m ³		TWA: 0.001 mg/m ³ STEL: 0.003 mg/m ³
Manganese(II) nitrate hexahydrate 17141-63-8	NGV: 0.2 mg/m ³ NGV: 0.05 mg/m ³		TWA: 0.2 mg/m ³ TWA: 0.1 mg/m ³		TWA: 0.2 mg/m ³ TWA: 0.05 mg/m ³ STEL: 0.6 mg/m ³ STEL: 0.15 mg/m ³
Lead 7439-92-1	NGV: 0.1 mg/m ³ NGV: 0.05 mg/m ³		TWA: 0.1 mg/m ³ STEL: 0.8 mg/m ³		TWA: 0.15 mg/m ³ STEL: 0.45 mg/m ³
Indium 7440-74-6	NGV: 0.1 mg/m ³		TWA: 0.1 mg/m ³		TWA: 0.1 mg/m ³ STEL: 0.3 mg/m ³
Copper 7440-50-8	NGV: 0.01 mg/m ³		TWA: 0.1 mg/m ³ STEL: 0.2 mg/m ³		TWA: 1 mg/m ³ TWA: 0.2 mg/m ³ STEL: 0.6 mg/m ³ STEL: 2 mg/m ³
Chromium 7440-47-3	NGV: 0.5 mg/m ³		TWA: 0.5 mg/m ³ S+		TWA: 0.5 mg/m ³ STEL: 1.5 mg/m ³
Cadmium 7440-43-9	NGV: 0.001 mg/m ³ NGV: 0.004 mg/m ³		TWA: 0.001 mg/m ³ Sk*		TWA: 0.025 mg/m ³ STEL: 0.075 mg/m ³
Barium nitrate	NGV: 0.5 mg/m ³		TWA: 0.5 mg/m ³		TWA: 0.5 mg/m ³



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 26-Feb-2024

Revision Number 1

VHG-LPEMCAL-500 - ICP-MS Setup/Stability/Masscal Solution: Ba @ 10 µg/L; Al, Cd, Ce, Cr, Cu, In, Mg, Mn, Pb, Rh, Th @ 1 µg/L in 0.5% HCl

10022-31-8		STEL: 4 mg/m ³	STEL: 1.5 mg/m ³
Aluminum 7429-90-5	NGV: 5 mg/m ³ NGV: 2 mg/m ³	TWA: 3 mg/m ³ TWA: 10 mg/m ³	TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 30 mg/m ³ STEL: 12 mg/m ³

Biological occupational exposure limits

Chemical name	European Union	Austria	Bulgaria	Croatia	Czech Republic
Manganese(II) nitrate hexahydrate 17141-63-8	-	Check 20 µg/L (blood - whole blood not provided) (-)	-	-	-
Lead 7439-92-1	70 µg/100 mL - blood (Lead) - no restriction 0.075 mg/m ³ - air (Lead) - 40 hours per week 40 µg/100 mL - blood (Lead) - no restriction	Check 120 µg/100 mL RBC Erythrocyte protoporphyrin (blood - Ethylenediaminetetraacetic acid not provided) 30 µg/100 mL blood Lead (blood - Ethylenediaminetetraacetic acid not provided) 3.8 million/µL Erythrocytes (blood - Ethylenediaminetetraacetic acid not provided) 12 g/dL Hemoglobin (blood - Ethylenediaminetetraacetic acid not provided) 35 % Hematocrit (blood - Ethylenediaminetetraacetic acid not provided) 10 mg/L (urine -	300 µg/L - blood (Lead) - not fixed 400 µg/L - blood (Lead) - not fixed	400 µg Pb/L - blood (Lead) - not critical 300 µg Pb/L - blood (Lead) - not critical 15 U/LE - blood (.delta.-Aminolevulinic acid dehydratase) - not critical 1.50 mg/LE - blood (Protoporphyrin in erythrocytes) - after exposure during 2-3 months (sample protected from light)	13 µmol/mmol Creatinine (urine - 5-Aminolevulinic acid discretionary) 0.035 µmol/mmol Creatinine (urine - Coproporphyrin discretionary) 15 mg/g Creatinine (urine - 5-Aminolevulinic acid discretionary) 0.2 mg/g Creatinine (urine - Coproporphyrin discretionary) 0.4 mg/L (blood - Lead discretionary)



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 26-Feb-2024

Revision Number 1

VHG-LPEMCAL-500 - ICP-MS Setup/Stability/Masscal Solution: Ba @ 10 µg/L; Al, Cd, Ce, Cr, Cu, In, Mg, Mn, Pb, Rh, Th @ 1 µg/L in 0.5% HCl

		.delta.-Aminolevulinic acid not provided) 3.2 million/µL Erythrocytes (blood - Ethylenediaminetetraacetic acid not provided) 10 g/dL Hemoglobin (blood - Ethylenediaminetetraacetic acid not provided) 30 % Hematocrit (blood - Ethylenediaminetetraacetic acid not provided) 6 mg/L (urine - .delta.-Aminolevulinic acid not provided)			
Chromium 7440-47-3	-	-	-	5 µg/g Creatinine - urine (Chromium) - single sample at the end of the work shift	-
Cadmium 7440-43-9	-	Check 2.5 µg/g Creatinine (urine - N-Acetylglucosaminidase not provided) (-)	-	5 µg/L - blood (Cadmium) - not critical 5 µg/g Creatinine - urine (Cadmium) - single sample or urine collected over 24 hours	0.005 µmol/mmol Creatinine (urine - Cadmium discretionary) 0.005 mg/g Creatinine (urine - Cadmium discretionary) 0.045 µmol/L (blood - Cadmium discretionary) 0.005 mg/L (blood - Cadmium discretionary)
Aluminum 7429-90-5	-	Check 60 µg/g Creatinine (urine - Aluminum after end of work day, at the end of a work week/end of the shift)	-	200 µg/L - urine (Aluminum) - at the end of the work shift	-



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 26-Feb-2024

Revision Number 1

VHG-LPEMCAL-500 - ICP-MS Setup/Stability/Masscal Solution: Ba @ 10 µg/L; Al, Cd, Ce, Cr, Cu, In, Mg, Mn, Pb, Rh, Th @ 1 µg/L in 0.5% HCl

		(-)			
Chemical name	Denmark	Finland	France	Germany DFG	Germany TRGS
Manganese(II) nitrate hexahydrate 17141-63-8	-	-	-	15 µg/L - BAR (no restriction in steady state) blood	-
Lead 7439-92-1	20 µg/100 mL (blood - Lead)	1.4 µmol/L (blood - Lead time of day does not matter) 50 µg/dL (blood - Lead) 40 µg/dL (blood - Lead)	400 µg/L - blood (Lead) - 180 µg/L - blood (Lead) - indifferent sampling time 300 µg/L - blood (Lead) - 200 µg/L - blood (Lead) - 100 µg/L - blood (Lead) -	150 µg/L (whole blood - Lead no restriction) 150 µg/L - BAT (no restriction in steady state) blood 30 µg/L - BAR (no restriction in steady state) blood 40 µg/L - BAR (no restriction in steady state) blood	150 µg/L (whole blood - Lead no restriction)
Chromium 7440-47-3	-	-	2.5 µg/L - urine (Total Chromium) - end of shift at end of workweek	0.6 µg/L - BAR (end of exposure or end of shift) urine	-
Cadmium 7440-43-9	-	20 nmol/L (urine - Cadmium at the end of a working week; time of day does not matter)	0.005 mg/g creatinine - urine (Cadmium) - not critical 0.004 mg/L - blood (Cadmium) - not critical	1 µg/L - BAR (no restriction in steady state) blood 0.8 µg/L - BAR (no restriction in steady state) urine	-
Barium nitrate 10022-31-8	-	-	-	10 µg/L - BAR (for long-term exposures: at the end of the shift after several shifts) urine	-
Aluminum 7429-90-5	-	-	-	50 µg/g Creatinine (urine - Aluminum for long-term exposures: at the end of the shift after several shifts) 50 µg/g Creatinine - BAT (for long-term exposures: at the end of the shift after several shifts) urine 15 µg/g Creatinine -	50 µg/g Creatinine (urine - Aluminum for long-term exposures: at the end of the shift after several shifts)



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 26-Feb-2024

Revision Number 1

VHG-LPEMCAL-500 - ICP-MS Setup/Stability/Masscal Solution: Ba @ 10 µg/L; Al, Cd, Ce, Cr, Cu, In, Mg, Mn, Pb, Rh, Th @ 1 µg/L in 0.5% HCl

				BAR (for long-term exposures: at the end of the shift after several shifts) urine	
Chemical name	Hungary	Ireland	Italy MDLPS	Italy AIDII	
Lead 7439-92-1	-	70 µg/100 mL (blood - Lead not critical) 40 µg/100 mL (blood - Lead not critical) 30 µg/100 mL (blood - Lead not critical)	60 Pb µg/100 mL (blood - end of workweek)	30 µg/100 mL - blood (Lead) - not critical	
Chromium 7440-47-3	0.01 mg/g Creatinine (urine - Chromium end of shift) 0.022 µmol/mmol Creatinine (urine - Chromium end of shift)	-	-	-	
Cadmium 7440-43-9	0.02 mg/g Creatinine (urine - Cadmium not critical) 0.02 µmol/mmol Creatinine (urine - Cadmium not critical)	2 µg/g Creatinine (urine - not critical)	-	5 µg/g Creatinine - urine (Cadmium) - not critical 5 µg/L - blood (Cadmium) - not critical	
Chemical name	Latvia	Luxembourg	Romania	Slovakia	
Lead 7439-92-1	30 µg/100 mL - blood (Lead) - 100 µg/g Creatinine - urine (Coproporphyrin) - 5 mg/g Creatinine - urine (Aminolevulinic acid) -	70 µg/100 mL - blood (Lead) - 0.072 mg/m ³ - blood (Lead) - 40 µg/100 mL - blood (Lead) -	150 µg/L - urine (Lead) - end of shift 70 µg/100 mL - blood (Lead) - end of shift 3 mg/cm - hair (Lead) - end of shift 10 mg/L - urine (.delta.-Aminolevulinic acid) - end of shift 300 µg/L - urine (Coproporphyrin) - end of shift 100 µg/100 mL Erythrocyte - blood (free Erythrocytes protoporphyrin) - end of shift	400 µg/L (blood - Lead not critical) 100 µg/L (blood - Lead not critical) 15 mg/L (urine - .delta.-Aminolevulinic acid not critical) 6 mg/L (urine - .delta.-Aminolevulinic acid not critical) 0.30 mg/L (urine - Coproporphyrins not critical)	
Chromium 7440-47-3	10 µg/g Creatinine - urine (Chromium) - end of shift; end of work week	-	10 µg/g Creatinine - urine (Chromium) - during working hours 30 µg/g Creatinine - urine	-	



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 26-Feb-2024

Revision Number 1

VHG-LPEMCAL-500 - ICP-MS Setup/Stability/Masscal Solution: Ba @ 10 µg/L; Al, Cd, Ce, Cr, Cu, In, Mg, Mn, Pb, Rh, Th @ 1 µg/L in 0.5% HCl

			(Chromium) - end of work week	
Cadmium 7440-43-9	2 µg/L - urine (Cadmium) -	-	2 µg/g Creatinine - urine (Cadmium) - end of shift 5 µg/L - blood (Cadmium) - end of shift 2 mg/L - urine (Protein) - end of shift	3.1 µg/L (urine - Cadmium not critical)
Aluminum 7429-90-5	-	-	200 µg/L - urine (Aluminum) - end of shift	60 µg/g creatinine (urine - Aluminum not critical)
Chemical name	Slovenia	Spain	Switzerland	United Kingdom
Lead 7439-92-1	400 µg/L - blood (Lead) - not relevant 300 µg/L - blood (Lead) - not relevant	70 µg/dL (blood - Lead not critical)	400 µg/L (whole blood - Lead no restrictions) 1.93 µmol/L (whole blood - Lead no restrictions) 100 µg/L (whole blood - Lead no restrictions) 0.48 µmol/L (whole blood - Lead no restrictions)	-
Cadmium 7440-43-9	-	2 µg/g Creatinine (urine - Cadmium not critical) 5 µg/L (blood - Cadmium not critical)	2 µg/g creatinine (urine - Cadmium no restrictions) 2.01 nmol/mmol creatinine (urine - Cadmium no restrictions)	-
Aluminum 7429-90-5	50 µg/L - urine (Aluminum) - for long-term exposure: at the end of the work shift after several consecutive workdays	-	50 µg/g creatinine (urine - Aluminum after several shifts (for long-term exposures)) 0.21 µmol/mmol creatinine (urine - Aluminum after several shifts (for long-term exposures))	-

Derived No Effect Level (DNEL) No information available.

Predicted No Effect Concentration (PNEC) No information available.

8.2. Exposure controls

Personal protective equipment

Eye/face protection Avoid contact with eyes. Wear safety glasses with side shields (or goggles).



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 26-Feb-2024

Revision Number 1

VHG-LPEMCAL-500 - ICP-MS Setup/Stability/Masscal Solution: Ba @ 10 µg/L; Al, Cd, Ce, Cr, Cu, In, Mg, Mn, Pb, Rh, Th @ 1 µg/L in 0.5% HCl

Hand protection	Wear protective Neoprene™ gloves. The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374. Wear suitable gloves.
Skin and body protection	Wear suitable protective clothing.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection.
Environmental exposure controls	Do not allow into any sewer, on the ground or into any body of water.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Liquid
Colour	colourless
Odour	Odourless.
Odour threshold	No information available

Property	Values	Remarks • Method
Melting point / freezing point	No data available	None known
Initial boiling point and boiling range	No data available	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Flash point	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature		None known
pH	No data available	None known
pH (as aqueous solution)	No data available	No information available
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Water solubility	No data available	None known
Solubility(ies)	No data available	None known



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 26-Feb-2024

Revision Number 1

VHG-LPEMCAL-500 - ICP-MS Setup/Stability/Masscal Solution: Ba @ 10 µg/L; Al, Cd, Ce, Cr, Cu, In, Mg, Mn, Pb, Rh, Th @ 1 µg/L in 0.5% HCl

Partition coefficient	No data available	None known
Vapour pressure	No data available	None known
Relative density	No data available	None known
Bulk density	No data available	
Liquid Density	No data available	
Relative vapour density	No data available	None known
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	

9.2. Other information

9.2.1. Information with regards to physical hazard classes
Not applicable

9.2.2. Other safety characteristics
No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Exposure to air or moisture over prolonged periods.

10.5. Incompatible materials

Incompatible materials Oxidising agent.

Hazardous decomposition products None known based on information supplied.



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 26-Feb-2024

Revision Number 1

VHG-LPEMCAL-500 - ICP-MS Setup/Stability/Masscal Solution: Ba @ 10 µg/L; Al, Cd, Ce, Cr, Cu, In, Mg, Mn, Pb, Rh, Th @ 1 µg/L in 0.5% HCl

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available.
Eye contact	Specific test data for the substance or mixture is not available.
Skin contact	Specific test data for the substance or mixture is not available. Causes mild skin irritation.
Ingestion	Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Prolonged contact may cause redness and irritation.

Numerical measures of toxicity

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	99,999.00 mg/kg
ATEmix (dermal)	99,999.00 mg/kg
ATEmix (inhalation-gas)	99,999.00 ppm
ATEmix (inhalation-dust/mist)	99,999.00 mg/l
ATEmix (inhalation-vapour)	99,999.00 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Hydrochloric acid	238 - 277 mg/kg (Rat)	> 5010 mg/kg (Rabbit)	= 1.68 mg/L (Rat) 1 h
Rhodium(III) chloride hydrate		> 2000 mg/kg (Rabbit)	
Indium	= 4200 mg/kg (Rat)		
Copper			> 5.11 mg/L (Rat) 4 h



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 26-Feb-2024

Revision Number 1

VHG-LPEMCAL-500 - ICP-MS Setup/Stability/Masscal Solution: Ba @ 10 µg/L; Al, Cd, Ce, Cr, Cu, In, Mg, Mn, Pb, Rh, Th @ 1 µg/L in 0.5% HCl

Cadmium	= 1140 mg/kg (Rat)		= 25 mg/m ³ (Rat) 30 min
Barium nitrate	= 355 mg/kg (Rat)		> 1.1 mg/L (Rat) 243 min
Aluminum			> 0.888 mg/L (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes mild skin irritation.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitisation No information available.

Germ cell mutagenicity No information available.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as mutagenic.

Chemical name	European Union
Cadmium	Muta. 2

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union
Cadmium	Carc. 1B

Reproductive toxicity No information available.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as reproductive toxins.

Chemical name	European Union
Lead	Repr. 1A Lact.
Cadmium	Repr. 2

STOT - single exposure No information available.

STOT - repeated exposure No information available.



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 26-Feb-2024

Revision Number 1

VHG-LPEMCAL-500 - ICP-MS Setup/Stability/Masscal Solution: Ba @ 10 µg/L; Al, Cd, Ce, Cr, Cu, In, Mg, Mn, Pb, Rh, Th @ 1 µg/L in 0.5% HCl

Aspiration hazard No information available.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Unknown aquatic toxicity Contains 0 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Lead	-	LC50: =0.44mg/L (96h, Cyprinus carpio) LC50: =1.17mg/L (96h, Oncorhynchus mykiss) LC50: =1.32mg/L (96h, Oncorhynchus mykiss)	-	EC50: =600µg/L (48h, water flea)
Copper	EC50: 0.031 - 0.054mg/L (96h, Pseudokirchneriella subcapitata) EC50: 0.0426 - 0.0535mg/L (72h, Pseudokirchneriella subcapitata)	LC50: 0.0068 - 0.0156mg/L (96h, Pimephales promelas) LC50: <0.3mg/L (96h, Pimephales promelas) LC50: =0.2mg/L (96h, Pimephales promelas) LC50: =0.052mg/L (96h, Oncorhynchus mykiss) LC50: =1.25mg/L (96h, Lepomis macrochirus) LC50: =0.3mg/L (96h, Cyprinus carpio) LC50: =0.8mg/L (96h, Cyprinus carpio)	-	EC50: =0.03mg/L (48h, Daphnia magna)



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 26-Feb-2024

Revision Number 1

VHG-LPEMCAL-500 - ICP-MS Setup/Stability/Masscal Solution: Ba @ 10 µg/L; Al, Cd, Ce, Cr, Cu, In, Mg, Mn, Pb, Rh, Th @ 1 µg/L in 0.5% HCl

		LC50: =0.112mg/L (96h, <i>Poecilia reticulata</i>)		
Cadmium	-	LC50: =0.003mg/L (96h, <i>Oncorhynchus mykiss</i>) LC50: =0.006mg/L (96h, <i>Oncorhynchus mykiss</i>) LC50: =0.002mg/L (96h, <i>Cyprinus carpio</i>) LC50: =4.26mg/L (96h, <i>Cyprinus carpio</i>) LC50: =0.24mg/L (96h, <i>Cyprinus carpio</i>) LC50: =21.1mg/L (96h, <i>Lepomis macrochirus</i>) LC50: =0.016mg/L (96h, <i>Oryzias latipes</i>) LC50: 0.0004 - 0.003mg/L (96h, <i>Pimephales promelas</i>)	-	EC50: =0.0244mg/L (48h, <i>Daphnia magna</i>)

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation No information available.

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

Chemical name	PBT and vPvB assessment
Hydrochloric acid	The substance is not PBT / vPvB
Manganese(II) nitrate hexahydrate	The substance is not PBT / vPvB
Lead	PBT assessment does not apply
Indium	The substance is not PBT / vPvB
Copper	The substance is not PBT / vPvB
Chromium	The substance is not PBT / vPvB
Cadmium	PBT assessment does not apply



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 26-Feb-2024

Revision Number 1

VHG-LPEMCAL-500 - ICP-MS Setup/Stability/Masscal Solution: Ba @ 10 µg/L; Al, Cd, Ce, Cr, Cu, In, Mg, Mn, Pb, Rh, Th @ 1 µg/L in 0.5% HCl

Barium nitrate	The substance is not PBT / vPvB
Aluminum	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

SECTION 14: Transport information

IATA

14.1 UN number or ID number UN3264
14.2 UN proper shipping name Corrosive liquid, acidic, organic, n.o.s. (Hydrochloric Acid)
14.3 Transport hazard class(es) 8
14.4 Packing group III
Description UN3264, Corrosive liquid, acidic, organic, n.o.s. (Hydrochloric Acid), 8, III
14.5 Environmental hazards Not applicable
14.6 Special precautions for user
Special Provisions A3, A803
ERG Code 8L

IMDG

14.1 UN number or ID number UN3264
14.2 UN proper shipping name Corrosive liquid, acidic, organic, n.o.s. (Hydrochloric Acid)
14.3 Transport hazard class(es) 8
14.4 Packing group III
Description UN3264, Corrosive liquid, acidic, organic, n.o.s. (Hydrochloric Acid), 8, III
14.5 Marine pollutant P
Environmental hazards Not applicable



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 26-Feb-2024

Revision Number 1

VHG-LPEMCAL-500 - ICP-MS Setup/Stability/Masscal Solution: Ba @ 10 µg/L; Al, Cd, Ce, Cr, Cu, In, Mg, Mn, Pb, Rh, Th @ 1 µg/L in 0.5% HCl

14.6 Special precautions for user

Special Provisions

223, 274

EmS-No.

F-A,S-B No information available

14.7 Maritime transport in bulk according to IMO instruments

No information available

RID

14.1 UN number or ID number

UN3264

14.2 UN proper shipping name

Corrosive liquid, acidic, organic, n.o.s. (Hydrochloric Acid)

14.3 Transport hazard class(es)

8

14.4 Packing group

III

Description

UN3264, Corrosive liquid, acidic, organic, n.o.s. (Hydrochloric Acid), 8, III

14.5 Environmental hazards

Not applicable

14.6 Special precautions for user

Special Provisions

274

Classification code

C1

ADR

14.1 UN number or ID number

UN3264

14.2 UN proper shipping name

Corrosive liquid, acidic, organic, n.o.s. (Hydrochloric Acid)

14.3 Transport hazard class(es)

8

14.4 Packing group

III

Description

UN3264, Corrosive liquid, acidic, organic, n.o.s. (Hydrochloric Acid), 8, III, (E)

14.5 Environmental hazards

Not applicable

14.6 Special precautions for user

Special Provisions

274

Classification code

C1

Tunnel restriction code

(E)

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number	Title
Lead 7439-92-1	RG 1	-
Chromium 7440-47-3	RG 10	-
Cadmium	RG 61, RG 61bis	-



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 26-Feb-2024

Revision Number 1

VHG-LPEMCAL-500 - ICP-MS Setup/Stability/Masscal Solution: Ba @ 10 µg/L; Al, Cd, Ce, Cr, Cu, In, Mg, Mn, Pb, Rh, Th @ 1 µg/L in 0.5% HCl

7440-43-9		
Aluminum 7429-90-5	RG 32 RG 16,RG 16bis	-

Germany

Water hazard class (WGK) slightly hazardous to water (WGK 1)
TA Luft (German Air Pollution Control Regulation)

Netherlands

Chemical name	Netherlands - List of Carcinogens	Netherlands - List of Carcinogens	Netherlands - List of Reproductive Toxins
Manganese(II) nitrate hexahydrate	-	-	Fertility Category 2 Development Category 2
Lead	-	-	Fertility Category 1A Development Category 1A Can be harmful via breastfeeding
Cadmium	Present	-	Fertility Category 1B;including stabilized, pyrophoric Development Category 1B;including stabilized, pyrophoric Can be harmful via breastfeeding including stabilized, pyrophoric

Poland

SDS created according to the following Polish regulation: Act of February 25, 2011 on chemical substances and their mixtures (Journal of Laws of 2018, item 143, as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing the European Chemicals Agency (EC) as amended. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labeling and packaging of substances and mixtures, as amended. Regulation of the Minister of Health of 10 August 2012 on the criteria and method of classifying chemical substances and their mixtures (Journal of Laws of 2012, item 1018). Regulation of the Minister of Health of 20 April 2012 on labeling packaging of hazardous substances and mixtures and some mixtures (Journal of Laws of 2012, item 445). Regulation of the Minister of Family, Labor and Social Policy of 12 June 2018 on the maximum allowable concentrations and intensities of factors harmful to health in the work environment (Journal of Laws of 2018, item 1286). Announcement of the Minister of Economy, Labor and Social Policy of August 28,



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 26-Feb-2024

Revision Number 1

VHG-LPEMCAL-500 - ICP-MS Setup/Stability/Masscal Solution: Ba @ 10 µg/L; Al, Cd, Ce, Cr, Cu, In, Mg, Mn, Pb, Rh, Th @ 1 µg/L in 0.5% HCl

2003 on the publication of the unified text of the Ordinance of the Minister of Labor and Social Policy on general health and safety at work regulations (Journal of Laws of 2003, No. 169, item 1650) . Regulation of the Minister of Health of 30 December 2004 on occupational safety and health related to the presence of chemical agents in the workplace (Journal of Laws of 2005, No. 11, item 86). Act of December 14, 2012 on waste (Journal of Laws of 2013, item 21) Regulation of the Minister of Health of December 30, 2004 on occupational health and safety related to the presence of chemical agents in the workplace (Journal U. of 2005, No. 11, item 86). Waste Act of December 14, 2012 (Journal of Laws of 2013, item 21). Act of 13 June 2013 on the management of packaging and packaging waste, Journal of Laws 2013, item 888). Government statement of September 24, 2002 - European Agreement on the International Carriage of Dangerous Goods by Road (ADR) (Journal of Laws No. 194, item 1629 and Journal of Laws of 2003, No. 207, item 2013 and 2014).

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorisations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

DIRECTIVE (EU) 2021/1187 on the marketing and use of explosives precursors

Product contains: Reportable explosives precursors. Making available, introduction, possession and use according to Regulation (EU) 2019/1148, Article 9

Chemical name	RESTRICTED EXPLOSIVES PRECURSORS - ANNEX I	REPORTABLE EXPLOSIVES PRECURSORS - ANNEX II
Aluminum - 7429-90-5	-	Present

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV
Hydrochloric acid - 7647-01-0	75.	
Lead - 7439-92-1	72. 30. 63. 75.	
Copper - 7440-50-8	75.	
Chromium - 7440-47-3	75.	
Cadmium - 7440-43-9	72. 23. 28. 75.	
Aluminum - 7429-90-5	75.	

Persistent Organic Pollutants



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 26-Feb-2024

Revision Number 1

VHG-LPEMCAL-500 - ICP-MS Setup/Stability/Masscal Solution: Ba @ 10 µg/L; Al, Cd, Ce, Cr, Cu, In, Mg, Mn, Pb, Rh, Th @ 1 µg/L in 0.5% HCl

Not applicable

Export Notification requirements

This product contains substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals

Chemical name	European Export/Import Restrictions per (EC) 649/2012 - Annex Number
Lead - 7439-92-1	I.1
Cadmium - 7440-43-9	I.1 I.2

Named dangerous substances per Seveso Directive (2012/18/EU)

Chemical name	Lower-tier requirements (tons)	Upper-tier requirements (tons)
Hydrochloric acid - 7647-01-0	25	250

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Biocidal Products Regulation (EU) No 528/2012 (BPR)

Chemical name	Biocidal Products Regulation (EU) No 528/2012 (BPR)
Hydrochloric acid - 7647-01-0	Product-type 2: Disinfectants and algicides not intended for direct application to humans or animals
Copper - 7440-50-8	Product-type 8: Wood preservatives Product-type 21: Antifouling products

EU - Water Framework Directive (2000/60/EC)

Chemical name	EU - Water Framework Directive (2000/60/EC)
Lead - 7439-92-1	Priority substance
Cadmium - 7440-43-9	Priority hazardous substance

EU - Environmental Quality Standards (2008/105/EC)

Chemical name	EU - Environmental Quality Standards (2008/105/EC)
Lead - 7439-92-1	Priority substance
Cadmium - 7440-43-9	Priority hazardous substance

International Inventories

TSCA

Complies

DSL/NDSL

Contact supplier for inventory compliance status

EINECS/ELINCS

Contact supplier for inventory compliance status

ENCS

Contact supplier for inventory compliance status

IECSC

Contact supplier for inventory compliance status

KECL

Contact supplier for inventory compliance status

PICCS

Contact supplier for inventory compliance status



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 26-Feb-2024

Revision Number 1

VHG-LPEMCAL-500 - ICP-MS Setup/Stability/Masscal Solution: Ba @ 10 µg/L; Al, Cd, Ce, Cr, Cu, In, Mg, Mn, Pb, Rh, Th @ 1 µg/L in 0.5% HCl

AIIC

Contact supplier for inventory compliance status

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

Chemical Safety Report

A Chemical Safety Assessment is not required for this substance

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H228 - Flammable solid
H261 - In contact with water releases flammable gases
H272 - May intensify fire; oxidiser
H290 - May be corrosive to metals
H302 - Harmful if swallowed
H314 - Causes severe skin burns and eye damage
H318 - Causes serious eye damage
H319 - Causes serious eye irritation
H330 - Fatal if inhaled
H332 - Harmful if inhaled
H335 - May cause respiratory irritation
H341 - Suspected of causing genetic defects
H350 - May cause cancer
H351 - Suspected of causing cancer
H360FD - May damage fertility. May damage the unborn child
H361fd - Suspected of damaging fertility. Suspected of damaging the unborn child
H362 - May cause harm to breast-fed children
H372 - Causes damage to organs through prolonged or repeated exposure
H373 - May cause damage to organs through prolonged or repeated exposure
H400 - Very toxic to aquatic life
H410 - Very toxic to aquatic life with long lasting effects
H412 - Harmful to aquatic life with long lasting effects



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 26-Feb-2024

Revision Number 1

VHG-LPEMCAL-500 - ICP-MS Setup/Stability/Masscal Solution: Ba @ 10 µg/L; Al, Cd, Ce, Cr, Cu, In, Mg, Mn, Pb, Rh, Th @ 1 µg/L in 0.5% HCl

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average)
Ceiling Maximum limit value

STEL
Sk*

STEL (Short Term Exposure Limit)
Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - Vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method
Corrosive to metals	On basis of test data

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
U.S. Environmental Protection Agency ChemView Database
European Food Safety Authority (EFSA)
EPA (Environmental Protection Agency)
Acute Exposure Guideline Level(s) (AEGL(s))
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
U.S. Environmental Protection Agency High Production Volume Chemicals
Food Research Journal
Hazardous Substance Database
International Uniform Chemical Information Database (IUCLID)
Japan GHS Classification
Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH (National Institute for Occupational Safety and Health)



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 26-Feb-2024

Revision Number 1

VHG-LPEMCAL-500 - ICP-MS Setup/Stability/Masscal Solution: Ba @ 10 µg/L; Al, Cd, Ce, Cr, Cu, In, Mg, Mn, Pb, Rh, Th @ 1 µg/L in 0.5% HCl

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 26-Feb-2024

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information in this safety data sheet (SDS) has been prepared with due care and is true and accurate to the best of our knowledge. The user must determine the suitability of the information for its particular purpose, ensure compliance with existing laws and regulations, and be aware that other or additional safety or performance considerations may arise when using, handling and/ or storing the material. The information in this SDS does not purport to be all inclusive or a guarantee as to the properties of the material supplied, and should be used only as a guide. LGC makes no warranties or representations as to the accuracy and completeness of the information contained herein, shall not be held responsible for the suitability of this information for the user's intended purposes or the consequences of such use, and shall not be liable for any damage or loss, howsoever arising, direct or otherwise.

End of Safety Data Sheet