

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 07-Jan-2025 Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code(s) DRE-XA12453400ME

Product Name 3,4-Dichlorophenol 100 μg/mL in Methanol

Form Not applicable

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Laboratory use

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Supplier

LGC Limited Queens Road Teddington Middlesex TW11 0LY UNITED KINGDOM :+44 (0) 20 8943 7000 Fax :+44 (0) 20 8943 2767 eMail : gb@lgcstandards.com

Web: www.lgcstandards.com

3

For further information, please contact

E-mail address sds-request@lgcstandards.com

1.4. Emergency telephone number

Emergency Telephone For Hazardous Materials or Dangerous Goods Incident

Spill, Leak, Fire Exposure, or Accident

Call CHEMTREC:

USA & Canada 1-800-424-9300 Rest of the world +1 703-741-3877

Emergency Telephone - §45 - (EC)1272/2008

EGHS / EN Page 1/20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 07-Jan-2025 **Revision Number** 1

DRE-XA12453400ME - 3,4-Dichlorophenol 100 µg/mL in Methanol

Europe	112
Austria	No information available
Bulgaria	
Croatia	
Cyprus	
Czech Republic	
Denmark	
France	
Hungary	
Ireland	
Italy	
Lithuania	
Luxembourg	
Netherlands	
Norway	
Portugal	
Romania	
Slovakia	
Slovenia	
Spain	
Sweden	
Switzerland	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture Classification according to

Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity - Oral	Category 3 - (H301)
Acute toxicity - Dermal	Category 3 - (H311)
Acute toxicity - Inhalation (Vapours)	Category 3 - (H331)
Specific target organ toxicity (single exposure)	Category 1 - (H370)
Flammable liquids	Category 2 - (H225)

2.2. Label elements

Contains Methanol

EGHS / EN Page 2 / 20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 07-Jan-2025 Revision Number 1

DRE-XA12453400ME - 3,4-Dichlorophenol 100 µg/mL in Methanol



Signal word Danger

Hazard statements

H301 - Toxic if swallowed

H311 - Toxic in contact with skin

H331 - Toxic if inhaled

H370 - Causes damage to organs

H225 - Highly flammable liquid and vapour

Precautionary Statements - EU (§28, 1272/2008)

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P260 - Do not breathe dust, fume, gas, mist, vapors and spray

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor

P403 + P235 - Store in a well-ventilated place. Keep cool

2.3. Other hazards

No information available.

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors.

Chemical name

ELL - REACH (1907/2006) - Article 59(1) ELL - REACH (1907/2006)

Chemical name	EU - REACH (1907/2006) - Article 59(1)	EU - REACH (1907/2006) - Endocrine
	- Candidate List of Substances of Very	Disruptor Assessment List of
	High Concern (SVHC) for Authorisation	Substances
Methanol	-	-

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

EGHS / EN Page 3 / 20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 07-Jan-2025 Revision Number 1

DRE-XA12453400ME - 3,4-Dichlorophenol 100 µg/mL in Methanol

Chemical nature

Mixture of organic compounds.

Chemical name	Weight-%	REACH registration	EC No (EU	Classification according	Specific	M-Factor	M-Factor
		number	Index No)	to Regulation (EC) No.	concentration		(long-term)
				1272/2008 [CLP]	limit (SCL)		
Methanol	80 - 100	-	200-659-6	Acute Tox. 3 (H301)	STOT SE 1 ::		
67-56-1			(603-001-00	Acute Tox. 3 (H311)	C>=10%		
			-X)	Acute Tox. 3 (H331)	STOT SE 2 ::		
				STOT SE 1 (H370)	3%<=C<10%		
				Flam. Liq. 2 (H225)			

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

	Chemical name	Oral LD50 mg/kg		Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Ī	Methanol 67-56-1	6200	15840	No data available	41.6976	No data available

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance.

Inhalation Remove to fresh air. IF exposed or concerned: Get medical advice/attention. If breathing

has stopped, give artificial respiration. Get medical attention immediately. Immediate medical attention is required. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained

personnel should) give oxygen.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Get immediate medical attention. Do not rub affected area.

EGHS / EN Page 4/20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 07-Jan-2025 Revision Number 1

DRE-XA12453400ME - 3,4-Dichlorophenol 100 µg/mL in Methanol

Skin contactWash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes. Get immediate medical attention.

Ingestion Get immediate medical attention. Do NOT induce vomiting. Rinse mouth. Never give

anything by mouth to an unconscious person.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Remove all sources of ignition. Use personal protective equipment as required. See section 8 for more information. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper

respiratory medical device. Do not breathe vapour or mist.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Coughing and/ or wheezing. Difficulty in breathing.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctorsTreat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

EGHS / EN Page 5 / 20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 07-Jan-2025 Revision Number 1

DRE-XA12453400ME - 3,4-Dichlorophenol 100 µg/mL in Methanol

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. See

section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Do not breathe

vapour or mist.

Other information Refer to protective measures listed in Sections 7 and 8. Ventilate the area.

6.2. Environmental precautions

Environmental precautions Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if

safe to do so. Prevent product from entering drains.

6.3. Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. A

vapour suppressing foam may be used to reduce vapours. Dyke far ahead of spill to collect run-off water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand

or other non-combustible material and transfer to containers for later disposal.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labelled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Take off contaminated clothing and wash it before reuse. Use personal protection equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Do not breathe vapour or mist. In case of insufficient ventilation,

EGHS / EN Page 6 / 20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 07-Jan-2025 Revision Number 1

DRE-XA12453400ME - 3,4-Dichlorophenol 100 µg/mL in Methanol

wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product.

General hygiene considerations

Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Do not breathe vapour or mist.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions

Please refer to the manufacturer's certificate for specific storage and transport temperature conditions. Store only in the original receptacle unless other advice is given on the CoA. Store locked up. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labelled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Keep out of the reach of children.

7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Methanol	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm
67-56-1	TWA: 260 mg/m ³	TWA: 260 mg/m ³	TWA: 266 mg/m ³	TWA: 260.0 mg/m ³	TWA: 260 mg/m ³
	Sk*	STEL 800 ppm	STEL: 250 ppm	Sk*	Sk*
		STEL 1040 mg/m ³	STEL: 333 mg/m ³		
		Sk*	Sk*		
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Methanol	TWA: 200 ppm	TWA: 250 mg/m ³	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm
67-56-1	TWA: 260 mg/m ³	Sk*	TWA: 260 mg/m ³	TWA: 250 mg/m ³	TWA: 270 mg/m ³
	Sk*	Ceiling: 1000 mg/m ³	STEL: 400 ppm	STEL: 250 ppm	STEL: 250 ppm
			STEL: 520 mg/m ³	STEL: 350 mg/m ³	STEL: 330 mg/m ³
			Sk*	Sk*	Sk*

EGHS / EN Page 7/20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 07-Jan-2025 Revision Number 1

DRE-XA12453400ME - 3,4-Dichlorophenol 100 µg/mL in Methanol

Chemical name		France	Germany TRGS	Germany DFG		eece	Hungary
Methanol		A: 200 ppm	TWA: 100 ppm	TWA: 100 ppm		200 ppm	TWA: 260 mg/m ³
67-56-1		\: 260 mg/m ³	TWA: 130 mg/m ³	TWA: 130 mg/m ³		260 mg/m ³	TWA: 200 ppm
		L: 1000 ppm	Sk*	Peak: 200 ppm	STEL:	250 ppm	Sk*
	STEL	: 1300 mg/m ³		Peak: 260 mg/m ³	STEL: 3	325 mg/m ³	
		Sk*		Sk*	,	Sk*	
Chemical name		Ireland	Italy MDLPS	Italy AIDII	L	atvia	Lithuania
Methanol	TW	A: 200 ppm	TWA: 200 ppm	TWA: 200 ppm	TWA:	200 ppm	TWA: 200 ppm
67-56-1	TWA	\: 260 mg/m ³	TWA: 260 mg/m ³	TWA: 262 mg/m ³	TWA: 2	260 mg/m ³	TWA: 260 mg/m ³
	STE	L: 600 ppm	Sk*	STEL: 250 ppm	,	Sk*	Sk*
	STEI	_: 780 mg/m ³		STEL: 328 mg/m ³			
		Sk*		Sk*			
Chemical name	Lu	xembourg	Malta	Netherlands	No	orway	Poland
Methanol	TW	A: 200 ppm	TWA: 200 ppm	TWA: 100 ppm		100 ppm	TWA: 100 mg/m ³
67-56-1	TWA	: 260 mg/m ³	TWA: 260 mg/m ³	TWA: 133 mg/m ³	TWA: 1	30 mg/m ³	STEL: 300 mg/m ³
		Sk*	Sk*	Sk*	STEL:	150 ppm	Sk*
					STEL: 1	62.5 mg/m ³	Prohibited -
					;	Sk*	substances or
							mixtures containing
							Methanol in weight
							concentration
							>3%;except fuels
							used in the model
							building,
							powerboating, fuel
							cells and biofuels
Chemical name		Portugal	Romania	Slovakia	Slo	venia	Spain
Methanol		A: 200 ppm	TWA: 200 ppm	TWA: 200 ppm	TWA:	200 ppm	TWA: 200 ppm
67-56-1		: 260 mg/m ³	TWA: 260 mg/m ³	TWA: 260 mg/m ³	TWA: 2	260 mg/m ³	TWA: 266 mg/m ³
	STE	L: 250 ppm	Sk*	Sk*		800 ppm	Sk*
		Sk*			STEL: 1	040 mg/m ³	
					;	Sk*	
Chemical name		Sv	veden	Switzerland		Uni	ted Kingdom
Methanol			200 ppm	TWA: 200 ppm			VA: 200 ppm
67-56-1		NGV: 2	250 mg/m ³	TWA: 260 mg/n	n ³	TW	A: 266 mg/m ³
		Vägledande	KGV: 250 ppm	STEL: 400 ppn	n	ST	EL: 250 ppm
			KGV: 350 mg/m ³	STEL: 520 mg/r			:L: 333 mg/m ³
		_	Sk*	Sk*			Sk*

Biological occupational exposure limits

Chemical name	European Union	Austria	Bulgaria	Croatia	Czech Republic
Methanol	-	-	-	7.0 mg/g Creatinine -	0.47 mmol/L (urine -

EGHS / EN Page 8 / 20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 07-Jan-2025 **Revision Number** 1

DRE-XA12453400ME - 3,4-Dichlorophenol 100 µg/mL in Methanol

07.50.4	1		T		· /8.4 (I	1) (NA d I I C
67-56-1					urine (Methano the end of the		
					shift	WOIK	shift)
					Shiit		15 mg/L (urine - Methanol end of
							shift)
Chamical rama	Danmark	Ciplored.	Г		Carragany DE	-0	
Chemical name	Denmark	Finland		nce	Germany DF		Germany TRGS
Methanol	-	-		lethanol) -	15 mg/L (urin		15 mg/L (urine -
67-56-1			ena c	of shift	Methanol end) OI	Methanol end of
					shift)		shift)
					15 mg/L (urin Methanol fo		15 mg/L (urine - Methanol for
						ונ	
					long-term exposures: at	tho	long-term exposures: at the
							end of the shift after
					several shift		several shifts)
					15 mg/L - BAT	,	Several Silits)
					of exposure or		
					of shift) urin		
Chemical name	Hungary	Irelan	d	Italy	/ MDLPS		Italy AIDII
Methanol	30 mg/L (urine - Methano	15 mg/L (urine	- Methanol		<u>-</u>		15 mg/L - urine
67-56-1	end of shift)	end of s				(Me	thanol) - end of shift
	940 µmol/L (urine -		,			`	,
	Methanol end of shift)						
Chemical name	Latvia	Latvia Luxembourg Ror		omania		Slovakia	
Methanol	-	-	6 mg/L - urine (Metl		rine (Methanol)	30 m	g/L (urine - Methanol
67-56-1				- er	nd of shift	end	of exposure or work
							shift)
							g/L (urine - Methanol
							ter all work shifts)
Chemical name	Slovenia	Spair			itzerland		United Kingdom
Methanol	15 mg/L - urine				ırine - Methanol		-
67-56-1	(Methanol) - at the end o	f end of s	hift)		hift, and after		
	the work shift; for				al shifts (for		
	long-term exposure: at the				n exposures))		
	end of the work shift afte	r			nol/L (urine -		
	several consecutive				end of shift, and		
	workdays				reral shifts (for		
				long-terr	n exposures))		

Derived No Effect Level (DNEL) Predicted No Effect Concentration No information available. (PNEC)

No information available.

8.2. Exposure controls

EGHS / EN Page 9 / 20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 07-Jan-2025 Revision Number 1

DRE-XA12453400ME - 3,4-Dichlorophenol 100 µg/mL in Methanol

Personal protective equipment

Eye/face protection Avoid contact with eyes. Wear safety glasses with side shields (or goggles). Tight sealing

safety goggles.

Hand protection Wear protective butyl rubber gloves. The protective gloves to be used must comply with the

specifications of EC Directive 89/686/EEC and the related standard EN374. Impervious

gloves. Wear suitable gloves.

Skin and body protection Wear suitable protective clothing. Chemical resistant apron. Long sleeved clothing.

Antistatic boots.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this

product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Do not breathe vapour or mist.

Environmental exposure controls Do not allow into any sewer, on the ground or into any body of water.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical stateLiquidAppearanceLiquidColourcolourlessOdourAlcohol.

Odour threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Melting point / freezing point-98 °CNone knownInitial boiling point and boiling range64.7 °CNone knownFlammabilityNo data availableNone knownFlammability Limit in AirNone known

Upper flammability or explosive 50 Vol% - 665 g/m³

limits

Lower flammability or explosive 6 Vol% - 80 g/m³

limits

Flash point 11 °C None known

EGHS / EN Page 10 / 20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 07-Jan-2025 Revision Number 1

None known

None known

DRE-XA12453400ME - 3,4-Dichlorophenol 100 µg/mL in Methanol

Autoignition temperature 464 °C

Decomposition temperature
pH No data available

pHNo data availableNone knownpH (as aqueous solution)No data availableNo information available

Kinematic viscosity No data available None known **Dynamic viscosity** 0.544 - 0.59 mPas @ 25°C Water solubility No data available None known Solubility(ies) No data available None known **Partition coefficient** -0.77None known 128 hPa Vapour pressure @ 20°C Relative density 0.791 None known

Bulk density
No data available
Liquid Density
No data available

Relative vapour density 1.1 None known

Particle characteristics

Particle Size No information available Particle Size Distribution No information available

9.2. Other information

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge Yes.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

EGHS / EN Page 11 / 20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 07-Jan-2025 Revision Number 1

DRE-XA12453400ME - 3,4-Dichlorophenol 100 µg/mL in Methanol

Conditions to avoid Heat, flames and sparks. Excessive heat.

10.5. Incompatible materials

Incompatible materialsNone known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. Toxic by inhalation. (based

on components).

Eye contact Specific test data for the substance or mixture is not available.

Skin contact Specific test data for the substance or mixture is not available. Toxic in contact with skin.

(based on components).

Ingestion Specific test data for the substance or mixture is not available. Toxic if swallowed. (based on

components).

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Coughing and/ or wheezing. Difficulty in breathing.

Numerical measures of toxicity

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 100.00 mg/kg

 ATEmix (dermal)
 300.00 mg/kg

 ATEmix (inhalation-gas)
 99,999.00 ppm

 ATEmix (inhalation-dust/mist)
 99,999.00 mg/l

 ATEmix (inhalation-vapour)
 3.00 mg/l

EGHS / EN Page 12 / 20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 07-Jan-2025 Revision Number 1

DRE-XA12453400ME - 3,4-Dichlorophenol 100 µg/mL in Methanol

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Methanol	= 6200 mg/kg (Rat)	= 15840 mg/kg (Rabbit)	= 22500 ppm (Rat) 8 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationBased on available data, the classification criteria are not met.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitisation No information available.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

Reproductive toxicity No information available.

STOT - single exposure Based on the classification criteria of the Globally Harmonized System as adopted in the

country or region with which this safety data sheet complies, this product has been determined to cause systemic target organ toxicity from acute exposure. (STOT SE). Causes damage to organs if swallowed. Causes damage to organs in contact with skin.

STOT - repeated exposureNo information available.

Aspiration hazard No information available.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

EGHS / EN Page 13 / 20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 07-Jan-2025 Revision Number 1

DRE-XA12453400ME - 3,4-Dichlorophenol 100 µg/mL in Methanol

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Methanol	-	LC50: =28200mg/L (96h,	-	-
		Pimephales promelas)		
		LC50: >100mg/L (96h,		
		Pimephales promelas)		
		LC50: 19500 - 20700mg/L		
		(96h, Oncorhynchus		
		mykiss)		
		LC50: 18 - 20mL/L (96h,		
		Oncorhynchus mykiss)		
		LC50: 13500 - 17600mg/L		
		(96h, Lepomis		
		macrochirus)		

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient
Methanol	-0.77

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB.

EGHS / EN Page 14 / 20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 07-Jan-2025 Revision Number 1

DRE-XA12453400ME - 3,4-Dichlorophenol 100 µg/mL in Methanol

Chemical name	PBT and vPvB assessment
Methanol	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

products

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging

Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

SECTION 14: Transport information

IATA

14.1 UN number or ID number UN1230

14.2 UN proper shipping name Methanol mixture

14.3 Transport hazard class(es) 3
Subsidiary hazard class 6.1
14.4 Packing group II

Description UN1230, Methanol mixture, 3 (6.1), II

14.5 Environmental hazards No

14.6 Special precautions for user

Special Provisions A113 ERG Code 3L

<u>IMDG</u>

14.1 UN number or ID number UN1230

14.2 UN proper shipping name Methanol mixture

14.3 Transport hazard class(es) 3
Subsidiary hazard class 6.1
14.4 Packing group ||

Description UN1230, Methanol mixture, 3 (6.1), II, (11°C c.c.)

EGHS / EN Page 15 / 20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 07-Jan-2025 Revision Number 1

DRE-XA12453400ME - 3,4-Dichlorophenol 100 µg/mL in Methanol

14.5 Marine pollutant Not applicable

Environmental hazards No

14.6 Special precautions for user

Special Provisions 279

EmS-No. F-E, S-D No information available

14.7 Maritime transport in bulk No information available

according to IMO instruments

RID

14.1 UN number or ID number UN1230

14.2 UN proper shipping name Methanol mixture

14.3 Transport hazard class(es) 3
Subsidiary hazard class 6.1
14.4 Packing group ||

Description UN1230, Methanol mixture, 3 (6.1), II

14.5 Environmental hazards No

14.6 Special precautions for user

Special Provisions 279
Classification code FT1

ADR

14.1 UN number or ID number UN1230

14.2 UN proper shipping name Methanol mixture

14.3 Transport hazard class(es)
Subsidiary hazard class
14.4 Packing group
II

Description UN1230, Methanol mixture, 3 (6.1), II, (D/E)

14.5 Environmental hazards

14.6 Special precautions for user

Special Provisions 279
Classification code FT1
Tunnel restriction code (D/E)

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

France

Occupational Illnesses (R-463-3, France)

Coodpational Infecces (It 400 c) I failed		
Chemical name	French RG number	Title
Methanol	RG 84	-
67-56-1		

EGHS / EN Page 16 / 20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 07-Jan-2025 Revision Number 1

DRE-XA12453400ME - 3,4-Dichlorophenol 100 µg/mL in Methanol

Germany

Water hazard class (WGK) obviously hazardous to water (WGK 2)

TA Luft (German Air Pollution Control Regulation)

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorisations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

DIRECTIVE (EU) 2021/1187 on the marketing and use of explosives precursors

Not applicable

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV
Methanol - 67-56-1	69 75	

Persistent Organic Pollutants

Not applicable

Dangerous substance category per Seveso Directive (2012/18/EU)

H2 - ACUTE TOXIC

H3 - STOT SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE

P5a - FLAMMABLE LIQUIDS P5b - FLAMMABLE LIQUIDS

P5c - FLAMMABLE LIQUIDS

Named dangerous substances per Seveso Directive (2012/18/EU)

Chemical name	Lower-tier requirements (tons)	Upper-tier requirements (tons)
Methanol - 67-56-1	500	5000

Ozone-depleting substances (ODS) regulation (EC) 2024/590

Not applicable

International Inventories

TSCA LGC, to the best of its ability, has confirmed that the chemical substances in this product are

EGHS / EN Page 17 / 20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Number 1 Revision date 07-Jan-2025

DRE-XA12453400ME - 3,4-Dichlorophenol 100 µg/mL in Methanol

listed as "Active" in the EPA (Environmental Protection Agency) "TSCA Inventory

Notification (Active-Inactive) Requirements Rule" ("the Final Rule") of Feb 2019, as

amended Feb 2021."

Contact supplier for inventory compliance status DSL/NDSL Contact supplier for inventory compliance status **EINECS/ELINCS** Contact supplier for inventory compliance status **ENCS IECSC** Contact supplier for inventory compliance status Contact supplier for inventory compliance status **KECI** Contact supplier for inventory compliance status **PICCS** Contact supplier for inventory compliance status AIIC

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing Chemicals Inventory

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

A Chemical Safety Assessment is not required for this substance **Chemical Safety Report**

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of any hazard and/or precautionary statements referred to under Sections 2-15

H225 - Highly flammable liquid and vapour

H301 - Toxic if swallowed

H311 - Toxic in contact with skin

H331 - Toxic if inhaled

H370 - Causes damage to organs

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Sk* Skin designation

Classification procedure

EGHS / EN Page 18 / 20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 07-Jan-2025 Revision Number 1

DRE-XA12453400ME - 3,4-Dichlorophenol 100 µg/mL in Methanol

Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Chronic aquatic toxicity	Calculation method
Acute aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method
Flammable liquids	On basis of test data

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

Environmental Protection Agency

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 07-Jan-2025

EGHS / EN Page 19 / 20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 07-Jan-2025 Revision Number 1

DRE-XA12453400ME - 3,4-Dichlorophenol 100 µg/mL in Methanol

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 Disclaimer

The information in this safety data sheet (SDS) has been prepared with due care and is true and accurate to the best of our knowledge. The user must determine the suitability of the information for its particular purpose, ensure compliance with existing laws and regulations, and be aware that other or additional safety or performance considerations may arise when using, handling and/ or storing the material. The information in this SDS does not purport to be all inclusive or a guarantee as to the properties of the material supplied, and should be used only as a guide. LGC makes no warranties or representations as to the accuracy and completeness of the information contained herein, shall not be held responsible for the suitability of this information for the user's intended purposes or the consequences of such use, and shall not be liable for any damage or loss, howsoever arising, direct or otherwise.

End of Safety Data Sheet

EGHS / EN Page 20 / 20