

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Jan-2025 Revision Number 1.02

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code(s) ALK-GOSU-01

Product Name Sulfur @ 0.0005% (5ppm) in Synthetic Diesel

Form Not applicable

Unique Formula Identifier (UFI) 9KU5-N0KQ-Y00H-VJFG

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Laboratory use

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Supplier

LGC Limited Queens Road Teddington Middlesex TW11 0LY UNITED KINGDOM :+44 (0) 20 8943 7000 Fax :+44 (0) 20 8943 2767 eMail : gb@lgcstandards.com

Web: www.lgcstandards.com

For further information, please contact

E-mail address sds-request@lgcstandards.com

1.4. Emergency telephone number

Emergency Telephone For Hazardous Materials or Dangerous Goods Incident

Spill, Leak, Fire Exposure, or Accident

Call CHEMTREC:

USA & Canada 1-800-424-9300 Rest of the world +1 703-741-3877

EGHS / EN Page 1 / 17



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Number 1.02

Revision date 08-Jan-2025

ALK-GOSU-01 - Sulfur @ 0.0005% (5ppm) in Synthetic Diesel

Emergency Telephone - §45 - (EC)1272/2008						
Europe	112					
Austria	No information available					
Bulgaria						
Croatia						
Cyprus						
Czech Republic						
Denmark						
France						
Hungary						
Ireland						
Italy						
Lithuania						
Luxembourg						
Netherlands						
Norway						
Portugal						
Romania						
Slovakia						
Slovenia						
Spain						
Sweden						
Switzerland						

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture Classification according to

Regulation (EC) No. 1272/2008 [CLP]

Aspiration hazard Category 1 - (H304)

2.2. Label elements

Contains White mineral oil, petroleum



EGHS / EN Page 2 / 17



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Jan-2025 Revision Number 1.02

ALK-GOSU-01 - Sulfur @ 0.0005% (5ppm) in Synthetic Diesel

Danger

Hazard statements

H304 - May be fatal if swallowed and enters airways

Precautionary Statements - EU (§28, 1272/2008)

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor

P331 - Do NOT induce vomiting

P405 - Store locked up

P501 - Dispose of contents and container in accordance with local, regional, national, and international regulations as applicable

2.3. Other hazards

No information available.

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors.

Chemical name	EU - REACH (1907/2006) - Article 59(1)	EU - REACH (1907/2006) - Endocrine
	- Candidate List of Substances of Very	Disruptor Assessment List of
	High Concern (SVHC) for Authorisation	Substances
White mineral oil, petroleum	-	-
Butyl sulfide	-	-

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical nature

Mixture of organic compounds.

Chemical name	Weight-%	REACH registration	EC No (EU	Classification according	Specific	M-Factor	M-Factor
		number	Index No)	to Regulation (EC) No.	concentration		(long-term)
				1272/2008 [CLP]	limit (SCL)		
White mineral oil, petroleum 8042-47-5	80 - 100	-	232-455-8	Asp. Tox. 1 (H304)			
Butyl sulfide 544-40-1	0.1 - 1	-	208-870-5	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319)			

EGHS / EN Page 3 / 17



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Jan-2025 Revision Number 1.02

ALK-GOSU-01 - Sulfur @ 0.0005% (5ppm) in Synthetic Diesel

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50	Inhalation LC50 - 4	Inhalation LC50 - 4	Inhalation LC50 - 4
		mg/kg	hour - dust/mist - mg/L	hour - vapour - mg/L	hour - gas - ppm
White mineral oil, petroleum 8042-47-5	5000	No data available	No data available	No data available	No data available
Butyl sulfide 544-40-1	2220	No data available	No data available	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance.

Inhalation Aspiration into lungs can produce severe lung damage. If breathing has stopped, give

artificial respiration. Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Get immediate medical attention. Delayed

pulmonary edema may occur.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a doctor.

Skin contact Wash skin with soap and water. In the case of skin irritation or allergic reactions see a

doctor.

Ingestion ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE.

Do NOT induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Rinse mouth. Never give anything by mouth to an unconscious person.

Get immediate medical attention.

EGHS / EN Page 4 / 17



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Jan-2025 Revision Number 1.02

ALK-GOSU-01 - Sulfur @ 0.0005% (5ppm) in Synthetic Diesel

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as

required.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Difficulty in breathing. Coughing and/ or wheezing. Dizziness.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctorsBecause of the danger of aspiration, emesis or gastric lavage should not be used unless the

risk is justified by the presence of additional toxic substances.

SECTION 5: Firefighting measures

5.1. Extinguishing media

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing mediaDo not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

No information available.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Use personal protective equipment as required.

Other information Refer to protective measures listed in Sections 7 and 8.

For emergency responders

Use personal protection recommended in Section 8.

EGHS / EN Page 5 / 17



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Jan-2025 Revision Number 1.02

ALK-GOSU-01 - Sulfur @ 0.0005% (5ppm) in Synthetic Diesel

6.2. Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning upTake up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation.

General hygiene considerations Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this

product. Wash hands before breaks and after work. Wear suitable gloves and eye/face

protection.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Please refer to the manufacturer's certificate for specific storage and transport temperature

conditions. Store only in the original receptacle unless other advice is given on the CoA. Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Keep out of the reach of children. Store away from other materials.

7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

EGHS / EN Page 6 / 17



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Number 1.02 Revision date 08-Jan-2025

ALK-GOSU-01 - Sulfur @ 0.0005% (5ppm) in Synthetic Diesel

Chemical name	F	rance	Germany TRGS	Germany DFG	Gr	eece	Hungary
White mineral oil, petroleum 8042-47-5		-	TWA: 5 mg/m ³	TWA: 5 mg/m³ Peak: 20 mg/m³		•	TWA: 5 mg/m³
Chemical name	lr	eland	Italy MDLPS	Italy AIDII	Lá	atvia	Lithuania
White mineral oil, petroleum 8042-47-5		-	-	-	TWA:	5 mg/m³	-
Butyl sulfide 544-40-1		-	•	-		-	TWA: 1 ppm
Chemical name	Po	ortugal	Romania	Slovakia	Slo	venia	Spain
White mineral oil, petroleum 8042-47-5		-	-	-		5 mg/m³ 20 mg/m³	-
Chemical name		Sv	veden	den Switzerland Ur		ted Kingdom	
White mineral oil, petroleum 8042-47-5			-	TWA: 5 mg/m ³			-
Butyl sulfide NGV: 1 544-40-1		/: 1 ppm	-	·		-	

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Derived No Effect Level (DNEL) Predicted No Effect Concentration No information available. (PNEC)

No information available.

8.2. Exposure controls

Personal protective equipment

Avoid contact with eyes. Wear safety glasses with side shields (or goggles). If splashes are Eye/face protection

likely to occur, wear safety glasses with side-shields.

Wear protective nitrile rubber gloves. The protective gloves to be used must comply with the Hand protection

specifications of EC Directive 89/686/EEC and the related standard EN374.

Skin and body protection Wear suitable protective clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

EGHS / EN Page 7 / 17



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Jan-2025 Revision Number 1.02

ALK-GOSU-01 - Sulfur @ 0.0005% (5ppm) in Synthetic Diesel

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this

product. Wash hands before breaks and after work. Wear suitable gloves and eye/face

protection.

Environmental exposure controls Do not allow into any sewer, on the ground or into any body of water.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical stateLiquidAppearanceLiquidColourlight green

Odour Petroleum distillates.
Odour threshold Petroleum distillates.
No information available

Property Values Remarks • Method

Melting point / freezing pointNo data availableNone knownInitial boiling point and boiling rangeNo data availableNone knownFlammabilityNo data availableNone knownFlammability Limit in AirNone known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Flash point No data available None known
Autoignition temperature No data available None known
None known

Decomposition temperatureNo data availableNone knownpHNo data availableNone known

pH (as aqueous solution) No data available No information available

No data available Kinematic viscosity None known Dynamic viscosity No data available None known No data available None known Water solubility No data available None known Solubility(ies) None known **Partition coefficient** No data available No data available Vapour pressure None known Relative density No data available None known

Bulk density
No data available
No data available
No data available

Relative vapour density

No data available

None known

Particle characteristics

Particle Size No information available Particle Size Distribution No information available

EGHS / EN Page 8 / 17



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Jan-2025 Revision Number 1.02

ALK-GOSU-01 - Sulfur @ 0.0005% (5ppm) in Synthetic Diesel

9.2. Other information

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid None known based on information supplied.

10.5. Incompatible materials

Incompatible materialsNone known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

EGHS / EN Page 9 / 17



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Jan-2025 Revision Number 1.02

ALK-GOSU-01 - Sulfur @ 0.0005% (5ppm) in Synthetic Diesel

Product Information

Inhalation Specific test data for the substance or mixture is not available. Aspiration into lungs can

produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be

tatal.

Eye contact Specific test data for the substance or mixture is not available.

Ingestion Specific test data for the substance or mixture is not available. Potential for aspiration if

swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema

and pneumonitis. May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Difficulty in breathing. Coughing and/ or wheezing. Dizziness.

Numerical measures of toxicity

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 99,999.00
 mg/kg

 ATEmix (dermal)
 99,999.00
 mg/kg

 ATEmix (inhalation-gas)
 99,999.00
 ppm

 ATEmix (inhalation-dust/mist)
 99,999.00
 mg/l

 ATEmix (inhalation-vapour)
 99,999.00
 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
White mineral oil, petroleum	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	
Butyl sulfide	= 2220 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationBased on available data, the classification criteria are not met.

Serious eye damage/eye irritation No information available.

EGHS / EN Page 10 / 17



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Jan-2025 Revision Number 1.02

ALK-GOSU-01 - Sulfur @ 0.0005% (5ppm) in Synthetic Diesel

Respiratory or skin sensitisation No information available.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposureNo information available.

Aspiration hazard May be fatal if swallowed and enters airways.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
White mineral oil,	-	LC50: >10000mg/L (96h,	-	-
petroleum		Lepomis macrochirus)		
Butyl sulfide	-	LC50: = 3.58 mg/L (96h,	-	-
·		Pimephales promelas)		

EGHS / EN Page 11 / 17



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Jan-2025 Revision Number 1.02

ALK-GOSU-01 - Sulfur @ 0.0005% (5ppm) in Synthetic Diesel

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient
White mineral oil, petroleum	6

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

Chemical name	PBT and vPvB assessment
White mineral oil, petroleum	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

SECTION 14: Transport information

EGHS / EN Page 12 / 17



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Jan-2025 Revision Number 1.02

ALK-GOSU-01 - Sulfur @ 0.0005% (5ppm) in Synthetic Diesel

IATA	
14.1 UN number or ID number	Not regulated
14.2	g
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None
IMDG	
14.1 UN number or ID number	Not regulated
14.2 Transport hazard alass (cs)	Not regulated
14.3 Transport hazard class(es) 14.4 Packing group	Not regulated Not regulated
14.4 Packing group 14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	τοι αργιιοασίο
Special Provisions	None
14.7 Maritime transport in bulk	No information available
according to IMO instruments	
_	
<u>RID</u>	
14.1 UN number or ID number	Not regulated
14.2	
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	None
Special Provisions	Note
ADR	
14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	N.
Special Provisions	None
ADN	
14.1 UN number or ID number	Not regulated
14.1 ON Humber of 1D Humber	110t rogulatou
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazard	Not applicable
14.6 Special precautions for user	••
Special Provisions	None

EGHS / EN Page 13 / 17



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Jan-2025 Revision Number 1.02

ALK-GOSU-01 - Sulfur @ 0.0005% (5ppm) in Synthetic Diesel

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number	Title
White mineral oil, petroleum	RG 36bis	-
8042-47-5		

Germany

Water hazard class (WGK)

slightly hazardous to water (WGK 1)

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

DIRECTIVE (EU) 2021/1187 on the marketing and use of explosives precursors

Not applicable

Persistent Organic Pollutants

Not applicable

Ozone-depleting substances (ODS) regulation (EC) 2024/590

Not applicable

EU - Plant Protection Products (1107/2009/EC)

Chemical name	EU - Plant Protection Products (1107/2009/EC)
White mineral oil, petroleum - 8042-47-5	Plant protection agent

EGHS / EN Page 14 / 17



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Jan-2025 Revision Number 1.02

ALK-GOSU-01 - Sulfur @ 0.0005% (5ppm) in Synthetic Diesel

International Inventories

TSCA LGC, to the best of its ability, has confirmed that the chemical substances in this product are

listed as "Active" in the EPA (Environmental Protection Agency) "TSCA Inventory Notification (Active-Inactive) Requirements Rule" ("the Final Rule") of Feb 2019, as

amended Feb 2021."

DSL/NDSL
Contact supplier for inventory compliance status
Contact supplier for inventory compliance status
ENCS
Contact supplier for inventory compliance status
IECSC
Contact supplier for inventory compliance status
KECL
Contact supplier for inventory compliance status
Contact supplier for inventory compliance status
Contact supplier for inventory compliance status
AllC
Contact supplier for inventory compliance status
Contact supplier for inventory compliance status

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances **IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing Chemicals Inventory

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

Chemical Safety Report A Chemical Safety Assessment is not required for this substance

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of any hazard and/or precautionary statements referred to under Sections 2-15

H304 - May be fatal if swallowed and enters airways

H315 - Causes skin irritation

H319 - Causes serious eye irritation

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Sk* Skin designation

EGHS / EN Page 15 / 17



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Jan-2025 Revision Number 1.02

ALK-GOSU-01 - Sulfur @ 0.0005% (5ppm) in Synthetic Diesel

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Chronic aquatic toxicity	Calculation method
Acute aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

Environmental Protection Agency

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 08-Jan-2025

EGHS / EN Page 16 / 17



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Jan-2025 Revision Number 1.02

ALK-GOSU-01 - Sulfur @ 0.0005% (5ppm) in Synthetic Diesel

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 Disclaimer

The information in this safety data sheet (SDS) has been prepared with due care and is true and accurate to the best of our knowledge. The user must determine the suitability of the information for its particular purpose, ensure compliance with existing laws and regulations, and be aware that other or additional safety or performance considerations may arise when using, handling and/ or storing the material. The information in this SDS does not purport to be all inclusive or a guarantee as to the properties of the material supplied, and should be used only as a guide. LGC makes no warranties or representations as to the accuracy and completeness of the information contained herein, shall not be held responsible for the suitability of this information for the user's intended purposes or the consequences of such use, and shall not be liable for any damage or loss, howsoever arising, direct or otherwise.

End of Safety Data Sheet

EGHS / EN Page 17 / 17