

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 05-Apr-2022 Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code(s) VHG-PTINF-100

Product Name Titanium Standard: Ti @ 1000 μg/mL in 5% HNO3, tr. HF

Unique Formula Identifier (UFI) G5U5-404R-F001-KUJ5

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Laboratory use

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Supplier

LGC Limited Queens Road Teddington Middlesex TW11 0LY UNITED KINGDOM :+44 (0) 20 8943 7000 Fax :+44 (0) 20 8943 2767 eMail : gb@lgcstandards.com

Web: www.lgcstandards.com

For further information, please contact

E-mail address sds-request@lgcgroup.com

1.4. Emergency telephone number

Emergency Telephone For Hazardous Materials or Dangerous Goods Incident

Spill, Leak, Fire Exposure, or Accident

Call CHEMTREC:

USA & Canada 1-800-424-9300 Rest of the world +1 703-741-5970

Emergency Telephone - §45 - (EC)1	272/2008
Europe	112

EGHS / EN Page 1/20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 05-Apr-2022

Revision Number 1

VHG-PTINF-100 - Titanium Standard: Ti @ 1000 μg/mL in 5% HNO3, tr. HF

No information available
(+352) 8002 5500 Free telephone number with a 24/7 access in French, Dutch and English.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin corrosion/irritation	Category 1 Sub-category B - (H314)
Serious eye damage/eye irritation	Category 1 - (H318)
Corrosive to metals	Category 1 - (H290)

2.2. Label elements



Signal word Danger

Hazard statements

EGHS / EN Page 2/20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Number 1

VHG-PTINF-100 - Titanium Standard: Ti @ 1000 μg/mL in 5% HNO3, tr. HF

H314 - Causes severe skin burns and eye damage

11314 - Causes severe skill bullis and e

H290 - May be corrosive to metals

Precautionary Statements - EU (§28, 1272/2008)

Revision date 05-Apr-2022

P201 - Obtain special instructions before use

P234 - Keep only in original container

P406 - Store in corrosive resistant stainless steel container with a resistant inner liner

P260 - Do not breathe dust/fume/gas/mist/vapours/spray

P280 - Wear protective gloves/protective clothing and eye/face protection

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

2.3. Other hazards

No information available.

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Endocrine Disruptor Information

Chemical name	EU - REACH (1907/2006) - Article 59(1)	EU - REACH (1907/2006) - Endocrine
	- Candidate List of Substances of Very	Disruptor Assessment List of
	High Concern (SVHC) for Authorisation	Substances
Nitric Acid	-	-
Titanium	-	-
hydrofluoric acid	-	-

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical nature aqueous solution.

	Chemical name	Weight-%	REACH registration number	EC No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Ī	Nitric Acid	3 - <5	-	231-714-2	Ox. Liq. 2 (H272)	Ox. Liq. 2 ::		

EGHS / EN Page 3/20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Number 1

Revision date 05-Apr-2022

VHG-PTINF-100 - Titanium Standard: Ti @ 1000 µg/mL in 5% HNO3, tr. HF

7697-37-2				Acute Tox. 3 (H331) Skin Corr. 1A (H314)	C>=99% Ox. Liq. 3 :: C≥65% Skin Corr. 1A :: C>=20% Skin Corr. 1B :: 5%<=C<20%	
Titanium 7440-32-6	0.1 - 1	-	231-142-3	-		
hydrofluoric acid 7664-39-3	0.1 - 1	-	231-634-8	Acute Tox. 2 (H300) Acute Tox. 1 (H310) Acute Tox. 2 (H330) Skin Corr. 1A (H314)	0.1%<=C<1%	

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50 - 4	Inhalation LC50 - 4	Inhalation LC50 - 4
	mg/kg	mg/kg	hour - dust/mist - mg/L	hour - vapour - mg/L	hour - gas - ppm
Nitric Acid	No data	No data available	No data available	2.65	No data available
7697-37-2	available				

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Inhalation Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical

attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel

EGHS / EN Page 4/20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 05-Apr-2022

Revision Number 1

VHG-PTINF-100 - Titanium Standard: Ti @ 1000 µg/mL in 5% HNO3, tr. HF

should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical

advice/attention.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open

while rinsing. Do not rub affected area. Get immediate medical advice/attention.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Get immediate medical advice/attention.

Ingestion Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce

vomiting. Get immediate medical advice/attention.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use

barrier to give mouth-to-mouth resuscitation.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Product is a corrosive material. Use of gastric lavage or emesis is contra-indicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may

occur with moist rales, frothy sputum, and high pulse pressure.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition

can lead to release of irritating gases and vapours.

5.3. Advice for firefighters

EGHS / EN Page 5 / 20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

·

VHG-PTINF-100 - Titanium Standard: Ti @ 1000 µg/mL in 5% HNO3, tr. HF

Revision Number 1

Special protective equipment and precautions for fire-fighters

Revision date 05-Apr-2022

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Attention! Corrosive material. Evacuate personnel to safe

areas. Keep people away from and upwind of spill/leak.

Other information Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so. Should not be released into the

environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning upTake up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated

clothing and wash it before reuse.

General hygiene considerations Regular cleaning of equipment, work area and clothing is recommended. Remove and

wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Wash hands before breaks and

EGHS / EN Page 6/20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 05-Apr-2022

VHG-PTINF-100 - Titanium Standard: Ti @ 1000 µg/mL in 5% HNO3, tr. HF

Revision Number 1

immediately after handling the product. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials. Please refer to the manufacturer's certificate for specific storage and transport temperature conditions. Store only in the original receptacle unless other advice is given on the CoA.

7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Nitric Acid 7697-37-2	-	STEL 1 ppm STEL 2.6 mg/m ³	STEL: 1 ppm STEL: 2.6 mg/m ³	STEL: 1 ppm STEL: 2.6 mg/m ³	STEL: 1 ppm STEL: 2.6 mg/m ³
Titanium 7440-32-6	-	-	-	TWA: 1.0 mg/m ³	-
hydrofluoric acid 7664-39-3	TWA: 1.8 ppm TWA: 1.5 mg/m³ STEL: 3 ppm STEL: 2.5 mg/m³	TWA: 1.8 ppm TWA: 1.5 mg/m³ STEL 3 ppm STEL 2.5 mg/m³ H*	-	STEL: 3 ppm STEL: 2.5 mg/m³ TWA: 1.8 ppm TWA: 1.5 mg/m³	TWA: 1.8 ppm TWA: 1.5 mg/m³ STEL: 3 ppm STEL: 2.5 mg/m³
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Nitric Acid 7697-37-2	STEL: 1 ppm STEL: 2.6 mg/m ³	TWA: 1 mg/m ³ Ceiling: 2.5 mg/m ³	STEL: 1 ppm STEL: 2.6 mg/m ³	STEL: 1 ppm STEL: 2.6 mg/m ³	TWA: 0.5 ppm TWA: 1.3 mg/m ³ STEL: 1 ppm STEL: 2.6 mg/m ³
hydrofluoric acid 7664-39-3	STEL: 3.0 ppm STEL: 2.5 mg/m³ TWA: 1.8 ppm TWA: 1.5 mg/m³	TWA: 1.5 mg/m ³ Ceiling: 2.5 mg/m ³	TWA: 1.8 ppm TWA: 1.5 mg/m ³	TWA: 1.8 ppm TWA: 1.5 mg/m³ STEL: 3 ppm STEL: 2.5 mg/m³	TWA: 1.8 ppm TWA: 1.5 mg/m ³ STEL: 3 ppm STEL: 2.5 mg/m ³ iho*
Chemical name	France	Germany	Germany MAK	Greece	Hungary

EGHS / EN Page 7/20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 05-Apr-2022

Revision Number 1

VHG-PTINF-100 - Titanium Standard: Ti @ 1000 μg/mL in 5% HNO3, tr. HF

Nitric Acid	ST	EL: 1 ppm	TWA: 1 ppm	-	STEL	.: 1 ppm	STEL: 2.6 mg/m ³
7697-37-2		L: 2.6 mg/m ³	TWA: 2.6 mg/m ³			2.6 mg/m ³	
hydrofluoric acid		/A: 1.8 ppm	TWA: 1 ppm	TWA: 1 ppm		: 3 ppm	TWA: 1.5 mg/m ³
7664-39-3		A: 1.5 mg/m ³	TWA: 0.83 mg/m ³	TWA: 0.83 mg/m ³		2.5 mg/m ³	STEL: 2.5 mg/m ³
		EL: 3 ppm	H*	Peak: 2 ppm		_: 3 ppm	*
	STF	L: 2.5 mg/m ³	• • •	Peak: 1.66 mg/m ³	STEL	2.5 mg/m ³	
	OIL	L. 2.5 mg/m		* *	0122.	2.0 mg/m	
Chemical name		Ireland	Italy	Italy REL	La	atvia	Lithuania
Nitric Acid	ST	EL: 1 ppm	STEL: 1 ppm	TWA: 2 ppm		0.78 ppm	STEL: 1 ppm
7697-37-2		L: 2.6 mg/m ³	STEL: 2.6 mg/m ³	TWA: 5.2 mg/m ³		2 mg/m ³	STEL: 2.6 mg/m ³
	0		0 · · · g, · · ·	STEL: 4 ppm		_: 1 ppm	
				STEL: 10.3 mg/m ³		2.6 mg/m ³	
Titanium		_	_			10 mg/m ³	_
7440-32-6					' ' ' ' ' '	10 mg/m	
hydrofluoric acid	TWA	A: 1.5 mg/m ³	TWA: 1.8 ppm	TWA: 0.5 ppm	TWA:	1.8 ppm	TWA: 1.8 ppm
7664-39-3		/A: 1.8 ppm	TWA: 1.5 mg/m ³	TWA: 0.4 mg/m ³		1.5 mg/m ³	TWA: 1.5 mg/m ³
		L: 2.5 mg/m ³	STEL: 3 ppm	*		_: 3 ppm	STEL: 3 ppm
		EL: 3 ppm	STEL: 2.5 mg/m ³	Ceiling: 2 ppm		2.5 mg/m ³	STEL: 2.5 mg/m ³
	01	Sk*	01LL. 2.5 mg/m	Ceiling: 1.6 mg/m ³	0122.	2.0 mg/m	01LL. 2.3 mg/m
Chemical name	Lu	ixembourg	Malta	Netherlands	No	rway	Poland
Nitric Acid		EL: 1 ppm	STEL: 1 ppm	STEL: 1.3 mg/m ³	TWA: 2 ppm		STEL: 2.6 mg/m ³
7697-37-2		L: 2.6 mg/m ³	STEL: 2.6 mg/m ³	OTEL: 1.0 mg/m		5 mg/m ³	TWA: 1.4 mg/m ³
7007 07 2	0.2	L. 2.0 mg/m	0122. 2.0 mg/m			: 4 ppm	1 v v / v. 1. 1 mg/m
						10 mg/m ³	
Titanium		_	_	_	0.22.	-	STEL: 30 mg/m ³
7440-32-6							TWA: 10 mg/m ³
hydrofluoric acid	T2	EL: 3 ppm	STEL: 3 ppm	STEL: 1 mg/m ³	Τ\Λ/Δ · (0.5 mg/m ³	STEL: 2 mg/m ³
7664-39-3		L: 2.5 mg/m ³	STEL: 2.5 mg/m ³	STEE. THIS/III		1.5 mg/m ³	TWA: 0.5 mg/m ³
7004-39-3		/A: 1.8 ppm	TWA: 1.8 ppm			1.8 ppm	TWA. 0.5 mg/m²
		A: 1.5 mg/m ³	TWA: 1.5 mg/m ³			т.о ррпі Н*	
Chemical name		Portugal	Romania	Slovakia		venia	Spain
Nitric Acid		VA: 2 ppm	Nomania	Ceiling: 2.6 mg/m ³		: 1 ppm	STEL: 1 ppm
7697-37-2		EL: 1 ppm	_	Celling. 2.0 mg/m		2.6 mg/m ³	STEL: 1 ppill STEL: 2.6 mg/m ³
7097-37-2	OTF	L: 2.6 mg/m ³				STEL ppm	STEL. 2.6 Hig/III
	SIE	L. 2.6 mg/m³				TEL mg/m ³	
Titourious			T\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		SIEL. S	TEL Mg/m²	
Titanium 7440-32-6		-	TWA: 10 mg/m ³ STEL: 15 mg/m ³	_		-	-
hydrofluoric acid	T\1	/A: 1.8 ppm	TWA: 1.8 ppm	TWA: 1.8 ppm	TWA: 1.8 ppm		TWA: 1.8 ppm
7664-39-3		A: 1.5 mg/m ³	TWA: 1.5 mg/m ³	TWA: 1.6 ppm TWA: 1.5 mg/m ³		1.6 ppm 1.5 mg/m³	TWA: 1.6 ppm TWA: 1.5 mg/m ³
7004-39-3						STEL ppm	
		EL: 3 ppm	STEL: 3 ppm	Ceiling: 2.5 mg/m ³			STEL: 3 ppm
		L: 2.5 mg/m ³	STEL: 2.5 mg/m ³		JOIEL: S	TEL mg/m³	STEL: 2.5 mg/m ³
	Cel	iling: 2 ppm P*					
Chemical name		•	weden	Switzerland		Ini	ted Kingdom
Nitric Acid		NGV/	: 0.5 ppm	TWA: 2 ppm		2	TEL: 1 ppm

EGHS / EN Page 8/20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 05-Apr-2022

Revision Number 1

VHG-PTINF-100 - Titanium Standard: Ti @ 1000 μg/mL in 5% HNO3, tr. HF

	Bindande KGV: 1 ppm Bindande KGV: 2.6 mg/m ³	STEL: 2 ppm STEL: 5 mg/m³	
hydrofluoric acid	NGV: 1.8 ppm	TWA: 1 ppm	TWA: 1.8 ppm
7664-39-3	NGV: 1.5 mg/m ³	TWA: 0.83 mg/m ³	TWA: 1.5 mg/m ³
	Bindande KGV: 2 ppm	STEL: 2 ppm	STEL: 3 ppm
	Bindande KGV: 1.7 mg/m ³	STEL: 1.66 mg/m ³	STEL: 2.5 mg/m ³

Biological occupational exposure limits

Chemical name	European Union		Austria	Bulg	garia	Croatia		Czech Republic
hydrofluoric acid	-		-		-	8.0 mg/g Creat	inine	-
7664-39-3						- urine (Fluorid		
						at the end of		
						work shift		
						4.0 mg/g Creat		
						- urine (Fluorid		
						before the star		
						the work shift in		
Ob	Danasadi		Finds and	Г		middle of the w	veek	0
Chemical name	Denmark		Finland	Fra		Germany		Germany
hydrofluoric acid	-		-	3 mg/g cr				7.0 mg/g Creatinine
7664-39-3					uorides) -	l '	e ena	(urine - Fluoride end
				10 mg/g c	g of shift	of shift)	inina	of shift) 4.0 mg/g Creatinine
					uorides) -	(urine - Fluori		(urine - Fluoride
					of shift	before beginnir		before beginning of
				l Glid C	n Sillit	next shift)	ig oi	next shift)
						4 mg/L - BAT (end	l loxt Stillt)
						of exposure or		
						of shift) urin		
Chemical name	Hungary		Irelan	d		Italy		Italy REL
hydrofluoric acid	7 mg/g Creatinine (ui	rine -	-			-	2 mg	g/g Creatinine - urine
7664-39-3	Fluoride end of shi							orides) - prior to shift
	4 mg/g Creatinine (ui							g/g Creatinine - urine
	Fluoride prior to ne	ext					(Flu	orides) - end of shift
	shift)							
	42 µmol/mmol Creati							
	(urine - Fluoride end	d of						
	shift)							
	24 µmol/mmol Creati							
	(urine - Fluoride pric	or to						
Ob 2002 2010 2010	next shift)		1		1			Oleverkie
Chemical name	Latvia		Luxembo	ourg	R	omania	7 m -	Slovakia
hydrofluoric acid	-		-			-	l i iuc	g/g creatinine (urine -

EGHS / EN Page 9/20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 05-Apr-2022

Revision Number 1

VHG-PTINF-100 - Titanium Standard: Ti @ 1000 μg/mL in 5% HNO3, tr. HF

7664-39-3				Fluoride end of exposure or work shift) 4 mg/g creatinine (urine - Fluoride prior to shift)
Chemical name	Slovenia	Spain	Switzerland	United Kingdom
hydrofluoric acid 7664-39-3	7.0 mg/g Creatinine - urine (Fluoride) - at the end of the work shift 4.0 mg/g Creatinine - urine () - before the next working day	2 mg/L (urine - Fluorides pre-shift) 3 mg/L (urine - Fluorides end of shift)	4 mg/L (urine - Fluoride end of shift)	-

Derived No Effect Level (DNEL)
Predicted No Effect Concentration
(PNEC)

No information available. No information available.

8.2. Exposure controls

Personal protective equipment

Eye/face protection Tight sealing safety goggles. Face protection shield. Avoid contact with eyes. Wear safety

glasses with side shields (or goggles).

Hand protection Wear suitable gloves. Impervious gloves. The protective gloves to be used must comply

with the specifications of EC Directive 89/686/EEC and the related standard EN374. Wear

protective Neoprene™ gloves.

Skin and body protectionLong sleeved clothing. Chemical resistant apron. Wear suitable protective clothing.

Respiratory protectionNo protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Regular cleaning of equipment, work area and clothing is recommended. Remove and

wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work.

Wear suitable gloves and eye/face protection.

Environmental exposure controls Do not allow into any sewer, on the ground or into any body of water.

SECTION 9: Physical and chemical properties

EGHS / EN Page 10/20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

VHG-PTINF-100 - Titanium Standard: Ti @ 1000 µg/mL in 5% HNO3, tr. HF

Revision Number 1

9.1. Information on basic physical and chemical properties

Physical state Liquid **Appearance** Liquid Colour colourless Odour Odourless.

Revision date 05-Apr-2022

Odour threshold No information available

Remarks • Method Property Values

No data available Melting point / freezing point None known Initial boiling point and boiling No data available None known

range

No data available None known **Flammability** None known

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Flash point No data available None known **Autoignition temperature** No data available None known **Decomposition temperature** None known

pН No data available None known pH (as aqueous solution) No data available No information available

Kinematic viscosity No data available None known **Dynamic viscosity** No data available None known Water solubility No data available None known Solubility(ies) No data available None known No data available **Partition coefficient** None known No data available Vapour pressure None known No data available None known

Relative density **Bulk density** No data available **Liquid Density** No data available

No data available Relative vapour density None known

Particle characteristics

No information available **Particle Size Particle Size Distribution** No information available

9.2. Other information

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

EGHS / EN Page 11/20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 05-Apr-2022

Revision Number 1

VHG-PTINF-100 - Titanium Standard: Ti @ 1000 μg/mL in 5% HNO3, tr. HF

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None. **Sensitivity to static discharge** None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Exposure to air or moisture over prolonged periods.

10.5. Incompatible materials

Incompatible materials Oxidising agent. Acids. Bases.

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. Corrosive by inhalation.

(based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs.

Pulmonary edema can be fatal.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye

damage. (based on components). Corrosive to the eyes and may cause severe damage

including blindness. May cause irreversible damage to eyes.

Skin contact Specific test data for the substance or mixture is not available. Corrosive. (based on

components). Causes burns.

EGHS / EN Page 12/20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 05-Apr-2022

Revision Number 1

VHG-PTINF-100 - Titanium Standard: Ti @ 1000 μg/mL in 5% HNO3, tr. HF

Ingestion

Specific test data for the substance or mixture is not available. Causes burns. (based on components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. Burning. May cause blindness. Coughing and/ or wheezing.

Numerical measures of toxicity

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 5,010.00 mg/kg
ATEmix (dermal) 5,000.00 mg/kg
ATEmix (inhalation-dust/mist) 50.10 mg/l
ATEmix (inhalation-vapour) 58.90 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Nitric Acid			= 2500 ppm (Rat) 1 h
			ATE (vapours) = 2.65 mg/L

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes severe skin burns and eye

damage.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye damage. Causes

burns.

Respiratory or skin sensitisation No information available.

Germ cell mutagenicity No information available.

EGHS / EN Page 13/20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 05-Apr-2022

Revision Number 1

VHG-PTINF-100 - Titanium Standard: Ti @ 1000 µg/mL in 5% HNO3, tr. HF

Carcinogenicity No information available.

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposureNo information available.

Aspiration hazard No information available.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Unknown aquatic toxicity Contains 0 % of components w

Contains 0 % of components with unknown hazards to the aquatic environment.

1	Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
				microorganisms	
Ī	hydrofluoric acid	-	-	-	EC50: =270mg/L (48h,
					Daphnia species)

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

EGHS / EN Page 14/20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 05-Apr-2022

Revision Number 1

VHG-PTINF-100 - Titanium Standard: Ti @ 1000 μg/mL in 5% HNO3, tr. HF

Component Information

Component information		
Chemical name	Partition coefficient	
Nitric Acid	-2.3	
hydrofluoric acid	-1.4	

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

Chemical name	PBT and vPvB assessment
Nitric Acid	The substance is not PBT / vPvB PBT assessment does
	not apply
Titanium	The substance is not PBT / vPvB PBT assessment does
	not apply
hydrofluoric acid	The substance is not PBT / vPvB PBT assessment does
	not apply

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

SECTION 14: Transport information

ΙΑΤΑ

14.1 UN number or ID number UN3264

EGHS / EN Page 15/20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

VHG-PTINF-100 - Titanium Standard: Ti @ 1000 µg/mL in 5% HNO3, tr. HF

Revision Number 1

14.2 UN proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid, hydrofluoric acid)

14.3 Transport hazard class(es) 14.4 Packing group Ш

UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid, hydrofluoric acid), 8, III Description

14.5 Environmental hazards Not applicable

Revision date 05-Apr-2022

14.6 Special precautions for user

Special Provisions A3, A803 **ERG Code**

IMDG

14.1 UN number or ID number UN3264

14.2 UN proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid, hydrofluoric acid)

14.3 Transport hazard class(es) 14.4 Packing group

Description UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid, hydrofluoric acid), 8, III

14.5 Marine pollutant NP

14.6 Special precautions for user

Special Provisions 223, 274

EmS-No F-A, S-B No information available

14.7 Maritime transport in bulk according to IMO instruments

RID

14.1 UN number or ID number UN3264

14.2 UN proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid, hydrofluoric acid)

No information available

14.3 Transport hazard class(es) 14.4 Packing group Ш

Description UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid, hydrofluoric acid), 8, III

Not applicable 14.5 Environmental hazards

14.6 Special precautions for user

Special Provisions 274 Classification code C1

ADR

14.1 UN number or ID number UN3264

14.2 UN proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid, hydrofluoric acid)

14.3 Transport hazard class(es) 14.4 Packing group

Description UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid, hydrofluoric acid), 8, III, (E)

14.5 Environmental hazards Not applicable

14.6 Special precautions for user

Special Provisions 274 Classification code C1 **Tunnel restriction code** (E)

SECTION 15: Regulatory information

EGHS / EN Page 16/20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 05-Apr-2022

Revision Number 1

VHG-PTINF-100 - Titanium Standard: Ti @ 1000 µg/mL in 5% HNO3, tr. HF

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number	Title
hydrofluoric acid	RG 32	-
7664-39-3		

Water hazard class (WGK)

slightly hazardous to water (WGK 1)

Poland

SDS created according to the following Polish regulation: Act of February 25, 2011 on chemical substances and their mixtures (Journal of Laws of 2018, item 143, as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing the European Chemicals Agency (EC) as amended. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labeling and packaging of substances and mixtures, as amended. Regulation of the Minister of Health of 10 August 2012 on the criteria and method of classifying chemical substances and their mixtures (Journal of Laws of 2012, item 1018). Regulation of the Minister of Health of 20 April 2012 on labeling packaging of hazardous substances and mixtures and some mixtures (Journal of Laws of 2012, item 445). Regulation of the Minister of Family, Labor and Social Policy of 12 June 2018 on the maximum allowable concentrations and intensities of factors harmful to health in the work environment (Journal of Laws of 2018, item 1286). Announcement of the Minister of Economy, Labor and Social Policy of August 28, 2003 on the publication of the unified text of the Ordinance of the Minister of Labor and Social Policy on general health and safety at work regulations (Journal of Laws of 2003, No. 169, item 1650) . Regulation of the Minister of Health of 30 December 2004 on occupational safety and health related to the presence of chemical agents in the workplace (Journal of Laws of 2005, No. 11, item 86). Act of December 14, 2012 on waste (Journal of Laws of 2013, item 21) Regulation of the Minister of Health of December 30, 2004 on occupational health and safety related to the presence of chemical agents in the workplace (Journal U. of 2005, No. 11, item 86). Waste Act of December 14, 2012 (Journal of Laws of 2013, item 21). Act of 13 June 2013 on the management of packaging and packaging waste, Journal of Laws 2013, item 888). Government statement of September 24, 2002 - European Agreement on the International Carriage of Dangerous Goods by Road (ADR) (Journal of Laws No. 194, item 1629 and Journal of Laws of 2003, No. 207, item 2013 and 2014).

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

EGHS / EN Page 17/20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 05-Apr-2022

Revision Number 1

VHG-PTINF-100 - Titanium Standard: Ti @ 1000 μg/mL in 5% HNO3, tr. HF

Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

DIRECTIVE (EU) 2021/1187 on the marketing and use of explosives precursors

Product contains: Restricted explosives precursors. Making available, introduction, possession and use according to Regulation (EU) 2019/1148, Article 5 (1) and (3)

Chemical name	RESTRICTED EXPLOSIVES PRECURSORS - ANNEX I	REPORTABLE EXPLOSIVES PRECURSORS - ANNEX II
Nitric Acid - 7697-37-2	3 %w/w	-

Persistent Organic Pollutants

Not applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

International Inventories

TSCA Contact supplier for inventory compliance status **DSL/NDSL** Contact supplier for inventory compliance status Contact supplier for inventory compliance status **EINECS/ELINCS ENCS** Contact supplier for inventory compliance status Contact supplier for inventory compliance status **IECSC** Contact supplier for inventory compliance status KECL Contact supplier for inventory compliance status **PICCS** Contact supplier for inventory compliance status AIIC

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

EGHS / EN Page 18/20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

VHG-PTINF-100 - Titanium Standard: Ti @ 1000 μg/mL in 5% HNO3, tr. HF

Revision Number 1

Chemical Safety Report

A Chemical Safety Assessment has been carried out for this substance

SECTION 16: Other information

Revision date 05-Apr-2022

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H272 - May intensify fire; oxidiser

H300 - Fatal if swallowed

H310 - Fatal in contact with skin

H314 - Causes severe skin burns and eye damage

H330 - Fatal if inhaled

H331 - Toxic if inhaled

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL (Short Term Exposure Limit) STEL

Ceiling Maximum limit value Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - gas Acute inhalation toxicity - Vapour	Calculation method
Acute inhalation toxicity - vapour Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	On basis of test data
Serious eye damage/eye irritation	On basis of test data
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	On basis of test data
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method
Corrosive to metals	On basis of test data

EGHS / EN Page 19/20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 05-Apr-2022

Revision Number 1

VHG-PTINF-100 - Titanium Standard: Ti @ 1000 µg/mL in 5% HNO3, tr. HF

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date

05-Apr-2022

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 Disclaimer

The information in this safety data sheet (SDS) has been prepared with due care and is true and accurate to the best of our knowledge. The user must determine the suitability of the information for its particular purpose, ensure compliance with existing laws and regulations, and be aware that other or additional safety or performance considerations may arise when using, handling and/ or storing the material. The information in this SDS does not purport to be all inclusive or a guarantee as to the properties of the material supplied, and should be used only as a guide. LGC makes no warranties or representations as to the accuracy and completeness of the information contained herein, shall not be held responsible for the suitability of this information for the user's intended purposes or the consequences of such use, and shall not be liable for any damage or loss, howsoever arising, direct or otherwise.

End of Safety Data Sheet

EGHS / EN Page 20/20