



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 24-Apr-2024

Revision Number 1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product Code(s)	VHG-PTEN-250
Product Name	Tellurium Standard: Te @ 1000 µg/mL in 5% HNO <sub>3</sub>
Form	Not applicable
Pure substance/mixture	Mixture

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use	Laboratory use
Uses advised against	No information available

### 1.3. Details of the supplier of the safety data sheet

#### Supplier

LGC Limited  
Queens Road  
Teddington  
Middlesex TW11 0LY  
UNITED KINGDOM  
:+44 (0) 20 8943 7000  
Fax :+44 (0) 20 8943 2767  
eMail : gb@lgcstandards.com

Web : [www.lgcstandards.com](http://www.lgcstandards.com)

For further information, please contact

E-mail address	sds-request@lgcgroup.com
----------------	--------------------------

### 1.4. Emergency telephone number

Emergency Telephone	For Hazardous Materials or Dangerous Goods Incident Spill, Leak, Fire Exposure, or Accident Call CHEMTREC: USA & Canada 1-800-424-9300 Rest of the world +1 703-741-5970
---------------------	--

Emergency Telephone - §45 - (EC)1272/2008
---

Europe	112
--------	-----



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 24-Apr-2024

Revision Number 1

**VHG-PTEN-250 - Tellurium Standard: Te @ 1000 µg/mL in 5% HNO<sub>3</sub>**

Austria	No information available
Bulgaria	
Croatia	
Cyprus	
Czech Republic	
Denmark	
France	
Hungary	
Ireland	
Italy	
Lithuania	
Luxembourg	
Netherlands	
Norway	
Portugal	
Romania	
Slovakia	
Slovenia	
Spain	
Sweden	
Switzerland	

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification according to  
Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 1 - (H318)
Corrosive to metals	Category 1 - (H290)

### 2.2. Label elements



Signal word  
Danger



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 24-Apr-2024

Revision Number 1

## VHG-PTEN-250 - Tellurium Standard: Te @ 1000 µg/mL in 5% HNO<sub>3</sub>

### Hazard statements

H315 - Causes skin irritation  
H318 - Causes serious eye damage  
H290 - May be corrosive to metals  
EUH208 - Contains Tellurium May produce an allergic reaction.  
EUH071 - Corrosive to the respiratory tract

### Precautionary Statements - EU (§28, 1272/2008)

P264 - Wash face, hands and any exposed skin thoroughly after handling  
P280 - Wear protective gloves and eye/face protection  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P310 - Immediately call a POISON CENTER or doctor  
P390 - Absorb spillage to prevent material damage  
P201 - Obtain special instructions before use  
P234 - Keep only in original container  
P406 - Store in corrosive resistant stainless steel container with a resistant inner liner

### 2.3. Other hazards

No information available.

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors.

Chemical name	EU - REACH (1907/2006) - Article 59(1) - Candidate List of Substances of Very High Concern (SVHC) for Authorisation	EU - REACH (1907/2006) - Endocrine Disruptor Assessment List of Substances
Nitric Acid	-	-
Tellurium	-	-

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not applicable

### 3.2 Mixtures

**Chemical nature** aqueous solution.

Chemical name	Weight-%	REACH registration number	EC No (EU Index No)	Classification according to Regulation (EC) No.	Specific concentration	M-Factor	M-Factor (long-term)
---------------	----------	---------------------------	---------------------	---	------------------------	----------	----------------------



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 24-Apr-2024

Revision Number 1

## VHG-PTEN-250 - Tellurium Standard: Te @ 1000 µg/mL in 5% HNO<sub>3</sub>

				1272/2008 [CLP]	limit (SCL)		
Nitric Acid 7697-37-2	3 - <5	-	231-714-2	Met. Corr. 1 (H290) Ox. Liq. 2 (H272) Acute Tox. 3 (H331) Skin Corr. 1A (H314) (EUH071)	Ox. Liq. 2 :: C>=99% Ox. Liq. 3 :: C>=65% Skin Corr. 1A :: C>=20% Skin Corr. 1B :: 5%<=C<20%		
Tellurium 13494-80-9	0.1 - 1	-	236-813-4 (052-001-00 -0)	Acute Tox. 3 (H301) Acute Tox. 4 (H332) Skin Sens. 1B (H317) Repr. 1B (H360Df) Lact. (H362) Aquatic Chronic 4 (H413)			

**Full text of H- and EUH-phrases: see section 16**

### Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Nitric Acid 7697-37-2	No data available	No data available	No data available	2.65	No data available
Tellurium 13494-80-9	83	No data available	No data available	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 24-Apr-2024

Revision Number 1

## VHG-PTEN-250 - Tellurium Standard: Te @ 1000 µg/mL in 5% HNO<sub>3</sub>

---

Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get immediate medical attention.
Skin contact	Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a doctor.
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms	Burning sensation.
----------	--------------------

### 4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors	Treat symptomatically.
-----------------	------------------------

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
------------------------------	---

Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.
------------	--

Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.
--------------------------------	---

### 5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	No information available.
--	---------------------------

### 5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
--	--

## SECTION 6: Accidental release measures

---



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 24-Apr-2024

Revision Number 1

**VHG-PTEN-250 - Tellurium Standard: Te @ 1000 µg/mL in 5% HNO<sub>3</sub>**

---

## 6.1. Personal precautions, protective equipment and emergency procedures

<b>Personal precautions</b>	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required.
<b>Other information</b>	Refer to protective measures listed in Sections 7 and 8.
<b>For emergency responders</b>	Use personal protection recommended in Section 8.

## 6.2. Environmental precautions

<b>Environmental precautions</b>	Prevent further leakage or spillage if safe to do so.
----------------------------------	---

## 6.3. Methods and material for containment and cleaning up

<b>Methods for containment</b>	Prevent further leakage or spillage if safe to do so.
<b>Methods for cleaning up</b>	Take up mechanically, placing in appropriate containers for disposal.
<b>Prevention of secondary hazards</b>	Clean contaminated objects and areas thoroughly observing environmental regulations.

## 6.4. Reference to other sections

<b>Reference to other sections</b>	See section 8 for more information. See section 13 for more information.
------------------------------------	--

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

<b>Advice on safe handling</b>	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse.
<b>General hygiene considerations</b>	Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection. Regular cleaning of equipment, work area and clothing is recommended.

### 7.2. Conditions for safe storage, including any incompatibilities

<b>Storage Conditions</b>	Please refer to the manufacturer's certificate for specific storage and transport temperature conditions. Store only in the original receptacle unless other advice is given on the CoA. Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials.
---------------------------	---



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 24-Apr-2024

Revision Number 1

VHG-PTEN-250 - Tellurium Standard: Te @ 1000 µg/mL in 5% HNO<sub>3</sub>

## 7.3. Specific end use(s)

**Risk Management Methods (RMM)** The information required is contained in this Safety Data Sheet.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure Limits

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Nitric Acid 7697-37-2	-	STEL 1 ppm STEL 2.6 mg/m <sup>3</sup>	STEL: 1 ppm STEL: 2.6 mg/m <sup>3</sup>	STEL: 1 ppm STEL: 2.6 mg/m <sup>3</sup>	STEL: 1 ppm STEL: 2.6 mg/m <sup>3</sup>
Tellurium 13494-80-9	-	TWA: 0.1 mg/m <sup>3</sup> STEL 0.5 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Nitric Acid 7697-37-2	STEL: 1 ppm STEL: 2.6 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> Ceiling: 2.5 mg/m <sup>3</sup>	STEL: 1 ppm STEL: 2.6 mg/m <sup>3</sup>	STEL: 1 ppm STEL: 2.6 mg/m <sup>3</sup>	TWA: 0.5 ppm TWA: 1.3 mg/m <sup>3</sup> STEL: 1 ppm STEL: 2.6 mg/m <sup>3</sup>
Tellurium 13494-80-9	-	TWA: 0.1 mg/m <sup>3</sup> Ceiling: 0.5 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup> STEL: 0.2 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup> STEL: 0.3 mg/m <sup>3</sup>
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
Nitric Acid 7697-37-2	STEL: 1 ppm STEL: 2.6 mg/m <sup>3</sup>	TWA: 1 ppm TWA: 2.6 mg/m <sup>3</sup>	-	STEL: 1 ppm STEL: 2.6 mg/m <sup>3</sup>	STEL: 2.6 mg/m <sup>3</sup> STEL: 1 ppm
Tellurium 13494-80-9	TWA: 0.1 mg/m <sup>3</sup>	-	-	TWA: 0.1 mg/m <sup>3</sup>	-
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
Nitric Acid 7697-37-2	STEL: 1 ppm STEL: 2.6 mg/m <sup>3</sup>	STEL: 1 ppm STEL: 2.6 mg/m <sup>3</sup>	TWA: 2 ppm TWA: 5.2 mg/m <sup>3</sup> STEL: 4 ppm STEL: 10.3 mg/m <sup>3</sup>	TWA: 0.78 ppm TWA: 2 mg/m <sup>3</sup> STEL: 1 ppm STEL: 2.6 mg/m <sup>3</sup>	STEL: 1 ppm STEL: 2.6 mg/m <sup>3</sup>
Tellurium 13494-80-9	TWA: 0.1 mg/m <sup>3</sup> STEL: 0.3 mg/m <sup>3</sup>	-	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.01 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
Nitric Acid 7697-37-2	STEL: 1 ppm STEL: 2.6 mg/m <sup>3</sup>	STEL: 1 ppm STEL: 2.6 mg/m <sup>3</sup>	STEL: 0.5 ppm STEL: 1.3 mg/m <sup>3</sup>	TWA: 2 ppm TWA: 5 mg/m <sup>3</sup> STEL: 4 ppm STEL: 10 mg/m <sup>3</sup>	TWA: 1.4 mg/m <sup>3</sup> STEL: 2.6 mg/m <sup>3</sup>
Tellurium 13494-80-9	-	-	-	TWA: 0.1 mg/m <sup>3</sup> STEL: 0.3 mg/m <sup>3</sup>	TWA: 0.01 mg/m <sup>3</sup> STEL: 0.03 mg/m <sup>3</sup>



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 24-Apr-2024

Revision Number 1

## VHG-PTEN-250 - Tellurium Standard: Te @ 1000 µg/mL in 5% HNO<sub>3</sub>

Chemical name	Portugal	Romania	Slovakia	Slovenia	Spain
Nitric Acid 7697-37-2	TWA: 2 ppm STEL: 1 ppm STEL: 2.6 mg/m <sup>3</sup>	STEL: 1 ppm STEL: 2.6 mg/m <sup>3</sup>	Ceiling: 2.6 mg/m <sup>3</sup>	TWA: 1 ppm TWA: 2.6 mg/m <sup>3</sup> STEL: 1 ppm STEL: 2.6 mg/m <sup>3</sup>	STEL: 1 ppm STEL: 2.6 mg/m <sup>3</sup>
Tellurium 13494-80-9	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup> STEL: 0.15 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	-	TWA: 0.1 mg/m <sup>3</sup>
Chemical name	Sweden		Switzerland		United Kingdom
Nitric Acid 7697-37-2	NGV: 0.5 ppm NGV: 1.3 mg/m <sup>3</sup> Bindande KGV: 1 ppm Bindande KGV: 2.6 mg/m <sup>3</sup>		TWA: 2 ppm TWA: 5 mg/m <sup>3</sup> STEL: 2 ppm STEL: 5 mg/m <sup>3</sup>		STEL: 1 ppm STEL: 2.6 mg/m <sup>3</sup>
Tellurium 13494-80-9	NGV: 0.1 mg/m <sup>3</sup>		TWA: 0.1 mg/m <sup>3</sup> STEL: 0.2 mg/m <sup>3</sup>		TWA: 0.1 mg/m <sup>3</sup> STEL: 0.3 mg/m <sup>3</sup>

### Biological occupational exposure limits

Chemical name	Latvia	Luxembourg	Romania	Slovakia
Tellurium 13494-80-9	-	-	20 µg/L - urine (Tellurium) - end of shift	-

**Derived No Effect Level (DNEL)** No information available.  
**Predicted No Effect Concentration (PNEC)** No information available.

### 8.2. Exposure controls

#### Personal protective equipment

**Eye/face protection** Avoid contact with eyes. Wear safety glasses with side shields (or goggles). Tight sealing safety goggles.

**Hand protection** Wear protective Neoprene™ gloves. The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374. Wear suitable gloves. Impervious gloves.

**Skin and body protection** Wear suitable protective clothing. Long sleeved clothing.

**Respiratory protection** No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.





# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 24-Apr-2024

Revision Number 1

## VHG-PTEN-250 - Tellurium Standard: Te @ 1000 µg/mL in 5% HNO<sub>3</sub>

**General hygiene considerations** Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection. Regular cleaning of equipment, work area and clothing is recommended.

**Environmental exposure controls** Do not allow into any sewer, on the ground or into any body of water.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Liquid
Colour	colourless
Odour	Odourless.
Odour threshold	No information available

Property	Values	Remarks • Method
Melting point / freezing point	No data available	None known
Initial boiling point and boiling range	No data available	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Flash point	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature		None known
pH	No data available	None known
pH (as aqueous solution)	No data available	No information available
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Vapour pressure	No data available	None known
Relative density	No data available	None known
Bulk density	No data available	
Liquid Density	No data available	
Relative vapour density	No data available	None known
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	

#### 9.2. Other information



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 24-Apr-2024

Revision Number 1

## VHG-PTEN-250 - Tellurium Standard: Te @ 1000 µg/mL in 5% HNO<sub>3</sub>

9.2.1. Information with regards to physical hazard classes  
Not applicable

9.2.2. Other safety characteristics  
No information available

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Reactivity No information available.

#### 10.2. Chemical stability

Stability Stable under normal conditions.

#### Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

#### 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

#### 10.4. Conditions to avoid

Conditions to avoid Exposure to air or moisture over prolonged periods.

#### 10.5. Incompatible materials

Incompatible materials Oxidising agent. Strong acids. Strong bases.

Hazardous decomposition products None known based on information supplied.

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Information on likely routes of exposure

#### Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye damage.



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 24-Apr-2024

Revision Number 1

## VHG-PTEN-250 - Tellurium Standard: Te @ 1000 µg/mL in 5% HNO<sub>3</sub>

### Skin contact

May cause irreversible damage to eyes.

Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components).

### Ingestion

Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

### Symptoms related to the physical, chemical and toxicological characteristics

#### Symptoms

Redness. Burning. May cause blindness. May cause redness and tearing of the eyes.

### Numerical measures of toxicity

#### Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	83,000.00 mg/kg
ATEmix (dermal)	99,999.00 mg/kg
ATEmix (inhalation-gas)	99,999.00 ppm
ATEmix (inhalation-dust/mist)	99,999.00 mg/l
ATEmix (inhalation-vapour)	66.70 mg/l

#### Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Nitric Acid			= 2500 ppm ( Rat ) 1 h ATE (vapours) = 2.65 mg/L
Tellurium	> 5 g/kg (Rat)		> 2.42 mg/L ( Rat ) 4 h

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### Skin corrosion/irritation

Classification based on data available for ingredients. Causes skin irritation.

#### Serious eye damage/eye irritation

Classification based on data available for ingredients. Causes burns. Causes serious eye damage.

#### Respiratory or skin sensitisation

No information available.

#### Germ cell mutagenicity

No information available.



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 24-Apr-2024

Revision Number 1

**VHG-PTEN-250 - Tellurium Standard: Te @ 1000 µg/mL in 5% HNO<sub>3</sub>**

**Carcinogenicity** No information available.

**Reproductive toxicity** No information available.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as reproductive toxins.

Chemical name	European Union
Tellurium	Repr. 1B Lact.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Aspiration hazard** No information available.

## 11.2. Information on other hazards

### 11.2.1. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

### 11.2.2. Other information

**Other adverse effects** No information available.

## **SECTION 12: Ecological information**

### 12.1. Toxicity

**Ecotoxicity** The environmental impact of this product has not been fully investigated.

**Unknown aquatic toxicity** Contains 0 % of components with unknown hazards to the aquatic environment.

### 12.2. Persistence and degradability

**Persistence and degradability** No information available.



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 24-Apr-2024

Revision Number 1

## VHG-PTEN-250 - Tellurium Standard: Te @ 1000 µg/mL in 5% HNO<sub>3</sub>

### 12.3. Bioaccumulative potential

**Bioaccumulation** There is no data for this product.

#### Component Information

Chemical name	Partition coefficient
Nitric Acid	-2.3

### 12.4. Mobility in soil

**Mobility in soil** No information available.

### 12.5. Results of PBT and vPvB assessment

**PBT and vPvB assessment** No information available.

Chemical name	PBT and vPvB assessment
Nitric Acid	The substance is not PBT / vPvB
Tellurium	PBT assessment does not apply

### 12.6. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

### 12.7. Other adverse effects

No information available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**Waste from residues/unused products** Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

## SECTION 14: Transport information

#### IATA

14.1 UN number or ID number

UN3264

14.2 UN proper shipping name

Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 24-Apr-2024

Revision Number 1

## VHG-PTEN-250 - Tellurium Standard: Te @ 1000 µg/mL in 5% HNO<sub>3</sub>

14.3 Transport hazard class(es)	8
14.4 Packing group	III
Description	UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	A3, A803
ERG Code	8L

### IMDG

14.1 UN number or ID number	UN3264
14.2 UN proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)
14.3 Transport hazard class(es)	8
14.4 Packing group	III
Description	UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III
14.5 Marine pollutant	NP
14.6 Special precautions for user	
Special Provisions	223, 274
EmS-No.	F-A, S-B No information available
14.7 Maritime transport in bulk according to IMO instruments	No information available

### RID

14.1 UN number or ID number	UN3264
14.2 UN proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)
14.3 Transport hazard class(es)	8
14.4 Packing group	III
Description	UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	274
Classification code	C1

### ADR

14.1 UN number or ID number	UN3264
14.2 UN proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)
14.3 Transport hazard class(es)	8
14.4 Packing group	III
Description	UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III, (E)
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	274
Classification code	C1
Tunnel restriction code	(E)

## SECTION 15: Regulatory information



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 24-Apr-2024

Revision Number 1

VHG-PTEN-250 - Tellurium Standard: Te @ 1000 µg/mL in 5% HNO<sub>3</sub>

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### National regulations

#### Germany

Water hazard class (WGK) slightly hazardous to water (WGK 1)  
TA Luft (German Air Pollution Control Regulation)

#### Netherlands

Chemical name	Netherlands - List of Carcinogens	Netherlands - List of Carcinogens	Netherlands - List of Reproductive Toxins
Tellurium	-	-	Development Category 1B Fertility Category 2 Can be harmful via breastfeeding

#### Poland

SDS created according to the following Polish regulation: Act of February 25, 2011 on chemical substances and their mixtures (Journal of Laws of 2018, item 143, as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing the European Chemicals Agency (EC) as amended. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labeling and packaging of substances and mixtures, as amended. Regulation of the Minister of Health of 10 August 2012 on the criteria and method of classifying chemical substances and their mixtures (Journal of Laws of 2012, item 1018). Regulation of the Minister of Health of 20 April 2012 on labeling packaging of hazardous substances and mixtures and some mixtures (Journal of Laws of 2012, item 445). Regulation of the Minister of Family, Labor and Social Policy of 12 June 2018 on the maximum allowable concentrations and intensities of factors harmful to health in the work environment (Journal of Laws of 2018, item 1286). Announcement of the Minister of Economy, Labor and Social Policy of August 28, 2003 on the publication of the unified text of the Ordinance of the Minister of Labor and Social Policy on general health and safety at work regulations (Journal of Laws of 2003, No. 169, item 1650). Regulation of the Minister of Health of 30 December 2004 on occupational safety and health related to the presence of chemical agents in the workplace (Journal of Laws of 2005, No. 11, item 86). Act of December 14, 2012 on waste (Journal of Laws of 2013, item 21) Regulation of the Minister of Health of December 30, 2004 on occupational health and safety related to the presence of chemical agents in the workplace (Journal U. of 2005, No. 11, item 86). Waste Act of December 14, 2012 (Journal of Laws of 2013, item 21). Act of 13 June 2013 on the



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 24-Apr-2024

Revision Number 1

## VHG-PTEN-250 - Tellurium Standard: Te @ 1000 µg/mL in 5% HNO<sub>3</sub>

management of packaging and packaging waste, Journal of Laws 2013, item 888).  
Government statement of September 24, 2002 - European Agreement on the  
International Carriage of Dangerous Goods by Road (ADR) (Journal of Laws No. 194,  
item 1629 and Journal of Laws of 2003, No. 207, item 2013 and 2014).

### European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

### Authorisations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

### DIRECTIVE (EU) 2021/1187 on the marketing and use of explosives precursors

Product contains: Restricted explosives precursors. Making available, introduction, possession and use according to Regulation (EU) 2019/1148, Article 5 (1) and (3)

Chemical name	RESTRICTED EXPLOSIVES PRECURSORS - ANNEX I	REPORTABLE EXPLOSIVES PRECURSORS - ANNEX II
Nitric Acid - 7697-37-2	3 %w/w	-

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV
Nitric Acid - 7697-37-2	75.	
Tellurium - 13494-80-9	75. 30.	

### Persistent Organic Pollutants

Not applicable

### Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

### International Inventories

#### TSCA

LGC, to the best of its ability, has confirmed that the chemical substances in this product are listed as "Active" in the EPA (Environmental Protection Agency) "TSCA Inventory Notification (Active-Inactive) Requirements Rule" ("the Final Rule") of Feb 2019, as amended Feb 2021."

#### DSL/NDSL

Contact supplier for inventory compliance status

#### EINECS/ELINCS

Contact supplier for inventory compliance status

#### ENCS

Contact supplier for inventory compliance status

#### IECSC

Contact supplier for inventory compliance status





# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 24-Apr-2024

Revision Number 1

## VHG-PTEN-250 - Tellurium Standard: Te @ 1000 µg/mL in 5% HNO<sub>3</sub>

KECL Contact supplier for inventory compliance status  
PICCS Contact supplier for inventory compliance status  
AIIC Contact supplier for inventory compliance status

### Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**AICS** - Australian Inventory of Chemical Substances

### 15.2. Chemical safety assessment

**Chemical Safety Report** A Chemical Safety Assessment is not required for this substance

## SECTION 16: Other information

### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

EUH071 - Corrosive to the respiratory tract  
H272 - May intensify fire; oxidiser  
H290 - May be corrosive to metals  
H301 - Toxic if swallowed  
H314 - Causes severe skin burns and eye damage  
H317 - May cause an allergic skin reaction  
H331 - Toxic if inhaled  
H332 - Harmful if inhaled  
H360Df - May damage the unborn child. Suspected of damaging fertility  
H362 - May cause harm to breast-fed children  
H413 - May cause long lasting harmful effects to aquatic life

#### Legend

SVHC: Substances of Very High Concern for Authorisation:

#### Legend Section 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	Sk*	Skin designation

#### Classification procedure

Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
---	-------------



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 24-Apr-2024

Revision Number 1

## VHG-PTEN-250 - Tellurium Standard: Te @ 1000 µg/mL in 5% HNO<sub>3</sub>

Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - Vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	On basis of test data
Serious eye damage/eye irritation	On basis of test data
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method
Corrosive to metals	On basis of test data

### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)  
U.S. Environmental Protection Agency ChemView Database  
European Food Safety Authority (EFSA)  
EPA (Environmental Protection Agency)  
Acute Exposure Guideline Level(s) (AELG(s))  
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
U.S. Environmental Protection Agency High Production Volume Chemicals  
Food Research Journal  
Hazardous Substance Database  
International Uniform Chemical Information Database (IUCLID)  
Japan GHS Classification  
Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
NIOSH (National Institute for Occupational Safety and Health)  
National Library of Medicine's ChemID Plus (NLM CIP)  
National Library of Medicine's PubMed database (NLM PUBMED)  
National Toxicology Program (NTP)  
New Zealand's Chemical Classification and Information Database (CCID)  
Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications  
Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme  
Organisation for Economic Co-operation and Development Screening Information Data Set  
World Health Organization

Revision date 24-Apr-2024



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 24-Apr-2024

Revision Number 1

**VHG-PTEN-250 - Tellurium Standard: Te @ 1000 µg/mL in 5% HNO<sub>3</sub>**

---

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

## Disclaimer

The information in this safety data sheet (SDS) has been prepared with due care and is true and accurate to the best of our knowledge. The user must determine the suitability of the information for its particular purpose, ensure compliance with existing laws and regulations, and be aware that other or additional safety or performance considerations may arise when using, handling and/ or storing the material. The information in this SDS does not purport to be all inclusive or a guarantee as to the properties of the material supplied, and should be used only as a guide. LGC makes no warranties or representations as to the accuracy and completeness of the information contained herein, shall not be held responsible for the suitability of this information for the user's intended purposes or the consequences of such use, and shall not be liable for any damage or loss, howsoever arising, direct or otherwise.

**End of Safety Data Sheet**