

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 26-Jun-2024 Revision Number 1.01

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code(s) VHG-LMSTNG6-500

Product Name ICP-MS Tuning Solution: 7Li, Be, Mg, Co, In, Ba, Ce, Pb, Bi, U @10 ug/L in 2% HNO3

Form Not applicable

Unique Formula Identifier (UFI) MYCD-M0FD-V00Y-05XJ

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Laboratory use

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Supplier

LGC Limited Queens Road Teddington Middlesex TW11 0LY UNITED KINGDOM :+44 (0) 20 8943 7000 Fax :+44 (0) 20 8943 2767 eMail : gb@lgcstandards.com

Web: www.lgcstandards.com

For further information, please contact

E-mail address sds-request@lgcgroup.com

1.4. Emergency telephone number

Emergency Telephone For Hazardous Materials or Dangerous Goods Incident

Spill, Leak, Fire Exposure, or Accident

Call CHEMTREC:

USA & Canada 1-800-424-9300 Rest of the world +1 703-741-3877

EGHS / EN Page 1/27



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 26-Jun-2024 **Revision Number** 1.01

VHG-LMSTNG6-500 - ICP-MS Tuning Solution: 7Li, Be, Mg, Co, In, Ba, Ce, Pb, Bi, U @10 ug/L in 2% HNO3

Emergency Telephone - §45 - (EC)1272/2008							
Europe	112						
Austria	No information available						
Bulgaria							
Croatia							
Cyprus							
Czech Republic							
Denmark							
France							
Hungary							
Ireland							
Italy							
Lithuania							
Luxembourg							
Netherlands							
Norway							
Portugal							
Romania							
Slovakia							
Slovenia							
Spain							
Sweden							
Switzerland							

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture Classification according to

Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 2 - (H319)
Corrosive to metals	Category 1 - (H290)

2.2. Label elements



EGHS / EN Page 2 / 27



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 26-Jun-2024 **Revision Number** 1.01

VHG-LMSTNG6-500 - ICP-MS Tuning Solution: 7Li, Be, Mg, Co, In, Ba, Ce, Pb, Bi, U @10 ug/L in 2% HNO3

Signal word

Warning

Hazard statements

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H290 - May be corrosive to metals

Precautionary Statements - EU (§28, 1272/2008)

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves and eye/face protection

P332 + P313 - If skin irritation occurs: Get medical advice/attention

P337 + P313 - If eye irritation persists: Get medical advice/attention

P390 - Absorb spillage to prevent material damage

P201 - Obtain special instructions before use

P234 - Keep only in original container

Endocrine Disruptor Information

P406 - Store in corrosive resistant stainless steel container with a resistant inner liner

2.3. Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

EU - REACH (1907/2006) - Article 59(1) EU - REACH (1907/2006) - Endocrine Chemical name - Candidate List of Substances of Very Disruptor Assessment List of

This product does not contain any known or suspected endocrine disruptors.

	High Concern (SVHC) for Authorisation	Substances
Nitric Acid	-	-
Uranyl nitrate hexahydrate	-	-
Lithium carbonate	-	-
Lead	-	-
Indium	-	-
Cobalt	-	-
Beryllium Oxyacetate	-	-
Barium nitrate	-	- -

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

EGHS / EN Page 3 / 27



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 26-Jun-2024 Revision Number 1.01

VHG-LMSTNG6-500 - ICP-MS Tuning Solution: 7Li, Be, Mg, Co, In, Ba, Ce, Pb, Bi, U @10 ug/L in 2% HNO3

3.2 Mixtures

Chemical nature aqueous solution.

Chemical name	Weight-%	REACH registration number	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Nitric Acid 7697-37-2	1 - <3	-	231-714-2	Met. Corr. 1 (H290) Ox. Liq. 2 (H272) Acute Tox. 3 (H331) Skin Corr. 1A (H314) (EUH071)	Ox. Liq. 2 :: C>=99% Ox. Liq. 3 :: C≥65% Skin Corr. 1A :: C>=20% Skin Corr. 1B :: 5%<=C<20%		
Uranyl nitrate hexahydrate 13520-83-7	<0.1	-	233-266-3	Ox. Sol. 2 (H272) Acute Tox. 2 (H300) Acute Tox. 2 (H330) STOT RE 2 (H373) Aquatic Chronic 2 (H411)			
Lithium carbonate 554-13-2	<0.1	-	209-062-5	Acute Tox. 4 (H302) Eye Irrit. 2 (H319) STOT RE 2 (H373) Aquatic Chronic 3 (H412)			
Lead 7439-92-1	<0.1	-	231-100-4 (082-014-00 -7)	Carc. 2 (H351) Repr. 1A (H360FD) Lact. (H362) STOT RE 1 (H372) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	Repr. 1A :: C>=0.03%	1	10
Indium 7440-74-6	<0.1	-	231-180-0	STOT RE 1 (H372)			
Cobalt 7440-48-4	<0.1	<u>-</u>	231-158-0 (027-001-00 -9)	Acute Tox. 4 (H302) Eye Irrit. 2 (H319) Resp. Sens. 1 (H334) Skin Sens. 1 (H317) Muta. 2 (H341) Carc. 1B (H350) Repr. 1B (H360F)			

EGHS / EN Page 4 / 27



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 26-Jun-2024 Revision Number 1.01

VHG-LMSTNG6-500 - ICP-MS Tuning Solution: 7Li, Be, Mg, Co, In, Ba, Ce, Pb, Bi, U @10 ug/L in 2% HNO3

				Aquatic Chronic 2 (H411) EUH071 EUH201		
Beryllium Oxyacetate 19049-40-2	<0.1	-	242-785-4 (004-002-00 -2)	Acute Tox. 2 (H330) Acute Tox. 3 (H301) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Skin Sens. 1 (H317) Carc. 1B (H350) STOT SE 3 (H335) STOT RE 1 (H372) Aquatic Chronic 2 (H411)		
Barium nitrate 10022-31-8	<0.1	-	233-020-5 (056-002-00 -7)	Ox. Sol. 2 (H272) Acute Tox. 4 (H302) Acute Tox. 4 (H332) Eye Irrit. 2 (H319)		

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50	Inhalation LC50 - 4	Inhalation LC50 - 4	Inhalation LC50 - 4
		mg/kg	hour - dust/mist - mg/L	hour - vapour - mg/L	hour - gas - ppm
Nitric Acid 7697-37-2	No data available	No data available	No data available	2.65	No data available
Lithium carbonate 554-13-2	525	3000	2.17	No data available	No data available
Indium 7440-74-6	4200	No data available	No data available	No data available	No data available
Cobalt 7440-48-4	6171	No data available	No data available	No data available	No data available
Barium nitrate 10022-31-8	355	No data available	1.1138	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EGHS / EN Page 5 / 27



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 26-Jun-2024 Revision Number 1.01

VHG-LMSTNG6-500 - ICP-MS Tuning Solution: 7Li, Be, Mg, Co, In, Ba, Ce, Pb, Bi, U @10 ug/L in 2% HNO3

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur.

Eye contactRinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and

persists.

Skin contact Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical

attention if irritation develops and persists.

Ingestion Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce

vomiting. Call a doctor.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms May cause redness and tearing of the eyes. Burning sensation.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

No information available.

EGHS / EN Page 6 / 27



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 26-Jun-2024 Revision Number 1.01

VHG-LMSTNG6-500 - ICP-MS Tuning Solution: 7Li, Be, Mg, Co, In, Ba, Ce, Pb, Bi, U @10 ug/L in 2% HNO3

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required.

Other information Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning upTake up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off

contaminated clothing and wash it before reuse.

General hygiene considerations Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with

skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands

before breaks and after work. Wear suitable gloves and eye/face protection.

EGHS / EN Page 7 / 27



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 26-Jun-2024 Revision Number 1.01

VHG-LMSTNG6-500 - ICP-MS Tuning Solution: 7Li, Be, Mg, Co, In, Ba, Ce, Pb, Bi, U @10 ug/L in 2% HNO3

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials. Please refer to the manufacturer's certificate for specific storage and transport temperature conditions. Store only in the original receptacle unless other advice is given on the CoA.

7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Nitric Acid	-	STEL 1 ppm	STEL: 1 ppm	STEL: 1 ppm	STEL: 1 ppm
7697-37-2		STEL 2.6 mg/m ³	STEL: 2.6 mg/m ³	STEL: 2.6 mg/m ³	STEL: 2.6 mg/m ³
Uranyl nitrate	-	TWA: 0.25 mg/m ³	TWA: 0.2 mg/m ³	TWA: 0.05 mg/m ³	-
hexahydrate		STEL 1 mg/m ³	STEL: 0.6 mg/m ³	-	
13520-83-7					
Lead	TWA: 0.15 mg/m ³	TWA: 0.1 mg/m ³	-	TWA: 0.05 mg/m ³	TWA: 0.15 mg/m ³
7439-92-1		STEL 0.4 mg/m ³			
Indium	-	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³	-	TWA: 0.1 mg/m ³
7440-74-6		STEL 0.2 mg/m ³			STEL: 0.3 mg/m ³
Cobalt	-	Sk*	TWA: 0.02 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³
7440-48-4		Sa+			Skin Sensitisation
		Sh+			Respiratory
					Sensitisation
Beryllium Oxyacetate	-	-	TWA: 0,00005	-	TWA: 0.0006 mg/m ³
19049-40-2			mg/m³		Sk*
			STEL: 0.01 mg/m ³		Skin Sensitisation
Barium nitrate	TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³
10022-31-8		STEL 2 mg/m ³			
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Nitric Acid	STEL: 1 ppm	TWA: 1 mg/m ³	STEL: 1 ppm	STEL: 1 ppm	TWA: 0.5 ppm
7697-37-2	STEL: 2.6 mg/m ³	Ceiling: 2.5 mg/m ³	STEL: 2.6 mg/m ³	STEL: 2.6 mg/m ³	TWA: 1.3 mg/m ³
					STEL: 1 ppm
					STEL: 2.6 mg/m ³

EGHS / EN Page 8 / 27



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 26-Jun-2024 Revision Number 1.01

VHG-LMSTNG6-500 - ICP-MS Tuning Solution: 7Li, Be, Mg, Co, In, Ba, Ce, Pb, Bi, U @10 ug/L in 2% HNO3

Uranyl nitrate	-	-	TWA: 0.2 mg/m ³	TWA: 0.2 mg/m ³	TWA: 0.2 mg/m ³
hexahydrate			STEL: 0.4 mg/m ³		TWA: 0.05 mg/m ³
13520-83-7					
Lead	TWA: 0.15 mg/m ³	TWA: 0.05 mg/m ³	TWA: 0.05 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³
7439-92-1]	Ceiling: 0.2 mg/m ³	STEL: 0.1 mg/m ³	TWA: 0.05 mg/m ³	J
Indium	-		TWA: 0.1 mg/m ³	<u>-</u>	TWA: 0.1 mg/m ³
7440-74-6			STEL: 0.2 mg/m ³		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Cobalt	_	TWA: 0.05 mg/m ³	TWA: 0.01 mg/m ³	TWA: 0.05 mg/m ³	TWA: 0.02 mg/m ³
7440-48-4		S+	STEL: 0.02 mg/m ³	S+	1 VVA. 0.02 mg/m
7 440-40-4		Ceiling: 0.1 mg/m ³	OTEL. 0.02 mg/m	0+	
Beryllium Oxyacetate	_	TWA: 0.001 mg/m ³	TWA: 0.00002		
	-			-	-
19049-40-2		Ceiling: 0.002 mg/m ³	mg/m³		
			STEL: 0.00004		
_			mg/m³		
Barium nitrate	TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³
10022-31-8		Ceiling: 2.5 mg/m ³	STEL: 1 mg/m ³		
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
Nitric Acid	STEL: 1 ppm	TWA: 1 ppm	-	STEL: 1 ppm	STEL: 2.6 mg/m ³
7697-37-2	STEL: 2.6 mg/m ³	TWA: 2.6 mg/m ³		STEL: 2.6 mg/m ³	STEL: 1 ppm
Uranyl nitrate	-	-	-	TWA: 0.25 mg/m ³	<u>-</u>
hexahydrate				STEL: 0.6 mg/m ³	
13520-83-7				0122. 0.0 mg/m	
Lithium carbonate	_	_	TWA: 0.2 mg/m ³	_	_
554-13-2			1 vv/ (. 0.2 mg/m		
Lead	TWA: 0.1 mg/m ³	-	TWA: 0.004 mg/m ³	TWA: 0.15 mg/m ³	TWA: 0.1 mg/m ³
7439-92-1	TVVA. 0.1 mg/m²	-	Peak: 0.032 mg/m ³	TVVA. 0. 15 mg/m²	TWA: 0.1111g/111 ³
		TMA: 0.0004 ::/2		T\\\\\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	T VVA. 0.05 mg/m ²
Indium	-	TWA: 0.0001 mg/m ³	Sk*	TWA: 1 mg/m ³	-
7440-74-6				STEL: 1 mg/m ³	
Cobalt	-	-	Sk*	TWA: 0.1 mg/m ³	TWA: 0.02 mg/m ³
7440-48-4			respiratory and skin		SZ+
			sensitizer		
Beryllium Oxyacetate	TWA: 0.0006 mg/m ³	-	-	TWA: 0.005 mg/m ³	TWA: 0.0006 mg/m
19049-40-2					Sk*
Barium nitrate	TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³
10022-31-8			Peak: 4 mg/m ³		
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
Nitric Acid	STEL: 1 ppm	STEL: 1 ppm	TWA: 2 ppm	TWA: 0.78 ppm	STEL: 1 ppm
7697-37-2	STEL: 2.6 mg/m ³	STEL: 2.6 mg/m ³	TWA: 5.2 mg/m ³	TWA: 2 mg/m ³	STEL: 2.6 mg/m ³
7007 07 2	0.22.2.0 1119/111	0 . Z.L. Z.Og/111	STEL: 4 ppm	STEL: 1 ppm	0 . L.L. 2.0 mg/m
			STEL: 10.3 mg/m ³	STEL: 2.6 mg/m ³	
Uranyl nitrate	TWA: 0.2 mg/m ³		TWA: 0.2 mg/m ³	TWA: 0.015 mg/m ³	TWA: 0.015 mg/m ²
hexahydrate	STEL: 0.6 mg/m ³	-	STEL: 0.6 mg/m ³	1 VVA. 0.015 HIG/III	1 VVA. 0.015 mg/m
	31EL. U.O IIIg/III		31 EL. U.0 1119/1113		
13520-83-7	TMA: 0.45 / 0	TWA: 0.45 / 0	T\4/4 - 0.05 / 0	TMA-0.05 / 0	TMA: 0.45 / 0
Lead	TWA: 0.15 mg/m ³	TWA: 0.15 mg/m ³	TWA: 0.05 mg/m ³	TWA: 0.05 mg/m ³	TWA: 0.15 mg/m ³
7439-92-1	STEL: 0.45 mg/m ³			STEL: 0.1 mg/m ³	TWA: 0.07 mg/m ³

EGHS / EN Page 9 / 27



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 26-Jun-2024 Revision Number 1.01

VHG-LMSTNG6-500 - ICP-MS Tuning Solution: 7Li, Be, Mg, Co, In, Ba, Ce, Pb, Bi, U @10 ug/L in 2% HNO3

				·	
Indium 7440-74-6	TWA: 0.1 mg/m ³ STEL: 0.3 mg/m ³	-	TWA: 0.1 mg/m ³	-	TWA: 0.1 mg/m ³
Cobalt 7440-48-4	TWA: 0.02 mg/m ³ STEL: 0.3 mg/m ³ Sens+	-	TWA: 0.02 mg/m³ senR+ senD+	TWA: 0.5 mg/m ³	TWA: 0.05 mg/m ³ J+
Beryllium Oxyacetate 19049-40-2	TWA: 0.0002 mg/m ³ STEL: 0.0006 mg/m ³ Sk* Sens+	-	TWA: 0.00005 mg/m ³	TWA: 0.001 mg/m ³	-
Barium nitrate 10022-31-8	TWA: 0.5 mg/m ³ STEL: 1.5 mg/m ³	TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³ Sk*	TWA: 0.5 mg/m ³
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
Nitric Acid 7697-37-2	STEL: 1 ppm STEL: 2.6 mg/m ³	STEL: 1 ppm STEL: 2.6 mg/m ³	STEL: 0.5 ppm STEL: 1.3 mg/m ³	TWA: 2 ppm TWA: 5 mg/m³ STEL: 4 ppm STEL: 10 mg/m³	TWA: 1.4 mg/m ³ STEL: 2.6 mg/m ³
Uranyl nitrate hexahydrate 13520-83-7	-	-	-	TWA: 0.2 mg/m ³ STEL: 0.6 mg/m ³	TWA: 0.015 mg/m ³ STEL: 0.12 mg/m ³
Lead 7439-92-1	TWA: 0.15 mg/m ³	-	TWA: 0.15 mg/m ³	TWA: 0.05 mg/m ³ STEL: 0.15 mg/m ³	TWA: 0.05 mg/m ³
Indium 7440-74-6	-	-	-	TWA: 0.1 mg/m ³ STEL: 0.3 mg/m ³	-
Cobalt 7440-48-4	-	-	TWA: 0.02 mg/m ³	TWA: 0.02 mg/m ³ STEL: 0.06 mg/m ³ A+	TWA: 0.02 mg/m ³
Beryllium Oxyacetate 19049-40-2	-	-	Sk*	-	-
Barium nitrate 10022-31-8	TWA: 0.5 mg/m ³	•	TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³ STEL: 1.5 mg/m ³	TWA: 0.5 mg/m ³
Chemical name	Portugal	Romania	Slovakia	Slovenia	Spain
Nitric Acid 7697-37-2	TWA: 2 ppm STEL: 1 ppm STEL: 2.6 mg/m ³	STEL: 1 ppm STEL: 2.6 mg/m ³	Ceiling: 2.6 mg/m ³	TWA: 1 ppm TWA: 2.6 mg/m ³ STEL: 1 ppm STEL: 2.6 mg/m ³	STEL: 1 ppm STEL: 2.6 mg/m ³
Uranyl nitrate hexahydrate 13520-83-7	TWA: 0.2 mg/m ³ STEL: 0.6 mg/m ³	-	-	-	TWA: 0.2 mg/m ³ STEL: 0.6 mg/m ³
Lead 7439-92-1	TWA: 0.05 mg/m ³	TWA: 0.15 mg/m ³	TWA: 0.15 mg/m ³ TWA: 0.5 mg/m ³	TWA: 0.1 mg/m ³ STEL: 0.4 mg/m ³	TWA: 0.15 mg/m ³
Indium 7440-74-6	TWA: 0.1 mg/m ³	-	-	TWA: 0.0001 mg/m ³ STEL: 0.0008 mg/m ³	
Cobalt 7440-48-4	TWA: 0.02 mg/m ³	TWA: 0.05 mg/m ³ STEL: 0.1 mg/m ³	TWA: 0.05 mg/m³ S+	-	TWA: 0.02 mg/m ³ Sen+
Beryllium Oxyacetate	STEL: 0.01 mg/m ³	TWA: 0.0002 mg/m ³	TWA: 0.005 mg/m ³	-	TWA: 0.0002 mg/m ³

EGHS / EN Page 10 / 27



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 26-Jun-2024 Revision Number 1.01

VHG-LMSTNG6-500 - ICP-MS Tuning Solution: 7Li, Be, Mg, Co, In, Ba, Ce, Pb, Bi, U @10 ug/L in 2% HNO3

19049-40-2				TWA: 0.002 mg/m ³			
				STEL: 0.025 mg/m ³			
				STEL: 0.01 mg/m ³			
Barium nitrate	TWA	A: 0.5 mg/m ³	TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³	TWA: (0.5 mg/m ³	TWA: 0.5 mg/m ³
10022-31-8		3	J			0.5 mg/m ³	3
Chemical name		Sı	weden	Switzerland			ted Kingdom
Nitric Acid		NGV	: 0.5 ppm	TWA: 2 ppm		S	ΓEL: 1 ppm
7697-37-2			1.3 mg/m ³	TWA: 5 mg/m ³		STE	L: 2.6 mg/m ³
		Bindande	KGV: 1 ppm	STEL: 2 ppm			Ü
			(GV: 2.6 mg/m ³	STEL: 5 mg/m ³			
Uranyl nitrate hexahydr	ate	- 1		TWA: 0.2 mg/m ³		-	
13520-83-7				Sk*			
Lead		NGV: 0.1 mg/m ³		TWA: 0.1 mg/m ³		TWA: 0.15 mg/m ³	
7439-92-1		NGV: 0.05 mg/m ³		STEL: 0.8 mg/m ³		STEL: 0.45 mg/m ³	
Indium		NGV: 0.1 mg/m ³		TWA: 0.1 mg/m ³		TWA: 0.1 mg/m ³	
7440-74-6						STEL: 0.3 mg/m ³	
Cobalt		NGV: 0.02 mg/m ³		TWA: 0.05 mg/m ³		TWA: 0.1 mg/m ³	
7440-48-4		Sk*		Sk*		STEL: 0.3 mg/m ³	
			S+	S+		Sen+	
Beryllium Oxyacetate	;	NGV: 0.	0002 mg/m ³	TWA: 0.0006 mg/m ³		TWA	: 0.002 mg/m ³
19049-40-2		NGV: 0.0006 mg/m ³		S+		STEL	.: 0.006 mg/m ³
			S+				
Barium nitrate		NGV:	0.5 mg/m ³	TWA: 0.5 mg/m ³		TWA: 0.5 mg/m ³	
10022-31-8			-	STEL: 4 mg/m ³	3	STE	L: 1.5 mg/m ³

Biological occupational exposure limits

Chemical name	European Union	Austria	Bulgaria	Croatia	Czech Republic
Lead	70 μg/100 mL -	Check	300 µg/L - blood	400 μg Pb/L - blood	13 µmol/mmol
7439-92-1	blood (Lead) - no	120 µg/100 mL RBC	(Lead) - not fixed	(Lead) - not critical	Creatinine (urine -
	restriction	Erythrocyte	400 μg/L - blood	300 µg Pb/L - blood	5-Aminolevulinic
	0.075 mg/m ³ - air	protoporphyrin	(Lead) - not fixed	(Lead) - not critical	acid discretionary)
	(Lead) - 40 hours	(blood -		15 U/LE - blood	0.035 µmol/mmol
	per week	Ethylenediaminetetr		(.deltaAminolevulin	`
	40 μg/100 mL -	aacetic acid not		ic acid dehydratase)	Coproporphyrin
	blood (Lead) - no	provided)		- not critical	discretionary)
	restriction	30 μg/100 mL blood		1.50 mg/LE - blood	15 mg/g Creatinine
		Lead (blood -		(Protoporphyrin in	(urine -
		Ethylenediaminetetr		erythrocytes) - after	5-Aminolevulinic
		aacetic acid not		exposure during 2-3	acid discretionary)
		provided)		months (sample	0.2 mg/g Creatinine
		3.8 million/µL		protected from light)	(urine -
		Erythrocytes (blood -			Coproporphyrin

EGHS / EN Page 11 / 27



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 26-Jun-2024 Revision Number 1.01

VHG-LMSTNG6-500 - ICP-MS Tuning Solution: 7Li, Be, Mg, Co, In, Ba, Ce, Pb, Bi, U @10 ug/L in 2% HNO3

					T
		Ethylenediaminetetr			discretionary)
		aacetic acid not			0.4 mg/L (blood -
		provided)			Lead discretionary)
		12 g/dL Hemoglobin			
		(blood -			
		Ethylenediaminetetr			
		aacetic acid not			
		provided)			
		35 % Hematocrit			
		(blood -			
		Ethylenediaminetetr			
		aacetic acid not			
		provided)			
		10 mg/L (urine -			
		.deltaAminolevulini			
		c acid not provided)			
		3.2 million/µL			
		Erythrocytes (blood -			
		Ethylenediaminetetr			
		aacetic acid not			
		provided)			
		10 g/dL Hemoglobin			
		(blood -			
		Ethylenediaminetetr			
		aacetic acid not			
		provided)			
		30 % Hematocrit			
		(blood -			
		Ethylenediaminetetr			
		aacetic acid not			
		provided)			
		6 mg/L (urine -			
		.deltaAminolevulini			
		c acid not provided)			
Cobalt	-	Check	-	-	-
7440-48-4		10 μg/L (urine -			
		spontaneous urine			
		after end of work			
		day, at the end of a			
		work week/end of			
		the shift)			
		(-)			
Chemical name	Denmark	Finland	France	Germany DFG	Germany TRGS
Lead	20 µg/100 mL (blood		400 μg/L - blood	150 µg/L (whole	150 µg/L (whole
7439-92-1	- Lead)	Lead time of day	(Lead) -	blood - Lead no	blood - Lead no
1439-92-1	- Leau)	-			
		does not matter)	180 μg/L - blood	restriction)	restriction)

EGHS / EN Page 12 / 27



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 26-Jun-2024 Revision Number 1.01

VHG-LMSTNG6-500 - ICP-MS Tuning Solution: 7Li, Be, Mg, Co, In, Ba, Ce, Pb, Bi, U @10 ug/L in 2% HNO3

				" /	
		50 μg/dL (blood -	(Lead) - indifferent	150 μg/L - BAT (no	
		Lead)	sampling time	restriction in steady	
		40 μg/dL (blood -	300 µg/L - blood	state) blood	
		Lead)	(Lead) -	30 μg/L - BAR (no	
			200 μg/L - blood	restriction in steady	
			(Lead) -	state) blood	
			100 μg/L - blood	40 μg/L - BAR (no	
			(Lead) -	restriction in steady	
				state) blood	
Cobalt	-	130 nmol/L (urine -	- blood (Cobalt) -	35 µg/L - BLW (for	-
7440-48-4		Cobalt after the work	end of shift at end of	long-term	
		phase or shift after a	workweek	exposures: at the	
		working week or	0,005 mg/g	end of the shift after	
		exposure period)	creatinine - urine	several shifts) urine	
			(Cobalt) - end of shift		
			at end of workweek	long-term	
				exposures: at the	
				end of the shift after	
				several shifts) urine	
				6 μg/L - (long-term	
				exposure: at the end	
				of the shift after	
				several shifts) - urine	
				15 µg/L - (long-term	
				exposure: at the end	
				of the shift after	
				several shifts) - urine	
				30 μg/L - (long-term	
				exposure: at the end	
				of the shift after	
				several shifts) - urine	
				60 µg/L - (long-term	
				exposure: at the end	
				of the shift after	
				several shifts) - urine	
				300 μg/L -	
				(long-term exposure:	
				at the end of the shift	
				after several shifts) -	
				urine	
				3 μg/L - (long-term	
				exposure: at the end	
				of the shift after	
				several shifts) - urine	
Barium nitrate	-	-	-	10 μg/L - BAR (for	-
10022-31-8				long-term	

EGHS / EN Page 13 / 27



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 26-Jun-2024 Revision Number 1.01

VHG-LMSTNG6-500 - ICP-MS Tuning Solution: 7Li, Be, Mg, Co, In, Ba, Ce, Pb, Bi, U @10 ug/L in 2% HNO3

			exposures: at	
			end of the shift several shifts)	
Chemical name	Hungary	Ireland	Italy MDLPS	Italy AIDII
Lead	-	70 μg/100 mL (blood -	60 Pb μg/100 mL (blood -	30 μg/100 mL - blood
7439-92-1		Lead not critical)	end of workweek)	(Lead) - not critical
		40 μg/100 mL (blood -		
		Lead not critical) 30 µg/100 mL (blood -		
		Lead not critical)		
Cobalt	0.01 mg/g Creatinine	15 μg/L (urine - Cobalt	-	15 μg/L - urine (Cobalt) -
7440-48-4	(urine - Cobalt end of	end of shift at end of		end of shift at end of
	shift)	workweek)		workweek
	0.019 µmol/mmol	1 μg/L (blood - Cobalt end		
	Creatinine (urine - Cobalt end of shift)	of shift at end of workweek)		
Chemical name	Latvia	Luxembourg	Romania	Slovakia
Lead	30 μg/100 mL - blood	70 μg/100 mL - blood	150 µg/L - urine (Lead) -	400 µg/L (blood - Lead
7439-92-1	(Lead) -	(Lead) -	end of shift	not critical)
	100 µg/g Créatinine -	0.072 mg/m ³ - blood	70 μg/100 mL - blood	100 µg/L (blood - Lead
	urine (Coproporphyrin) -	(Lead) -	(Lead) - end of shift	not critical)
	5 mg/g Creatinine - urine	40 μg/100 mL - blood	3 mg/cm - hair (Lead) -	15 mg/L (urine -
	(Aminolevulinic acid) -	(Lead) -	end of shift	.deltaAminolevulinic acid
			10 mg/L - urine (.deltaAminolevulinic	not critical) 6 mg/L (urine -
			acid) - end of shift	.deltaAminolevulinic acid
			300 μg/L - urine	not critical)
			(Coproporphyrin) - end of	
			shift	Coproporphyrins not
			100 μg/100 mL	critical)
			Erythrocyte - blood (free Erythrocytes	
			protoporphyrin) - end of	
			shift	
Cobalt	-	-	15 μg/L - urine (Cobalt) -	30 μg/L (urine - Cobalt not
7440-48-4			end of work week	critical)
			1 μg/L - blood (Cobalt) -	
Chemical name	Slovenia	Spain	end of work week Switzerland	United Kingdom
Lead	400 μg/L - blood (Lead) -	70 μg/dL (blood - Lead	400 μg/L (whole blood -	-
7439-92-1	not relevant	not critical)	Lead no restrictions)	
	300 µg/L - blood (Lead) -	,	1.93 µmol/L (whole blood	
	not relevant		- Lead no restrictions)	
			100 μg/L (whole blood -	
			Lead no restrictions)	
			0.48 µmol/L (whole blood	

EGHS / EN Page 14 / 27



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 26-Jun-2024 Revision Number 1.01

VHG-LMSTNG6-500 - ICP-MS Tuning Solution: 7Li, Be, Mg, Co, In, Ba, Ce, Pb, Bi, U @10 ug/L in 2% HNO3

			- Lead no restrictions)	
Cobalt	-	15 μg/L (urine - Cobalt	30 μg/L (urine - Cobalt	-
7440-48-4		end of workweek)	end of shift)	
		1 μg/L (blood - Cobalt end	509 nmol/L (urine - Cobalt	
		of workweek)	end of shift)	

Derived No Effect Level (DNEL)
Predicted No Effect Concentration
(PNEC)

No information available. No information available.

8.2. Exposure controls

Personal protective equipment

Eye/face protection Avoid contact with eyes. Wear safety glasses with side shields (or goggles). If splashes are

likely to occur, wear safety glasses with side-shields.

Hand protection Wear protective Neoprene™ gloves. The protective gloves to be used must comply with the

specifications of EC Directive 89/686/EEC and the related standard EN374. Wear suitable

gloves. Impervious gloves.

Skin and body protectionWear suitable protective clothing. Long sleeved clothing.

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with

skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands

before breaks and after work. Wear suitable gloves and eye/face protection.

Environmental exposure controls Do not allow into any sewer, on the ground or into any body of water.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical stateLiquidAppearanceLiquidColourcolourlessOdourOdourless.

Odour threshold No information available

EGHS / EN Page 15 / 27



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 26-Jun-2024 Revision Number 1.01

None known

VHG-LMSTNG6-500 - ICP-MS Tuning Solution: 7Li, Be, Mg, Co, In, Ba, Ce, Pb, Bi, U @10 ug/L in 2% HNO3

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Melting point / freezing point0 °CNone knownInitial boiling point and boiling range100 °CNone knownFlammabilityNo data availableNone knownFlammability Limit in AirNone known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Flash pointNo data availableNone knownAutoignition temperatureNo data availableNone knownDecomposition temperature100 °CNone knownPHNo data availableNone known

pH (as aqueous solution)

No data available

No information available

Kinematic viscosity No data available None known Dynamic viscosity No data available None known Water solubility No data available None known Solubility(ies) No data available None known **Partition coefficient** No data available None known Vapour pressure 23 hPa @ 20°C None known

Relative density 0.99821 g/cm3 at 20 °C **Bulk density** No data available

Bulk densityNo data availableLiquid DensityNo data availableRelative vapour densityNo data available

Particle characteristics

Particle Size No information available Particle Size Distribution No information available

9.2. Other information

9.2.1. Information with regards to physical hazard classes Not applicable 100 °C 100 °C

9.2.2. Other safety characteristics No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

EGHS / EN Page 16 / 27



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 26-Jun-2024 Revision Number 1.01

VHG-LMSTNG6-500 - ICP-MS Tuning Solution: 7Li, Be, Mg, Co, In, Ba, Ce, Pb, Bi, U @10 ug/L in 2% HNO3

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Exposure to air or moisture over prolonged periods.

10.5. Incompatible materials

Incompatible materials Oxidising agent. Strong acids. Strong bases.

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye irritation.

(based on components). May cause redness, itching, and pain.

Skin contact Specific test data for the substance or mixture is not available. Causes skin irritation. (based

on components).

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhoea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. May cause redness and tearing of the eyes.

Numerical measures of toxicity

Acute toxicity

EGHS / EN Page 17 / 27



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 26-Jun-2024 Revision Number 1.01

VHG-LMSTNG6-500 - ICP-MS Tuning Solution: 7Li, Be, Mg, Co, In, Ba, Ce, Pb, Bi, U @10 ug/L in 2% HNO3

The following values are calculated based on chapter 3.1 of the GHS document ATEmix (inhalation-vapour) 139.50 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Nitric Acid			= 2500 ppm (Rat) 1 h
			ATE (vapours) = 2.65 mg/L
Lithium carbonate	= 525 mg/kg (Rat)	> 3000 mg/kg (Rabbit)	> 2.17 mg/L (Rat) 4 h
Indium	= 4200 mg/kg (Rat)		
Cobalt	= 6171 mg/kg (Rat)		< 0.05 mg/L (Rat)4 h
Barium nitrate	= 355 mg/kg (Rat)		> 1.1 mg/L (Rat) 243 min

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationClassification based on data available for ingredients. Causes skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitisation No information available.

Germ cell mutagenicity No information available.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as mutagenic.

Chemical name	European Union
Cobalt	Muta. 2

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union	
Cobalt	Carc. 1B	
Beryllium Oxyacetate	Carc. 1B	

EGHS / EN Page 18 / 27



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 26-Jun-2024 Revision Number 1.01

VHG-LMSTNG6-500 - ICP-MS Tuning Solution: 7Li, Be, Mg, Co, In, Ba, Ce, Pb, Bi, U @10 ug/L in 2% HNO3

Reproductive toxicity No information available.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as reproductive toxins.

Chemical name	European Union
Lead	Repr. 1A
	Lact.
Cobalt	Repr. 1B

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Aspiration hazard No information available.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Unknown aquatic toxicityContains 0 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Lithium carbonate	-	LC50: =30.3mg/L (96h,	-	-
		Oncorhynchus mykiss)		
Lead	-	LC50: =0.44mg/L (96h,	-	EC50: =600µg/L (48h,
		Cyprinus carpio)		water flea)
		LC50: =1.17mg/L (96h,		
		Oncorhynchus mykiss)		
		LC50: =1.32mg/L (96h,		
		Oncorhynchus mykiss)		

EGHS / EN Page 19 / 27



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 26-Jun-2024 Revision Number 1.01

VHG-LMSTNG6-500 - ICP-MS Tuning Solution: 7Li, Be, Mg, Co, In, Ba, Ce, Pb, Bi, U @10 ug/L in 2% HNO3

Cobalt	-	LC50: >100mg/L (96h,	-	-
		Brachydanio rerio)		

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient
Nitric Acid	-2.3

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

Chemical name	PBT and vPvB assessment
Nitric Acid	The substance is not PBT / vPvB
Lithium carbonate	The substance is not PBT / vPvB
Lead	PBT assessment does not apply
Indium	The substance is not PBT / vPvB
Cobalt	The substance is not PBT / vPvB
Barium nitrate	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

EGHS / EN Page 20 / 27



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 26-Jun-2024 Revision Number 1.01

VHG-LMSTNG6-500 - ICP-MS Tuning Solution: 7Li, Be, Mg, Co, In, Ba, Ce, Pb, Bi, U @10 ug/L in 2% HNO3

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

SECTION 14: Transport information

IATA

14.1 UN number or ID number UN3264

14.2 UN proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)

14.3 Transport hazard class(es) 814.4 Packing group | | | |

Description UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III

14.5 Environmental hazards Not applicable

14.6 Special precautions for user

Special Provisions A3, A803 ERG Code 8L

IMDG

14.1 UN number or ID number UN3264

14.2 UN proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)

14.3 Transport hazard class(es)14.4 Packing group

Description UN3264, Corrosive liquid, acidic, inorganic, n.o.s., 8, III

14.5 Marine pollutant NP

14.6 Special precautions for user

Special Provisions 223, 274

EmS-No. F-A, S-B No information available

14.7 Maritime transport in bulk according to IMO instruments

No information available

RID

14.1 UN number or ID number UN3264

14.2 UN proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)

14.3 Transport hazard class(es) 814.4 Packing group | | | | |

Description UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III

14.5 Environmental hazards Not applicable

14.6 Special precautions for user

Special Provisions 274
Classification code C1

<u>ADR</u>

14.1 UN number or ID number UN3264

14.2 UN proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)

EGHS / EN Page 21 / 27



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 26-Jun-2024 Revision Number 1.01

VHG-LMSTNG6-500 - ICP-MS Tuning Solution: 7Li, Be, Mg, Co, In, Ba, Ce, Pb, Bi, U @10 ug/L in 2% HNO3

14.3 Transport hazard class(es) 814.4 Packing group | | | | |

Description UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III, (E)

14.5 Environmental hazards Not applicable

14.6 Special precautions for user

Special Provisions 274
Classification code C1
Tunnel restriction code (E)

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

France

Occupational Illnesses (R-463-3, France)

Occupational infesses (it 400 0; i failed)		
Chemical name	French RG number	Title
Lead	RG 1	-
7439-92-1		
Cobalt	RG 65,RG 70,RG	-
7440-48-4	70bis,RG 70ter	

Water hazard class (WGK) slightly hazardous to water (WGK 1)

Netherlands

Chemical name	Netherlands - List of Carcinogens	Netherlands - List of Carcinogens	Netherlands - List of Reproductive Toxins
Uranyl nitrate hexahydrate	-	-	Development Category
			2;except radioactive
			substances within the scope of
			Directive 96/29/Euratom
Lithium carbonate	-	-	Fertility Category 2
			Development Category 1A
			Can be harmful via
			breastfeeding
Lead	-	-	Fertility Category 1A
			Development Category 1A
			Can be harmful via
			breastfeeding
Cobalt	Present	-	Fertility Category 1B
Beryllium Oxyacetate	Present	-	-

EGHS / EN Page 22 / 27



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 26-Jun-2024 Revision Number 1.01

VHG-LMSTNG6-500 - ICP-MS Tuning Solution: 7Li, Be, Mg, Co, In, Ba, Ce, Pb, Bi, U @10 ug/L in 2% HNO3

Poland

SDS created according to the following Polish regulation: Act of February 25, 2011 on chemical substances and their mixtures (Journal of Laws of 2018, item 143, as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing the European Chemicals Agency (EC) as amended. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labeling and packaging of substances and mixtures, as amended. Regulation of the Minister of Health of 10 August 2012 on the criteria and method of classifying chemical substances and their mixtures (Journal of Laws of 2012, item 1018). Regulation of the Minister of Health of 20 April 2012 on labeling packaging of hazardous substances and mixtures and some mixtures (Journal of Laws of 2012, item 445). Regulation of the Minister of Family, Labor and Social Policy of 12 June 2018 on the maximum allowable concentrations and intensities of factors harmful to health in the work environment (Journal of Laws of 2018, item 1286). Announcement of the Minister of Economy, Labor and Social Policy of August 28, 2003 on the publication of the unified text of the Ordinance of the Minister of Labor and Social Policy on general health and safety at work regulations (Journal of Laws of 2003, No. 169, item 1650) . Regulation of the Minister of Health of 30 December 2004 on occupational safety and health related to the presence of chemical agents in the workplace (Journal of Laws of 2005, No. 11, item 86). Act of December 14, 2012 on waste (Journal of Laws of 2013, item 21) Regulation of the Minister of Health of December 30, 2004 on occupational health and safety related to the presence of chemical agents in the workplace (Journal U. of 2005, No. 11, item 86). Waste Act of December 14, 2012 (Journal of Laws of 2013, item 21). Act of 13 June 2013 on the management of packaging and packaging waste, Journal of Laws 2013, item 888). Government statement of September 24, 2002 - European Agreement on the International Carriage of Dangerous Goods by Road (ADR) (Journal of Laws No. 194, item 1629 and Journal of Laws of 2003, No. 207, item 2013 and 2014).

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Authorisations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

DIRECTIVE (EU) 2021/1187 on the marketing and use of explosives precursors

Product contains: Reportable explosives precursors. Making available, introduction, possession and use according to Regulation (EU) 2019/1148, Article 9

Chemical name	RESTRICTED EXPLOSIVES PRECURSORS - ANNEX I	REPORTABLE EXPLOSIVES PRECURSORS - ANNEX II
Nitric Acid - 7697-37-2	3 %w/w	-

Chemical name	Restricted substance per REACH	Substance subject to authorisation per
---------------	--------------------------------	--

EGHS / EN Page 23 / 27



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 26-Jun-2024 Revision Number 1.01

VHG-LMSTNG6-500 - ICP-MS Tuning Solution: 7Li, Be, Mg, Co, In, Ba, Ce, Pb, Bi, U @10 ug/L in 2% HNO3

	Annex XVII	REACH Annex XIV
Nitric Acid - 7697-37-2	75.	
Lead - 7439-92-1	72.	
	30.	
	63.	
	75.	
Cobalt - 7440-48-4	30.	
	28.	
	75.	

Persistent Organic Pollutants

Not applicable

Chemical name	European Export/Import Restrictions per (EC) 649/2012 - Annex
	Number
Lead - 7439-92-1	l.1

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

EU - Water Framework Directive (2000/60/EC)

 20 Water Fullioner Directive (2000/00/20)		
Chemical name	EU - Water Framework Directive (2000/60/EC)	
Lead - 7439-92-1	Priority substance	

EU - Environmental Quality Standards (2008/105/EC)

== ====================================	
Chemical name	EU - Environmental Quality Standards (2008/105/EC)
Lead - 7439-92-1	Priority substance

International Inventories

DSL/NDSL

TSCA LGC has not confirmed that the chemical substances in this product are on the TSCA

Inventory, and LGC is distributing this product solely for use either in applications statutorily exempt from TSCA and regulated under other laws (e.g., FFDCA, FIFRA) or in research and development activities in accordance with the TSCA Inventory R&D exemption provided

at 40 CFR 720.36. It is the end-user's responsibility to understand and follow the

requirements that apply to its use of this product.
Contact supplier for inventory compliance status

EINECS/ELINCS
Contact supplier for inventory compliance status
Contact supplier for inventory compliance status
IECSC
Contact supplier for inventory compliance status
KECI
Contact supplier for inventory compliance status
Contact supplier for inventory compliance status
Contact supplier for inventory compliance status
AllC
Contact supplier for inventory compliance status

EGHS / EN Page 24 / 27



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 26-Jun-2024 Revision Number 1.01

VHG-LMSTNG6-500 - ICP-MS Tuning Solution: 7Li, Be, Mg, Co, In, Ba, Ce, Pb, Bi, U @10 ug/L in 2% HNO3

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

Chemical Safety Report

A Chemical Safety Assessment is not required for this substance

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H272 - May intensify fire; oxidiser

H290 - May be corrosive to metals

H300 - Fatal if swallowed

H301 - Toxic if swallowed

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H330 - Fatal if inhaled

H331 - Toxic if inhaled

H332 - Harmful if inhaled

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H335 - May cause respiratory irritation

H341 - Suspected of causing genetic defects

H350 - May cause cancer

H351 - Suspected of causing cancer

H360F - May damage fertility

H360FD - May damage fertility. May damage the unborn child

H362 - May cause harm to breast-fed children

H372 - Causes damage to organs through prolonged or repeated exposure

H373 - May cause damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H411 - Toxic to aquatic life with long lasting effects

EGHS / EN Page 25 / 27



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 26-Jun-2024 Revision Number 1.01

VHG-LMSTNG6-500 - ICP-MS Tuning Solution: 7Li, Be, Mg, Co, In, Ba, Ce, Pb, Bi, U @10 ug/L in 2% HNO3

H412 - Harmful to aquatic life with long lasting effects

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Sk* Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - Vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	On basis of test data
Serious eye damage/eye irritation	On basis of test data
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method
Corrosive to metals	On basis of test data

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

EGHS / EN Page 26 / 27



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 26-Jun-2024 Revision Number 1.01

VHG-LMSTNG6-500 - ICP-MS Tuning Solution: 7Li, Be, Mg, Co, In, Ba, Ce, Pb, Bi, U @10 ug/L in 2% HNO3

National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine's PubMed database (NLM PUBMED)
National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications
Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme
Organisation for Economic Co-operation and Development Screening Information Data Set
World Health Organization

Revision date 26-Jun-2024

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 Disclaimer

The information in this safety data sheet (SDS) has been prepared with due care and is true and accurate to the best of our knowledge. The user must determine the suitability of the information for its particular purpose, ensure compliance with existing laws and regulations, and be aware that other or additional safety or performance considerations may arise when using, handling and/ or storing the material. The information in this SDS does not purport to be all inclusive or a guarantee as to the properties of the material supplied, and should be used only as a guide. LGC makes no warranties or representations as to the accuracy and completeness of the information contained herein, shall not be held responsible for the suitability of this information for the user's intended purposes or the consequences of such use, and shall not be liable for any damage or loss, howsoever arising, direct or otherwise.

End of Safety Data Sheet

EGHS / EN Page 27 / 27