

Printing date 06.06.2017 Version number 1 Revision: 06.06.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Product name: Dalapon 1000 ng/µl in Methyl-tert. butyl ether
- · Part number: DRE-YA11949500MB
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Reference material for laboratory use only
- · Manufacturer/Supplier:

LGC LimitedTel:+44 (0) 20 8943 7000Queens RoadFax:+44 (0) 20 8943 2767TeddingtoneMail: gb@lgcstandards.comMiddlesex TW11 0LYWeb: www.lgcstandards.com

UNITED KINGDOM

· Further information obtainable from:

Product safety department

eMail: sds-request@lgcgroup.com

• 1.4 Emergency telephone number: +44 (0) 20 8943 7000 (Monday - Friday : 8am - 5pm)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.



Skin Irrit. 2 H315 Causes skin irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS02

GHS07

- · Signal word Danger
- · Hazard statements

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P241 Use explosion-proof electrical/ventilating/lighting equipment.
P280 Wear protective gloves / eye protection / face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P321 Specific treatment (see on this label).

(Contd. on page 2)



Printing date 06.06.2017 Version number 1 Revision: 06.06.2017

Product name: Dalapon 1000 ng/µl in Methyl-tert. butyl ether

(Contd. from page 1)

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · **Description:** Mixture: consisting of the following components.

· Dangerous components:				
	Tert-butyl methyl ether	> 99%		
EINECS: 216-653-1	♦ Flam. Liq. 2, H225; ♦ Skin Irrit. 2, H315			
RTECS: KN 5250000				
CAS: 75-99-0	dalapon	< 0.1%		
EINECS: 200-923-0	📀 Eye Dam. 1, H318; 🕦 Skin Irrit. 2, H315; Aquatic Chronic 3, H412			
RTECS: UF 0690000				

[·] Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

- $\cdot \textit{After eye contact: } \textit{Rinse opened eye for several minutes under running water.} \\$
- · After swallowing: Rinse mouth. Do not induce vomiting.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 3)



Printing date 06.06.2017 Version number 1 Revision: 06.06.2017

Product name: Dalapon 1000 ng/µl in Methyl-tert. butyl ether

(Contd. from page 2)

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Store in cool, dry place in tightly closed receptacles.
- · Information about fire and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles:

Store in a cool location.

Please refer to the manufacturer's certificate for specific storage and transport temperature conditions.

Store only in the original receptacle.

Keep container in a well-ventilated place. Keep away from sources of ignition and heat.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

1634-04-4 Tert-butyl methyl ether

WEL Short-term value: 367 mg/m³, 100 ppm Long-term value: 183.5 mg/m³, 50 ppm

- · Additional information: Lists used were valid at the time of SDS preparation.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

- Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation.
- · Protection of hands:

degradation

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the

(Contd. on page 4)



Printing date 06.06.2017 Version number 1 Revision: 06.06.2017

Product name: Dalapon 1000 ng/µl in Methyl-tert. butyl ether

(Contd. from page 3)

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374



- · Material of gloves Nitrile rubber, NBR
- · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

water at 25 °C:



Tightly sealed goggles

SECTION 9:	Physical	and c	chemical	properties

· 9.1 Information on basic physical and · General Information	enemical properties
· Appearance:	
Form:	Liquid
Colour:	Colourless
Odour:	Ether-like
Odour threshold:	Not determined.
pH-value:	Not determined.
· Change in condition	
Melting point/freezing point:	-108.6 °C
Initial boiling point and boiling rang	ge: 55 °C
· Flash point:	-30 °C
Flammability (solid, gas):	Not determined.
Ignition temperature:	460 °C
Decomposition temperature:	Not determined.
\cdot $Auto-ignition temperature:$	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of explosive a vapour mixtures is possible.
Explosion limits:	
Lower:	1.6 Vol %
Upper:	8.4 Vol %
Vapour pressure at 20 °C:	268 hPa
Density at 20 °C:	0.74116 g/cm^3
Relative density	Not determined.
· Vapour density	Not determined.
Evaporation rate	Not determined.
· Solubility in / Miscibility with	

51 g/l

(Contd. on page 5)



Printing date 06.06.2017 Version number 1 Revision: 06.06.2017

Product name: Dalapon 1000 ng/µl in Methyl-tert. butyl ether

(Contd. from page 4)

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

Dynamic: Not determined.

Kinematic: Not determined.

• 9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity Stable under normal conditions.
- · 10.2 Chemical stability Stable under normal conditions.
- · Thermal decomposition / conditions to be avoided:

Formation of toxic gases is possible during heating or in case of fire.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid

Heat.

Sources of ignition

- · 10.5 Incompatible materials: Strong oxidizing agents.
- · 10.6 Hazardous decomposition products:

Formation of toxic gases is possible during heating or in case of fire.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

1634-04-4 Tert-butyl methyl ether

Oral	LD50	4000 mg/kg (rat,
Inhalative	LC50/4 h	41 mg/l (rat)

- Primary irritant effect:
- · Skin corrosion/irritation

Causes skin irritation.

- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

1634-04-4 Tert-butyl methyl ether

EC50/48 h | 472 mg/l (daphnia)

LC50/96 h 574 mg/l (fish)

· 12.2 Persistence and degradability No further relevant information available.

(Contd. on page 6)



Printing date 06.06.2017 Version number 1 Revision: 06.06.2017

Product name: Dalapon 1000 ng/µl in Methyl-tert. butyl ether

(Contd. from page 5)

- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

Waste disposal key numbers from EWC have to be assigned depending on origin and processing.

- · Uncleaned packaging:
- · Recommendation: Dispose of in accordance with national regulations.

SECTION 14: Transport information

· 14.1 UN-Nun	nber
---------------	------

· ADR, IMDG, IATA UN2398

· ADR 2398 METHYL tert-BUTYL ETHER mixture
· IMDG, IATA METHYL tert-BUTYL ETHER mixture

- · 14.3 Transport hazard class(es)
- · ADR, IMDG, IATA



Class	3 Flammable liquids.
-------	----------------------

· Label 3

· 14.4 Packing group

· ADR, IMDG, IATA

· 14.5 Environmental hazards: Not applicable.

• 14.6 Special precautions for user Warning: Flammable liquids.

Danger code (Kemler):
EMS Number:
Stowage Category

33
F-E,S-D
E

· 14.7 Transport in bulk according to Annex II of

Marpol and the IBC Code Not applicable.

 $\cdot \textit{Transport/Additional information:}$

 $\cdot ADR$

· Limited quantities (LQ) 1L · Transport category 2

(Contd. on page 7)



Printing date 06.06.2017 Version number 1 Revision: 06.06.2017

Product name: Dalapon 1000 ng/µl in Methyl-tert. butyl ether

(Contd. from page 6)

• Tunnel restriction code

• UN "Model Regulation":

UN 2398 METHYL TERT-BUTYL ETHER MIXTURE, 3, II

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Philippines Inventory of Chemicals and Chemical Substances

All ingredients are listed.

· Australian Inventory of Chemical Substances

All ingredients are listed.

· Standard for the Uniform Scheduling of Medicines and Poisons

None of the ingredients is listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

The information in this safety data sheet (SDS) has been prepared with due care and is true and accurate to the best of our knowledge. The user must determine the suitability of the information for its particular purpose, ensure compliance with existing laws and regulations, and be aware that other or additional safety or performance considerations may arise when using, handling and/or storing the material. The information in this SDS does not purport to be all inclusive or a guarantee as to the properties of the material supplied, and should be used only as a guide. LGC makes no warranties or representations as to the accuracy and completeness of the information contained herein, shall not be held responsible for the suitability of this information for the user's intended purposes or the consequences of such use, and shall not be liable for any damage or loss, howsoever arising, direct or otherwise.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids - Category 2

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

 $A quatic\ Chronic\ 3:\ Hazardous\ to\ the\ aquatic\ environment\ -\ long-term\ aquatic\ hazard\ -\ Category\ 3$

· Sources

Tables 3.1 and 3.2 from Annex 6 of EC 1272/2008, EC 1907/2006, EH40/2005 as amended 2011, Registry of Toxic Effects of Chemical Substances (RTECS), The Dictionary of Substances and their Effects, 1st Edition, IUCLID.

· Data compared to the previous version altered. All sections have been updated.