

Certificate of Analysis

pH Buffer Solution

Buffer Solution pH 2.00 ± 0.02 @ 25°C

<i>Product No:</i>	1020525
<i>Lot No:</i>	216J1
<i>Expiry date:</i>	28/09/2019

<i>Mean pH value:</i>	2.01 @ 25°C
<i>Date of measurement:</i>	23/09/2016

Specification:
1.98 - 2.02 @25°C

pH Measurement:

The result reported above was determined by analysis of a sample of this lot taken at time of manufacture. Test Method used was TPPHB. Measured with a combination glass electrode after multiple point calibration with reference materials. It is certified traceable to the following National Institute of Standards and Technology (USA), SRM 189c Potassium Tetraoxalate and SRM 185i Potassium Hydrogen Phthalate. This certificate relates solely to the lot number given above. The uncertainty of measurement has been calculated not to exceed ± 0.02pH at 95% confidence level, i.e. coverage factor k =2.

Buffer Substance:

Glycine, Hydrochloric Acid, Sodium chloride.

Accreditation:

Reagecon Diagnostics Ltd. is accredited by the Irish National Accreditation Board, under scope 264T, for the test method, TPPHB, used to generate the above result. This accreditation is intended only to certify that Reagecon has the Quality Management Systems in place to ensure that each individual test result generated using TPPHB is technically valid and is supported by appropriate uncertainty measurements.

Products are manufactured under an NSAI registered I.S EN ISO9001:2008 Quality System, registration no: 19.2769

Date of issue of the certificate: 23/09/2016

Rubán McDonagh

QC Technician Ruban Mc Donagh

Complementary information relative to this product is available at www.reagecon.com
Page 1 of 1. This Certificate must not be reproduced except in full. Rev-16J11