

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Mar-2023

Revision Number 1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Product Code(s)	DRE-YA13320100ME
Product Name	Ethylbenzene D10 2000 μg/mL in Methanol
Form	Not applicable
Unique Formula Identifier (UFI)	69PE-G0UY-U00J-WMTV
Pure substance/mixture	Mixture
1.2. Relevant identified uses of the s	substance or mixture and uses advised against
Recommended use	Laboratory use
Uses advised against	No information available
1.3. Details of the supplier of the sat	fety data sheet
Supplier	
LGC Limited Queens Road Teddington Middlesex TW11 0LY UNITED KINGDOM :+44 (0) 20 8943 7000 Fax :+44 (0) 20 8943 2767 eMail : gb@lgcstandards.com	
Web : www.lgcstandards.com	
For further information, please contact	
E-mail address	sds-request@lgcgroup.com
1.4. Emergency telephone number	-
Emergency Telephone	For Hazardous Materials or Dangerous Goods Incident Spill, Leak, Fire Exposure, or Accident Call CHEMTREC: USA & Canada 1-800-424-9300 Rest of the world +1 703-741-5970



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Mar-2023

**Revision Number** 1

## DRE-YA13320100ME - Ethylbenzene D10 2000 µg/mL in Methanol

Emergency Telephone - §45 - (EC)1272/2008				
Europe	112			
Austria	No information available			
Bulgaria				
Croatia				
Cyprus				
Czech Republic				
Denmark				
France				
Hungary				
Ireland				
Italy				
Lithuania				
Luxembourg				
Netherlands				
Norway				
Portugal				
Romania				
Slovakia				
Slovenia				
Spain				
Sweden				
Switzerland				

# SECTION 2: Hazards identification

# **2.1. Classification of the substance or mixture** Classification according to

Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity - Oral	Category 3 - (H301)
Acute toxicity - Dermal	Category 3 - (H311)
Acute toxicity - Inhalation (Vapours)	Category 3 - (H331)
Specific target organ toxicity — single exposure	Category 1 - (H370)
Flammable liquids	Category 2 - (H225)

### 2.2. Label elements

**Contains Methanol** 



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Mar-2023

**Revision Number** 1

# DRE-YA13320100ME - Ethylbenzene D10 2000 µg/mL in Methanol



# Danger

## Hazard statements

H301 - Toxic if swallowed

H311 - Toxic in contact with skin

H331 - Toxic if inhaled

H370 - Causes damage to organs

H225 - Highly flammable liquid and vapour

## Precautionary Statements - EU (§28, 1272/2008)

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking P260 - Do not breathe dust/fume/gas/mist/vapours/spray P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor P403 + P235 - Store in a well-ventilated place. Keep cool

### 2.3. Other hazards

No information available.

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Endocrine Disruptor Information Th	roduct does not contain any known or suspected endocrine disruptors.					
Chemical name	EU - REACH (1907/2006) - Article 59(1)	EU - REACH (1907/2006) - Article 59(1) EU - REACH (1907/2006) - Endocrine				
	- Candidate List of Substances of Very	Disruptor Assessment List of				
	High Concern (SVHC) for Authorisation	Substances				
Methanol	-	-				

# SECTION 3: Composition/information on ingredients

## 3.1 Substances

Not applicable

### 3.2 Mixtures



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

### Revision date 08-Mar-2023

Revision Number 1

## DRE-YA13320100ME - Ethylbenzene D10 2000 µg/mL in Methanol

**Chemical nature** 

Mixture of organic compounds.

Chemical name	Weight-%	REACH registration	EC No (EU	Classification according	Specific	M-Factor	M-Factor
		number	Index No)	to Regulation (EC) No. concentration			(long-term)
				1272/2008 [CLP]	limit (SCL)		
Methanol	80 - 100	-	200-659-6	Acute Tox. 3 (H301)	STOT SE 1 ::		
67-56-1				Acute Tox. 3 (H311)	C>=10%		
				Acute Tox. 3 (H331)	STOT SE 2 ::		
				STOT SE 1 (H370)	3%<=C<10%		
				Flam. Liq. 2 (H225)			

### Full text of H- and EUH-phrases: see section 16

### Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg		Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Methanol 67-56-1	6200	15840	No data available	41.6976	No data available

## Additional information

This product contains a stable isotope.

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
Inhalation	Remove to fresh air. IF exposed or concerned: Get medical advice/attention. If breathing has stopped, give artificial respiration. Get medical attention immediately. Immediate medical attention is required. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

### Revision date 08-Mar-2023

**Revision Number** 1

## DRE-YA13320100ME - Ethylbenzene D10 2000 µg/mL in Methanol

	eye wide open while rinsing. Do not rub affected area. Get immediate medical attention.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get immediate medical attention.
Ingestion	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Get immediate medical attention.
Self-protection of the first aider	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Do not breathe vapour or mist.
4.2. Most important symptoms and	effects, both acute and delayed
Symptoms	Coughing and/ or wheezing. Difficulty in breathing.
4.3. Indication of any immediate me	edical attention and special treatment needed
Note to doctors	Treat symptomatically.

SECTION 5: Firefighting m 5.1. Extinguishing media	neasures
Suitable Extinguishing Media	Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.
5.2. Special hazards arising from the	ne substance or mixture
Specific hazards arising from the chemical	Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
5.3. Advice for firefighters	
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

# SECTION 6: Accidental release measures



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Mar-2023

**Revision Number** 1

# DRE-YA13320100ME - Ethylbenzene D10 2000 µg/mL in Methanol

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Do not breathe vapour or mist.
Other information	Ventilate the area. Refer to protective measures listed in Sections 7 and 8.
For emergency responders	Use personal protection recommended in Section 8.
6.2. Environmental precautions	
Environmental precautions	Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.
6.3. Methods and material for conta	ainment and cleaning up
Methods for containment	Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapour suppressing foam may be used to reduce vapours. Dyke far ahead of spill to collect run-off water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.
Methods for cleaning up	Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labelled containers.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.
6.4. Reference to other sections	
Reference to other sections	See section 8 for more information. See section 13 for more information.

# SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

Advice on safe handling Use personal protection equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

### Revision date 08-Mar-2023

Revision Number 1

## DRE-YA13320100ME - Ethylbenzene D10 2000 µg/mL in Methanol

and safety practice. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash it before reuse. Do not breathe vapour or mist. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product.

**General hygiene considerations** Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Do not breathe vapour or mist. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage ConditionsKeep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat,<br/>sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static<br/>electricity). Keep in properly labelled containers. Do not store near combustible materials.<br/>Keep in an area equipped with sprinklers. Store in accordance with the particular national<br/>regulations. Store in accordance with local regulations. Keep out of the reach of children.<br/>Store locked up. Please refer to the manufacturer's certificate for specific storage and<br/>transport temperature conditions. Store only in the original receptacle unless other advice is<br/>given on the CoA.

### 7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

# SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure Limits

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Methanol	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm
67-56-1	TWA: 260 mg/m <sup>3</sup>	TWA: 260 mg/m <sup>3</sup>	TWA: 266 mg/m <sup>3</sup>	TWA: 260.0 mg/m <sup>3</sup>	TWA: 260 mg/m <sup>3</sup>
	*	STEL 800 ppm			Sk*
		STEL 1040 mg/m <sup>3</sup> STEL: 333 mg/m <sup>3</sup>			
		Sk*	Sk*		
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Methanol	TWA: 200 ppm	TWA: 250 mg/m <sup>3</sup>	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm
67-56-1	TWA: 260 mg/m <sup>3</sup>	Sk*	TWA: 260 mg/m <sup>3</sup>	TWA: 250 mg/m <sup>3</sup>	TWA: 270 mg/m <sup>3</sup>
	Sk*	Ceiling: 1000 mg/m <sup>3</sup>	STEL: 400 ppm	STEL: 250 ppm	STEL: 250 ppm



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

### Revision date 08-Mar-2023

**Revision Number** 1

# DRE-YA13320100ME - Ethylbenzene D10 2000 µg/mL in Methanol

			STEL: 520 mg/m <sup>3</sup> Sk*		350 mg/m³ Sk*	STEL: 330 mg/m <sup>3</sup> Sk*
Chemical name	France	Germany TRGS	Germany DFG	Gr	eece	Hungary
Methanol 67-56-1	TWA: 200 ppm TWA: 260 mg/m <sup>3</sup> STEL: 1000 ppm STEL: 1300 mg/m <sup>3</sup> Sk <sup>*</sup>	TWA: 100 ppm TWA: 130 mg/m³ Sk*	TWA: 100 ppm TWA: 130 mg/m <sup>3</sup> Peak: 200 ppm Peak: 260 mg/m <sup>3</sup> Sk*	TWA: 2 STEL: STEL: 3	200 ppm 260 mg/m <sup>3</sup> 250 ppm 325 mg/m <sup>3</sup> Sk*	TWA: 260 mg/m <sup>3</sup> TWA: 200 ppm Sk*
Chemical name	Ireland	Italy MDLPS	Italy AIDII	La	atvia	Lithuania
Methanol 67-56-1	TWA: 200 ppm TWA: 260 mg/m <sup>3</sup> STEL: 600 ppm STEL: 780 mg/m <sup>3</sup> Sk <sup>*</sup>	TWA: 200 ppm TWA: 260 mg/m³ Sk*	TWA: 200 ppm TWA: 262 mg/m <sup>3</sup> STEL: 250 ppm STEL: 328 mg/m <sup>3</sup> Sk*	TWA: 2	200 ppm :60 mg/m <sup>3</sup> Sk*	TWA: 200 ppm TWA: 260 mg/m <sup>3</sup> Sk*
Chemical name	Luxembourg	Malta	Netherlands	No	orway	Poland
Methanol 67-56-1	TWA: 200 ppm TWA: 260 mg/m <sup>3</sup> Sk*	TWA: 200 ppm TWA: 260 mg/m <sup>3</sup> Sk*	TWA: 100 ppm TWA: 133 mg/m <sup>3</sup> Sk*	TWA: 1 STEL: STEL: 10	100 ppm 30 mg/m <sup>3</sup> 150 ppm 62.5 mg/m <sup>3</sup> Sk*	TWA: 100 mg/m <sup>3</sup> STEL: 300 mg/m <sup>3</sup> Sk* Prohibited - substances or mixtures containing Methanol in weight concentration >3%;except fuels used in the model building, powerboating, fuel cells and biofuels
Chemical name	Portugal	Romania	Slovakia	Slo	venia	Spain
Methanol 67-56-1	TWA: 200 ppm TWA: 260 mg/m <sup>3</sup> STEL: 250 ppm Sk*	TWA: 200 ppm TWA: 260 mg/m³ Sk*	TWA: 200 ppm TWA: 260 mg/m³ Sk*	TWA: 2 STEL: STEL: 1	200 ppm 260 mg/m <sup>3</sup> 800 ppm 040 mg/m <sup>3</sup> Sk*	TWA: 200 ppm TWA: 266 mg/m <sup>3</sup> Sk*
Chemical name	S	weden	Switzerland	Switzerland United Kingo		ted Kingdom
Methanol 67-56-1	NGV: 1 Vägledande	200 ppm 250 mg/m <sup>3</sup> 9 KGV: 250 ppm KGV: 350 mg/m <sup>3</sup> Sk*	TWA: 200 ppm TWA: 260 mg/n STEL: 400 ppn STEL: 520 mg/r Sk*	ո <sup>3</sup> Ո	TWA: 200 ppm TWA: 266 mg/m <sup>3</sup> STEL: 250 ppm STEL: 333 mg/m <sup>3</sup> Sk*	

**Biological occupational exposure limits** 



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Mar-2023

**Revision Number** 1

## DRE-YA13320100ME - Ethylbenzene D10 2000 µg/mL in Methanol

Chemical name	European Union	Austria	Bulg	garia	Croatia		Czech Republic
Methanol	-	-		_		nine -	0.47 mmol/L (urine -
67-56-1					urine (Methano		Methanol end of
					the end of the	work	shift)
					shift		15 mg/L (urine -
							Methanol end of
							shift)
Chemical name	Denmark	Finland		nce	Germany DF		Germany TRGS
Methanol	-	-		ethanol) -	15 mg/L (urin		15 mg/L (urine -
67-56-1			end o	of shift	Methanol end	d of	Methanol end of
					shift)		shift)
					15 mg/L (urin		15 mg/L (urine -
					Methanol fo	or	Methanol for
					long-term	41	long-term
					exposures: at		exposures: at the
					several shift		end of the shift after several shifts)
					15 mg/L - BAT	,	, , ,
					of exposure or		
					of shift) urin		
Chemical name	Hungary	Irelan	d	Ital	/ MDLPS		Italy AIDII
Methanol	30 mg/L (urine - Methano				-		15 mg/L - urine
67-56-1	end of shift)	end of s					thanol) - end of shift
	940 µmol/L (urine -		,			,	,
	Methanol end of shift)						
Chemical name	Latvia	Luxembo	ourg		omania		Slovakia
Methanol	-	-					g/L (urine - Methanol
67-56-1				- er	nd of shift	end	of exposure or work
							shift)
							g/L (urine - Methanol
							iter all work shifts)
Chemical name	Slovenia	Spair		-	itzerland		United Kingdom
Methanol	15 mg/L - urine				urine - Methanol		-
67-56-1	(Methanol) - at the end of	f end of s	niitt)		hift, and after		
	the work shift; for				al shifts (for		
	long-term exposure: at the end of the work shift after				m exposures)) nol/L (urine -		
	several consecutive				end of shift, and		
	workdays				eral shifts (for		
	wurnays				n exposures))		

Derived No Effect Level (DNEL) Predicted No Effect Concentration No information available. (PNEC)

No information available.

8.2. Exposure controls



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Mar-2023

**Revision Number** 1

## DRE-YA13320100ME - Ethylbenzene D10 2000 µg/mL in Methanol

Eye/face protection	Tight sealing safety goggles. Avoid contact with eyes. Wear safety glasses with side shields (or goggles).
Hand protection	Wear protective butyl rubber gloves. Wear suitable gloves. Impervious gloves. The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374.
Skin and body protection	Long sleeved clothing. Chemical resistant apron. Antistatic boots. Wear suitable protective clothing.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Do not breathe vapour or mist. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection.
Environmental exposure controls	Do not allow into any sewer, on the ground or into any body of water.

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical a	ind chemical properties	
Physical state	Liquid	
Appearance	Liquid	
Colour	colourless	
Odour	Alcohol.	
Odour threshold	No information available	
Property	Values	Remarks • Method
Melting point / freezing point	-98 °C	None known
Initial boiling point and boiling range64.7 °C		None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive	50 Vol% - 665 g/m³	
limits	C C	
Lower flammability or explosive	6 Vol% - 80 g/m³	
, ,	5	



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Mar-2023

**Revision Number** 1

## DRE-YA13320100ME - Ethylbenzene D10 2000 µg/mL in Methanol

limits 11 °C Flash point Autoignition temperature 464 °C **Decomposition temperature** pН pH (as aqueous solution) Kinematic viscosity **Dynamic viscosity** Water solubility Solubility(ies) Partition coefficient -0.77 Vapour pressure 128 hPa 0.791 **Relative density Bulk density** Liquid Density **Relative vapour density** 1.1 **Particle characteristics Particle Size Particle Size Distribution** No information available

No data available No data available No data available 0.544 - 0.59 mPas No data available No data available No data available No data available No information available None known None known None known No information available None known @ 25°C None known None known None known @ 20°C None known None known

None known

### 9.2. Other information

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics No information available

# SECTION 10: Stability and reactivity

### 10.1. Reactivity

Reactivity

No information available.

10.2. Chemical stability

Stability

Stable under normal conditions.

**Explosion data** Sensitivity to mechanical impact None. Sensitivity to static discharge Yes.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Mar-2023

Revision Number 1

# DRE-YA13320100ME - Ethylbenzene D10 2000 µg/mL in Methanol

10.4. Conditions to avoid

Conditions to avoid Heat, flames and sparks. Excessive heat.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

Hazardous decomposition products None known based on information supplied.

# **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

## Information on likely routes of exposure

### Product Information

Inhalation	Specific test data for the substance or mixture is not available. Toxic by inhalation. (based on components).			
Eye contact	Specific test data for the substance or mixture is not available.			
Skin contact	Specific test data for the substance or mixture is not available. Toxic in contact with skin. (based on components).			
Ingestion	Specific test data for the substance or mixture is not available. Toxic if swallowed. (based on components).			
Symptoms related to the physical, chemical and toxicological characteristics				
Symptoms	Coughing and/ or wheezing. Difficulty in breathing.			
Numerical measures of toxicity				
Acute toxicity				
The following values are calculated based on chapter 3.1 of the GHS document ATEmix (oral) 100.20 mg/kg				

ATEmix (oral)	100.20 mg/kg
ATEmix (dermal)	300.60 mg/kg
ATEmix (inhalation-vapour)	3.01 mg/l



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Mar-2023

Revision Number 1

# DRE-YA13320100ME - Ethylbenzene D10 2000 µg/mL in Methanol

## **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50			
Methanol	= 6200 mg/kg (Rat)	= 15840 mg/kg (Rabbit)	= 22500 ppm (Rat)8 h			
Delayed and immediate effects as well as chronic effects from short and long-term exposure						
Skin corrosion/irritation	Based on available data, t	Based on available data, the classification criteria are not met.				
Serious eye damage/eye irritati	<b>on</b> No information available.					
Respiratory or skin sensitisatio	<b>on</b> No information available.					
Germ cell mutagenicity	No information available.					
Carcinogenicity	No information available.					
Reproductive toxicity	No information available.					
STOT - single exposure	country or region with white determined to cause system	Based on the classification criteria of the Globally Harmonized System as adopted in the country or region with which this safety data sheet complies, this product has been determined to cause systemic target organ toxicity from acute exposure. (STOT SE). Causes damage to organs if swallowed. Causes damage to organs in contact with skin.				
STOT - repeated exposure	No information available.	No information available.				
Aspiration hazard	No information available.					
11.2. Information on other hazards						
11.2.1. Endocrine disrupting p	properties					
Endocrine disrupting propertie	No information available.					

## 11.2.2. Other information



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Mar-2023

Revision Number 1

# DRE-YA13320100ME - Ethylbenzene D10 2000 µg/mL in Methanol

Other adverse effects

No information available.

# **SECTION 12: Ecological information**

## 12.1. Toxicity

Ecotoxicity

Unknown aquatic toxicity

Contains 0 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Methanol	-	LC50: =28200mg/L (96h, Pimephales promelas) LC50: >100mg/L (96h, Pimephales promelas) LC50: 19500 - 20700mg/L (96h, Oncorhynchus mykiss) LC50: 18 - 20mL/L (96h, Oncorhynchus mykiss) LC50: 13500 - 17600mg/L (96h, Lepomis macrochirus)		_

## 12.2. Persistence and degradability

Persistence and degradability No information available.

### 12.3. Bioaccumulative potential

**Bioaccumulation** 

There is no data for this product.

## **Component Information**

Chemical name	Partition coefficient
Methanol	-0.77

### 12.4. Mobility in soil

Mobility in soil

No information available.

## 12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Mar-2023

**Revision Number** 1

## DRE-YA13320100ME - Ethylbenzene D10 2000 µg/mL in Methanol

Chemical name	PBT and vPvB assessment
Methanol	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

### 12.7. Other adverse effects

No information available.

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Waste from residues/unused products	Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

# **SECTION 14: Transport information**

IA	Ι.	I	Ά	
_				

<ul> <li>14.1 UN number or ID number</li> <li>14.2 UN proper shipping name</li> <li>14.3 Transport hazard class(es) Subsidiary hazard class</li> <li>14.4 Packing group Description</li> <li>14.5 Environmental hazards</li> <li>14.6 Special precautions for user Special Provisions ERG Code</li> </ul>	UN1230 Methanol mixture 3 6.1 II UN1230, Methanol mixture, 3 (6.1), II Not applicable A113 3L
IMDG 14.1 UN number or ID number 14.2 UN proper shipping name 14.3 Transport hazard class(es) Subsidiary hazard class 14.4 Packing group Description	UN1230 Methanol mixture 3 6.1 II UN1230, Methanol mixture, 3 (6.1), II, (11°C c.c.)



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

### Revision date 08-Mar-2023

**Revision Number** 1

## DRE-YA13320100ME - Ethylbenzene D10 2000 µg/mL in Methanol

<ul> <li>14.5 Marine pollutant</li> <li>14.6 Special precautions for user Special Provisions EmS-No.</li> <li>14.7 Maritime transport in bulk according to IMO instruments</li> </ul>	NP 279 F-E, S-D No information available No information available
RID14.1UN number or ID number14.2UN proper shipping name14.3Transport hazard class(es)Subsidiary hazard class14.4Packing groupDescription14.5Environmental hazards14.6Special precautions for userSpecial ProvisionsClassification code	UN1230 Methanol mixture 3 6.1 II UN1230, Methanol mixture, 3 (6.1), II Not applicable 279 FT1
ADR 14.1 UN number or ID number 14.2 UN proper shipping name 14.3 Transport hazard class(es) Subsidiary hazard class 14.4 Packing group Description 14.5 Environmental hazards 14.6 Special precautions for user Special Provisions Classification code Tunnel restriction code	UN1230 Methanol mixture 3 6.1 II UN1230, Methanol mixture, 3 (6.1), II, (D/E) Not applicable 279 FT1 (D/E)

# **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number	Title
Methanol	RG 84	-
67-56-1		

Water hazard class (WGK)

obviously hazardous to water (WGK 2)



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Mar-2023

Revision Number 1

## DRE-YA13320100ME - Ethylbenzene D10 2000 µg/mL in Methanol

Poland

SDS created according to the following Polish regulation: Act of February 25, 2011 on chemical substances and their mixtures (Journal of Laws of 2018, item 143, as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing the European Chemicals Agency (EC) as amended. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labeling and packaging of substances and mixtures, as amended. Regulation of the Minister of Health of 10 August 2012 on the criteria and method of classifying chemical substances and their mixtures (Journal of Laws of 2012, item 1018). Regulation of the Minister of Health of 20 April 2012 on labeling packaging of hazardous substances and mixtures and some mixtures (Journal of Laws of 2012, item 445). Regulation of the Minister of Family, Labor and Social Policy of 12 June 2018 on the maximum allowable concentrations and intensities of factors harmful to health in the work environment (Journal of Laws of 2018, item 1286). Announcement of the Minister of Economy, Labor and Social Policy of August 28, 2003 on the publication of the unified text of the Ordinance of the Minister of Labor and Social Policy on general health and safety at work regulations (Journal of Laws of 2003, No. 169, item 1650) . Regulation of the Minister of Health of 30 December 2004 on occupational safety and health related to the presence of chemical agents in the workplace (Journal of Laws of 2005, No. 11, item 86). Act of December 14, 2012 on waste (Journal of Laws of 2013, item 21) Regulation of the Minister of Health of December 30, 2004 on occupational health and safety related to the presence of chemical agents in the workplace (Journal U. of 2005, No. 11, item 86). Waste Act of December 14, 2012 (Journal of Laws of 2013, item 21). Act of 13 June 2013 on the management of packaging and packaging waste, Journal of Laws 2013, item 888). Government statement of September 24, 2002 - European Agreement on the International Carriage of Dangerous Goods by Road (ADR) (Journal of Laws No. 194. item 1629 and Journal of Laws of 2003, No. 207, item 2013 and 2014).

#### **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

#### Authorisations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

#### **DIRECTIVE (EU) 2021/1187 on the marketing and use of explosives precursors** Not applicable

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV
Methanol - 67-56-1	69. 75.	



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Mar-2023

**Revision Number** 1

## DRE-YA13320100ME - Ethylbenzene D10 2000 µg/mL in Methanol

Persistent Organic Pollutants Not applicable

### Dangerous substance category per Seveso Directive (2012/18/EU)

H2 - ACUTE TOXIC H3 - STOT SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE P5a - FLAMMABLE LIQUIDS P5b - FLAMMABLE LIQUIDS P5c - FLAMMABLE LIQUIDS Named dangerous substances per Seveso Directive (2012/18/EU)

Chemical name	Lower-tier requirements (tons)	Upper-tier requirements (tons)
Methanol - 67-56-1	500	5000

# Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

International Inventories	
TSCA	Complies
DSL/NDSL	Contact supplier for inventory compliance status
EINECS/ELINCS	Contact supplier for inventory compliance status
ENCS	Contact supplier for inventory compliance status
IECSC	Contact supplier for inventory compliance status
KECL	Contact supplier for inventory compliance status
PICCS	Contact supplier for inventory compliance status
AIIC	Contact supplier for inventory compliance status

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### 15.2. Chemical safety assessment

**Chemical Safety Report** 

A Chemical Safety Assessment is not required for this substance



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Mar-2023

**Revision Number** 1

## DRE-YA13320100ME - Ethylbenzene D10 2000 µg/mL in Methanol

# **SECTION 16: Other information**

Key or legend to abbreviations and acronyms used in the safety data sheet

## Full text of H-Statements referred to under section 3

H225 - Highly flammable liquid and vapour

H301 - Toxic if swallowed

H311 - Toxic in contact with skin

H331 - Toxic if inhaled

H370 - Causes damage to organs

### Legend

SVHC: Substances of Very High Concern for Authorisation:

#### Legend Section 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	Sk*	Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - Vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method
Flammable liquids	On basis of test data

#### Key literature references and sources for data used to compile the SDS Agency for Toxic Substances and Disease Registry (ATSDR)



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

### Revision date 08-Mar-2023

Revision Number 1

# DRE-YA13320100ME - Ethylbenzene D10 2000 µg/mL in Methanol

U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme Organisation for Economic Co-operation and Development Screening Information Data Set World Health Organization

Revision date 08-Mar-2023

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 Disclaimer

The information in this safety data sheet (SDS) has been prepared with due care and is true and accurate to the best of our knowledge. The user must determine the suitability of the information for its particular purpose, ensure compliance with existing laws and regulations, and be aware that other or additional safety or performance considerations may arise when using, handling and/ or storing the material. The information in this SDS does not purport to be all inclusive or a guarantee as to the properties of the material supplied, and should be used only as a guide. LGC makes no warranties or representations as to the accuracy and completeness of the information contained herein, shall not be held responsible for the suitability of this information for the user's intended purposes or the consequences of such use, and shall not be liable for any damage or loss, howsoever arising, direct or otherwise.

End of Safety Data Sheet