

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 19-Jan-2023 Revision Number 1

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product Code(s) DRE-YA12632500MB

Product Name 2,2'-Difluorobiphenyl (PFB 4) 2000 µg/mL in Methyl-tert-butyl ether

Unique Formula Identifier (UFI) AD9D-E0RG-Q003-5XFM

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Laboratory use

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

#### **Supplier**

LGC Limited
Queens Road
Teddington
Middlesex TW11 0LY
UNITED KINGDOM
:+44 (0) 20 8943 7000
Fax :+44 (0) 20 8943 2767

eMail: gb@lgcstandards.com

Web: www.lgcstandards.com

For further information, please contact

E-mail address sds-request@lgcgroup.com

#### 1.4. Emergency telephone number

Emergency Telephone For Hazardous Materials or Dangerous Goods Incident

Spill, Leak, Fire Exposure, or Accident

Call CHEMTREC:

USA & Canada 1-800-424-9300 Rest of the world +1 703-741-5970

Emergency Telephone - §45 - (EC)1	272/2008
Europe	112
Austria	No information available

EGHS / EN Page 1/17



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 19-Jan-2023 Revision Number 1

#### DRE-YA12632500MB - 2,2'-Difluorobiphenyl (PFB 4) 2000 µg/mL in Methyl-tert-butyl ether

Bulgaria	
Croatia	
Cyprus	
Czech Republic	
Denmark	
France	
Hungary	
Ireland	
Italy	
Lithuania	
Luxembourg	
Netherlands	
Norway	
Portugal	
Romania	
Slovakia	
Slovenia	
Spain	
Sweden	
Switzerland	

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin corrosion/irritation	Category 2 - (H315)
Flammable liquids	Category 2 - (H225)

#### 2.2. Label elements





Signal word Danger

#### **Hazard statements**

H315 - Causes skin irritation

H225 - Highly flammable liquid and vapour

Precautionary Statements - EU (§28, 1272/2008)

EGHS / EN Page 2/17



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 19-Jan-2023 Revision Number 1

#### DRE-YA12632500MB - 2,2'-Difluorobiphenyl (PFB 4) 2000 µg/mL in Methyl-tert-butyl ether

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P233 - Keep container tightly closed

P264 - Wash face, hands and any exposed skin thoroughly after handling

P370 + P378 - In case of fire: Use dry chemical, CO2, water spray or alcohol-resistant foam to extinguish

P403 + P235 - Store in a well-ventilated place. Keep cool

#### 2.3. Other hazards

No information available.

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

This product does not contain any known or suspected endocrine disruptors.

### SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Not applicable

#### 3.2 Mixtures

#### **Chemical nature**

Mixture of organic compounds.

Chemical name	Weight-%	REACH registration number	,	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Tert-butyl methyl ether 1634-04-4	80 - 100	-	216-653-1	Skin Irrit. 2 (H315) Flam. Liq. 2 (H225)			
2,2'-Difluoro-1,1'-bip henyl 388-82-9	0.1 - 1	-	206-863-1	STOT RE 2 (H373) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)			

#### Full text of H- and EUH-phrases: see section 16

#### **Acute Toxicity Estimate**

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

EGHS / EN Page 3/17



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 19-Jan-2023 Revision Number 1

#### DRE-YA12632500MB - 2,2'-Difluorobiphenyl (PFB 4) 2000 µg/mL in Methyl-tert-butyl ether

Chemical name	Oral LD50 mg/kg		Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Tert-butyl methyl ether 1634-04-4	2963	10000	85	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

**General advice** Show this safety data sheet to the doctor in attendance.

**Inhalation** Remove to fresh air. Get medical attention immediately if symptoms occur.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area.

**Skin contact**Wash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce

vomiting. Call a doctor.

**Self-protection of the first aider** Remove all sources of ignition. Ensure that medical personnel are aware of the material(s)

involved, take precautions to protect themselves and prevent spread of contamination. Use

personal protective equipment as required. See section 8 for more information. Avoid

contact with skin, eyes or clothing.

#### 4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

EGHS / EN Page 4/17



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 19-Jan-2023 Revision Number 1

DRE-YA12632500MB - 2,2'-Difluorobiphenyl (PFB 4) 2000 µg/mL in Methyl-tert-butyl ether

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

#### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Evacuate personnel to safe areas. Use personal protective equipment as required. See

> section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the

product must be grounded. Do not touch or walk through spilled material.

Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

Use personal protection recommended in Section 8. For emergency responders

6.2. Environmental precautions

Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if **Environmental precautions** 

safe to do so. Prevent product from entering drains.

6.3. Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. A

> vapour suppressing foam may be used to reduce vapours. Dyke far ahead of spill to collect run-off water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand

or other non-combustible material and transfer to containers for later disposal.

Take precautionary measures against static discharges. Dam up. Soak up with inert Methods for cleaning up

absorbent material. Pick up and transfer to properly labelled containers.

Clean contaminated objects and areas thoroughly observing environmental regulations. Prevention of secondary hazards

6.4. Reference to other sections

EGHS / EN Page 5 / 17



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 19-Jan-2023 Revision Number 1

DRE-YA12632500MB - 2,2'-Difluorobiphenyl (PFB 4) 2000 µg/mL in Methyl-tert-butyl ether

\_\_\_\_\_

Reference to other sections

See section 8 for more information. See section 13 for more information.

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Advice on safe handling

Use personal protection equipment. Avoid breathing vapours or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse.

General hygiene considerations

Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection.

#### 7.2. Conditions for safe storage, including any incompatibilities

**Storage Conditions** 

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labelled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Please refer to the manufacturer's certificate for specific storage and transport temperature conditions. Store only in the original receptacle unless other advice is given on the CoA.

#### 7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

#### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### **Exposure Limits**

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Tert-butyl methyl ether	TWA: 50 ppm	TWA: 50 ppm	TWA: 40 ppm	STEL: 100 ppm	TWA: 50 ppm

EGHS / EN Page 6/17



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 19-Jan-2023 **Revision Number** 1

#### DRE-YA12632500MB - 2,2'-Difluorobiphenyl (PFB 4) 2000 µg/mL in Methyl-tert-butyl ether

1634-04-4	TWA:	183.5 mg/m <sup>3</sup>	TWA: 180 mg/m <sup>3</sup>	TWA: 146 mg/m <sup>3</sup>	STEL: 3	367 mg/m <sup>3</sup>	TWA: 183.5 mg/m <sup>3</sup>
		L: 100 ppm	STEL 100 ppm	STEL: 100 ppm	TWA:	50 ppm	STEL: 100 ppm
	STE	_: 367 mg/m <sup>3</sup>	STEL 360 mg/m <sup>3</sup>	STEL: 367 mg/m <sup>3</sup>	TWA: 18	33.5 mg/m <sup>3</sup>	STEL: 367 mg/m <sup>3</sup>
							*
Chemical name		Cyprus	Czech Republic	Denmark	Es	stonia	Finland
Tert-butyl methyl ether	STEI	_: 367 mg/m <sup>3</sup>	TWA: 100 mg/m <sup>3</sup>	TWA: 40 ppm	TWA	50 ppm	TWA: 50 ppm
1634-04-4	STE	L: 100 ppm	Ceiling: 200 mg/m	<sup>3</sup> TWA: 144 mg/m <sup>3</sup>	TWA: 18	33.5 mg/m <sup>3</sup>	TWA: 180 mg/m <sup>3</sup>
	TWA:	183.5 mg/m <sup>3</sup>			STEL:	100 ppm	STEL: 100 ppm
	TV	/A: 50 ppm			STEL: 3	367 mg/m <sup>3</sup>	STEL: 360 mg/m <sup>3</sup>
Chemical name		France	Germany	Germany MAK	Gı	reece	Hungary
Tert-butyl methyl ether	TV	/A: 50 ppm	TWA: 50 ppm	TWA: 50 ppm	TWA	50 ppm	TWA: 183.5 mg/m <sup>3</sup>
1634-04-4	TWA:	183.5 mg/m <sup>3</sup>	TWA: 180 mg/m <sup>3</sup>	TWA: 180 mg/m <sup>3</sup>	TWA: 18	33.5 mg/m <sup>3</sup>	STEL: 367 mg/m <sup>3</sup>
	STE	_: 367 mg/m <sup>3</sup>		Peak: 75 ppm	STEL:	100 ppm	
	STE	L: 100 ppm		Peak: 270 mg/m <sup>3</sup>	STEL: 3	367 mg/m <sup>3</sup>	
Chemical name		Ireland	Italy	Italy REL	L	atvia	Lithuania
Tert-butyl methyl ether	TV	/A: 50 ppm	TWA: 50 ppm	TWA: 50 ppm	TWA	50 ppm	TWA: 50 ppm
1634-04-4	TWA:	183.5 mg/m <sup>3</sup>	TWA: 183.5 mg/m	<sup>3</sup> TWA: 180 mg/m <sup>3</sup>	TWA: 18	33.5 mg/m <sup>3</sup>	TWA: 183.5 mg/m <sup>3</sup>
	STE	L: 100 ppm	STEL: 100 ppm		STEL:	100 ppm	STEL: 100 ppm
	STEL	_: 367 mg/m <sup>3</sup>	STEL: 367 mg/m <sup>3</sup>		STEL: 3	367 mg/m <sup>3</sup>	STEL: 367 mg/m <sup>3</sup>
Chemical name	Lu	xembourg	Malta	Netherlands	No	orway	Poland
Tert-butyl methyl ether	STE	_: 367 mg/m <sup>3</sup>	STEL: 367 mg/m <sup>3</sup>	TWA: 180 mg/m <sup>3</sup>	TWA	50 ppm	STEL: 270 mg/m <sup>3</sup>
1634-04-4		L: 100 ppm	STEL: 100 ppm	STEL: 360 mg/m <sup>3</sup>	TWA: 18	33.5 mg/m <sup>3</sup>	TWA: 180 mg/m <sup>3</sup>
	TWA:	183.5 mg/m <sup>3</sup>	TWA: 183.5 mg/m	3		100 ppm	
	TV	/A: 50 ppm	TWA: 50 ppm		STEL: 3	367 mg/m <sup>3</sup>	
Chemical name		Portugal	Romania	Slovakia		venia	Spain
Tert-butyl methyl ether		/A: 50 ppm	TWA: 50 ppm	TWA: 50 ppm		50 ppm	TWA: 50 ppm
1634-04-4		183.5 mg/m <sup>3</sup>	TWA: 183.5 mg/m			33.5 mg/m <sup>3</sup>	TWA: 183.5 mg/m <sup>3</sup>
		L: 100 ppm	STEL: 100 ppm	Ceiling: 367 mg/m <sup>3</sup>		STEL ppm	STEL: 100 ppm
	STE	_: 367 mg/m <sup>3</sup>	STEL: 367 mg/m <sup>3</sup>		STEL: S	TEL mg/m <sup>3</sup>	STEL: 367 mg/m <sup>3</sup>
Chemical name		_	weden	Switzerland		Uni	ted Kingdom
Tert-butyl methyl ethe	er		: 30 ppm		TWA: 50 ppm		VA: 50 ppm
1634-04-4			110 mg/m³	TWA: 180 mg/n			i: 183.5 mg/m <sup>3</sup>
	Bindande l		KGV: 100 ppm	STEL: 75 ppm		STEL: 100 ppm	
	Bindande K		GV: 367 mg/m <sup>3</sup>	STEL: 270 mg/r	n <sup>3</sup>	STE	:L: 367 mg/m <sup>3</sup>

#### **Biological occupational exposure limits**

Chemical name	Latvia	Luxembourg	Romania	Slovakia
2,2'-Difluoro-1,1'-biphenyl	-	-	5 mg/g Creatinine - urine	-
388-82-9			(Fluorine) - end of shift	

Derived No Effect Level (DNEL) Predicted No Effect Concentration No information available. (PNEC)

No information available.

EGHS / EN Page 7/17



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 19-Jan-2023 Revision Number 1

#### DRE-YA12632500MB - 2,2'-Difluorobiphenyl (PFB 4) 2000 µg/mL in Methyl-tert-butyl ether

8.2. Exposure controls

Personal protective equipment

**Eye/face protection** Tight sealing safety goggles. Avoid contact with eyes. Wear safety glasses with side shields

(or goggles).

**Hand protection** Wear protective nitrile rubber gloves. Wear suitable gloves. Impervious gloves. The

protective gloves to be used must comply with the specifications of EC Directive

89/686/EEC and the related standard EN374.

**Skin and body protection**Long sleeved clothing. Chemical resistant apron. Antistatic boots. Wear suitable protective

clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of

equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear

suitable gloves and eye/face protection.

**Environmental exposure controls** Do not allow into any sewer, on the ground or into any body of water.

#### SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical stateLiquidAppearanceLiquidColourcolourlessOdourEther.

Odour threshold No information available

Property Values Remarks • Method

Melting point / freezing point -108.6 °C None known Initial boiling point and boiling range55.2 °C None known Flammability No data available None known Flammability Limit in Air

Upper flammability or explosive 1.6 Vol% - 58 g/m<sup>3</sup>

limits

Lower flammability or explosive 8.4 Vol% - 310 g/m<sup>3</sup>

limits

Flash point -29 °C None known

EGHS / EN Page 8/17



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 19-Jan-2023 Revision Number 1

#### DRE-YA12632500MB - 2,2'-Difluorobiphenyl (PFB 4) 2000 µg/mL in Methyl-tert-butyl ether

Autoignition temperature435 °CNone knownDecomposition temperatureNo data availableNone knownNo data availableNone known

pH (as aqueous solution)

No data available

No information available

None known

Dynamic viscosityNo data available@ 20°CWater solubility26 g/LNone knownSolubility(ies)No data availableNone knownPartition coefficient-0.32None knownVapour pressure57.3 hPa@ 20°C

Relative density

0.789

None known

No data available

Bulk density
No data available
No data available

**Relative vapour density** 1.6 None known

Particle characteristics
Particle Size
No information available

Particle Size Distribution No information available

#### 9.2. Other information

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics No information available

#### SECTION 10: Stability and reactivity

10.1. Reactivity

**Reactivity** No information available.

10.2. Chemical stability

**Stability** Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical impact None. Sensitivity to static discharge Yes.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Heat, flames and sparks.

EGHS / EN Page 9/17



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 19-Jan-2023 Revision Number 1

#### DRE-YA12632500MB - 2,2'-Difluorobiphenyl (PFB 4) 2000 µg/mL in Methyl-tert-butyl ether

10.5. Incompatible materials

**Incompatible materials** Strong acids. Strong bases. Strong oxidising agents.

Hazardous decomposition products None known based on information supplied.

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Information on likely routes of exposure

#### **Product Information**

**Inhalation** Specific test data for the substance or mixture is not available.

**Eye contact** Specific test data for the substance or mixture is not available.

**Skin contact** Specific test data for the substance or mixture is not available. Causes skin irritation. (based

on components).

**Ingestion** Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhoea.

Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** Redness. May cause redness and tearing of the eyes.

Numerical measures of toxicity

**Acute toxicity** 

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Tert-butyl methyl ether	= 2963 mg/kg (Rat)	= 10000 mg/kg ( Rabbit )	= 85 mg/L (Rat)4 h

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes skin irritation.

EGHS / EN Page 10/17



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 19-Jan-2023 Revision Number 1

DRE-YA12632500MB - 2,2'-Difluorobiphenyl (PFB 4) 2000 µg/mL in Methyl-tert-butyl ether

Serious eye damage/eye irritation No information available.

**Respiratory or skin sensitisation** No information available.

Germ cell mutagenicity No information available.

**Carcinogenicity** No information available.

Reproductive toxicity No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Aspiration hazard** No information available.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

**Endocrine disrupting properties** 

11.2.2. Other information

Other adverse effects No information available.

#### SECTION 12: Ecological information

12.1. Toxicity

**Ecotoxicity** 

**Unknown aquatic toxicity**Contains 0 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Tert-butyl methyl ether	EC50: =184mg/L (96h,	LC50: =672mg/L (96h,	-	EC50: =542mg/L (48h,
	Pseudokirchneriella	Pimephales promelas)		Daphnia magna)

EGHS / EN Page 11/17



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 19-Jan-2023 Revision Number 1

#### DRE-YA12632500MB - 2,2'-Difluorobiphenyl (PFB 4) 2000 µg/mL in Methyl-tert-butyl ether

subcapitata) EC50: >800mg/L (72h, Desmodesmus	LC50: =887mg/L (96h, Oncorhynchus mykiss) LC50: =929mg/L (96h,	
subspicatus)	Pimephales promelas) LC50: >100mg/L (96h,	
	Brachydanio rerio)	

#### 12.2. Persistence and degradability

Persistence and degradability

No information available.

12.3. Bioaccumulative potential

**Bioaccumulation** There is no data for this product.

**Component Information** 

Chemical name	Partition coefficient
Tert-butyl methyl ether	0.94

#### 12.4. Mobility in soil

Mobility in soil No information available.

#### 12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

The product does not contain any substance(s) classified as PBT or vPvB.

Chemical name	PBT and vPvB assessment
Tert-butyl methyl ether	The substance is not PBT / vPvB

#### 12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

#### 12.7. Other adverse effects

No information available.

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste from residues/unused products

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld

EGHS / EN Page 12/17



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 19-Jan-2023 Revision Number 1

DRE-YA12632500MB - 2,2'-Difluorobiphenyl (PFB 4) 2000 µg/mL in Methyl-tert-butyl ether

containers.

### **SECTION 14: Transport information**

IATA

14.1 UN number or ID number UN2398

**14.2 UN proper shipping name** Methyl tert-butyl ether mixture

14.3 Transport hazard class(es)14.4 Packing group

**Description** UN2398, Methyl tert-butyl ether mixture, 3, II

**14.5 Environmental hazards** Not applicable

14.6 Special precautions for user

**Special Provisions ERG Code**None
3L

**IMDG** 

**14.1 UN number or ID number** UN2398

**14.2 UN proper shipping name** Methyl tert-butyl ether mixture

14.3 Transport hazard class(es) 3
14.4 Packing group

**Description** UN2398, Methyl tert-butyl ether mixture, 3, II, (-29°C c.c.)

14.5 Marine pollutant NP

14.6 Special precautions for user

Special Provisions None

EmS-No F-E, S-D No information available
7 Maritime transport in bulk No information available

14.7 Maritime transport in bulk according to IMO instruments

RID

14.1 UN number or ID number UN2398

**14.2 UN proper shipping name** Methyl tert-butyl ether mixture

14.3 Transport hazard class(es) 3 14.4 Packing group

**Description** UN2398, Methyl tert-butyl ether mixture, 3, II

14.5 Environmental hazards Not applicable

14.6 Special precautions for user

**Special Provisions** None **Classification code** F1

ADR

14.1 UN number or ID number UN2398

**14.2 UN proper shipping name** Methyl tert-butyl ether mixture

14.3 Transport hazard class(es)14.4 Packing group

**Description** UN2398, Methyl tert-butyl ether mixture, 3, II, (D/E)

**14.5 Environmental hazards** Not applicable

14.6 Special precautions for user

EGHS / EN Page 13/17



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 19-Jan-2023 Revision Number 1

#### DRE-YA12632500MB - 2,2'-Difluorobiphenyl (PFB 4) 2000 µg/mL in Methyl-tert-butyl ether

Special ProvisionsNoneClassification codeF1Tunnel restriction code(D/E)

### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **National regulations**

#### **France**

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number	Title
Tert-butyl methyl ether	RG 84	-
1634-04-4		

Water hazard class (WGK)

slightly hazardous to water (WGK 1)

Poland

SDS created according to the following Polish regulation: Act of February 25, 2011 on chemical substances and their mixtures (Journal of Laws of 2018, item 143, as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing the European Chemicals Agency (EC) as amended. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labeling and packaging of substances and mixtures, as amended. Regulation of the Minister of Health of 10 August 2012 on the criteria and method of classifying chemical substances and their mixtures (Journal of Laws of 2012, item 1018). Regulation of the Minister of Health of 20 April 2012 on labeling packaging of hazardous substances and mixtures and some mixtures (Journal of Laws of 2012, item 445). Regulation of the Minister of Family, Labor and Social Policy of 12 June 2018 on the maximum allowable concentrations and intensities of factors harmful to health in the work environment (Journal of Laws of 2018, item 1286). Announcement of the Minister of Economy, Labor and Social Policy of August 28, 2003 on the publication of the unified text of the Ordinance of the Minister of Labor and Social Policy on general health and safety at work regulations (Journal of Laws of 2003, No. 169, item 1650) . Regulation of the Minister of Health of 30 December 2004 on occupational safety and health related to the presence of chemical agents in the workplace (Journal of Laws of 2005, No. 11, item 86). Act of December 14, 2012 on waste (Journal of Laws of 2013, item 21) Regulation of the Minister of Health of December 30, 2004 on occupational health and safety related to the presence of chemical agents in the workplace (Journal U. of 2005, No. 11, item 86). Waste Act of December 14, 2012 (Journal of Laws of 2013, item 21). Act of 13 June 2013 on the management of packaging and packaging waste, Journal of Laws 2013, item 888). Government statement of September 24, 2002 - European Agreement on the International Carriage of Dangerous Goods by Road (ADR) (Journal of Laws No. 194,

EGHS / EN Page 14/17



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Number 1 Revision date 19-Jan-2023

#### DRE-YA12632500MB - 2,2'-Difluorobiphenyl (PFB 4) 2000 µg/mL in Methyl-tert-butyl ether

item 1629 and Journal of Laws of 2003, No. 207, item 2013 and 2014).

#### **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

#### Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

## DIRECTIVE (EU) 2021/1187 on the marketing and use of explosives precursors

Not applicable

#### **Persistent Organic Pollutants**

Not applicable

#### Dangerous substance category per Seveso Directive (2012/18/EU)

P5a - FLAMMABLE LIQUIDS P5b - FLAMMABLE LIQUIDS P5c - FLAMMABLE LIQUIDS

#### Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

#### **International Inventories**

**TSCA** Complies under research and development exemption or is regulated by a different

government agency.

**DSL/NDSL** Contact supplier for inventory compliance status Contact supplier for inventory compliance status **EINECS/ELINCS ENCS** Contact supplier for inventory compliance status Contact supplier for inventory compliance status **IECSC** Contact supplier for inventory compliance status **KECL** Contact supplier for inventory compliance status **PICCS** Contact supplier for inventory compliance status AIIC

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

EGHS / EN Page 15/17



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 19-Jan-2023 Revision Number 1

#### DRE-YA12632500MB - 2,2'-Difluorobiphenyl (PFB 4) 2000 µg/mL in Methyl-tert-butyl ether

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

**Chemical Safety Report** 

A Chemical Safety Assessment is not required for this substance

#### **SECTION 16: Other information**

Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

H225 - Highly flammable liquid and vapour

H315 - Causes skin irritation

H373 - May cause damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

#### Legend

SVHC: Substances of Very High Concern for Authorisation:

#### Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity  Acute dermal toxicity	
	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - Vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

EGHS / EN Page 16/17



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 19-Jan-2023 Revision Number 1

#### DRE-YA12632500MB - 2,2'-Difluorobiphenyl (PFB 4) 2000 µg/mL in Methyl-tert-butyl ether

Flammable liquids

On basis of test data

#### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date

19-Jan-2023

# This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 Disclaimer

The information in this safety data sheet (SDS) has been prepared with due care and is true and accurate to the best of our knowledge. The user must determine the suitability of the information for its particular purpose, ensure compliance with existing laws and regulations, and be aware that other or additional safety or performance considerations may arise when using, handling and/ or storing the material. The information in this SDS does not purport to be all inclusive or a guarantee as to the properties of the material supplied, and should be used only as a guide. LGC makes no warranties or representations as to the accuracy and completeness of the information contained herein, shall not be held responsible for the suitability of this information for the user's intended purposes or the consequences of such use, and shall not be liable for any damage or loss, howsoever arising, direct or otherwise.

**End of Safety Data Sheet** 

EGHS / EN Page 17/17