



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 12.01.2021

Version number 1

Revision: 12.01.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Product name: Methyl Methanesulfonate**

· **Part number:** TRC-M320170-10G

· **CAS Number:**

66-27-3

· **EC number:**

200-625-0

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

· **Application of the substance / the mixture** Reference material for laboratory use only

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

LGC Limited

Queens Road

Teddington

Middlesex TW11 0LY

UNITED KINGDOM

Tel : +44 (0) 20 8943 7000

Fax : +44 (0) 20 8943 2767

eMail : gb@lgcstandards.com

Web : www.lgcstandards.com

· **Further information obtainable from:**

Product safety department

eMail : sds-request@lgcgroup.com

· **1.4 Emergency telephone number:**

For Hazardous Materials or Dangerous Goods Incident

Spill, Leak, Fire Exposure, or Accident

Call CHEMTREC:

USA & Canada 1-800-424-9300

Rest of the world +1 703-741-5970

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**



GHS06 skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed.



GHS08 health hazard

Muta. 1B H340 May cause genetic defects.

Carc. 1B H350i May cause cancer by inhalation.

Repr. 2 H361f Suspected of damaging fertility.

(Contd. on page 2)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 12.01.2021

Version number 1

Revision: 12.01.2021

Product name: Methyl Methanesulfonate

(Contd. from page 1)



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.
Eye Irrit. 2 H319 Causes serious eye irritation.
Skin Sens. 1 H317 May cause an allergic skin reaction.
STOT SE 3 H335 May cause respiratory irritation.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS06



GHS08



GHS09

· Signal word Danger

· Hazard statements

H301 Toxic if swallowed.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.
H340 May cause genetic defects.
H350i May cause cancer by inhalation.
H361f Suspected of damaging fertility.
H335 May cause respiratory irritation.
H411 Toxic to aquatic life with long lasting effects.

· Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P321 Specific treatment (see on this label).
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Additional information:

Restricted to professional users.

(Contd. on page 3)

GB



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 12.01.2021

Version number 1

Revision: 12.01.2021

Product name: Methyl Methanesulfonate

(Contd. from page 2)

- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.1 Chemical characterisation: Substances**
- **CAS No. Description**
66-27-3 Methyl methanesulphonate
- **Identification number(s)** None
- **EC number:** 200-625-0
- **RTECS:** PB2625000
- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:**
Immediately remove any clothing soiled by the product.
In case of irregular breathing or respiratory arrest provide artificial respiration.
- **After inhalation:**
Supply fresh air and call a doctor.
In case of unconsciousness place patient in recovery position for transport.
- **After skin contact:**
Immediately wash with water and soap and rinse thoroughly.
If skin irritation continues, consult a doctor.
- **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**
Rinse mouth. Do not induce vomiting.
Call for a doctor immediately.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable for surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture**
Formation of toxic gases is possible during heating or in case of fire.

(Contd. on page 4)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 12.01.2021

Version number 1

Revision: 12.01.2021

Product name: Methyl Methanesulfonate

(Contd. from page 3)

- **5.3 Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Wear protective clothing.
- **6.2 Environmental precautions:**
Inform respective authorities in case of seepage into water course or sewage system.
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose of contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Ensure good ventilation/extraction at the workplace.
Store in cool, dry place in tightly closed receptacles.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
Please refer to the manufacturer's certificate for specific storage and transport temperature conditions.
Store only in the original receptacle unless other advice is given on the CoA.
Keep container in a well-ventilated place. Keep away from sources of ignition and heat.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:** Keep container tightly sealed.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Additional information about design of technical facilities:** No further data; see item 7.
- **Ingredients with limit values that require monitoring at the workplace:** Not required.
- **Additional information:** Lists used were valid at the time of SDS preparation.

(Contd. on page 5)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 12.01.2021

Version number 1

Revision: 12.01.2021

Product name: Methyl Methanesulfonate

(Contd. from page 4)

· 8.2 Exposure controls**· Personal protective equipment:****· General protective and hygienic measures:***Keep away from foodstuffs, beverages and feed.**Immediately remove all soiled and contaminated clothing**Wash hands before breaks and at the end of work.**Store protective clothing separately.**Avoid contact with the eyes and skin.***· Respiratory protection:***In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.***· Protection of hands:***The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.**Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation**The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374*

Protective gloves

· Material of gloves*PVC gloves**Fluorocarbon rubber (Viton)**Chloroprene rubber, CR**Butyl rubber, BR***· Penetration time of glove material***The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.***· Eye protection:**

Tightly sealed goggles

SECTION 9: Physical and chemical properties**· 9.1 Information on basic physical and chemical properties****· General Information****· Appearance:****Form:***Liquid***Colour:***Colourless***· Odour:***Pungent***· Odour threshold:***Not determined.*

(Contd. on page 6)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 12.01.2021

Version number 1

Revision: 12.01.2021

Product name: Methyl Methanesulfonate

(Contd. from page 5)

· pH-value:	Not determined.
· Change in condition	
Melting point/freezing point:	20 °C
Initial boiling point and boiling range:	203 °C
· Flash point:	104 °C
· Flammability (solid, gas):	Not determined.
· Ignition temperature:	Not determined.
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Not determined.
· Explosive properties:	Not determined.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure at 59 °C:	0.8 hPa
· Density at 20 °C:	1.29 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with water at 20 °C:	200 g/l
· Partition coefficient: n-octanol/water:	-0.66 LogP
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity

Stable under normal conditions.

No further relevant information available.

· 10.2 Chemical stability

Stable under normal conditions.

· Thermal decomposition / conditions to be avoided:

Formation of toxic gases is possible during heating or in case of fire.

· 10.3 Possibility of hazardous reactions

No dangerous reactions known.

· 10.4 Conditions to avoid

Heat.

· 10.5 Incompatible materials:

Strong oxidizing agents.

(Contd. on page 7)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 12.01.2021

Version number 1

Revision: 12.01.2021

Product name: Methyl Methanesulfonate

(Contd. from page 6)

- **10.6 Hazardous decomposition products:**
Formation of toxic gases is possible during heating or in case of fire.

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**

- **Acute toxicity**
Toxic if swallowed.

- **LD/LC50 values relevant for classification:**

Oral	LD50	290 mg/kg (mouse) 225 mg/kg (rat)
	LD 50 (Intraperitoneal)	180 mg/kg (mouse) 114 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)
	LD 50 (Intravenous)	175 mg/kg (rat)

- **Primary irritant effect:**
- **Skin corrosion/irritation**
Causes skin irritation.
- **Serious eye damage/irritation**
Causes serious eye irritation.
- **Respiratory or skin sensitisation**
May cause an allergic skin reaction.
- **Additional toxicological information:**
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
Muta. 1B, Carc. 1B, Repr. 2
- **Germ cell mutagenicity**
May cause genetic defects.
- **Carcinogenicity**
May cause cancer by inhalation.
- **Reproductive toxicity**
Suspected of damaging fertility.
- **STOT-single exposure**
May cause respiratory irritation.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- **12.1 Toxicity**

- **Aquatic toxicity:**

EC50/72h	1,000 mg/l (Algae)
LC50/96 h	2 mg/l (fish)

- **12.2 Persistence and degradability** No further relevant information available.

(Contd. on page 8)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 12.01.2021

Version number 1

Revision: 12.01.2021

Product name: Methyl Methanesulfonate

(Contd. from page 7)

- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Toxic for fish
- **Additional ecological information:**
- **General notes:**
Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Danger to drinking water if even extremely small quantities leak into the ground.
Also poisonous for fish and plankton in water bodies.
Toxic for aquatic organisms
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **European waste catalogue**
Waste disposal key numbers from EWC have to be assigned depending on origin and processing.
- **Uncleaned packaging:**
- **Recommendation:** Dispose of in accordance with national regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

SECTION 14: Transport information

- | | |
|--------------------------|--|
| · 14.1 UN-Number | UN2810 |
| · ADR, IMDG, IATA | 2810 TOXIC LIQUID, ORGANIC, N.O.S. (Methyl methanesulphonate), ENVIRONMENTALLY HAZARDOUS |
| · ADR | TOXIC LIQUID, ORGANIC, N.O.S. (Methyl methanesulphonate), MARINE POLLUTANT |
| · IMDG | TOXIC LIQUID, ORGANIC, N.O.S. (Methyl methanesulphonate) |
| · IATA | |

(Contd. on page 9)

GB



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 12.01.2021

Version number 1

Revision: 12.01.2021

Product name: Methyl Methanesulfonate

(Contd. from page 8)

· 14.3 Transport hazard class(es)**· ADR, IMDG****· Class**

6.1 Toxic substances.

· Label

6.1

· IATA**· Class**

6.1 Toxic substances.

· Label

6.1

· 14.4 Packing group**· ADR, IMDG, IATA**

III

· 14.5 Environmental hazards:

Environmentally hazardous substance, liquid; Marine Pollutant

· Marine pollutant:

Symbol (fish and tree)

· Special marking (ADR):

Symbol (fish and tree)

· 14.6 Special precautions for user

Warning: Toxic substances.

· Hazard identification number (Kemler code):

60

· EMS Number:

F-A,S-A

· Stowage Category

A

· Stowage Code

SW2 Clear of living quarters.

· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable.

· Transport/Additional information:**· ADR****· Limited quantities (LQ)**

5L

· Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

· Transport category

2

· Tunnel restriction code

E

(Contd. on page 10)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 12.01.2021

Version number 1

Revision: 12.01.2021

Product name: Methyl Methanesulfonate

(Contd. from page 9)

- | | |
|---------------------------------|---|
| · UN "Model Regulation": | UN 2810 TOXIC LIQUID, ORGANIC, N.O.S. (METHYL METHANESULPHONATE), 6.1, III, ENVIRONMENTALLY HAZARDOUS |
|---------------------------------|---|

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
 - **Directive 2012/18/EU**
 - **Named dangerous substances - ANNEX I** Substance is not listed.
 - **Seveso category**
H2 ACUTE TOXIC
E2 Hazardous to the Aquatic Environment
 - **Qualifying quantity (tonnes) for the application of lower-tier requirements** 50 t
 - **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t
 - **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3
 - **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**
Substance is not listed.
- **National regulations:**
- **Information about limitation of use:**
Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

The information in this safety data sheet (SDS) has been prepared with due care and is true and accurate to the best of our knowledge. The user must determine the suitability of the information for its particular purpose, ensure compliance with existing laws and regulations, and be aware that other or additional safety or performance considerations may arise when using, handling and/ or storing the material. The information in this SDS does not purport to be all inclusive or a guarantee as to the properties of the material supplied, and should be used only as a guide. LGC makes no warranties or representations as to the accuracy and completeness of the information contained herein, shall not be held responsible for the suitability of this information for the user's intended purposes or the consequences of such use, and shall not be liable for any damage or loss, howsoever arising, direct or otherwise.

- **Abbreviations and acronyms:**
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent

(Contd. on page 11)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 12.01.2021

Version number 1

Revision: 12.01.2021

Product name: Methyl Methanesulfonate

(Contd. from page 10)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity - oral – Category 3

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Muta. 1B: Germ cell mutagenicity – Category 1B

Carc. 1B: Carcinogenicity – Category 1B

Repr. 2: Reproductive toxicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

· **Sources**

Tables 3.1 and 3.2 from Annex 6 of EC 1272/2008, EC 1907/2006, EH40/2005 as amended 2011, Registry of Toxic Effects of Chemical Substances (RTECS), The Dictionary of Substances and their Effects, 1st Edition, IUCLID.

· **Data compared to the previous version altered.** *All sections have been updated.*