

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-May-2023

Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1.	Product	identifier

Product Code(s)	VHG-SISO-BLK-100
Product Name	Sulfur Blank (0 wt%) in Isooctane
Form	Not applicable

NOTE [8] - No registration number is given for this substance because it is under the threshold in REACH Article 6(1) and not subject to the registration requirements according to REACH Title II

CAS No540-84-1Pure substance/mixtureSubstanceFormulaC8 H18Molecular weight114.23 g/mol	EC No (EU Index No)	208-759-1
Formula C8 H18	CAS No	540-84-1
	Pure substance/mixture	Substance
Molecular weight 114.23 g/mol	Formula	C8 H18
	Molecular weight	114.23 g/mol

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use	Laboratory use
-----------------	----------------

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Supplier

LGC Limited Queens Road Teddington Middlesex TW11 0LY UNITED KINGDOM :+44 (0) 20 8943 7000 Fax :+44 (0) 20 8943 2767 eMail : gb@lgcstandards.com

Web : www.lgcstandards.com

For further information, please contact

E-mail address

sds-request@lgcgroup.com



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-May-2023

Revision Number 1

VHG-SISO-BLK-100 - Sulfur Blank (0 wt%) in Isooctane

1.4. Emergency telephone number

Emergency Telephone

For Hazardous Materials or Dangerous Goods Incident Spill, Leak, Fire Exposure, or Accident Call CHEMTREC: USA & Canada 1-800-424-9300 Rest of the world +1 703-741-5970

Emergency Telephone - §45 - (EC)1272/2008				
Europe	112			
Austria	No information available			
Bulgaria				
Croatia				
Cyprus				
Czech Republic				
Denmark				
France				
Hungary				
Ireland				
Italy				
Lithuania				
Luxembourg				
Netherlands				
Norway				
Portugal				
Romania				
Slovakia				
Slovenia				
Spain				
Sweden				
Switzerland				

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) NO 1272/2008	
Aspiration hazard	Category 1 - (H304)
Skin corrosion/irritation	Category 2 - (H315)
Specific target organ toxicity — single exposure	Category 3 - (H336)
Category 3 Narcotic effects	
Acute aquatic toxicity	Category 1 - (H400)
Chronic aquatic toxicity	Category 1 - (H410)
Flammable liquids	Category 2 - (H225)

2.2. Label elements




This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-May-2023

Revision Number 1

VHG-SISO-BLK-100 - Sulfur Blank (0 wt%) in Isooctane



H225 - Highly flammable liquid and vapour

Precautionary Statements - EU (§28, 1272/2008)

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
P273 - Avoid release to the environment
P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor
P331 - Do NOT induce vomiting
P370 + P378 - In case of fire: Use dry chemical, CO2, water spray or alcohol-resistant foam to extinguish
P391 - Collect spillage
P403 + P235 - Store in a well-ventilated place. Keep cool

2.3. Other hazards

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors.

Chemical name	EU - REACH (1907/2006) - Article 59(1)	EU - REACH (1907/2006) - Endocrine
	- Candidate List of Substances of Very	Disruptor Assessment List of
	High Concern (SVHC) for Authorisation	Substances
2,2,4-Trimethylpentane	-	-

SECTION 3: Composition/information on ingredients

3.1 Substances



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-May-2023

Revision Number 1

VHG-SISO-BLK-100 - Sulfur Blank (0 wt%) in Isooctane

Chemical name	Weight-%	REACH registration	EC No (EU	Classification according	Specific	M-Factor	M-Factor
		number	Index No)	to Regulation (EC) No.	concentration		(long-term)
				1272/2008 [CLP]	limit (SCL)		
2,2,4-Trimethylpent	100	-	(601-009-00	Flam. Liq. 2 (H225)			
ane			-8)	Skin Irrit. 2 (H315)			
540-84-1			208-759-1	STOT SE 3 (H336)			
				Asp. Tox. 1 (H304)			
				Aquatic Acute 1			
				(H400)			
				Aquatic Chronic 1			
				(H410)			

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg		Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4	Inhalation LC50 - 4 hour - gas - ppm
2,2,4-Trimethylpentane 540-84-1	5000	2000	14.38	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
Inhalation	Remove to fresh air. Aspiration into lungs can produce severe lung damage. If breathing has stopped, give artificial respiration. Get medical attention immediately. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Get immediate medical advice/attention. Delayed pulmonary edema may occur.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-May-2023

SECTION 5. Eirofighting measures

Revision Number 1

VHG-SISO-BLK-100 - Sulfur Blank (0 wt%) in Isooctane

	and shoes. Get medical attention if irritation develops and persists.
Ingestion	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Get immediate medical advice/attention.
Self-protection of the first aider	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid direc contact with skin. Use barrier to give mouth-to-mouth resuscitation. Avoid contact with skin eyes or clothing.
4.2. Most important symptoms and	d effects, both acute and delayed
Symptoms	Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Because of the danger of aspiration, emesis or gastric lavage should not be used unless the risk is justified by the presence of additional toxic substances.

SECTION 5: Firenginting measures				
5.1. Extinguishing media				
Suitable Extinguishing Media	Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.			
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.			
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.			
5.2. Special hazards arising from the substance or mixture				
Specific hazards arising from the chemical	Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.			
5.3. Advice for firefighters				
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.			

SECTION 6: Accidental release measures



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-May-2023

Revision Number 1

VHG-SISO-BLK-100 - Sulfur Blank (0 wt%) in Isooctane

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.			
Other information	Ventilate the area. Refer to protective measures listed in Sections 7 and 8.			
For emergency responders	Use personal protection recommended in Section 8.			
6.2. Environmental precautions				
Environmental precautions	Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.			
6.3. Methods and material for containment and cleaning up				
Methods for containment	Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapour suppressing foam may be used to reduce vapours. Dyke far ahead of spill to collect run-off water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.			
Methods for cleaning up	Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labelled containers.			
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.			
6.4. Reference to other sections				
Reference to other sections	See section 8 for more information. See section 13 for more information.			

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Use personal protection equipment. Avoid breathing vapours or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse. In case of insufficient ventilation, wear suitable respiratory equipment.



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-May-2023

Revision Number 1

VHG-SISO-BLK-100 - Sulfur Blank (0 wt%) in Isooctane

General hygiene considerations Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Please refer to the manufacturer's certificate for specific storage and transport temperature conditions. Store only in the original receptacle unless other advice is given on the CoA. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labelled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store locked up. Keep out of the reach of children. Store away from other materials.

7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
2,2,4-Trimethylpentane	-	TWA: 300 ppm	-	-	-
540-84-1		TWA: 1400 mg/m ³			
		STEL 1200 ppm			
		STEL 5600 mg/m ³			
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
2,2,4-Trimethylpentane	-	-	-	TWA: 200 ppm	TWA: 300 ppm
540-84-1				TWA: 900 mg/m ³	TWA: 1400 mg/m ³
				STEL: 300 ppm	STEL: 380 ppm
				STEL: 1400 mg/m ³	STEL: 1800 mg/m ³
Chemical name	France	Germany	Germany MAK	Greece	Hungary
2,2,4-Trimethylpentane	TWA: 1000 mg/m ³	-	-	-	TWA: 2350 mg/m ³
540-84-1	STEL: 1500 mg/m ³				-
Chemical name	Ireland	Italy	Italy REL	Latvia	Lithuania
2,2,4-Trimethylpentane	-	-	TWA: 300 ppm	TWA: 100 mg/m ³	TWA: 200 ppm
540-84-1			TWA: 1401 mg/m ³	STEL: 300 mg/m ³	TWA: 900 mg/m ³
					STEL: 300 ppm



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-May-2023

Revision Number 1

VHG-SISO-BLK-100 - Sulfur Blank (0 wt%) in Isooctane

							STEL: 1400 mg/m ³
Chemical name	Lu	xembourg	Malta	Netherlands	Norway	y	Poland
2,2,4-Trimethylpentane		-	-	-	TWA: 40 p	opm	-
540-84-1					TWA: 275 m	ng/m³	
					STEL: 60 p	ppm	
					STEL: 343.75	5 mg/m ³	
Chemical name	-	Portugal	Romania	Slovakia	Sloveni	а	Spain
2,2,4-Trimethylpentane	TW	A: 300 ppm	TWA: 700 mg/m ³	-	TWA: 500	ppm	TWA: 300 ppm
540-84-1			STEL: 1000 mg/m ³		TWA: 2400 r	mg/m³	TWA: 1420 mg/m ³
					STEL: 1000) ppm	
					STEL: 4800	mg/m³	
Chemical name		SI	weden	Switzerland		Uni	ted Kingdom
2,2,4-Trimethylpentar	ne	NGV:	200 ppm	TWA: 100 ppm	ו ו		-
540-84-1 NGV: 9		900 mg/m ³	TWA: 470 mg/n	1 ³			
NGV: 3		350 mg/m ³	STEL: 200 ppm				
				STEL: 940 mg/r	n ³		

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Derived No Effect Level (DNEL)	No information available.
Predicted No Effect Concentration	No information available.
(PNEC)	

8.2. Exposure controls

Personal protective equipment

Eye/face protection	Avoid contact with eyes. Wear safety glasses with side shields (or goggles). Tight sealing safety goggles.
Hand protection	The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374. Wear protective nitrile rubber gloves. Wear suitable gloves. Impervious gloves.
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-May-2023

Revision Number 1

VHG-SISO-BLK-100 - Sulfur Blank (0 wt%) in Isooctane

product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

Environmental exposure controls

s Do not allow into any sewer, on the ground or into any body of water.

SECTION 9: Physical and chemical properties

<u>9.1. Information on basic physical a</u> Physical state Appearance Colour Odour Odour	Ind chemical properties Liquid Liquid colourless Petroleum distillates. No information available	
Property	Values	Remarks • Method
Melting point / freezing point	-107 °C	None known
Initial boiling point and boiling rang	e99 °C	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive	6 (vol%)	
limits		
Lower flammability or explosive	0.7 (vol%)	
limits		
Flash point	-9 °C	None known
Autoignition temperature	410 °C	None known
Decomposition temperature		None known
рН	No data available	None known
pH (as aqueous solution)	No data available	No information available
Kinematic viscosity	No data available	None known
Dynamic viscosity	0.501 mPa s	@ 20°C
Water solubility	Negligible 2.1 mg/L @ 20°C	None known
Solubility(ies)	Toluene, Acetone, Chloroform, Carbor	n None known
	tetrachloride, Dimethylformamide,	
	Carbon disulphide	
Partition coefficient	4.08	None known
Vapour pressure	53 hPa	@ 20°C
Relative density	0.69 g/cm3	@ 20 °C
Bulk density	No data available	
Liquid Density	No data available	
Relative vapour density	3.94	None known
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	

9.2. Other information



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-May-2023

Revision Number 1

VHG-SISO-BLK-100 - Sulfur Blank (0 wt%) in Isooctane

Molecular weight	114.23 g/mol
Molecular formula	C8 H18

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity

No information available.

10.2. Chemical stability

Stability

Stable under normal conditions.

Explosion data Sensitivity to mechanical impact None. Sensitivity to static discharge Yes.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Heat, flames and sparks.

10.5. Incompatible materials

Incompatible materials Strong acids. Strong bases. Strong oxidising agents.

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation

Specific test data for the substance or mixture is not available. Aspiration into lungs can produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-May-2023

Revision Number 1

VHG-SISO-BLK-100 - Sulfur Blank (0 wt%) in Isooctane

	fatal. May cause drowsiness or dizziness.		
Eye contact	Specific test data for the substance or mixture is not available. May cause irritation.		
Skin contact	Repeated exposure may cause skin dryness or cracking. Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components).		
Ingestion	Specific test data for the substance or mixture is not available. Potential for aspiration if swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.		
Symptoms related to the physical, chemical and toxicological characteristics			
Symptoms	Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Redness. May cause redness and tearing of the eyes. Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.		

Numerical measures of toxicity

Acute toxicity

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
2,2,4-Trimethylpentane	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 14.38 mg/L (Rat)4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Classification based on data available for ingredients. Causes skin irritation.
Serious eye damage/eye irritation	No information available.
Respiratory or skin sensitisation	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-May-2023

Revision Number 1

VHG-SISO-BLK-100 - Sulfur Blank (0 wt%) in Isooctane

Reproductive toxicity	No information available.		
STOT - single exposure	May cause drowsiness or dizziness.		
STOT - repeated exposure	No information available.		
Aspiration hazard	May be fatal if swallowed and enters airways.		
11.2. Information on other hazards	_		
11.2.1. Endocrine disrupting prope	erties		
Endocrine disrupting properties	No information available.		
11.2.2. Other information			
Other adverse effects	No information available.		

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Very toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
2,2,4-Trimethylpentane	-	LC50:=18.4mg/L (96h, Oncorhynchus mykiss)	-	EC50: =0.02856mg/L (48h, Daphnia magna)

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient
2,2,4-Trimethylpentane	4.08

12.4. Mobility in soil



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-May-2023

Revision Number 1

VHG-SISO-BLK-100 - Sulfur Blank (0 wt%) in Isooctane

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

The product does not contain any substance(s) classified as PBT or vPvB.

Chemical name	PBT and vPvB assessment
2,2,4-Trimethylpentane	The substance is not PBT / vPvB PBT assessment does
	not apply

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products	Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

SECTION 14: Transport information

ΙΑΤΑ	
14.1 UN number or ID number	UN1262
14.2 UN proper shipping name	Octanes
14.3 Transport hazard class(es)	3
14.4 Packing group	II
Description	UN1262, Octanes, 3, II
14.5 Environmental hazards	Yes
14.6 Special precautions for user	
Special Provisions	None
ERG Code	3H
<u>IMDG</u>	



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-May-2023

Revision Number 1

VHG-SISO-BLK-100 - Sulfur Blank (0 wt%) in Isooctane

 14.2 UN proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group Description 14.5 Marine pollutant Environmental hazards 14.6 Special precautions for user Special Provisions EmS-No 14.7 Maritime transport in bulk according to IMO instruments 	Octanes 3 II UN1262, Octanes, 3, II, (-9°C c.c.), Marine pollutant P Yes
	None F-E, S-E No information available No information available
RID14.1UN number or ID number14.2UN proper shipping name14.3Transport hazard class(es)14.4Packing groupDescription14.5Environmental hazards14.6Special precautions for userSpecial ProvisionsClassification code	UN1262 Octanes 3 II UN1262, Octanes, 3, II, Environmentally Hazardous Yes None F1
ADR 14.1 UN number or ID number 14.2 UN proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group Description 14.5 Environmental hazards 14.6 Special precautions for user Special Provisions Classification code Tunnel restriction code	UN1262 Octanes 3 II UN1262, Octanes, 3, II, (D/E), Environmentally Hazardous Yes None F1 (D/E)

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Germany

Water hazard class (WGK) obviously hazardous to water (WGK 2)



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-May-2023

Revision Number 1

VHG-SISO-BLK-100 - Sulfur Blank (0 wt%) in Isooctane

Poland

SDS created according to the following Polish regulation: Act of February 25, 2011 on chemical substances and their mixtures (Journal of Laws of 2018, item 143, as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing the European Chemicals Agency (EC) as amended. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labeling and packaging of substances and mixtures, as amended. Regulation of the Minister of Health of 10 August 2012 on the criteria and method of classifying chemical substances and their mixtures (Journal of Laws of 2012, item 1018). Regulation of the Minister of Health of 20 April 2012 on labeling packaging of hazardous substances and mixtures and some mixtures (Journal of Laws of 2012, item 445). Regulation of the Minister of Family, Labor and Social Policy of 12 June 2018 on the maximum allowable concentrations and intensities of factors harmful to health in the work environment (Journal of Laws of 2018, item 1286). Announcement of the Minister of Economy, Labor and Social Policy of August 28, 2003 on the publication of the unified text of the Ordinance of the Minister of Labor and Social Policy on general health and safety at work regulations (Journal of Laws of 2003, No. 169, item 1650) . Regulation of the Minister of Health of 30 December 2004 on occupational safety and health related to the presence of chemical agents in the workplace (Journal of Laws of 2005, No. 11, item 86). Act of December 14, 2012 on waste (Journal of Laws of 2013, item 21) Regulation of the Minister of Health of December 30, 2004 on occupational health and safety related to the presence of chemical agents in the workplace (Journal U. of 2005, No. 11, item 86). Waste Act of December 14, 2012 (Journal of Laws of 2013, item 21). Act of 13 June 2013 on the management of packaging and packaging waste, Journal of Laws 2013, item 888). Government statement of September 24, 2002 - European Agreement on the International Carriage of Dangerous Goods by Road (ADR) (Journal of Laws No. 194, item 1629 and Journal of Laws of 2003, No. 207, item 2013 and 2014).

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorisations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

DIRECTIVE (EU) 2021/1187 on the marketing and use of explosives precursors

Not applicable

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV
2,2,4-Trimethylpentane - 540-84-1	75.	

Persistent Organic Pollutants

Not applicable

Dangerous substance category per Seveso Directive (2012/18/EU)



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-May-2023

Revision Number 1

VHG-SISO-BLK-100 - Sulfur Blank (0 wt%) in Isooctane

P5a - FLAMMABLE LIQUIDS P5b - FLAMMABLE LIQUIDS P5c - FLAMMABLE LIQUIDS E1 - Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

International Inventories

Complies
Contact supplier for inventory compliance status

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances **ENCS** - Japan Existing and New Chemical Substances **IECSC** - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances **PICCS** - Philippines Inventory of Chemicals and Chemical Substances AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

Chemical Safety Report

A Chemical Safety Assessment has been carried out for this substance

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H225 - Highly flammable liquid and vapour

H304 - May be fatal if swallowed and enters airways

H336 - May cause drowsiness or dizziness

H400 - Very toxic to aquatic life

H315 - Causes skin irritation



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-May-2023

Revision Number 1

VHG-SISO-BLK-100 - Sulfur Blank (0 wt%) in Isooctane

H410 - Very toxic to aquatic life with long lasting effects

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - Vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method
Flammable liquids	On basis of test data

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED)



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-May-2023

Revision Number 1

VHG-SISO-BLK-100 - Sulfur Blank (0 wt%) in Isooctane

National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme Organisation for Economic Co-operation and Development Screening Information Data Set World Health Organization

Revision date 16-May-2023

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 Disclaimer

The information in this safety data sheet (SDS) has been prepared with due care and is true and accurate to the best of our knowledge. The user must determine the suitability of the information for its particular purpose, ensure compliance with existing laws and regulations, and be aware that other or additional safety or performance considerations may arise when using, handling and/ or storing the material. The information in this SDS does not purport to be all inclusive or a guarantee as to the properties of the material supplied, and should be used only as a guide. LGC makes no warranties or representations as to the accuracy and completeness of the information contained herein, shall not be held responsible for the suitability of this information for the user's intended purposes or the consequences of such use, and shall not be liable for any damage or loss, howsoever arising, direct or otherwise.

End of Safety Data Sheet