



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 21-Feb-2023

Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code(s)	VHG-TUN-500
Product Name	Uranium Standard: U @ 10000 µg/mL in 5% HNO ₃
Form	Not applicable
Unique Formula Identifier (UFI)	WAAE-Q0H5-N006-7X7M
Pure substance/mixture	Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use	Laboratory use
Uses advised against	No information available

1.3. Details of the supplier of the safety data sheet

Supplier

LGC Limited
Queens Road
Teddington
Middlesex TW11 0LY
UNITED KINGDOM
:+44 (0) 20 8943 7000
Fax :+44 (0) 20 8943 2767
eMail : gb@lgcstandards.com

Web : www.lgcstandards.com

For further information, please contact

E-mail address	sds-request@lgcgroup.com
----------------	--------------------------

1.4. Emergency telephone number

Emergency Telephone	For Hazardous Materials or Dangerous Goods Incident Spill, Leak, Fire Exposure, or Accident Call CHEMTREC: USA & Canada 1-800-424-9300 Rest of the world +1 703-741-5970
---------------------	--



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 21-Feb-2023

Revision Number 1

VHG-TUN-500 - Uranium Standard: U @ 10000 µg/mL in 5% HNO₃

Emergency Telephone - §45 - (EC)1272/2008	
Europe	112
Austria	No information available
Bulgaria	
Croatia	
Cyprus	
Czech Republic	
Denmark	
France	
Hungary	
Ireland	
Italy	
Lithuania	
Luxembourg	
Netherlands	
Norway	
Portugal	
Romania	
Slovakia	
Slovenia	
Spain	
Sweden	
Switzerland	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Acute toxicity - Oral	Category 3 - (H301)
Acute toxicity - Inhalation (Dusts/Mists)	Category 4 - (H332)
Skin corrosion/irritation	Category 1 Sub-category A - (H314)
Serious eye damage/eye irritation	Category 1 - (H318)
Corrosive to metals	Category 1 - (H290)

2.2. Label elements

Contains Nitric Acid, uranyl nitrate, hexahydrate



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 21-Feb-2023

Revision Number 1

VHG-TUN-500 - Uranium Standard: U @ 10000 µg/mL in 5% HNO₃



Signal word
Danger

Hazard statements

H301 - Toxic if swallowed
H314 - Causes severe skin burns and eye damage
H332 - Harmful if inhaled
H290 - May be corrosive to metals

Precautionary Statements - EU (§28, 1272/2008)

P260 - Do not breathe dust/fume/gas/mist/vapours/spray
P280 - Wear protective gloves/protective clothing and eye/face protection
P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P310 - Immediately call a POISON CENTER or doctor
P331 - Do NOT induce vomiting
P201 - Obtain special instructions before use
P234 - Keep only in original container
P406 - Store in corrosive resistant stainless steel container with a resistant inner liner

2.3. Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors.

Chemical name	EU - REACH (1907/2006) - Article 59(1) - Candidate List of Substances of Very High Concern (SVHC) for Authorisation	EU - REACH (1907/2006) - Endocrine Disruptor Assessment List of Substances
Nitric Acid	-	-

SECTION 3: Composition/information on ingredients

3.1 Substances



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 21-Feb-2023

Revision Number 1

VHG-TUN-500 - Uranium Standard: U @ 10000 µg/mL in 5% HNO₃

Not applicable

3.2 Mixtures

Chemical nature aqueous solution.

Chemical name	Weight-%	REACH registration number	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Nitric Acid 7697-37-2	5 - <10	-	231-714-2	Met. Corr. 1 (H290) Ox. Liq. 2 (H272) Acute Tox. 3 (H331) Skin Corr. 1A (H314)	Ox. Liq. 2 :: C>=99% Ox. Liq. 3 :: C>=65% Skin Corr. 1A :: C>=20% Skin Corr. 1B :: 5%<=C<20%		
uranyl nitrate, hexahydrate 13520-83-7	1 - <3	-	233-266-3	Ox. Sol. 2 (H272) Acute Tox. 2 (H300) Acute Tox. 2 (H330) STOT RE 2 (H373) Aquatic Chronic 2 (H411)			

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD₅₀/LC₅₀ data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATE_{mix}) for classifying a mixture based on its components

Chemical name	Oral LD ₅₀ mg/kg	Dermal LD ₅₀ mg/kg	Inhalation LC ₅₀ - 4 hour - dust/mist - mg/L	Inhalation LC ₅₀ - 4 hour - vapour - mg/L	Inhalation LC ₅₀ - 4 hour - gas - ppm
Nitric Acid 7697-37-2	No data available	No data available	No data available	2.65	No data available

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 21-Feb-2023

Revision Number 1

VHG-TUN-500 - Uranium Standard: U @ 10000 µg/mL in 5% HNO₃

General advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
Inhalation	Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical advice/attention.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get immediate medical advice/attention.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get immediate medical advice/attention.
Ingestion	Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Get immediate medical advice/attention.
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Avoid breathing vapours or mists. Use personal protective equipment as required. See section 8 for more information.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation. Coughing and/ or wheezing. Difficulty in breathing.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Product is a corrosive material. Use of gastric lavage or emesis is contra-indicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 21-Feb-2023

Revision Number 1

VHG-TUN-500 - Uranium Standard: U @ 10000 µg/mL in 5% HNO₃

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapours.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Attention! Corrosive material. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Avoid breathing vapours or mists.

Other information Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 21-Feb-2023

Revision Number 1

VHG-TUN-500 - Uranium Standard: U @ 10000 µg/mL in 5% HNO₃

skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse. Avoid breathing vapours or mists.

General hygiene considerations

Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection. Regular cleaning of equipment, work area and clothing is recommended. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Wash hands before breaks and immediately after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions

Please refer to the manufacturer's certificate for specific storage and transport temperature conditions. Store only in the original receptacle unless other advice is given on the CoA. Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials.

7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Nitric Acid 7697-37-2	-	STEL 1 ppm STEL 2.6 mg/m ³	STEL: 1 ppm STEL: 2.6 mg/m ³	STEL: 1 ppm STEL: 2.6 mg/m ³	STEL: 1 ppm STEL: 2.6 mg/m ³
uranyl nitrate, hexahydrate 13520-83-7	-	TWA: 0.25 mg/m ³ STEL 1 mg/m ³	TWA: 0.2 mg/m ³ STEL: 0.6 mg/m ³	TWA: 0.05 mg/m ³	-
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Nitric Acid 7697-37-2	STEL: 1 ppm STEL: 2.6 mg/m ³	TWA: 1 mg/m ³ Ceiling: 2.5 mg/m ³	STEL: 1 ppm STEL: 2.6 mg/m ³	STEL: 1 ppm STEL: 2.6 mg/m ³	TWA: 0.5 ppm TWA: 1.3 mg/m ³ STEL: 1 ppm STEL: 2.6 mg/m ³
uranyl nitrate, hexahydrate 13520-83-7	-	-	TWA: 0.2 mg/m ³	TWA: 0.2 mg/m ³	TWA: 0.2 mg/m ³ TWA: 0.05 mg/m ³



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 21-Feb-2023

Revision Number 1

VHG-TUN-500 - Uranium Standard: U @ 10000 µg/mL in 5% HNO₃

Chemical name	France	Germany	Germany MAK	Greece	Hungary
Nitric Acid 7697-37-2	STEL: 1 ppm STEL: 2.6 mg/m ³	TWA: 1 ppm TWA: 2.6 mg/m ³	-	STEL: 1 ppm STEL: 2.6 mg/m ³	STEL: 2.6 mg/m ³
uranyl nitrate, hexahydrate 13520-83-7	-	-	-	TWA: 0.25 mg/m ³ STEL: 0.6 mg/m ³	-
Chemical name	Ireland	Italy	Italy REL	Latvia	Lithuania
Nitric Acid 7697-37-2	STEL: 1 ppm STEL: 2.6 mg/m ³	STEL: 1 ppm STEL: 2.6 mg/m ³	TWA: 2 ppm TWA: 5.2 mg/m ³ STEL: 4 ppm STEL: 10.3 mg/m ³	TWA: 0.78 ppm TWA: 2 mg/m ³ STEL: 1 ppm STEL: 2.6 mg/m ³	STEL: 1 ppm STEL: 2.6 mg/m ³
uranyl nitrate, hexahydrate 13520-83-7	TWA: 0.2 mg/m ³ STEL: 0.6 mg/m ³	-	TWA: 0.2 mg/m ³ STEL: 0.6 mg/m ³	TWA: 0.015 mg/m ³	TWA: 0.015 mg/m ³
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
Nitric Acid 7697-37-2	STEL: 1 ppm STEL: 2.6 mg/m ³	STEL: 1 ppm STEL: 2.6 mg/m ³	STEL: 1.3 mg/m ³	TWA: 2 ppm TWA: 5 mg/m ³ STEL: 4 ppm STEL: 10 mg/m ³	STEL: 2.6 mg/m ³ TWA: 1.4 mg/m ³
uranyl nitrate, hexahydrate 13520-83-7	-	-	-	TWA: 0.2 mg/m ³ STEL: 0.6 mg/m ³	STEL: 0.12 mg/m ³ TWA: 0.015 mg/m ³
Chemical name	Portugal	Romania	Slovakia	Slovenia	Spain
Nitric Acid 7697-37-2	TWA: 2 ppm STEL: 1 ppm STEL: 2.6 mg/m ³	STEL: 1 ppm STEL: 2.6 mg/m ³	Ceiling: 2.6 mg/m ³	TWA: 1 ppm TWA: 2.6 mg/m ³ STEL: 1 ppm STEL: 2.6 mg/m ³	STEL: 1 ppm STEL: 2.6 mg/m ³
uranyl nitrate, hexahydrate 13520-83-7	TWA: 0.2 mg/m ³ STEL: 0.6 mg/m ³	-	-	-	TWA: 0.2 mg/m ³ STEL: 0.6 mg/m ³
Chemical name	Sweden		Switzerland		United Kingdom
Nitric Acid 7697-37-2	NGV: 0.5 ppm NGV: 1.3 mg/m ³ Bindande KGV: 1 ppm Bindande KGV: 2.6 mg/m ³		TWA: 2 ppm TWA: 5 mg/m ³ STEL: 2 ppm STEL: 5 mg/m ³		STEL: 1 ppm STEL: 2.6 mg/m ³
uranyl nitrate, hexahydrate 13520-83-7	-		TWA: 0.2 mg/m ³ H*		-

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Derived No Effect Level (DNEL) No information available.
Predicted No Effect Concentration No information available.



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 21-Feb-2023

Revision Number 1

VHG-TUN-500 - Uranium Standard: U @ 10000 µg/mL in 5% HNO₃

(PNEC)

8.2. Exposure controls

Personal protective equipment

Eye/face protection	Avoid contact with eyes. Wear safety glasses with side shields (or goggles). Tight sealing safety goggles. Face protection shield.
Hand protection	The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374. Wear protective Neoprene™ gloves. Wear suitable gloves. Impervious gloves.
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection. Regular cleaning of equipment, work area and clothing is recommended. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Wash hands before breaks and immediately after handling the product.
Environmental exposure controls	Do not allow into any sewer, on the ground or into any body of water.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Liquid
Colour	colourless
Odour	Odourless.
Odour threshold	No information available

Property	Values	Remarks • Method
Melting point / freezing point	No data available	None known
Initial boiling point and boiling range	No data available	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 21-Feb-2023

Revision Number 1

VHG-TUN-500 - Uranium Standard: U @ 10000 µg/mL in 5% HNO₃

Lower flammability or explosive limits	No data available	
Flash point	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature		None known
pH	No data available	None known
pH (as aqueous solution)	No data available	No information available
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Vapour pressure	No data available	None known
Relative density	No data available	None known
Bulk density	No data available	
Liquid Density	No data available	
Relative vapour density	No data available	None known
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	

9.2. Other information

9.2.1. Information with regards to physical hazard classes
Not applicable

9.2.2. Other safety characteristics
No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 21-Feb-2023

Revision Number 1

VHG-TUN-500 - Uranium Standard: U @ 10000 µg/mL in 5% HNO₃

10.4. Conditions to avoid

Conditions to avoid Exposure to air or moisture over prolonged periods. Excessive heat.

10.5. Incompatible materials

Incompatible materials Oxidising agent. Acids. Bases.

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available. Corrosive by inhalation. (based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal. Harmful by inhalation.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye damage. (based on components). Corrosive to the eyes and may cause severe damage including blindness. May cause irreversible damage to eyes.
Skin contact	Specific test data for the substance or mixture is not available. Corrosive. (based on components). Causes burns.
Ingestion	Specific test data for the substance or mixture is not available. Causes burns. (based on components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways. Toxic if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. Burning. May cause blindness. Coughing and/ or wheezing.

Numerical measures of toxicity



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 21-Feb-2023

Revision Number 1

VHG-TUN-500 - Uranium Standard: U @ 10000 µg/mL in 5% HNO₃

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	238.57 mg/kg
ATEmix (inhalation-dust/mist)	2.3857 mg/l
ATEmix (inhalation-vapour)	44.20 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Nitric Acid			= 2500 ppm (Rat) 1 h ATE (vapours) = 2.65 mg/L

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Classification based on data available for ingredients. Causes severe skin burns and eye damage.
Serious eye damage/eye irritation	Classification based on data available for ingredients. Causes serious eye damage. Causes burns.
Respiratory or skin sensitisation	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 21-Feb-2023

Revision Number 1

VHG-TUN-500 - Uranium Standard: U @ 10000 µg/mL in 5% HNO₃

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity The environmental impact of this product has not been fully investigated.

Unknown aquatic toxicity Contains 0 % of components with unknown hazards to the aquatic environment.

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient
Nitric Acid	-2.3

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

Chemical name	PBT and vPvB assessment
Nitric Acid	The substance is not PBT / vPvB PBT assessment does not apply

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 21-Feb-2023

Revision Number 1

VHG-TUN-500 - Uranium Standard: U @ 10000 µg/mL in 5% HNO₃

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging

Do not reuse empty containers.

SECTION 14: Transport information

IATA

14.1 UN number or ID number	UN2922
14.2 UN proper shipping name	Corrosive liquid, toxic, n.o.s. (Nitric Acid, uranyl nitrate, hexahydrate)
14.3 Transport hazard class(es)	8
Subsidiary hazard class	6.1
14.4 Packing group	II
Description	UN2922, Corrosive liquid, toxic, n.o.s. (Nitric Acid, uranyl nitrate, hexahydrate), 8 (6.1), II
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	A3, A803
ERG Code	8P

IMDG

14.1 UN number or ID number	UN2922
14.2 UN proper shipping name	Corrosive liquid, toxic, n.o.s. (Nitric Acid, uranyl nitrate, hexahydrate)
14.3 Transport hazard class(es)	8
Subsidiary hazard class	6.1
14.4 Packing group	II
Description	UN2922, Corrosive liquid, toxic, n.o.s., 8 (6.1), II
14.5 Marine pollutant	NP
14.6 Special precautions for user	
Special Provisions	274
EmS-No	F-A, S-B No information available
14.7 Maritime transport in bulk according to IMO instruments	No information available

RID



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 21-Feb-2023

Revision Number 1

VHG-TUN-500 - Uranium Standard: U @ 10000 µg/mL in 5% HNO₃

14.1 UN number or ID number	UN2922
14.2 UN proper shipping name	Corrosive liquid, toxic, n.o.s. (Nitric Acid, uranyl nitrate, hexahydrate)
14.3 Transport hazard class(es)	8
Subsidiary hazard class	6.1
14.4 Packing group	II
Description	UN2922, Corrosive liquid, toxic, n.o.s. (Nitric Acid, uranyl nitrate, hexahydrate), 8 (6.1), II
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	274
Classification code	CT1

ADR

14.1 UN number or ID number	UN2922
14.2 UN proper shipping name	Corrosive liquid, toxic, n.o.s. (Nitric Acid, uranyl nitrate, hexahydrate)
14.3 Transport hazard class(es)	8
Subsidiary hazard class	6.1
14.4 Packing group	II
Description	UN2922, Corrosive liquid, toxic, n.o.s. (Nitric Acid, uranyl nitrate, hexahydrate), 8 (6.1), II, (E)
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	274
Classification code	CT1
Tunnel restriction code	(E)

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Germany

Water hazard class (WGK) slightly hazardous to water (WGK 1)

Netherlands

Chemical name	Netherlands - List of Carcinogens	Netherlands - List of Carcinogens	Netherlands - List of Reproductive Toxins
uranyl nitrate, hexahydrate	-	-	Development Category 2; except radioactive substances within the scope of Directive 96/29/Euratom



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 21-Feb-2023

Revision Number 1

VHG-TUN-500 - Uranium Standard: U @ 10000 µg/mL in 5% HNO₃

Poland

SDS created according to the following Polish regulation: Act of February 25, 2011 on chemical substances and their mixtures (Journal of Laws of 2018, item 143, as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing the European Chemicals Agency (EC) as amended. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labeling and packaging of substances and mixtures, as amended. Regulation of the Minister of Health of 10 August 2012 on the criteria and method of classifying chemical substances and their mixtures (Journal of Laws of 2012, item 1018). Regulation of the Minister of Health of 20 April 2012 on labeling packaging of hazardous substances and mixtures and some mixtures (Journal of Laws of 2012, item 445). Regulation of the Minister of Family, Labor and Social Policy of 12 June 2018 on the maximum allowable concentrations and intensities of factors harmful to health in the work environment (Journal of Laws of 2018, item 1286). Announcement of the Minister of Economy, Labor and Social Policy of August 28, 2003 on the publication of the unified text of the Ordinance of the Minister of Labor and Social Policy on general health and safety at work regulations (Journal of Laws of 2003, No. 169, item 1650). Regulation of the Minister of Health of 30 December 2004 on occupational safety and health related to the presence of chemical agents in the workplace (Journal of Laws of 2005, No. 11, item 86). Act of December 14, 2012 on waste (Journal of Laws of 2013, item 21) Regulation of the Minister of Health of December 30, 2004 on occupational health and safety related to the presence of chemical agents in the workplace (Journal U. of 2005, No. 11, item 86). Waste Act of December 14, 2012 (Journal of Laws of 2013, item 21). Act of 13 June 2013 on the management of packaging and packaging waste, Journal of Laws 2013, item 888). Government statement of September 24, 2002 - European Agreement on the International Carriage of Dangerous Goods by Road (ADR) (Journal of Laws No. 194, item 1629 and Journal of Laws of 2003, No. 207, item 2013 and 2014).

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorisations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

DIRECTIVE (EU) 2021/1187 on the marketing and use of explosives precursors

Product contains: Restricted explosives precursors. Making available, introduction, possession and use according to Regulation (EU) 2019/1148, Article 5 (1) and (3)

Chemical name	RESTRICTED EXPLOSIVES PRECURSORS - ANNEX I	REPORTABLE EXPLOSIVES PRECURSORS - ANNEX II
Nitric Acid - 7697-37-2	3 %w/w	-

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV
Nitric Acid - 7697-37-2	75.	



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 21-Feb-2023

Revision Number 1

VHG-TUN-500 - Uranium Standard: U @ 10000 µg/mL in 5% HNO₃

Persistent Organic Pollutants

Not applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

International Inventories

TSCA	Complies
DSL/NDSL	Contact supplier for inventory compliance status
EINECS/ELINCS	Contact supplier for inventory compliance status
ENCS	Contact supplier for inventory compliance status
IECSC	Contact supplier for inventory compliance status
KECL	Contact supplier for inventory compliance status
PICCS	Contact supplier for inventory compliance status
AIIC	Contact supplier for inventory compliance status

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

Chemical Safety Report A Chemical Safety Assessment is not required for this substance

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H272 - May intensify fire; oxidiser
H290 - May be corrosive to metals
H300 - Fatal if swallowed



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 21-Feb-2023

Revision Number 1

VHG-TUN-500 - Uranium Standard: U @ 10000 µg/mL in 5% HNO₃

H314 - Causes severe skin burns and eye damage
H330 - Fatal if inhaled
H331 - Toxic if inhaled
H373 - May cause damage to organs through prolonged or repeated exposure
H411 - Toxic to aquatic life with long lasting effects

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)
Ceiling Maximum limit value * Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - Vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	On basis of test data
Serious eye damage/eye irritation	On basis of test data
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method
Corrosive to metals	On basis of test data

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
U.S. Environmental Protection Agency ChemView Database
European Food Safety Authority (EFSA)
EPA (Environmental Protection Agency)
Acute Exposure Guideline Level(s) (AEGL(s))
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
U.S. Environmental Protection Agency High Production Volume Chemicals
Food Research Journal
Hazardous Substance Database
International Uniform Chemical Information Database (IUCLID)



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 21-Feb-2023

Revision Number 1

VHG-TUN-500 - Uranium Standard: U @ 10000 µg/mL in 5% HNO₃

Japan GHS Classification
Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine's PubMed database (NLM PUBMED)
National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications
Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme
Organisation for Economic Co-operation and Development Screening Information Data Set
World Health Organization

Revision date 21-Feb-2023

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information in this safety data sheet (SDS) has been prepared with due care and is true and accurate to the best of our knowledge. The user must determine the suitability of the information for its particular purpose, ensure compliance with existing laws and regulations, and be aware that other or additional safety or performance considerations may arise when using, handling and/ or storing the material. The information in this SDS does not purport to be all inclusive or a guarantee as to the properties of the material supplied, and should be used only as a guide. LGC makes no warranties or representations as to the accuracy and completeness of the information contained herein, shall not be held responsible for the suitability of this information for the user's intended purposes or the consequences of such use, and shall not be liable for any damage or loss, howsoever arising, direct or otherwise.

End of Safety Data Sheet