



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
OSHA HCS2012

Revision date 18-Apr-2024

Revision Number 1.01

## 1. Identification

### Product identifier

**Product Name** 2,3,6-Trichlorotoluene 10 µg/mL in Methanol

### Other means of identification

**Product Code(s)** DRE-LA17787900ME

**Synonyms** None

### Recommended use of the chemical and restrictions on use

**Recommended use** This product is for research and development only

**Restrictions on use** Not to be used for human or animal consumption

### Details of the supplier of the safety data sheet

#### Supplier Address

VHG  
LGC Standards  
276 Abby Road  
Manchester, NH 03103  
UNITED STATES OF AMERICA

Tel : +1 (603) 622-7660  
Fax : +1 (603) 622-5180  
Email : lgcusa@lgcgroup.com

Web : lgcstandards.com

**E-mail** sds-request@lgcgroup.com

### Emergency telephone number

#### **Emergency Telephone**

For Hazardous Materials or Dangerous Goods Incident  
Spill, Leak, Fire Exposure, or Accident  
Call CHEMTREC:  
USA & Canada 1-800-424-9300  
Rest of the world +1 703-741-5970

## 2. Hazard(s) identification



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
OSHA HCS2012

**DRE-LA17787900ME - 2,3,6-Trichlorotoluene 10 µg/mL  
in Methanol**

**Revision date** 18-Apr-2024

## Classification

Classified according to OSHA.

Acute toxicity - Oral	Category 3
Acute toxicity - Dermal	Category 3
Acute toxicity - Inhalation (Vapors)	Category 3
Specific target organ toxicity (single exposure)	Category 1
Flammable liquids	Category 2

## Hazards not otherwise classified (HNOC)

Not applicable

## Label elements

### **Danger**

### Hazard statements

Classified according to OSHA.

Toxic if swallowed

Toxic in contact with skin

Toxic if inhaled

Causes damage to organs

Highly flammable liquid and vapor



### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Keep container tightly closed

Ground and bond container and receiving equipment

Use only non-sparking tools

Take action to prevent static discharges

Keep cool

Wear protective gloves/clothing and eye/face protection



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
OSHA HCS2012

**DRE-LA17787900ME - 2,3,6-Trichlorotoluene 10 µg/mL  
in Methanol**

**Revision date** 18-Apr-2024

## Precautionary Statements - Response

IF exposed: Call a POISON CENTER or doctor  
Call a POISON CENTER or doctor if you feel unwell  
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower  
Wash contaminated clothing before reuse  
IF INHALED: Remove person to fresh air and keep comfortable for breathing  
Call a POISON CENTER or doctor  
IF SWALLOWED: Immediately call a POISON CENTER or doctor  
Rinse mouth  
In case of fire: Use CO<sub>2</sub>, dry chemical, or foam to extinguish

## Precautionary Statements - Storage

Store locked up  
Store in a well-ventilated place. Keep container tightly closed

## Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

## Other information

No information available.

## 3. Composition/information on ingredients

### Substance

Not applicable.

### Mixture

**Chemical nature** Mixture of organic compounds.

Chemical name	CAS No.	Weight-%	Trade secret
Methanol	67-56-1	80 - 100	*

## 4. First-aid measures

### Description of first aid measures

**General advice** Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

**Inhalation** Remove to fresh air. IF exposed or concerned: Get medical advice/attention. If breathing has stopped, give artificial respiration. Get medical attention immediately. Immediate medical attention is required. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
OSHA HCS2012

**DRE-LA17787900ME - 2,3,6-Trichlorotoluene 10 µg/mL  
in Methanol**

**Revision date** 18-Apr-2024

	a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Get immediate medical attention.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get immediate medical attention.
<b>Ingestion</b>	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Get immediate medical attention.
<b>Self-protection of the first aider</b>	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Do not breathe vapor or mist.

## **Most important symptoms and effects, both acute and delayed**

**Symptoms** Coughing and/ or wheezing. Difficulty in breathing.

## **Indication of any immediate medical attention and special treatment needed**

**Note to physicians** Treat symptomatically.

## **5. Fire-fighting measures**

<b>Suitable Extinguishing Media Large Fire</b>	Dry chemical. Carbon dioxide (CO <sub>2</sub> ). Water spray. Alcohol resistant foam. CAUTION: Use of water spray when fighting fire may be inefficient.
<b>Unsuitable extinguishing media</b>	Do not scatter spilled material with high pressure water streams.
<b>Specific hazards arising from the chemical</b>	Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
<b>Explosion data</b>	
<b>Sensitivity to mechanical impact</b>	None.
<b>Sensitivity to static discharge</b>	Yes.
<b>Special protective equipment and precautions for fire-fighters</b>	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
OSHA HCS2012

DRE-LA17787900ME - 2,3,6-Trichlorotoluene 10 µg/mL  
in Methanol

Revision date 18-Apr-2024

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

#### Personal precautions

Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Do not breathe vapor or mist.

#### Other information

Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

### Methods and material for containment and cleaning up

#### Methods for containment

Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

#### Methods for cleaning up

Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

## 7. Handling and storage

### Precautions for safe handling

#### Advice on safe handling

Use personal protection equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash before reuse. Do not breathe vapor or mist. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product.

### Conditions for safe storage, including any incompatibilities

#### Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
OSHA HCS2012

DRE-LA17787900ME - 2,3,6-Trichlorotoluene 10 µg/mL  
in Methanol

Revision date 18-Apr-2024

regulations. Store in accordance with local regulations. Keep out of the reach of children. Store locked up. Please refer to the manufacturer's certificate for specific storage and transport temperature conditions. Store only in the original receptacle unless other advice is given on the CoA.

## 8. Exposure controls/personal protection

### Control parameters

#### Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Methanol 67-56-1	TWA: 200 ppm STEL: 250 ppm Sk*	TWA: 200 ppm TWA: 260 mg/m <sup>3</sup> (vacated) TWA: 200 ppm (vacated) TWA: 260 mg/m <sup>3</sup> (vacated) STEL: 250 ppm (vacated) STEL: 325 mg/m <sup>3</sup> (vacated) Sk*	IDLH: 6000 ppm TWA: 200 ppm TWA: 260 mg/m <sup>3</sup> STEL: 250 ppm STEL: 325 mg/m <sup>3</sup>

#### Biological occupational exposure limits

Chemical name	ACGIH
Methanol 67-56-1	15 mg/L - urine (Methanol) - end of shift

### Appropriate engineering controls

#### Engineering controls

Showers  
Eyewash stations  
Ventilation systems.

### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Tight sealing safety goggles. Avoid contact with eyes. Wear safety glasses with side shields (or goggles).

#### Hand protection

Wear protective butyl rubber gloves. Wear suitable gloves. Impervious gloves. The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374.

#### Skin and body protection

Long sleeved clothing. Chemical resistant apron. Antistatic boots. Wear suitable protective clothing.



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
OSHA HCS2012

DRE-LA17787900ME - 2,3,6-Trichlorotoluene 10 µg/mL  
in Methanol

Revision date 18-Apr-2024

Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
Environmental exposure controls	Do not allow into any sewer, on the ground or into any body of water.
General hygiene considerations	Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Do not breathe vapor or mist. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection.

## 9. Physical and chemical properties

### Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Liquid
Color	colorless
Odor	Alcohol
Odor threshold	No information available

Property	Values	Remarks • Method
pH	No data available	None known
Melting point / freezing point	-98 °C / -144.4 °F	None known
Initial boiling point and boiling range	64.72 °C / 148.5 °F	None known
Flash point	11 °C / 51.8 °F	None known
Evaporation rate	No data available	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	50 Vol% - 665 g/m <sup>3</sup>	
Lower flammability or explosive limits	6 Vol% - 80 g/m <sup>3</sup>	
Vapor pressure	128 hPa	@ 20°C
Relative vapor density	1.1	None known
Relative density	0.791	None known
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	-0.77	None known
Autoignition temperature	464 °C / 867.2 °F	None known
Decomposition temperature	-	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	0.544 - 0.59 mPa s	@ 25°C

### Other information

Explosive properties	No information available
----------------------	--------------------------



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
OSHA HCS2012

DRE-LA17787900ME - 2,3,6-Trichlorotoluene 10 µg/mL  
in Methanol

Revision date 18-Apr-2024

Oxidizing properties	No information available
Softening point	No information available
Molecular weight	No information available
VOC content	No information available
Liquid Density	No information available
Bulk density	No information available

## 10. Stability and reactivity

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	Heat, flames and sparks. Excessive heat.
Incompatible materials	None known based on information supplied.
Hazardous decomposition products	None known based on information supplied.

## 11. Toxicological information

### Information on likely routes of exposure

#### Product Information

Inhalation	Specific test data for the substance or mixture is not available. Toxic by inhalation. (based on components).
Eye contact	Specific test data for the substance or mixture is not available.
Skin contact	Specific test data for the substance or mixture is not available. Toxic in contact with skin. (based on components).
Ingestion	Specific test data for the substance or mixture is not available. Toxic if swallowed. (based on components).

### Symptoms related to the physical, chemical and toxicological characteristics

Symptoms	Coughing and/ or wheezing. Difficulty in breathing.
----------	---

### Acute toxicity

### Numerical measures of toxicity





# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
OSHA HCS2012

DRE-LA17787900ME - 2,3,6-Trichlorotoluene 10 µg/mL  
in Methanol

Revision date 18-Apr-2024

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	100.00 mg/kg
ATEmix (dermal)	300.00 mg/kg
ATEmix (inhalation-gas)	99,999.00 ppm
ATEmix (inhalation-dust/mist)	99,999.00 mg/l
ATEmix (inhalation-vapor)	3.00 mg/l

## Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Methanol 67-56-1	= 6200 mg/kg ( Rat )	= 15840 mg/kg ( Rabbit )	= 22500 ppm ( Rat ) 8 h

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** No information available.

**Serious eye damage/eye irritation** No information available.

**Respiratory or skin sensitization** No information available.

**Germ cell mutagenicity** No information available.

**Carcinogenicity** No information available.

**Reproductive toxicity** No information available.

**STOT - single exposure** Based on the classification criteria of the Globally Harmonized System as adopted in the country or region with which this safety data sheet complies, this product has been determined to cause systemic target organ toxicity from acute exposure. (STOT SE). Causes damage to organs if swallowed. Causes damage to organs in contact with skin.

**STOT - repeated exposure** No information available.

**Target organ effects** Respiratory system, Eyes, Skin, Central nervous system, Gastrointestinal tract (GI).

**Aspiration hazard** No information available.



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
OSHA HCS2012

DRE-LA17787900ME - 2,3,6-Trichlorotoluene 10 µg/mL  
in Methanol

Revision date 18-Apr-2024

Other adverse effects No information available.

Interactive effects No information available.

## 12. Ecological information

### Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Methanol 67-56-1	-	LC50: =28200mg/L (96h, Pimephales promelas) LC50: >100mg/L (96h, Pimephales promelas) LC50: 19500 - 20700mg/L (96h, Oncorhynchus mykiss) LC50: 18 - 20mL/L (96h, Oncorhynchus mykiss) LC50: 13500 - 17600mg/L (96h, Lepomis macrochirus)	-	-

Persistence and degradability No information available.

Bioaccumulation There is no data for this product.

### Component Information

Chemical name	Partition coefficient
Methanol 67-56-1	-0.77

Other adverse effects No information available.

## 13. Disposal considerations

### Disposal methods

Waste from residues/unused products Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
OSHA HCS2012

DRE-LA17787900ME - 2,3,6-Trichlorotoluene 10 µg/mL  
in Methanol

Revision date 18-Apr-2024

**Contaminated packaging** Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

**California Hazardous Waste Status** This product contains one or more substances that are listed with the State of California as a hazardous waste.

## 14. Transport information

### DOT

UN number or ID number	UN1230
Extended proper shipping name	Methanol mixture
Transport hazard class(es)	3
Subsidiary hazard class	6.1
Packing group	II
Reportable Quantity (RQ)	(Methanol: RQ (kg)= 2270.00) Methanol: RQ (lb)= 5000.00
Reportable quantity (kg) (calculated)	Methanol: RQ (kg)= 2270.02
Reportable quantity (lbs) (calculated)	Methanol: RQ (lb)= 5000.00
Special Provisions	IB2, T7, TP2
DOT Marine Pollutant	NP
Description	UN1230, Methanol mixture, 3 (6.1), II
Emergency Response Guide Number	131

### TDG

UN number or ID number	UN1230
UN proper shipping name	Methanol mixture
Transport hazard class(es)	3
Subsidiary hazard class	6.1
Packing group	II
Special Provisions	43
Marine pollutant	NP
Description	UN1230, Methanol mixture, 3 (6.1), II

### MEX

UN number or ID number	UN1230
UN proper shipping name	Methanol mixture
Transport hazard class(es)	3
Subsidiary hazard class	6.1
Packing group	II
Description	UN1230, Methanol mixture, 3 (6.1), II
Special Provisions	279

### IATA

UN number or ID number	UN1230
------------------------	--------



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
OSHA HCS2012

**DRE-LA17787900ME - 2,3,6-Trichlorotoluene 10 µg/mL  
in Methanol**

**Revision date** 18-Apr-2024

**UN proper shipping name** Methanol mixture  
**Transport hazard class(es)** 3  
**Subsidiary hazard class** 6.1  
**Packing group** II  
**Description** UN1230, Methanol mixture, 3 (6.1), II  
**Special Provisions** A113  
**ERG Code** 3L

**IMDG** Not regulated  
**UN number or ID number** UN1230  
**UN proper shipping name** Methanol mixture  
**Transport hazard class(es)** 3  
**Subsidiary hazard class** 6.1  
**Packing group** II  
**EmS-No.** F-E, S-D  
**Special Provisions** 279  
**Marine pollutant** NP  
**Description** UN1230, Methanol mixture, 3 (6.1), II, (11°C c.c.)

## 15. Regulatory information

### International Inventories

**TSCA** LGC, to the best of its ability, has confirmed that the chemical substances in this product are listed as "Active" in the EPA (Environmental Protection Agency) "TSCA Inventory Notification (Active-Inactive) Requirements Rule" ("the Final Rule") of Feb 2019, as amended Feb 2021."

Chemical name	CAS No.	Inventory Listing Status	Commercial Activity Designation
Methanol	67-56-1	Present	Active

**DSL/NDL** Contact supplier for inventory compliance status.  
**EINECS/ELINCS** Contact supplier for inventory compliance status.  
**ENCS** Contact supplier for inventory compliance status.  
**IECSC** Contact supplier for inventory compliance status.  
**KECL** Contact supplier for inventory compliance status.  
**PICCS** Contact supplier for inventory compliance status.  
**AIIC** Contact supplier for inventory compliance status.

### **Legend:**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
OSHA HCS2012

**DRE-LA17787900ME - 2,3,6-Trichlorotoluene 10 µg/mL  
in Methanol**

**Revision date** 18-Apr-2024

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**AICS** - Australian Inventory of Chemical Substances

## US Federal Regulations

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Methanol - 67-56-1	1.0

### **SARA 311/312 Hazard Categories**

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	Reportable Quantity (RQ)
Methanol 67-56-1	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ

## US State Regulations

### **California Proposition 65**

This product contains the following Proposition 65 chemicals:.

Chemical name	California Proposition 65
Methanol - 67-56-1	Developmental

## U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Methanol	X	X	X



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
OSHA HCS2012

DRE-LA17787900ME - 2,3,6-Trichlorotoluene 10 µg/mL  
in Methanol

Revision date 18-Apr-2024

67-56-1			
---------	--	--	--

## U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

## 16. Other information

<b>NFPA</b>	<b>Health hazards</b> 3	<b>Flammability</b> 3	<b>Instability</b> 0	<b>Special hazards</b> -
<b>HMIS</b>	<b>Health hazards</b> 3 *	<b>Flammability</b> 3	<b>Physical hazards</b> 0	<b>Personal protection</b> X
<i>Chronic Hazard Star Legend</i>		<i>* = Chronic Health Hazard</i>		

### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Legend Section 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	Sk*	Skin designation

### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)  
U.S. Environmental Protection Agency ChemView Database  
European Food Safety Authority (EFSA)  
EPA (Environmental Protection Agency)  
Acute Exposure Guideline Level(s) (AELG(s))  
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
U.S. Environmental Protection Agency High Production Volume Chemicals  
Food Research Journal  
Hazardous Substance Database  
International Uniform Chemical Information Database (IUCLID)  
Japan GHS Classification  
Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
NIOSH (National Institute for Occupational Safety and Health)  
National Library of Medicine's ChemID Plus (NLM CIP)  
National Library of Medicine's PubMed database (NLM PUBMED)  
National Toxicology Program (NTP)  
New Zealand's Chemical Classification and Information Database (CCID)  
Organization for Economic Co-operation and Development Environment, Health, and Safety Publications  
Organization for Economic Co-operation and Development High Production Volume Chemicals Program  
Organization for Economic Co-operation and Development Screening Information Data Set  
World Health Organization

Revision date 18-Apr-2024

Revision Note No information available.

### Disclaimer

The information in this Safety Data Sheet meets the requirements of the United States OCCUPATIONAL SAFETY AND HEALTH ACT and regulations promulgated thereunder (29 CFR 1910.1200 et. seq.) This document is intended only as a guide to the appropriate precautionary handling of the material by a person trained in, or supervised by a person trained



## SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
OSHA HCS2012

**DRE-LA17787900ME - 2,3,6-Trichlorotoluene 10 µg/mL  
in Methanol**

**Revision date 18-Apr-2024**

---

in, chemical handling. The user is responsible for determining the application. Depending on usage, protective clothing including eye and face guards and respirators must be used to avoid contact with material or breathing chemical vapors/fumes. Exposure to this product may have serious adverse health effects. This chemical may interact with other substances. Since the potential uses are so varied, we cannot warn of all of the potential dangers of use or interaction with other chemicals or materials. We warrant that the chemical meets the specifications set forth on the label. We (LGC/VHG/ARMI) disclaim any other warranties, expressed or implied with regard to the product supplied hereunder, its merchantability or its fitness for a particular purpose. The user should recognize that this product can cause severe injury and even death, especially if improperly handled or the known dangers of use are not heeded. Read all precautionary information.

**End of Safety Data Sheet**