



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 02-May-2022

Revision Number 1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

|                                 |                                             |
|---------------------------------|---------------------------------------------|
| Product Code(s)                 | VHG-PTPSISO-25                              |
| Product Name                    | PTP Sample for Sulfur in Isooctane Analysis |
| Form                            | Not applicable                              |
| Unique Formula Identifier (UFI) | WC76-0053-X00A-HA9A                         |
| Pure substance/mixture          | Mixture                                     |

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

|                      |                          |
|----------------------|--------------------------|
| Recommended use      | Laboratory use           |
| Uses advised against | No information available |

### 1.3. Details of the supplier of the safety data sheet

#### Supplier

LGC Limited  
Queens Road  
Teddington  
Middlesex TW11 0LY  
UNITED KINGDOM  
:+44 (0) 20 8943 7000  
Fax :+44 (0) 20 8943 2767  
eMail : gb@lgcstandards.com

Web : [www.lgcstandards.com](http://www.lgcstandards.com)

For further information, please contact

|                |                          |
|----------------|--------------------------|
| E-mail address | sds-request@lgcgroup.com |
|----------------|--------------------------|

### 1.4. Emergency telephone number

|                     |                                                                                                                                                                                      |
|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Emergency Telephone | For Hazardous Materials or Dangerous Goods Incident<br>Spill, Leak, Fire Exposure, or Accident<br>Call CHEMTREC:<br>USA & Canada 1-800-424-9300<br>Rest of the world +1 703-741-5970 |
|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                                           |
|-------------------------------------------|
| Emergency Telephone - §45 - (EC)1272/2008 |
|-------------------------------------------|



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 02-May-2022

Revision Number 1

## VHG-PTPSISO-25 - PTP Sample for Sulfur in Isooctane Analysis

|                |                          |
|----------------|--------------------------|
| Europe         | 112                      |
| Austria        | No information available |
| Bulgaria       |                          |
| Croatia        |                          |
| Cyprus         |                          |
| Czech Republic |                          |
| Denmark        |                          |
| France         |                          |
| Hungary        |                          |
| Ireland        |                          |
| Italy          |                          |
| Lithuania      |                          |
| Luxembourg     |                          |
| Netherlands    |                          |
| Norway         |                          |
| Portugal       |                          |
| Romania        |                          |
| Slovakia       |                          |
| Slovenia       |                          |
| Spain          |                          |
| Sweden         |                          |
| Switzerland    |                          |

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

|                                                  |                     |
|--------------------------------------------------|---------------------|
| Aspiration hazard                                | Category 1 - (H304) |
| Skin corrosion/irritation                        | Category 2 - (H315) |
| Specific target organ toxicity — single exposure | Category 3 - (H336) |
| Category 3 Narcotic effects                      |                     |
| Acute aquatic toxicity                           | Category 1 - (H400) |
| Chronic aquatic toxicity                         | Category 1 - (H410) |
| Flammable liquids                                | Category 2 - (H225) |

### 2.2. Label elements

Contains 2,2,4-Trimethylpentane



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 02-May-2022

Revision Number 1

## VHG-PTPSISO-25 - PTP Sample for Sulfur in Isooctane Analysis



**Signal word**  
Danger

### Hazard statements

H304 - May be fatal if swallowed and enters airways  
H315 - Causes skin irritation  
H336 - May cause drowsiness or dizziness  
H410 - Very toxic to aquatic life with long lasting effects  
H225 - Highly flammable liquid and vapour

### Precautionary Statements - EU (§28, 1272/2008)

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking  
P273 - Avoid release to the environment  
P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor  
P331 - Do NOT induce vomiting  
P370 + P378 - In case of fire: Use dry chemical, CO<sub>2</sub>, water spray or alcohol-resistant foam to extinguish  
P391 - Collect spillage  
P403 + P235 - Store in a well-ventilated place. Keep cool

### 2.3. Other hazards

No information available.

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors.

| Chemical name          | EU - REACH (1907/2006) - Article 59(1) - Candidate List of Substances of Very High Concern (SVHC) for Authorisation | EU - REACH (1907/2006) - Endocrine Disruptor Assessment List of Substances |
|------------------------|---------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------|
| 2,2,4-Trimethylpentane | -                                                                                                                   | -                                                                          |

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not applicable

### 3.2 Mixtures



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 02-May-2022

Revision Number 1

## VHG-PTPSISO-25 - PTP Sample for Sulfur in Isooctane Analysis

| Chemical name                      | Weight-% | REACH registration number | EC No (EU Index No) | Classification according to Regulation (EC) No. 1272/2008 [CLP]                                                                             | Specific concentration limit (SCL) | M-Factor | M-Factor (long-term) |
|------------------------------------|----------|---------------------------|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------|----------|----------------------|
| 2,2,4-Trimethylpentane<br>540-84-1 | 80 - 100 | -                         | ( )<br>208-759-1    | Flam. Liq. 2 (H225)<br>Skin Irrit. 2 (H315)<br>STOT SE 3 (H336)<br>Asp. Tox. 1 (H304)<br>Aquatic Acute 1 (H400)<br>Aquatic Chronic 1 (H410) |                                    |          |                      |
| Butyl sulfide<br>544-40-1          | 5 - <10  | -                         | 208-870-5           | Skin Irrit. 2 (H315)<br>Eye Irrit. 2 (H319)                                                                                                 |                                    |          |                      |

**Full text of H- and EUH-phrases: see section 16**

### Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATE<sub>mix</sub>) for classifying a mixture based on its components

| Chemical name                      | Oral LD50 mg/kg | Dermal LD50 mg/kg | Inhalation LC50 - 4 hour - dust/mist - mg/L | Inhalation LC50 - 4 hour - vapour - mg/L | Inhalation LC50 - 4 hour - gas - ppm |
|------------------------------------|-----------------|-------------------|---------------------------------------------|------------------------------------------|--------------------------------------|
| 2,2,4-Trimethylpentane<br>540-84-1 | 5000            | 2000              | 14.38                                       | No data available                        | No data available                    |
| Butyl sulfide<br>544-40-1          | 2220            | No data available | No data available                           | No data available                        | No data available                    |

This product does not contain candidate substances of very high concern at a concentration  $\geq 0.1\%$  (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

#### Inhalation

Remove to fresh air. Aspiration into lungs can produce severe lung damage. If breathing has stopped, give artificial respiration. Get medical attention immediately. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Get immediate medical advice/attention. Delayed



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 02-May-2022

Revision Number 1

## VHG-PTPSISO-25 - PTP Sample for Sulfur in Isooctane Analysis

|                                           |                                                                                                                                                                                                                                                                                                                                                                                                  |
|-------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                           | pulmonary edema may occur.                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Eye contact</b>                        | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area.                                                                                                                                                                                                                                             |
| <b>Skin contact</b>                       | Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get medical attention if irritation develops and persists.                                                                                                                                                                                                                                 |
| <b>Ingestion</b>                          | Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Get immediate medical advice/attention.                                                                                                             |
| <b>Self-protection of the first aider</b> | Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Avoid contact with skin, eyes or clothing. |

### 4.2. Most important symptoms and effects, both acute and delayed

|                 |                                                                                                                                                                                      |
|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Symptoms</b> | Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. |
|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

### 4.3. Indication of any immediate medical attention and special treatment needed

|                        |                                                                                                                                                               |
|------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Note to doctors</b> | Because of the danger of aspiration, emesis or gastric lavage should not be used unless the risk is justified by the presence of additional toxic substances. |
|------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|

## **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

|                                       |                                                                                       |
|---------------------------------------|---------------------------------------------------------------------------------------|
| <b>Suitable Extinguishing Media</b>   | Dry chemical. Carbon dioxide (CO <sub>2</sub> ). Water spray. Alcohol resistant foam. |
| <b>Large Fire</b>                     | CAUTION: Use of water spray when fighting fire may be inefficient.                    |
| <b>Unsuitable extinguishing media</b> | Do not scatter spilled material with high pressure water streams.                     |

### 5.2. Special hazards arising from the substance or mixture

|                                                   |                                                                                                                                                                                                                                                                 |
|---------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Specific hazards arising from the chemical</b> | Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |
|---------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

### 5.3. Advice for firefighters



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 02-May-2022

Revision Number 1

## VHG-PTPSISO-25 - PTP Sample for Sulfur in Isooctane Analysis

|                                                                       |                                                                                                                                    |
|-----------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|
| <b>Special protective equipment and precautions for fire-fighters</b> | Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment. |
|-----------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

|                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|-----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Personal precautions</b> | Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. |
|-----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                          |                                                                              |
|--------------------------|------------------------------------------------------------------------------|
| <b>Other information</b> | Ventilate the area. Refer to protective measures listed in Sections 7 and 8. |
|--------------------------|------------------------------------------------------------------------------|

|                                 |                                                   |
|---------------------------------|---------------------------------------------------|
| <b>For emergency responders</b> | Use personal protection recommended in Section 8. |
|---------------------------------|---------------------------------------------------|

#### 6.2. Environmental precautions

|                                  |                                                                                                                                                      |
|----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Environmental precautions</b> | Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. |
|----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|

#### 6.3. Methods and material for containment and cleaning up

|                                |                                                                                                                                                                                                                                                                                                                                                                |
|--------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Methods for containment</b> | Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapour suppressing foam may be used to reduce vapours. Dyke far ahead of spill to collect run-off water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. |
|--------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                                |                                                                                                                                                             |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Methods for cleaning up</b> | Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labelled containers. |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                                        |                                                                                      |
|----------------------------------------|--------------------------------------------------------------------------------------|
| <b>Prevention of secondary hazards</b> | Clean contaminated objects and areas thoroughly observing environmental regulations. |
|----------------------------------------|--------------------------------------------------------------------------------------|

#### 6.4. Reference to other sections

|                                    |                                                                          |
|------------------------------------|--------------------------------------------------------------------------|
| <b>Reference to other sections</b> | See section 8 for more information. See section 13 for more information. |
|------------------------------------|--------------------------------------------------------------------------|

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

|                                |                                                                                                                                                                                                                                                            |
|--------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Advice on safe handling</b> | Use personal protection equipment. Avoid breathing vapours or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static |
|--------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 02-May-2022

Revision Number 1

## VHG-PTPSISO-25 - PTP Sample for Sulfur in Isooctane Analysis

discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse. In case of insufficient ventilation, wear suitable respiratory equipment.

### General hygiene considerations

Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labelled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store locked up. Keep out of the reach of children. Store away from other materials. Please refer to the manufacturer's certificate for specific storage and transport temperature conditions. Store only in the original receptacle unless other advice is given on the CoA.

### 7.3. Specific end use(s)

**Risk Management Methods (RMM)** The information required is contained in this Safety Data Sheet.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure Limits

| Chemical name                      | European Union | Austria                                                                                     | Belgium     | Bulgaria                                                                                    | Croatia                                                                                      |
|------------------------------------|----------------|---------------------------------------------------------------------------------------------|-------------|---------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|
| 2,2,4-Trimethylpentane<br>540-84-1 | -              | TWA: 300 ppm<br>TWA: 1400 mg/m <sup>3</sup><br>STEL 1200 ppm<br>STEL 5600 mg/m <sup>3</sup> | -           | -                                                                                           | -                                                                                            |
| Chemical name                      | Cyprus         | Czech Republic                                                                              | Denmark     | Estonia                                                                                     | Finland                                                                                      |
| 2,2,4-Trimethylpentane<br>540-84-1 | -              | -                                                                                           | -           | TWA: 200 ppm<br>TWA: 900 mg/m <sup>3</sup><br>STEL: 300 ppm<br>STEL: 1400 mg/m <sup>3</sup> | TWA: 300 ppm<br>TWA: 1400 mg/m <sup>3</sup><br>STEL: 380 ppm<br>STEL: 1800 mg/m <sup>3</sup> |
| Chemical name                      | France         | Germany                                                                                     | Germany MAK | Greece                                                                                      | Hungary                                                                                      |



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 02-May-2022

Revision Number 1

## VHG-PTPSISO-25 - PTP Sample for Sulfur in Isooctane Analysis

|                                    |                                                                          |                                                            |                                                                                            |                                                                                               |                                                                                             |
|------------------------------------|--------------------------------------------------------------------------|------------------------------------------------------------|--------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| 2,2,4-Trimethylpentane<br>540-84-1 | TWA: 1000 mg/m <sup>3</sup><br>STEL: 1500 mg/m <sup>3</sup>              | -                                                          | -                                                                                          | -                                                                                             | TWA: 2350 mg/m <sup>3</sup>                                                                 |
| Chemical name                      | Ireland                                                                  | Italy                                                      | Italy REL                                                                                  | Latvia                                                                                        | Lithuania                                                                                   |
| 2,2,4-Trimethylpentane<br>540-84-1 | -                                                                        | -                                                          | TWA: 300 ppm<br>TWA: 1401 mg/m <sup>3</sup>                                                | TWA: 100 mg/m <sup>3</sup><br>STEL: 300 mg/m <sup>3</sup>                                     | TWA: 200 ppm<br>TWA: 900 mg/m <sup>3</sup><br>STEL: 300 ppm<br>STEL: 1400 mg/m <sup>3</sup> |
| Butyl sulfide<br>544-40-1          | -                                                                        | -                                                          | -                                                                                          | -                                                                                             | TWA: 1 ppm                                                                                  |
| Chemical name                      | Luxembourg                                                               | Malta                                                      | Netherlands                                                                                | Norway                                                                                        | Poland                                                                                      |
| 2,2,4-Trimethylpentane<br>540-84-1 | -                                                                        | -                                                          | -                                                                                          | TWA: 40 ppm<br>TWA: 275 mg/m <sup>3</sup><br>STEL: 60 ppm<br>STEL: 343.75 mg/m <sup>3</sup>   | -                                                                                           |
| Chemical name                      | Portugal                                                                 | Romania                                                    | Slovakia                                                                                   | Slovenia                                                                                      | Spain                                                                                       |
| 2,2,4-Trimethylpentane<br>540-84-1 | TWA: 300 ppm                                                             | TWA: 700 mg/m <sup>3</sup><br>STEL: 1000 mg/m <sup>3</sup> | -                                                                                          | TWA: 500 ppm<br>TWA: 2400 mg/m <sup>3</sup><br>STEL: 1000 ppm<br>STEL: 4800 mg/m <sup>3</sup> | TWA: 300 ppm<br>TWA: 1420 mg/m <sup>3</sup>                                                 |
| Chemical name                      | Sweden                                                                   |                                                            | Switzerland                                                                                |                                                                                               | United Kingdom                                                                              |
| 2,2,4-Trimethylpentane<br>540-84-1 | NGV: 200 ppm<br>NGV: 900 mg/m <sup>3</sup><br>NGV: 350 mg/m <sup>3</sup> |                                                            | TWA: 100 ppm<br>TWA: 470 mg/m <sup>3</sup><br>STEL: 200 ppm<br>STEL: 940 mg/m <sup>3</sup> |                                                                                               | -                                                                                           |
| Butyl sulfide<br>544-40-1          | NGV: 1 ppm                                                               |                                                            | -                                                                                          |                                                                                               | -                                                                                           |

### Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

**Derived No Effect Level (DNEL)** No information available.  
**Predicted No Effect Concentration (PNEC)** No information available.

### 8.2. Exposure controls

#### Personal protective equipment

**Eye/face protection** Tight sealing safety goggles. Avoid contact with eyes. Wear safety glasses with side shields (or goggles).

**Hand protection** Wear suitable gloves. Impervious gloves. The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374. Wear protective nitrile rubber gloves.





# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 02-May-2022

Revision Number 1

## VHG-PTPSISO-25 - PTP Sample for Sulfur in Isooctane Analysis

|                                        |                                                                                                                                                                                                                                                                                                                                                                                                         |
|----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Skin and body protection</b>        | Long sleeved clothing. Chemical resistant apron. Antistatic boots. Wear suitable protective clothing.                                                                                                                                                                                                                                                                                                   |
| <b>Respiratory protection</b>          | No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.                                                                                                                                                                                                                                |
| <b>General hygiene considerations</b>  | Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection. |
| <b>Environmental exposure controls</b> | Do not allow into any sewer, on the ground or into any body of water.                                                                                                                                                                                                                                                                                                                                   |

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                        |                          |
|------------------------|--------------------------|
| <b>Physical state</b>  | Liquid                   |
| <b>Appearance</b>      | Liquid                   |
| <b>Colour</b>          | colourless               |
| <b>Odour</b>           | Petroleum distillates.   |
| <b>Odour threshold</b> | No information available |

| <b>Property</b>                                | <b>Values</b>     | <b>Remarks • Method</b>  |
|------------------------------------------------|-------------------|--------------------------|
| <b>Melting point / freezing point</b>          | No data available | None known               |
| <b>Initial boiling point and boiling range</b> | No data available | None known               |
| <b>Flammability</b>                            | No data available | None known               |
| <b>Flammability Limit in Air</b>               |                   | None known               |
| <b>Upper flammability or explosive limits</b>  | No data available |                          |
| <b>Lower flammability or explosive limits</b>  | No data available |                          |
| <b>Flash point</b>                             | No data available | None known               |
| <b>Autoignition temperature</b>                | No data available | None known               |
| <b>Decomposition temperature</b>               |                   | None known               |
| <b>pH</b>                                      | No data available | None known               |
| <b>pH (as aqueous solution)</b>                | No data available | No information available |
| <b>Kinematic viscosity</b>                     | No data available | None known               |
| <b>Dynamic viscosity</b>                       | No data available | None known               |
| <b>Water solubility</b>                        | No data available | None known               |
| <b>Solubility(ies)</b>                         | No data available | None known               |
| <b>Partition coefficient</b>                   | No data available | None known               |
| <b>Vapour pressure</b>                         | No data available | None known               |
| <b>Relative density</b>                        | No data available | None known               |



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 02-May-2022

Revision Number 1

## VHG-PTPSISO-25 - PTP Sample for Sulfur in Isooctane Analysis

|                            |                          |            |
|----------------------------|--------------------------|------------|
| Bulk density               | No data available        |            |
| Liquid Density             | No data available        |            |
| Relative vapour density    | No data available        | None known |
| Particle characteristics   |                          |            |
| Particle Size              | No information available |            |
| Particle Size Distribution | No information available |            |

### 9.2. Other information

9.2.1. Information with regards to physical hazard classes  
Not applicable

9.2.2. Other safety characteristics  
No information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Reactivity No information available.

### 10.2. Chemical stability

Stability Stable under normal conditions.

#### Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge Yes.

### 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

### 10.4. Conditions to avoid

Conditions to avoid Heat, flames and sparks.

### 10.5. Incompatible materials

Incompatible materials Strong acids. Strong bases. Strong oxidising agents.

Hazardous decomposition products None known based on information supplied.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 02-May-2022

Revision Number 1

## VHG-PTPSISO-25 - PTP Sample for Sulfur in Isooctane Analysis

### Information on likely routes of exposure

#### Product Information

|              |                                                                                                                                                                                                                                                                                                                                   |
|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Inhalation   | Specific test data for the substance or mixture is not available. Aspiration into lungs can produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be fatal. May cause drowsiness or dizziness.                                                                                                               |
| Eye contact  | Specific test data for the substance or mixture is not available.                                                                                                                                                                                                                                                                 |
| Skin contact | Repeated exposure may cause skin dryness or cracking. Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components).                                                                                                                                                            |
| Ingestion    | Specific test data for the substance or mixture is not available. Potential for aspiration if swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea. |

### Symptoms related to the physical, chemical and toxicological characteristics

|          |                                                                                                                                                                                                                                          |
|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Symptoms | Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Redness. May cause redness and tearing of the eyes. Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. |
|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

### Numerical measures of toxicity

#### Acute toxicity

#### Component Information

| Chemical name          | Oral LD50            | Dermal LD50             | Inhalation LC50          |
|------------------------|----------------------|-------------------------|--------------------------|
| 2,2,4-Trimethylpentane | > 5000 mg/kg ( Rat ) | > 2000 mg/kg ( Rabbit ) | > 14.38 mg/L ( Rat ) 4 h |
| Butyl sulfide          | = 2220 mg/kg ( Rat ) |                         |                          |

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

|                                   |                                                                                 |
|-----------------------------------|---------------------------------------------------------------------------------|
| Skin corrosion/irritation         | Classification based on data available for ingredients. Causes skin irritation. |
| Serious eye damage/eye irritation | No information available.                                                       |



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 02-May-2022

Revision Number 1

## VHG-PTPSISO-25 - PTP Sample for Sulfur in Isooctane Analysis

|                                   |                                               |
|-----------------------------------|-----------------------------------------------|
| Respiratory or skin sensitisation | No information available.                     |
| Germ cell mutagenicity            | No information available.                     |
| Carcinogenicity                   | No information available.                     |
| Reproductive toxicity             | No information available.                     |
| STOT - single exposure            | May cause drowsiness or dizziness.            |
| STOT - repeated exposure          | No information available.                     |
| Aspiration hazard                 | May be fatal if swallowed and enters airways. |

### 11.2. Information on other hazards

#### 11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

#### 11.2.2. Other information

Other adverse effects No information available.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecotoxicity Very toxic to aquatic life with long lasting effects.

Unknown aquatic toxicity Contains 0 % of components with unknown hazards to the aquatic environment.

| Chemical name          | Algae/aquatic plants | Fish                                         | Toxicity to microorganisms | Crustacea                               |
|------------------------|----------------------|----------------------------------------------|----------------------------|-----------------------------------------|
| 2,2,4-Trimethylpentane | -                    | LC50:=18.4mg/L (96h, Oncorhynchus mykiss)    | -                          | EC50: =0.02856mg/L (48h, Daphnia magna) |
| Butyl sulfide          | -                    | LC50: = 3.58 mg/L (96h, Pimephales promelas) | -                          | -                                       |



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 02-May-2022

Revision Number 1

## VHG-PTPSISO-25 - PTP Sample for Sulfur in Isooctane Analysis

### 12.2. Persistence and degradability

Persistence and degradability No information available.

### 12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

#### Component Information

| Chemical name          | Partition coefficient |
|------------------------|-----------------------|
| 2,2,4-Trimethylpentane | 4.08                  |

### 12.4. Mobility in soil

Mobility in soil No information available.

### 12.5. Results of PBT and vPvB assessment

#### PBT and vPvB assessment

| Chemical name          | PBT and vPvB assessment                                       |
|------------------------|---------------------------------------------------------------|
| 2,2,4-Trimethylpentane | The substance is not PBT / vPvB PBT assessment does not apply |

### 12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

### 12.7. Other adverse effects

No information available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste from residues/unused products Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

## SECTION 14: Transport information



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 02-May-2022

Revision Number 1

## VHG-PTPSISO-25 - PTP Sample for Sulfur in Isooctane Analysis

### IATA

|                                   |                                |
|-----------------------------------|--------------------------------|
| 14.1 UN number or ID number       | UN1262                         |
| 14.2 UN proper shipping name      | Octanes mixture                |
| 14.3 Transport hazard class(es)   | 3                              |
| 14.4 Packing group                | II                             |
| Description                       | UN1262, Octanes mixture, 3, II |
| 14.5 Environmental hazards        | Yes                            |
| 14.6 Special precautions for user |                                |
| Special Provisions                | None                           |
| ERG Code                          | 3H                             |

### IMDG

|                                                              |                                                  |
|--------------------------------------------------------------|--------------------------------------------------|
| 14.1 UN number or ID number                                  | UN1262                                           |
| 14.2 UN proper shipping name                                 | Octanes mixture                                  |
| 14.3 Transport hazard class(es)                              | 3                                                |
| 14.4 Packing group                                           | II                                               |
| Description                                                  | UN1262, Octanes mixture, 3, II, Marine pollutant |
| 14.5 Marine pollutant                                        | P                                                |
| Environmental hazards                                        | Yes                                              |
| 14.6 Special precautions for user                            |                                                  |
| Special Provisions                                           | None                                             |
| EmS-No                                                       | F-E, S-E No information available                |
| 14.7 Maritime transport in bulk according to IMO instruments | No information available                         |

### RID

|                                   |                                                           |
|-----------------------------------|-----------------------------------------------------------|
| 14.1 UN number or ID number       | UN1262                                                    |
| 14.2 UN proper shipping name      | Octanes mixture                                           |
| 14.3 Transport hazard class(es)   | 3                                                         |
| 14.4 Packing group                | II                                                        |
| Description                       | UN1262, Octanes mixture, 3, II, Environmentally Hazardous |
| 14.5 Environmental hazards        | Yes                                                       |
| 14.6 Special precautions for user |                                                           |
| Special Provisions                | None                                                      |
| Classification code               | F1                                                        |

### ADR

|                                   |                                                                  |
|-----------------------------------|------------------------------------------------------------------|
| 14.1 UN number or ID number       | UN1262                                                           |
| 14.2 UN proper shipping name      | Octanes mixture                                                  |
| 14.3 Transport hazard class(es)   | 3                                                                |
| 14.4 Packing group                | II                                                               |
| Description                       | UN1262, Octanes mixture, 3, II, (D/E), Environmentally Hazardous |
| 14.5 Environmental hazards        | Yes                                                              |
| 14.6 Special precautions for user |                                                                  |
| Special Provisions                | None                                                             |
| Classification code               | F1                                                               |
| Tunnel restriction code           | (D/E)                                                            |



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 02-May-2022

Revision Number 1

VHG-PTPSISO-25 - PTP Sample for Sulfur in Isooctane Analysis

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Water hazard class (WGK) obviously hazardous to water (WGK 2)

Poland

SDS created according to the following Polish regulation: Act of February 25, 2011 on chemical substances and their mixtures (Journal of Laws of 2018, item 143, as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing the European Chemicals Agency (EC) as amended. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labeling and packaging of substances and mixtures, as amended. Regulation of the Minister of Health of 10 August 2012 on the criteria and method of classifying chemical substances and their mixtures (Journal of Laws of 2012, item 1018). Regulation of the Minister of Health of 20 April 2012 on labeling packaging of hazardous substances and mixtures and some mixtures (Journal of Laws of 2012, item 445). Regulation of the Minister of Family, Labor and Social Policy of 12 June 2018 on the maximum allowable concentrations and intensities of factors harmful to health in the work environment (Journal of Laws of 2018, item 1286). Announcement of the Minister of Economy, Labor and Social Policy of August 28, 2003 on the publication of the unified text of the Ordinance of the Minister of Labor and Social Policy on general health and safety at work regulations (Journal of Laws of 2003, No. 169, item 1650). Regulation of the Minister of Health of 30 December 2004 on occupational safety and health related to the presence of chemical agents in the workplace (Journal of Laws of 2005, No. 11, item 86). Act of December 14, 2012 on waste (Journal of Laws of 2013, item 21) Regulation of the Minister of Health of December 30, 2004 on occupational health and safety related to the presence of chemical agents in the workplace (Journal U. of 2005, No. 11, item 86). Waste Act of December 14, 2012 (Journal of Laws of 2013, item 21). Act of 13 June 2013 on the management of packaging and packaging waste, Journal of Laws 2013, item 888). Government statement of September 24, 2002 - European Agreement on the International Carriage of Dangerous Goods by Road (ADR) (Journal of Laws No. 194, item 1629 and Journal of Laws of 2003, No. 207, item 2013 and 2014).

#### European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

#### Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

#### DIRECTIVE (EU) 2021/1187 on the marketing and use of explosives precursors

Not applicable



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 02-May-2022

Revision Number 1

## VHG-PTPSISO-25 - PTP Sample for Sulfur in Isooctane Analysis

| Chemical name                     | Restricted substance per REACH Annex XVII | Substance subject to authorisation per REACH Annex XIV |
|-----------------------------------|-------------------------------------------|--------------------------------------------------------|
| 2,2,4-Trimethylpentane - 540-84-1 | 75.                                       |                                                        |

### Persistent Organic Pollutants

Not applicable

### Dangerous substance category per Seveso Directive (2012/18/EU)

P5a - FLAMMABLE LIQUIDS

P5b - FLAMMABLE LIQUIDS

P5c - FLAMMABLE LIQUIDS

E1 - Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1

### Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

### International Inventories

TSCA

DSL/NDSL

EINECS/ELINCS

ENCS

IECSC

KECL

PICCS

AIIC

Contact supplier for inventory compliance status

Contact supplier for inventory compliance status

Contact supplier for inventory compliance status

Contact supplier for inventory compliance status

Contact supplier for inventory compliance status

Contact supplier for inventory compliance status

Contact supplier for inventory compliance status

Contact supplier for inventory compliance status

### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

### 15.2. Chemical safety assessment

#### Chemical Safety Report

A Chemical Safety Assessment has been carried out for this substance





# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 02-May-2022

Revision Number 1

VHG-PTPSISO-25 - PTP Sample for Sulfur in Isooctane Analysis

## SECTION 16: Other information

### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

H225 - Highly flammable liquid and vapour  
H304 - May be fatal if swallowed and enters airways  
H315 - Causes skin irritation  
H319 - Causes serious eye irritation  
H336 - May cause drowsiness or dizziness  
H400 - Very toxic to aquatic life  
H401 - Toxic to aquatic life  
H410 - Very toxic to aquatic life with long lasting effects  
H411 - Toxic to aquatic life with long lasting effects

#### Legend

SVHC: Substances of Very High Concern for Authorisation:

#### Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)  
Ceiling Maximum limit value \* Skin designation

| Classification procedure                                        |                       |
|-----------------------------------------------------------------|-----------------------|
| Classification according to Regulation (EC) No. 1272/2008 [CLP] | Method Used           |
| Acute oral toxicity                                             | Calculation method    |
| Acute dermal toxicity                                           | Calculation method    |
| Acute inhalation toxicity - gas                                 | Calculation method    |
| Acute inhalation toxicity - Vapour                              | Calculation method    |
| Acute inhalation toxicity - dust/mist                           | Calculation method    |
| Skin corrosion/irritation                                       | Calculation method    |
| Serious eye damage/eye irritation                               | Calculation method    |
| Respiratory sensitisation                                       | Calculation method    |
| Skin sensitisation                                              | Calculation method    |
| Mutagenicity                                                    | Calculation method    |
| Carcinogenicity                                                 | Calculation method    |
| Reproductive toxicity                                           | Calculation method    |
| STOT - single exposure                                          | Calculation method    |
| STOT - repeated exposure                                        | Calculation method    |
| Acute aquatic toxicity                                          | Calculation method    |
| Chronic aquatic toxicity                                        | Calculation method    |
| Aspiration hazard                                               | Calculation method    |
| Ozone                                                           | Calculation method    |
| Flammable liquids                                               | On basis of test data |

#### Key literature references and sources for data used to compile the SDS



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 02-May-2022

Revision Number 1

## VHG-PTPSISO-25 - PTP Sample for Sulfur in Isooctane Analysis

---

Agency for Toxic Substances and Disease Registry (ATSDR)  
U.S. Environmental Protection Agency ChemView Database  
European Food Safety Authority (EFSA)  
EPA (Environmental Protection Agency)  
Acute Exposure Guideline Level(s) (AELG(s))  
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
U.S. Environmental Protection Agency High Production Volume Chemicals  
Food Research Journal  
Hazardous Substance Database  
International Uniform Chemical Information Database (IUCLID)  
Japan GHS Classification  
Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
NIOSH (National Institute for Occupational Safety and Health)  
National Library of Medicine's ChemID Plus (NLM CIP)  
National Library of Medicine's PubMed database (NLM PUBMED)  
National Toxicology Program (NTP)  
New Zealand's Chemical Classification and Information Database (CCID)  
Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications  
Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme  
Organisation for Economic Co-operation and Development Screening Information Data Set  
World Health Organization

Revision date 02-May-2022

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

### Disclaimer

The information in this safety data sheet (SDS) has been prepared with due care and is true and accurate to the best of our knowledge. The user must determine the suitability of the information for its particular purpose, ensure compliance with existing laws and regulations, and be aware that other or additional safety or performance considerations may arise when using, handling and/ or storing the material. The information in this SDS does not purport to be all inclusive or a guarantee as to the properties of the material supplied, and should be used only as a guide. LGC makes no warranties or representations as to the accuracy and completeness of the information contained herein, shall not be held responsible for the suitability of this information for the user's intended purposes or the consequences of such use, and shall not be liable for any damage or loss, howsoever arising, direct or otherwise.

**End of Safety Data Sheet**