



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 28-Aug-2024

Revision Number 1.01

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product Code(s)	VHG-SM35A-100
Product Name	Common Elements Mix 1 Standard: Cd, Co, Cr, Cu, Fe, Mn, Ni, V, Zn @ 100 µg/mL in 5% HNO <sub>3</sub>
Form	Not applicable
Unique Formula Identifier (UFI)	9PET-J05R-Q00U-8EWP
Pure substance/mixture	Mixture

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use	Laboratory use
Uses advised against	No information available

### 1.3. Details of the supplier of the safety data sheet

#### Supplier

LGC Limited  
Queens Road  
Teddington  
Middlesex TW11 0LY  
UNITED KINGDOM  
:+44 (0) 20 8943 7000  
Fax :+44 (0) 20 8943 2767  
eMail : gb@lgcstandards.com

Web : [www.lgcstandards.com](http://www.lgcstandards.com)

For further information, please contact

**E-mail address** sds-request@lgcgroup.com

### 1.4. Emergency telephone number

Emergency Telephone For Hazardous Materials or Dangerous Goods Incident  
Spill, Leak, Fire Exposure, or Accident  
Call CHEMTREC:  
USA & Canada 1-800-424-9300



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 28-Aug-2024

Revision Number 1.01

**VHG-SM35A-100 - Common Elements Mix 1 Standard: Cd, Co, Cr, Cu, Fe, Mn, Ni, V, Zn @ 100 µg/mL in 5% HNO<sub>3</sub>**

Rest of the world +1 703-741-3877

Emergency Telephone - §45 - (EC)1272/2008	
Europe	112
Austria	No information available
Bulgaria	
Croatia	
Cyprus	
Czech Republic	
Denmark	
France	
Hungary	
Ireland	
Italy	
Lithuania	
Luxembourg	
Netherlands	
Norway	
Portugal	
Romania	
Slovakia	
Slovenia	
Spain	
Sweden	
Switzerland	

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification according to  
Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 1 - (H318)
Chronic aquatic toxicity	Category 2 - (H411)
Corrosive to metals	Category 1 - (H290)

### 2.2. Label elements



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 28-Aug-2024

Revision Number 1.01

**VHG-SM35A-100 - Common Elements Mix 1 Standard: Cd, Co, Cr, Cu, Fe, Mn, Ni, V, Zn @ 100 µg/mL in 5% HNO<sub>3</sub>**



**Signal word**  
Danger

## Hazard statements

H315 - Causes skin irritation  
H318 - Causes serious eye damage  
H411 - Toxic to aquatic life with long lasting effects  
H290 - May be corrosive to metals  
EUH071 - Corrosive to the respiratory tract

## Precautionary Statements - EU (§28, 1272/2008)

P264 - Wash face, hands and any exposed skin thoroughly after handling  
P273 - Avoid release to the environment  
P280 - Wear protective gloves and eye/face protection  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P310 - Immediately call a POISON CENTER or doctor  
P391 - Collect spillage  
P201 - Obtain special instructions before use  
P234 - Keep only in original container  
P406 - Store in corrosive resistant stainless steel container with a resistant inner liner

## 2.3. Other hazards

Toxic to aquatic life.

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors.

Chemical name	EU - REACH (1907/2006) - Article 59(1) - Candidate List of Substances of Very High Concern (SVHC) for Authorisation	EU - REACH (1907/2006) - Endocrine Disruptor Assessment List of Substances
Nitric Acid	-	-
Zink (stabilized)	-	-
vanadium pentoxide	-	-
Nickel	-	-



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 28-Aug-2024

Revision Number 1.01

**VHG-SM35A-100 - Common Elements Mix 1 Standard: Cd, Co, Cr, Cu, Fe, Mn, Ni, V, Zn @ 100 µg/mL in 5% HNO<sub>3</sub>**

Manganese(II) nitrate hexahydrate	-	-
Ferric nitrate nonahydrate	-	-
Copper	-	-
Cobalt	-	-
Chromium (III) nitrate nonahydrate	-	-
Cadmium	-	-

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not applicable

### 3.2 Mixtures

**Chemical nature** aqueous solution.

Chemical name	Weight-%	REACH registration number	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Nitric Acid 7697-37-2	3 - <5	-	231-714-2	Met. Corr. 1 (H290) Ox. Liq. 2 (H272) Acute Tox. 3 (H331) Skin Corr. 1A (H314) (EUH071)	Ox. Liq. 2 :: C>=99% Ox. Liq. 3 :: C>=65% Skin Corr. 1A :: C>=20% Skin Corr. 1B :: 5%<=C<20%		
Zink (stabilized) 7440-66-6	<0.1	-	231-175-3	Acute. Tox. 4 (H302) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)			
vanadium pentoxide 1314-62-1	<0.1	-	215-239-8 (023-001-00-8)	Acute Tox. 2 (H300) Acute Tox. 2 (H330) Carc. 1B (H350) Muta. 2 (H341) Repr. 2 (H361fd) Lact. (H362) STOT SE 3 (H335) STOT RE 1 (H372) Aquatic Chronic 2			



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 28-Aug-2024

Revision Number 1.01

**VHG-SM35A-100 - Common Elements Mix 1 Standard: Cd, Co, Cr, Cu, Fe, Mn, Ni, V, Zn @ 100 µg/mL in 5% HNO<sub>3</sub>**

				(H411)			
Nickel 7440-02-0	<0.1	-	231-111-4 (028-002-00 -7)	Skin Sens. 1 (H317) Carc. 2 (H351) STOT RE 1 (H372) Aquatic Chronic 3 (H412)			
Manganese(II) nitrate hexahydrate 17141-63-8	<0.1	-	627-048-0	Ox. Sol. 3 (H272) Skin Corr. 1B (H314) Eye Dam. 1 (H318) STOT RE 2 (H373)			
Ferric nitrate nonahydrate 7782-61-8	<0.1	-	616-509-1	Ox. Sol. 2 (H272) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319)			
Copper 7440-50-8	<0.1	-	231-159-6	Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)			
Cobalt 7440-48-4	<0.1	-	231-158-0 (027-001-00 -9)	Acute Tox. 4 (H302) Eye Irrit. 2 (H319) Resp. Sens. 1 (H334) Skin Sens. 1 (H317) Muta. 2 (H341) Carc. 1B (H350) Repr. 1B (H360F) Aquatic Chronic 2 (H411) EUH071 EUH201			
Chromium (III) nitrate nonahydrate 7789-02-8	<0.1	-	616-540-0	Ox. Sol. 3 (H272) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Aquatic Chronic 3 (H412)			
Cadmium 7440-43-9	<0.1	-	231-152-8 (048-002-00 -0)	Acute Tox. 4 (H302) Acute Tox. 2 (H330) Muta. 2 (H341) Carc. 1B (H350) Repr. 2 (H361fd) STOT RE 1 (H372) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)			



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 28-Aug-2024

Revision Number 1.01

**VHG-SM35A-100 - Common Elements Mix 1 Standard: Cd, Co, Cr, Cu, Fe, Mn, Ni, V, Zn @ 100 µg/mL in 5% HNO<sub>3</sub>**

**Full text of H- and EUH-phrases: see section 16**

## Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATE<sub>mix</sub>) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Nitric Acid 7697-37-2	No data available	No data available	No data available	2.65	No data available
Zink (stabilized) 7440-66-6	630	No data available	No data available	No data available	No data available
vanadium pentoxide 1314-62-1	220 + 10	2500	2.21	No data available	No data available
Nickel 7440-02-0	9000	No data available	No data available	No data available	No data available
Ferric nitrate nonahydrate 7782-61-8	3250	No data available	No data available	No data available	No data available
Cobalt 7440-48-4	6171	No data available	No data available	No data available	No data available
Chromium (III) nitrate nonahydrate 7789-02-8	3250	No data available	No data available	No data available	No data available
Cadmium 7440-43-9	1140	No data available	No data available	No data available	No data available

+ This value is the harmonised acute toxicity estimate (ATE) listed in CLP Annex VI, Part 3. This harmonised ATE value must be used when calculating the acute toxicity estimate (ATE<sub>mix</sub>) for classifying a mixture containing the listed substance

This product does not contain candidate substances of very high concern at a concentration  $\geq 0.1\%$  (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

#### Inhalation

Remove to fresh air. Get medical attention immediately if symptoms occur.



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 28-Aug-2024

Revision Number 1.01

**VHG-SM35A-100 - Common Elements Mix 1 Standard: Cd, Co, Cr, Cu, Fe, Mn, Ni, V, Zn @ 100 µg/mL in 5% HNO<sub>3</sub>**

<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get immediate medical attention.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.
<b>Ingestion</b>	Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a doctor.
<b>Self-protection of the first aider</b>	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

## 4.2. Most important symptoms and effects, both acute and delayed

<b>Symptoms</b>	Burning sensation.
-----------------	--------------------

## 4.3. Indication of any immediate medical attention and special treatment needed

<b>Note to doctors</b>	Treat symptomatically.
------------------------	------------------------

## **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

<b>Suitable Extinguishing Media</b>	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
-------------------------------------	---

<b>Large Fire</b>	CAUTION: Use of water spray when fighting fire may be inefficient.
-------------------	--

<b>Unsuitable extinguishing media</b>	Do not scatter spilled material with high pressure water streams.
---------------------------------------	---

### 5.2. Special hazards arising from the substance or mixture

<b>Specific hazards arising from the chemical</b>	No information available.
---	---------------------------

### 5.3. Advice for firefighters

<b>Special protective equipment and precautions for fire-fighters</b>	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
---	--

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 28-Aug-2024

Revision Number 1.01

**VHG-SM35A-100 - Common Elements Mix 1 Standard: Cd, Co, Cr, Cu, Fe, Mn, Ni, V, Zn @ 100 µg/mL in 5% HNO<sub>3</sub>**

---

**Personal precautions** Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required.

**Other information** Refer to protective measures listed in Sections 7 and 8.

**For emergency responders** Use personal protection recommended in Section 8.

## 6.2. Environmental precautions

**Environmental precautions** Prevent further leakage or spillage if safe to do so.

## 6.3. Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Take up mechanically, placing in appropriate containers for disposal.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

## 6.4. Reference to other sections

**Reference to other sections** See section 8 for more information. See section 13 for more information.

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

**Advice on safe handling** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse.

**General hygiene considerations** Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials. Please refer to the manufacturer's certificate for specific storage and transport temperature conditions. Store only in the original receptacle unless other advice is given on the CoA.





# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 28-Aug-2024

Revision Number 1.01

**VHG-SM35A-100 - Common Elements Mix 1 Standard: Cd, Co, Cr, Cu, Fe, Mn, Ni, V, Zn @ 100 µg/mL in 5% HNO<sub>3</sub>**

## 7.3. Specific end use(s)

**Risk Management Methods (RMM)** The information required is contained in this Safety Data Sheet.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure Limits

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Nitric Acid 7697-37-2	-	STEL 1 ppm STEL 2.6 mg/m <sup>3</sup>	STEL: 1 ppm STEL: 2.6 mg/m <sup>3</sup>	STEL: 1 ppm STEL: 2.6 mg/m <sup>3</sup>	STEL: 1 ppm STEL: 2.6 mg/m <sup>3</sup>
vanadium pentoxide 1314-62-1	-	TWA: 0.05 mg/m <sup>3</sup> STEL 0.25 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup>
Nickel 7440-02-0	-	Sa+ Sh+	TWA: 1 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup> Skin Sensitisation
Manganese(II) nitrate hexahydrate 17141-63-8	-	TWA: 0.2 mg/m <sup>3</sup> STEL 1.6 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup> TWA: 0.05 mg/m <sup>3</sup>
Ferric nitrate nonahydrate 7782-61-8	-	-	TWA: 1 mg/m <sup>3</sup>	TWA: 1.0 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> STEL: 2 mg/m <sup>3</sup>
Copper 7440-50-8	-	TWA: 1 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup> STEL 4 mg/m <sup>3</sup> STEL 0.4 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup> STEL: 2 mg/m <sup>3</sup>
Cobalt 7440-48-4	-	Sk* Sa+ Sh+	TWA: 0.02 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup> Skin Sensitisation Respiratory Sensitisation
Chromium (III) nitrate nonahydrate 7789-02-8	-	-	TWA: 0.5 mg/m <sup>3</sup>	-	-
Cadmium 7440-43-9	TWA: 0.001 mg/m <sup>3</sup>	-	TWA: 0.01 mg/m <sup>3</sup> TWA: 0.004 mg/m <sup>3</sup>	TWA: 0.004 mg/m <sup>3</sup>	TWA: 0.004 mg/m <sup>3</sup>
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Nitric Acid 7697-37-2	STEL: 1 ppm STEL: 2.6 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> Ceiling: 2.5 mg/m <sup>3</sup>	STEL: 1 ppm STEL: 2.6 mg/m <sup>3</sup>	STEL: 1 ppm STEL: 2.6 mg/m <sup>3</sup>	TWA: 0.5 ppm TWA: 1.3 mg/m <sup>3</sup> STEL: 1 ppm STEL: 2.6 mg/m <sup>3</sup>
vanadium pentoxide	-	TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.03 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup>	TWA: 0.02 mg/m <sup>3</sup>



## SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 28-Aug-2024

Revision Number 1.01

**VHG-SM35A-100 - Common Elements Mix 1 Standard: Cd, Co, Cr, Cu, Fe, Mn, Ni, V, Zn @ 100 µg/mL in 5% HNO<sub>3</sub>**

1314-62-1		Ceiling: 0.1 mg/m <sup>3</sup>	STEL: 0.06 mg/m <sup>3</sup>	STEL: 0.05 mg/m <sup>3</sup>	
Nickel 7440-02-0	-	TWA: 0.5 mg/m <sup>3</sup> S+ Ceiling: 1 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup> STEL: 0.1 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup> S+	TWA: 0.01 mg/m <sup>3</sup>
Manganese(II) nitrate hexahydrate 17141-63-8	TWA: 0.2 mg/m <sup>3</sup> TWA: 0.05 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> Ceiling: 2 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup> TWA: 0.05 mg/m <sup>3</sup> STEL: 0.4 mg/m <sup>3</sup> STEL: 0.1 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup> TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup> TWA: 0.02 mg/m <sup>3</sup>
Ferric nitrate nonahydrate 7782-61-8	-	-	TWA: 1 mg/m <sup>3</sup> STEL: 2 mg/m <sup>3</sup>	-	TWA: 1 mg/m <sup>3</sup>
Copper 7440-50-8	-	TWA: 1 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup> Ceiling: 2 mg/m <sup>3</sup> Ceiling: 0.2 mg/m <sup>3</sup>	TWA: 1.0 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup> STEL: 2 mg/m <sup>3</sup> STEL: 0.2 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> TWA: 0.2 mg/m <sup>3</sup>	TWA: 0.02 mg/m <sup>3</sup>
Cobalt 7440-48-4	-	TWA: 0.05 mg/m <sup>3</sup> S+ Ceiling: 0.1 mg/m <sup>3</sup>	TWA: 0.01 mg/m <sup>3</sup> STEL: 0.02 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup> S+	TWA: 0.02 mg/m <sup>3</sup>
Chromium (III) nitrate nonahydrate 7789-02-8	-	TWA: 0.5 mg/m <sup>3</sup> Ceiling: 1.5 mg/m <sup>3</sup>	-	TWA: 2 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>
Cadmium 7440-43-9	TWA: 0.001 mg/m <sup>3</sup>	TWA: 0.004 mg/m <sup>3</sup> Sk* Ceiling: 0.008 mg/m <sup>3</sup>	TWA: 0.001 mg/m <sup>3</sup> STEL: 0.002 mg/m <sup>3</sup>	TWA: 0.004 mg/m <sup>3</sup>	TWA: 0.004 mg/m <sup>3</sup>
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
Nitric Acid 7697-37-2	STEL: 1 ppm STEL: 2.6 mg/m <sup>3</sup>	TWA: 1 ppm TWA: 2.6 mg/m <sup>3</sup>	-	STEL: 1 ppm STEL: 2.6 mg/m <sup>3</sup>	STEL: 2.6 mg/m <sup>3</sup> STEL: 1 ppm
Zinc (stabilized) 7440-66-6	-	-	TWA: 0.1 mg/m <sup>3</sup> TWA: 2 mg/m <sup>3</sup> Peak: 0.4 mg/m <sup>3</sup> Peak: 4 mg/m <sup>3</sup>	-	-
vanadium pentoxide 1314-62-1	TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.005 mg/m <sup>3</sup> TWA: 0.03 mg/m <sup>3</sup>	TWA: 0.005 mg/m <sup>3</sup> Peak: 0.01 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup> TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup> STEL: 0.2 mg/m <sup>3</sup> SZ+
Nickel 7440-02-0	TWA: 1 mg/m <sup>3</sup>	TWA: 0.03 mg/m <sup>3</sup> TWA: 0.006 mg/m <sup>3</sup> Sh+	respiratory and skin sensitizer inhalable fraction, respiratory sensitization confirmed for water soluble Nickel compounds only	TWA: 1 mg/m <sup>3</sup>	TWA: 0.01 mg/m <sup>3</sup> SZ+
Manganese(II) nitrate hexahydrate 17141-63-8	-	TWA: 0.2 mg/m <sup>3</sup> TWA: 0.02 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup> TWA: 0.02 mg/m <sup>3</sup> Peak: 1.6 mg/m <sup>3</sup> Peak: 0.16 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup> TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup> TWA: 0.05 mg/m <sup>3</sup>



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 28-Aug-2024

Revision Number 1.01

## VHG-SM35A-100 - Common Elements Mix 1 Standard: Cd, Co, Cr, Cu, Fe, Mn, Ni, V, Zn @ 100 µg/mL in 5% HNO<sub>3</sub>

Ferric nitrate nonahydrate 7782-61-8	-	-	-	TWA: 1 mg/m <sup>3</sup> STEL: 2 mg/m <sup>3</sup>	-
Copper 7440-50-8	TWA: 0.2 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup> STEL: 2 mg/m <sup>3</sup>	-	TWA: 0.01 mg/m <sup>3</sup> Peak: 0.02 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup> STEL: 2 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup> TWA: 0.01 mg/m <sup>3</sup> STEL: 0.2 mg/m <sup>3</sup>
Cobalt 7440-48-4	-	-	Sk* respiratory and skin sensitizer	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.02 mg/m <sup>3</sup> SZ+
Chromium (III) nitrate nonahydrate 7789-02-8	-	TWA: 2 mg/m <sup>3</sup>	-	TWA: 0.5 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup> TWA: 2 mg/m <sup>3</sup> STEL: 2 mg/m <sup>3</sup> SZ+
Cadmium 7440-43-9	TWA: 0.004 mg/m <sup>3</sup>	TWA: 0.002 mg/m <sup>3</sup>	Sk*	TWA: 0.001 mg/m <sup>3</sup>	TWA: 0.004 mg/m <sup>3</sup>
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
Nitric Acid 7697-37-2	STEL: 1 ppm STEL: 2.6 mg/m <sup>3</sup>	STEL: 1 ppm STEL: 2.6 mg/m <sup>3</sup>	TWA: 2 ppm TWA: 5.2 mg/m <sup>3</sup> STEL: 4 ppm STEL: 10.3 mg/m <sup>3</sup>	TWA: 0.78 ppm TWA: 2 mg/m <sup>3</sup> STEL: 1 ppm STEL: 2.6 mg/m <sup>3</sup>	STEL: 1 ppm STEL: 2.6 mg/m <sup>3</sup>
vanadium pentoxide 1314-62-1	TWA: 0.05 mg/m <sup>3</sup> STEL: 0.15 mg/m <sup>3</sup>	-	TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup> Ceiling: 0.05 mg/m <sup>3</sup>
Nickel 7440-02-0	TWA: 0.5 mg/m <sup>3</sup> STEL: 1.5 mg/m <sup>3</sup> Sens+	-	TWA: 1.5 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup> J+
Manganese(II) nitrate hexahydrate 17141-63-8	TWA: 0.2 mg/m <sup>3</sup> TWA: 0.05 mg/m <sup>3</sup> STEL: 0.6 mg/m <sup>3</sup> STEL: 0.15 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup> TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup> TWA: 0.05 mg/m <sup>3</sup>
Ferric nitrate nonahydrate 7782-61-8	TWA: 1 mg/m <sup>3</sup> STEL: 2 mg/m <sup>3</sup>	-	TWA: 1 mg/m <sup>3</sup>	-	-
Copper 7440-50-8	TWA: 0.2 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup> STEL: 2 mg/m <sup>3</sup> STEL: 0.6 mg/m <sup>3</sup>	-	TWA: 0.2 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup> STEL: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> TWA: 0.2 mg/m <sup>3</sup>
Cobalt 7440-48-4	TWA: 0.02 mg/m <sup>3</sup> STEL: 0.3 mg/m <sup>3</sup> Sens+	-	TWA: 0.02 mg/m <sup>3</sup> senR+ senD+	TWA: 0.5 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup> J+
Chromium (III) nitrate nonahydrate 7789-02-8	TWA: 2 mg/m <sup>3</sup> STEL: 6 mg/m <sup>3</sup>	-	TWA: 0.003 mg/m <sup>3</sup> senR+ senD+	TWA: 2 mg/m <sup>3</sup>	-
Cadmium 7440-43-9	TWA: 0.001 mg/m <sup>3</sup> TWA: 0.004 mg/m <sup>3</sup> STEL: 0.003 mg/m <sup>3</sup> STEL: 0.012 mg/m <sup>3</sup>	TWA: 0.001 mg/m <sup>3</sup> TWA: 0.004 mg/m <sup>3</sup>	TWA: 0.01 mg/m <sup>3</sup>	TWA: 0.001 mg/m <sup>3</sup>	TWA: 0.004 mg/m <sup>3</sup>



## SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 28-Aug-2024

Revision Number 1.01

**VHG-SM35A-100 - Common Elements Mix 1 Standard: Cd, Co, Cr, Cu, Fe, Mn, Ni, V, Zn @ 100 µg/mL in 5% HNO<sub>3</sub>**

Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
Nitric Acid 7697-37-2	STEL: 1 ppm STEL: 2.6 mg/m <sup>3</sup>	STEL: 1 ppm STEL: 2.6 mg/m <sup>3</sup>	STEL: 0.5 ppm STEL: 1.3 mg/m <sup>3</sup>	TWA: 2 ppm TWA: 5 mg/m <sup>3</sup> STEL: 4 ppm STEL: 10 mg/m <sup>3</sup>	TWA: 1.4 mg/m <sup>3</sup> STEL: 2.6 mg/m <sup>3</sup>
vanadium pentoxide 1314-62-1	-	-	TWA: 0.01 mg/m <sup>3</sup> STEL: 0.03 mg/m <sup>3</sup>	-	TWA: 0.05 mg/m <sup>3</sup>
Nickel 7440-02-0	-	-	-	TWA: 0.05 mg/m <sup>3</sup> STEL: 0.15 mg/m <sup>3</sup> A+	TWA: 0.25 mg/m <sup>3</sup>
Manganese(II) nitrate hexahydrate 17141-63-8	TWA: 0.2 mg/m <sup>3</sup> TWA: 0.05 mg/m <sup>3</sup>	-	TWA: 0.2 mg/m <sup>3</sup> TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup> TWA: 0.05 mg/m <sup>3</sup> STEL: 0.6 ppm STEL: 0.15 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup> TWA: 0.05 mg/m <sup>3</sup>
Ferric nitrate nonahydrate 7782-61-8	-	-	-	TWA: 1 mg/m <sup>3</sup> STEL: 3 mg/m <sup>3</sup>	-
Copper 7440-50-8	-	-	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup> STEL: 3 mg/m <sup>3</sup> STEL: 0.3 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup>
Cobalt 7440-48-4	-	-	TWA: 0.02 mg/m <sup>3</sup>	TWA: 0.02 mg/m <sup>3</sup> STEL: 0.06 mg/m <sup>3</sup> A+	TWA: 0.02 mg/m <sup>3</sup>
Chromium (III) nitrate nonahydrate 7789-02-8	-	-	TWA: 0.06 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup> STEL: 1.5 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>
Cadmium 7440-43-9	-	-	TWA: 0.004 mg/m <sup>3</sup>	TWA: 0.001 mg/m <sup>3</sup> STEL: 0.003 mg/m <sup>3</sup>	TWA: 0.004 mg/m <sup>3</sup>
Chemical name	Portugal	Romania	Slovakia	Slovenia	Spain
Nitric Acid 7697-37-2	TWA: 2 ppm STEL: 1 ppm STEL: 2.6 mg/m <sup>3</sup>	STEL: 1 ppm STEL: 2.6 mg/m <sup>3</sup>	Ceiling: 2.6 mg/m <sup>3</sup>	TWA: 1 ppm TWA: 2.6 mg/m <sup>3</sup> STEL: 1 ppm STEL: 2.6 mg/m <sup>3</sup>	STEL: 1 ppm STEL: 2.6 mg/m <sup>3</sup>
Zink (stabilized) 7440-66-6	-	-	TWA: 0.1 mg/m <sup>3</sup> TWA: 2 mg/m <sup>3</sup>	-	-
vanadium pentoxide 1314-62-1	TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup> STEL: 0.1 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup> TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.005 mg/m <sup>3</sup> TWA: 0.030 mg/m <sup>3</sup> STEL: 0.005 mg/m <sup>3</sup> STEL: 0.030 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup> Sk*
Nickel 7440-02-0	TWA: 1.5 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup> STEL: 0.5 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup> STEL: 0.05 mg/m <sup>3</sup> S+	TWA: 0.006 mg/m <sup>3</sup> STEL: 0.048 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> Sen+
Manganese(II) nitrate hexahydrate	TWA: 0.2 mg/m <sup>3</sup> TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup> TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup> STEL: 0.4 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup> TWA: 0.05 mg/m <sup>3</sup>



## SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 28-Aug-2024

Revision Number 1.01

**VHG-SM35A-100 - Common Elements Mix 1 Standard: Cd, Co, Cr, Cu, Fe, Mn, Ni, V, Zn @ 100 µg/mL in 5% HNO<sub>3</sub>**

17141-63-8					
Ferric nitrate nonahydrate 7782-61-8	TWA: 1 mg/m <sup>3</sup>	-	-	-	TWA: 1 mg/m <sup>3</sup>
Copper 7440-50-8	TWA: 0.2 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup> STEL: 0.2 mg/m <sup>3</sup> STEL: 1.5 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> TWA: 0.2 mg/m <sup>3</sup>	-	TWA: 0.01 mg/m <sup>3</sup>
Cobalt 7440-48-4	TWA: 0.02 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup> STEL: 0.1 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup> S+	-	TWA: 0.02 mg/m <sup>3</sup> Sen+
Chromium (III) nitrate nonahydrate 7789-02-8	TWA: 0.5 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>	-	-	-
Cadmium 7440-43-9	TWA: 0.001 mg/m <sup>3</sup> TWA: 0.004 mg/m <sup>3</sup>	TWA: 0.001 mg/m <sup>3</sup>	TWA: 0.03 mg/m <sup>3</sup> TWA: 0.15 mg/m <sup>3</sup> STEL: 0.15 mg/m <sup>3</sup> STEL: 0.75 mg/m <sup>3</sup>	TWA: 0.004 mg/m <sup>3</sup>	TWA: 0.01 mg/m <sup>3</sup> TWA: 0.002 mg/m <sup>3</sup>
Chemical name	Sweden		Switzerland		United Kingdom
Nitric Acid 7697-37-2	NGV: 0.5 ppm NGV: 1.3 mg/m <sup>3</sup> Bindande KGV: 1 ppm Bindande KGV: 2.6 mg/m <sup>3</sup>		TWA: 2 ppm TWA: 5 mg/m <sup>3</sup> STEL: 2 ppm STEL: 5 mg/m <sup>3</sup>		STEL: 1 ppm STEL: 2.6 mg/m <sup>3</sup>
vanadium pentoxide 1314-62-1	NGV: 0.2 mg/m <sup>3</sup> Bindande KGV: 0.05 mg/m <sup>3</sup>		TWA: 0.05 mg/m <sup>3</sup> STEL: 0.05 mg/m <sup>3</sup>		TWA: 0.05 mg/m <sup>3</sup> STEL: 0.15 mg/m <sup>3</sup>
Nickel 7440-02-0	NGV: 0.5 mg/m <sup>3</sup> S+		TWA: 0.5 mg/m <sup>3</sup> S+		TWA: 0.5 mg/m <sup>3</sup> STEL: 1.5 mg/m <sup>3</sup> Sk*
Manganese(II) nitrate hexahydrate 17141-63-8	NGV: 0.2 mg/m <sup>3</sup> NGV: 0.05 mg/m <sup>3</sup>		TWA: 0.2 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup>		TWA: 0.2 mg/m <sup>3</sup> TWA: 0.05 mg/m <sup>3</sup> STEL: 0.6 mg/m <sup>3</sup> STEL: 0.15 mg/m <sup>3</sup>
Ferric nitrate nonahydrate 7782-61-8	-		TWA: 1 mg/m <sup>3</sup>		TWA: 1 mg/m <sup>3</sup> STEL: 2 mg/m <sup>3</sup>
Copper 7440-50-8	NGV: 0.01 mg/m <sup>3</sup>		TWA: 0.1 mg/m <sup>3</sup> STEL: 0.2 mg/m <sup>3</sup>		TWA: 1 mg/m <sup>3</sup> TWA: 0.2 mg/m <sup>3</sup> STEL: 0.6 mg/m <sup>3</sup> STEL: 2 mg/m <sup>3</sup>
Cobalt 7440-48-4	NGV: 0.02 mg/m <sup>3</sup> Sk* S+		TWA: 0.05 mg/m <sup>3</sup> Sk* S+		TWA: 0.1 mg/m <sup>3</sup> STEL: 0.3 mg/m <sup>3</sup> Sen+
Chromium (III) nitrate nonahydrate 7789-02-8	NGV: 0.5 mg/m <sup>3</sup>		TWA: 0.5 mg/m <sup>3</sup> S+		TWA: 0.5 mg/m <sup>3</sup> STEL: 1.5 mg/m <sup>3</sup>
Cadmium 7440-43-9	NGV: 0.001 mg/m <sup>3</sup> NGV: 0.004 mg/m <sup>3</sup>		TWA: 0.001 mg/m <sup>3</sup> Sk*		TWA: 0.025 mg/m <sup>3</sup> STEL: 0.075 mg/m <sup>3</sup>



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 28-Aug-2024

Revision Number 1.01

**VHG-SM35A-100 - Common Elements Mix 1 Standard: Cd, Co, Cr, Cu, Fe, Mn, Ni, V, Zn @ 100 µg/mL in 5% HNO<sub>3</sub>**

## Biological occupational exposure limits

Chemical name	European Union	Austria	Bulgaria	Croatia	Czech Republic
Nickel 7440-02-0	-	Check 7 µg/L (urine - spontaneous urine after end of work day, at the end of a work week/end of the shift) ( - )	45 µg/L - urine (Nickel) - after several work shifts	10 µg/L - plasma (Nickel) - at the end of the work shift 8 µg/g Creatinine - urine (Nickel) - at the end of the work shift	0.077 µmol/mmol Creatinine (urine - Nickel discretionary) 0.04 mg/g Creatinine (urine - Nickel discretionary)
Manganese(II) nitrate hexahydrate 17141-63-8	-	Check 20 µg/L (blood - whole blood not provided) ( - )	-	-	-
Cobalt 7440-48-4	-	Check 10 µg/L (urine - spontaneous urine after end of work day, at the end of a work week/end of the shift) ( - )	-	-	-
Cadmium 7440-43-9	-	Check 2.5 µg/g Creatinine (urine - N-Acetylglucosami- nase not provided) ( - )	-	5 µg/L - blood (Cadmium) - not critical 5 µg/g Creatinine - urine (Cadmium) - single sample or urine collected over 24 hours	0.005 µmol/mmol Creatinine (urine - Cadmium discretionary) 0.005 mg/g Creatinine (urine - Cadmium discretionary) 0.045 µmol/L (blood - Cadmium discretionary) 0.005 mg/L (blood - Cadmium discretionary)
Chemical name	Denmark	Finland	France	Germany DFG	Germany TRGS
vanadium pentoxide 1314-62-1	-	-	- urine (Vanadium) - end of shift at end of workweek	0.15 µg/L - BAR (for long-term exposures: at the end of the shift after	-



## SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 28-Aug-2024

Revision Number 1.01

**VHG-SM35A-100 - Common Elements Mix 1 Standard: Cd, Co, Cr, Cu, Fe, Mn, Ni, V, Zn @ 100 µg/mL in 5% HNO<sub>3</sub>**

				several shifts) urine	
Nickel 7440-02-0	-	0.1 µmol/L (urine - Nickel after the shift after a working week or exposure period)	-	3 µg/L - BAR (for long-term exposures: at the end of the shift after several shifts) urine 15 µg/L - (long-term exposure: at the end of the shift after several shifts) - urine 30 µg/L - (long-term exposure: at the end of the shift after several shifts) - urine 45 µg/L - (long-term exposure: at the end of the shift after several shifts) - urine	-
Manganese(II) nitrate hexahydrate 17141-63-8	-	-	-	15 µg/L - BAR (no restriction in steady state) blood	-
Cobalt 7440-48-4	-	130 nmol/L (urine - Cobalt after the work phase or shift after a working week or exposure period)	- blood (Cobalt) - end of shift at end of workweek 0,005 mg/g creatinine - urine (Cobalt) - end of shift at end of workweek	35 µg/L - BLW (for long-term exposures: at the end of the shift after several shifts) urine 1.5 µg/L - BAR (for long-term exposures: at the end of the shift after several shifts) urine 6 µg/L - (long-term exposure: at the end of the shift after several shifts) - urine 15 µg/L - (long-term exposure: at the end of the shift after several shifts) - urine 30 µg/L - (long-term exposure: at the end of the shift after several shifts) - urine 60 µg/L - (long-term exposure: at the end	-



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 28-Aug-2024

Revision Number 1.01

**VHG-SM35A-100 - Common Elements Mix 1 Standard: Cd, Co, Cr, Cu, Fe, Mn, Ni, V, Zn @ 100 µg/mL in 5% HNO<sub>3</sub>**

				of the shift after several shifts) - urine 300 µg/L - (long-term exposure: at the end of the shift after several shifts) - urine 3 µg/L - (long-term exposure: at the end of the shift after several shifts) - urine	
Chromium (III) nitrate nonahydrate 7789-02-8	-	-	2.5 µg/L - urine (Total Chromium) - end of shift at end of workweek	0.6 µg/L - BAR (end of exposure or end of shift) urine	-
Cadmium 7440-43-9	-	20 nmol/L (urine - Cadmium at the end of a working week; time of day does not matter)	0.005 mg/g creatinine - urine (Cadmium) - not critical 0.004 mg/L - blood (Cadmium) - not critical	1 µg/L - BAR (no restriction in steady state) blood 0.8 µg/L - BAR (no restriction in steady state) urine	-
Chemical name	Hungary	Ireland	Italy MDLPS	Italy AIDII	
Nickel 7440-02-0	0.003 mg/L (urine - Nickel at end of workweek, end of shift) 0.051 µmol/L (urine - Nickel at end of workweek, end of shift)	3 µg/L (urine - Nickel after several consecutive working shifts)	-	-	
Cobalt 7440-48-4	0.01 mg/g Creatinine (urine - Cobalt end of shift) 0.019 µmol/mmol Creatinine (urine - Cobalt end of shift)	15 µg/L (urine - Cobalt end of shift at end of workweek) 1 µg/L (blood - Cobalt end of shift at end of workweek)	-	15 µg/L - urine (Cobalt) - end of shift at end of workweek	
Cadmium 7440-43-9	0.02 mg/g Creatinine (urine - Cadmium not critical) 0.02 µmol/mmol Creatinine (urine - Cadmium not critical)	2 µg/g Creatinine (urine - not critical)	-	5 µg/g Creatinine - urine (Cadmium) - not critical 5 µg/L - blood (Cadmium) - not critical	
Chemical name	Latvia	Luxembourg	Romania	Slovakia	
vanadium pentoxide 1314-62-1	-	-	-	50 µg/g creatinine (urine - Vanadium after all work	





## SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 28-Aug-2024

Revision Number 1.01

**VHG-SM35A-100 - Common Elements Mix 1 Standard: Cd, Co, Cr, Cu, Fe, Mn, Ni, V, Zn @ 100 µg/mL in 5% HNO<sub>3</sub>**

				shifts) 50 µg/g creatinine (urine - Vanadium end of exposure or work shift)
Nickel 7440-02-0	3 µg/L - urine (Nickel) -	-	3 µg/L - urine (Nickel) - end of shift	0.03 mg/L (blood - Nickel end of exposure or work shift)
Cobalt 7440-48-4	-	-	15 µg/L - urine (Cobalt) - end of work week 1 µg/L - blood (Cobalt) - end of work week	30 µg/L (urine - Cobalt not critical)
Cadmium 7440-43-9	2 µg/L - urine (Cadmium) -	-	2 µg/g Creatinine - urine (Cadmium) - end of shift 5 µg/L - blood (Cadmium) - end of shift 2 mg/L - urine (Protein) - end of shift	3.1 µg/L (urine - Cadmium not critical)
Chemical name	Slovenia	Spain	Switzerland	United Kingdom
vanadium pentoxide 1314-62-1	-	50 µg/g Creatinine (urine - Vanadium end of workweek)	70 µg/g creatinine (urine - Vanadium end of shift, and after several shifts (for long-term exposures)) 155 nmol/mmol creatinine (urine - Vanadium end of shift, and after several shifts (for long-term exposures))	-
Nickel 7440-02-0	-	-	45 µg/L (urine - Nickel end of shift, and after several shifts (for long-term exposures)) 766.6 nmol/L (urine - Nickel end of shift, and after several shifts (for long-term exposures))	-
Cobalt 7440-48-4	-	15 µg/L (urine - Cobalt end of workweek) 1 µg/L (blood - Cobalt end of workweek)	30 µg/L (urine - Cobalt end of shift) 509 nmol/L (urine - Cobalt end of shift)	-
Cadmium 7440-43-9	-	2 µg/g Creatinine (urine - Cadmium not critical) 5 µg/L (blood - Cadmium not critical)	2 µg/g creatinine (urine - Cadmium no restrictions) 2.01 nmol/mmol creatinine (urine - Cadmium no restrictions)	-



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 28-Aug-2024

Revision Number 1.01

**VHG-SM35A-100 - Common Elements Mix 1 Standard: Cd, Co, Cr, Cu, Fe, Mn, Ni, V, Zn @ 100 µg/mL in 5% HNO<sub>3</sub>**

**Derived No Effect Level (DNEL)** No information available.  
**Predicted No Effect Concentration (PNEC)** No information available.

## 8.2. Exposure controls

### Personal protective equipment

**Eye/face protection** Tight sealing safety goggles. Avoid contact with eyes. Wear safety glasses with side shields (or goggles).

**Hand protection** Wear protective Neoprene™ gloves. Wear suitable gloves. Impervious gloves. The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374.

**Skin and body protection** Long sleeved clothing. Wear suitable protective clothing.

**Respiratory protection** No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

**General hygiene considerations** Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection.

**Environmental exposure controls** Do not allow into any sewer, on the ground or into any body of water.

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

<b>Physical state</b>	Liquid
<b>Appearance</b>	Liquid
<b>Colour</b>	colourless
<b>Odour</b>	Odourless.
<b>Odour threshold</b>	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
<b>Melting point / freezing point</b>	No data available	None known
<b>Initial boiling point and boiling range</b>	No data available	None known
<b>Flammability</b>	No data available	None known
<b>Flammability Limit in Air</b>		None known
<b>Upper flammability or explosive</b>	No data available	



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 28-Aug-2024

Revision Number 1.01

**VHG-SM35A-100 - Common Elements Mix 1 Standard: Cd, Co, Cr, Cu, Fe, Mn, Ni, V, Zn @ 100 µg/mL in 5% HNO<sub>3</sub>**

limits		
Lower flammability or explosive limits	No data available	
Flash point	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature		None known
pH	No data available	None known
pH (as aqueous solution)	No data available	No information available
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Vapour pressure	No data available	None known
Relative density	No data available	None known
Bulk density	No data available	
Liquid Density	No data available	
Relative vapour density	No data available	None known
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	

## 9.2. Other information

9.2.1. Information with regards to physical hazard classes  
Not applicable

9.2.2. Other safety characteristics  
No information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Reactivity No information available.

### 10.2. Chemical stability

Stability Stable under normal conditions.

#### Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

### 10.3. Possibility of hazardous reactions



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 28-Aug-2024

Revision Number 1.01

**VHG-SM35A-100 - Common Elements Mix 1 Standard: Cd, Co, Cr, Cu, Fe, Mn, Ni, V, Zn @ 100 µg/mL in 5% HNO<sub>3</sub>**

---

**Possibility of hazardous reactions** None under normal processing.

## 10.4. Conditions to avoid

**Conditions to avoid** Exposure to air or moisture over prolonged periods.

## 10.5. Incompatible materials

**Incompatible materials** Oxidising agent. Strong acids. Strong bases.

**Hazardous decomposition products** None known based on information supplied.

## **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Information on likely routes of exposure

##### **Product Information**

<b>Inhalation</b>	Specific test data for the substance or mixture is not available.
<b>Eye contact</b>	Specific test data for the substance or mixture is not available. Causes serious eye damage. May cause irreversible damage to eyes.
<b>Skin contact</b>	Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components).
<b>Ingestion</b>	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

#### Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** Redness. Burning. May cause blindness. May cause redness and tearing of the eyes.

#### Numerical measures of toxicity

##### **Acute toxicity**

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	99,999.00 mg/kg
ATEmix (dermal)	99,999.00 mg/kg



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 28-Aug-2024

Revision Number 1.01

**VHG-SM35A-100 - Common Elements Mix 1 Standard: Cd, Co, Cr, Cu, Fe, Mn, Ni, V, Zn @ 100 µg/mL in 5% HNO<sub>3</sub>**

ATEmix (inhalation-gas) 99,999.00 ppm  
ATEmix (inhalation-dust/mist) 99,999.00 mg/l  
ATEmix (inhalation-vapour) 58.90 mg/l

## Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Nitric Acid			= 2500 ppm ( Rat ) 1 h ATE (vapours) = 2.65 mg/L
Zink (stabilized)	= 630 mg/kg ( Rat )		
vanadium pentoxide	= 466.93 mg/kg ( Rat ) = 10 mg/kg (Rat)	> 2500 mg/kg ( Rat )	= 4.4 mg/L ( Rat ) 4 h = 2.21 mg/L ( Rat ) 4 h
Nickel	> 9000 mg/kg ( Rat )		> 10.2 mg/L ( Rat ) 1 h
Ferric nitrate nonahydrate	= 3250 mg/kg ( Rat )		
Copper			> 5.11 mg/L ( Rat ) 4 h
Cobalt	= 6171 mg/kg ( Rat )		< 0.05 mg/L ( Rat ) 4 h
Chromium (III) nitrate nonahydrate	= 3250 mg/kg ( Rat )		
Cadmium	= 1140 mg/kg ( Rat )		= 25 mg/m <sup>3</sup> ( Rat ) 30 min

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Classification based on data available for ingredients. Causes skin irritation.

**Serious eye damage/eye irritation** Classification based on data available for ingredients. Causes burns. Causes serious eye damage.

**Respiratory or skin sensitisation** No information available.

**Germ cell mutagenicity** No information available.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as mutagenic.

Chemical name	European Union
---------------	----------------



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 28-Aug-2024

Revision Number 1.01

**VHG-SM35A-100 - Common Elements Mix 1 Standard: Cd, Co, Cr, Cu, Fe, Mn, Ni, V, Zn @ 100 µg/mL in 5% HNO<sub>3</sub>**

vanadium pentoxide	Muta. 2
Cobalt	Muta. 2
Cadmium	Muta. 2

**Carcinogenicity** No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union
vanadium pentoxide	Carc. 1B
Nickel	Carc. 2
Cobalt	Carc. 1B
Cadmium	Carc. 1B

**Reproductive toxicity** No information available.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as reproductive toxins.

Chemical name	European Union
vanadium pentoxide	Repr. 2 Lact.
Cobalt	Repr. 1B
Cadmium	Repr. 2

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Aspiration hazard** No information available.

## 11.2. Information on other hazards

### 11.2.1. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

### 11.2.2. Other information

**Other adverse effects** No information available.

## SECTION 12: Ecological information



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 28-Aug-2024

Revision Number 1.01

**VHG-SM35A-100 - Common Elements Mix 1 Standard: Cd, Co, Cr, Cu, Fe, Mn, Ni, V, Zn @ 100 µg/mL in 5% HNO<sub>3</sub>**

## 12.1. Toxicity

**Ecotoxicity** Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

**Unknown aquatic toxicity** Contains 0 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Zink (stabilized)	EC50: 0.11 - 0.271mg/L (96h, Pseudokirchneriella subcapitata) EC50: 0.09 - 0.125mg/L (72h, Pseudokirchneriella subcapitata)	LC50: 2.16 - 3.05mg/L (96h, Pimephales promelas) LC50: 0.211 - 0.269mg/L (96h, Pimephales promelas) LC50: =2.66mg/L (96h, Pimephales promelas) LC50: =30mg/L (96h, Cyprinus carpio) LC50: =0.45mg/L (96h, Cyprinus carpio) LC50: =7.8mg/L (96h, Cyprinus carpio) LC50: =3.5mg/L (96h, Lepomis macrochirus) LC50: =0.24mg/L (96h, Oncorhynchus mykiss) LC50: =0.59mg/L (96h, Oncorhynchus mykiss) LC50: =0.41mg/L (96h, Oncorhynchus mykiss)	-	EC50: 0.139 - 0.908mg/L (48h, Daphnia magna)
vanadium pentoxide	-	LC50: 5.2 mg/L (96h, Oncorhynchus mykiss)	-	LC50: 1.52 mg/L (48h, Daphnia magna)
Nickel	EC50: =0.18mg/L (72h, Pseudokirchneriella subcapitata) EC50: 0.174 - 0.311mg/L (96h, Pseudokirchneriella subcapitata)	LC50: >100mg/L (96h, Brachydanio rerio) LC50: =1.3mg/L (96h, Cyprinus carpio) LC50: =10.4mg/L (96h, Cyprinus carpio)	-	EC50: >100mg/L (48h, Daphnia magna) EC50: =1mg/L (48h, Daphnia magna)
Copper	EC50: 0.031 - 0.054mg/L (96h, Pseudokirchneriella subcapitata) EC50: 0.0426 - 0.0535mg/L (72h,	LC50: 0.0068 - 0.0156mg/L (96h, Pimephales promelas) LC50: <0.3mg/L (96h, Pimephales promelas)	-	EC50: =0.03mg/L (48h, Daphnia magna)



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 28-Aug-2024

Revision Number 1.01

**VHG-SM35A-100 - Common Elements Mix 1 Standard: Cd, Co, Cr, Cu, Fe, Mn, Ni, V, Zn @ 100 µg/mL in 5% HNO<sub>3</sub>**

	Pseudokirchneriella subcapitata)	LC50: =0.2mg/L (96h, Pimephales promelas) LC50: =0.052mg/L (96h, Oncorhynchus mykiss) LC50: =1.25mg/L (96h, Lepomis macrochirus) LC50: =0.3mg/L (96h, Cyprinus carpio) LC50: =0.8mg/L (96h, Cyprinus carpio) LC50: =0.112mg/L (96h, Poecilia reticulata)		
Cobalt	-	LC50: >100mg/L (96h, Brachydanio rerio)	-	-
Cadmium	-	LC50: =0.003mg/L (96h, Oncorhynchus mykiss) LC50: =0.006mg/L (96h, Oncorhynchus mykiss) LC50: =0.002mg/L (96h, Cyprinus carpio) LC50: =4.26mg/L (96h, Cyprinus carpio) LC50: =0.24mg/L (96h, Cyprinus carpio) LC50: =21.1mg/L (96h, Lepomis macrochirus) LC50: =0.016mg/L (96h, Oryzias latipes) LC50: 0.0004 - 0.003mg/L (96h, Pimephales promelas)	-	EC50: =0.0244mg/L (48h, Daphnia magna)

## 12.2. Persistence and degradability

**Persistence and degradability** No information available.

## 12.3. Bioaccumulative potential

**Bioaccumulation** There is no data for this product.

## Component Information

Chemical name	Partition coefficient
Nitric Acid	-2.3

## 12.4. Mobility in soil





# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 28-Aug-2024

Revision Number 1.01

**VHG-SM35A-100 - Common Elements Mix 1 Standard: Cd, Co, Cr, Cu, Fe, Mn, Ni, V, Zn @ 100 µg/mL in 5% HNO<sub>3</sub>**

**Mobility in soil** No information available.

## 12.5. Results of PBT and vPvB assessment

**PBT and vPvB assessment** No information available.

Chemical name	PBT and vPvB assessment
Nitric Acid	The substance is not PBT / vPvB
Zink (stabilized)	The substance is not PBT / vPvB
vanadium pentoxide	PBT assessment does not apply
Nickel	The substance is not PBT / vPvB
Manganese(II) nitrate hexahydrate	The substance is not PBT / vPvB
Ferric nitrate nonahydrate	PBT assessment does not apply
Copper	The substance is not PBT / vPvB
Cobalt	The substance is not PBT / vPvB
Chromium (III) nitrate nonahydrate	The substance is not PBT / vPvB
Cadmium	PBT assessment does not apply

## 12.6. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

## 12.7. Other adverse effects

No information available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**Waste from residues/unused products** Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

## SECTION 14: Transport information

### IATA

**14.1 UN number or ID number**

UN3264

**14.2 UN proper shipping name**

Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 28-Aug-2024

Revision Number 1.01

**VHG-SM35A-100 - Common Elements Mix 1 Standard: Cd, Co, Cr, Cu, Fe, Mn, Ni, V, Zn @ 100 µg/mL in 5% HNO<sub>3</sub>**

---

14.3 Transport hazard class(es) 8  
14.4 Packing group III  
Description UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III  
14.5 Environmental hazards Yes  
14.6 Special precautions for user  
Special Provisions A3, A803  
ERG Code 8L

## IMDG

14.1 UN number or ID number UN3264  
14.2 UN proper shipping name Corrosive liquid, acidic, inorganic, n.o.s.(Nitric Acid)  
14.3 Transport hazard class(es) 8  
14.4 Packing group III  
Description UN3264, Corrosive liquid, acidic, inorganic, n.o.s.(Nitric Acid), 8, III, Marine pollutant  
14.5 Marine pollutant P  
Environmental hazards Yes  
14.6 Special precautions for user  
Special Provisions 223, 274  
EmS-No. F-A, S-B No information available  
14.7 Maritime transport in bulk according to IMO instruments No information available

## RID

14.1 UN number or ID number UN3264  
14.2 UN proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)  
14.3 Transport hazard class(es) 8  
14.4 Packing group III  
Description UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III, Environmentally Hazardous  
14.5 Environmental hazards Yes  
14.6 Special precautions for user  
Special Provisions 274  
Classification code C1

## ADR

14.1 UN number or ID number UN3264  
14.2 UN proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)  
14.3 Transport hazard class(es) 8  
14.4 Packing group III  
Description UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III, (E), Environmentally Hazardous  
14.5 Environmental hazards Yes  
14.6 Special precautions for user  
Special Provisions 274  
Classification code C1

---



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 28-Aug-2024

Revision Number 1.01

**VHG-SM35A-100 - Common Elements Mix 1 Standard: Cd, Co, Cr, Cu, Fe, Mn, Ni, V, Zn @ 100 µg/mL in 5% HNO<sub>3</sub>**

Tunnel restriction code (E)

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

##### France

##### Occupational Illnesses (R-463-3, France)

Chemical name	French RG number	Title
Zink (stabilized) 7440-66-6	RG 61	-
vanadium pentoxide 1314-62-1	RG 66	-
Cobalt 7440-48-4	RG 65, RG 70, RG 70bis, RG 70ter	-
Cadmium 7440-43-9	RG 61, RG 61bis	-

##### Germany

Water hazard class (WGK) slightly hazardous to water (WGK 1)  
TA Luft (German Air Pollution Control Regulation)

##### Netherlands

Chemical name	Netherlands - List of Carcinogens	Netherlands - List of Carcinogens	Netherlands - List of Reproductive Toxins
vanadium pentoxide	Present	-	Development Category 2 Fertility Category 2
Manganese(II) nitrate hexahydrate	-	-	Fertility Category 2 Development Category 2
Cobalt	Present	-	Fertility Category 1B
Cadmium	Present	-	Fertility Category 1B; including stabilized, pyrophoric Development Category 1B; including stabilized, pyrophoric Can be harmful via breastfeeding including stabilized, pyrophoric



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 28-Aug-2024

Revision Number 1.01

**VHG-SM35A-100 - Common Elements Mix 1 Standard: Cd, Co, Cr, Cu, Fe, Mn, Ni, V, Zn @ 100 µg/mL in 5% HNO<sub>3</sub>**

Poland

SDS created according to the following Polish regulation: Act of February 25, 2011 on chemical substances and their mixtures (Journal of Laws of 2018, item 143, as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing the European Chemicals Agency (EC) as amended. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labeling and packaging of substances and mixtures, as amended. Regulation of the Minister of Health of 10 August 2012 on the criteria and method of classifying chemical substances and their mixtures (Journal of Laws of 2012, item 1018). Regulation of the Minister of Health of 20 April 2012 on labeling packaging of hazardous substances and mixtures and some mixtures (Journal of Laws of 2012, item 445). Regulation of the Minister of Family, Labor and Social Policy of 12 June 2018 on the maximum allowable concentrations and intensities of factors harmful to health in the work environment (Journal of Laws of 2018, item 1286). Announcement of the Minister of Economy, Labor and Social Policy of August 28, 2003 on the publication of the unified text of the Ordinance of the Minister of Labor and Social Policy on general health and safety at work regulations (Journal of Laws of 2003, No. 169, item 1650). Regulation of the Minister of Health of 30 December 2004 on occupational safety and health related to the presence of chemical agents in the workplace (Journal of Laws of 2005, No. 11, item 86). Act of December 14, 2012 on waste (Journal of Laws of 2013, item 21) Regulation of the Minister of Health of December 30, 2004 on occupational health and safety related to the presence of chemical agents in the workplace (Journal U. of 2005, No. 11, item 86). Waste Act of December 14, 2012 (Journal of Laws of 2013, item 21). Act of 13 June 2013 on the management of packaging and packaging waste, Journal of Laws 2013, item 888). Government statement of September 24, 2002 - European Agreement on the International Carriage of Dangerous Goods by Road (ADR) (Journal of Laws No. 194, item 1629 and Journal of Laws of 2003, No. 207, item 2013 and 2014).

## European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

## Authorisations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

## DIRECTIVE (EU) 2021/1187 on the marketing and use of explosives precursors

Product contains: Restricted explosives precursors. Making available, introduction, possession and use according to Regulation (EU) 2019/1148, Article 5 (1) and (3)

Chemical name	RESTRICTED EXPLOSIVES PRECURSORS - ANNEX I	REPORTABLE EXPLOSIVES PRECURSORS - ANNEX II
Nitric Acid - 7697-37-2	3 %w/w	-



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 28-Aug-2024

Revision Number 1.01

**VHG-SM35A-100 - Common Elements Mix 1 Standard: Cd, Co, Cr, Cu, Fe, Mn, Ni, V, Zn @ 100 µg/mL in 5% HNO<sub>3</sub>**

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV
Nitric Acid - 7697-37-2	75.	
Zink (stabilized) - 7440-66-6	75.	
vanadium pentoxide - 1314-62-1	75. 28.	
Nickel - 7440-02-0	27. 75.	
Copper - 7440-50-8	75.	
Cobalt - 7440-48-4	30. 28. 75.	
Cadmium - 7440-43-9	72. 23. 28. 75.	

## Persistent Organic Pollutants

Not applicable

## Export Notification requirements

This product contains substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals

Chemical name	European Export/Import Restrictions per (EC) 649/2012 - Annex Number
Cadmium - 7440-43-9	I.1 I.2

## Dangerous substance category per Seveso Directive (2012/18/EU)

E2 - Hazardous to the Aquatic Environment in Category Chronic 2

## Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

## Biocidal Products Regulation (EU) No 528/2012 (BPR)

Chemical name	Biocidal Products Regulation (EU) No 528/2012 (BPR)
Copper - 7440-50-8	Product-type 8: Wood preservatives Product-type 21: Antifouling products

## EU - Water Framework Directive (2000/60/EC)

Chemical name	EU - Water Framework Directive (2000/60/EC)
Nickel - 7440-02-0	Priority substance
Cadmium - 7440-43-9	Priority hazardous substance



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 28-Aug-2024

Revision Number 1.01

**VHG-SM35A-100 - Common Elements Mix 1 Standard: Cd, Co, Cr, Cu, Fe, Mn, Ni, V, Zn @ 100 µg/mL in 5% HNO<sub>3</sub>**

## EU - Environmental Quality Standards (2008/105/EC)

Chemical name	EU - Environmental Quality Standards (2008/105/EC)
Nickel - 7440-02-0	Priority substance
Cadmium - 7440-43-9	Priority hazardous substance

## International Inventories

### TSCA

LGC, to the best of its ability, has confirmed that the chemical substances in this product are listed as "Active" in the EPA (Environmental Protection Agency) "TSCA Inventory Notification (Active-Inactive) Requirements Rule" ("the Final Rule") of Feb 2019, as amended Feb 2021."

### DSL/NDL

Contact supplier for inventory compliance status

### EINECS/ELINCS

Contact supplier for inventory compliance status

### ENCS

Contact supplier for inventory compliance status

### IECSC

Contact supplier for inventory compliance status

### KECI

Contact supplier for inventory compliance status

### PICCS

Contact supplier for inventory compliance status

### AIIC

Contact supplier for inventory compliance status

## Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

## 15.2. Chemical safety assessment

### Chemical Safety Report

A Chemical Safety Assessment is not required for this substance

## SECTION 16: Other information

### Key or legend to abbreviations and acronyms used in the safety data sheet

### Full text of H-Statements referred to under section 3

EUH071 - Corrosive to the respiratory tract

EUH201 - Contains lead. Should not be used on surfaces liable to be chewed or sucked by children

H272 - May intensify fire; oxidiser

H290 - May be corrosive to metals



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 28-Aug-2024

Revision Number 1.01

**VHG-SM35A-100 - Common Elements Mix 1 Standard: Cd, Co, Cr, Cu, Fe, Mn, Ni, V, Zn @ 100 µg/mL in 5% HNO<sub>3</sub>**

H300 - Fatal if swallowed  
H302 - Harmful if swallowed  
H314 - Causes severe skin burns and eye damage  
H315 - Causes skin irritation  
H317 - May cause an allergic skin reaction  
H318 - Causes serious eye damage  
H319 - Causes serious eye irritation  
H330 - Fatal if inhaled  
H331 - Toxic if inhaled  
H332 - Harmful if inhaled  
H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled  
H335 - May cause respiratory irritation  
H341 - Suspected of causing genetic defects  
H350 - May cause cancer  
H351 - Suspected of causing cancer  
H360F - May damage fertility  
H361fd - Suspected of damaging fertility. Suspected of damaging the unborn child  
H362 - May cause harm to breast-fed children  
H372 - Causes damage to organs through prolonged or repeated exposure  
H373 - May cause damage to organs through prolonged or repeated exposure  
H400 - Very toxic to aquatic life  
H410 - Very toxic to aquatic life with long lasting effects  
H411 - Toxic to aquatic life with long lasting effects  
H412 - Harmful to aquatic life with long lasting effects

## Legend

SVHC: Substances of Very High Concern for Authorisation:

## Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)  
Ceiling Maximum limit value Sk\* Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - Vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	On basis of test data
Serious eye damage/eye irritation	On basis of test data
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 28-Aug-2024

Revision Number 1.01

**VHG-SM35A-100 - Common Elements Mix 1 Standard: Cd, Co, Cr, Cu, Fe, Mn, Ni, V, Zn @ 100 µg/mL in 5% HNO<sub>3</sub>**

Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method
Corrosive to metals	On basis of test data

## Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)  
U.S. Environmental Protection Agency ChemView Database  
European Food Safety Authority (EFSA)  
EPA (Environmental Protection Agency)  
Acute Exposure Guideline Level(s) (AEGL(s))  
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
U.S. Environmental Protection Agency High Production Volume Chemicals  
Food Research Journal  
Hazardous Substance Database  
International Uniform Chemical Information Database (IUCLID)  
Japan GHS Classification  
Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
NIOSH (National Institute for Occupational Safety and Health)  
National Library of Medicine's ChemID Plus (NLM CIP)  
National Library of Medicine's PubMed database (NLM PUBMED)  
National Toxicology Program (NTP)  
New Zealand's Chemical Classification and Information Database (CCID)  
Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications  
Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme  
Organisation for Economic Co-operation and Development Screening Information Data Set  
World Health Organization

Revision date 28-Aug-2024

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

## Disclaimer

The information in this safety data sheet (SDS) has been prepared with due care and is true and accurate to the best of our knowledge. The user must determine the suitability of the information for its particular purpose, ensure compliance with existing laws and regulations, and be aware that other or additional safety or performance considerations may arise when using, handling and/ or storing the material. The information in this SDS does not purport to be all inclusive or a guarantee as to the properties of the material supplied, and should be used only as a guide. LGC makes no warranties or representations as to the accuracy and completeness of the information contained herein, shall not be held responsible for the suitability of this information for the user's intended purposes or the consequences of such use, and shall not be liable for any damage or loss, howsoever arising, direct or otherwise.





# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

**Revision date** 28-Aug-2024

**Revision Number** 1.01

**VHG-SM35A-100 - Common Elements Mix 1 Standard: Cd, Co, Cr, Cu, Fe, Mn, Ni, V, Zn @ 100 µg/mL in 5% HNO<sub>3</sub>**

---

**End of Safety Data Sheet**