

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 09-Aug-2023

Revision Number 1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Product Code(s)	DRE-XA17213000CY
Product Name	Tefluthrin 100 µg/mL in Cyclohexane
Form	Not applicable
Unique Formula Identifier (UFI)	GHAN-70SH-J008-TMHU
Pure substance/mixture	Mixture
1.2. Relevant identified uses of the s	substance or mixture and uses advised against
Recommended use	Laboratory use
Uses advised against	No information available
1.3. Details of the supplier of the sat	fety data sheet
<u>Supplier</u>	
LGC Limited Queens Road Teddington Middlesex TW11 0LY UNITED KINGDOM :+44 (0) 20 8943 7000 Fax :+44 (0) 20 8943 2767 eMail : gb@lgcstandards.com	
Web : www.lgcstandards.com	
For further information, please contact	
E-mail address	sds-request@lgcgroup.com
1.4. Emergency telephone number	-
Emergency Telephone	For Hazardous Materials or Dangerous Goods Incident Spill, Leak, Fire Exposure, or Accident Call CHEMTREC: USA & Canada 1-800-424-9300 Rest of the world +1 703-741-5970



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 09-Aug-2023

Revision Number 1

## DRE-XA17213000CY - Tefluthrin 100 µg/mL in Cyclohexane

Emergence Talankana 845 (50)4	272/2000
Emergency Telephone - §45 - (EC)1	
Europe	112
	No information available
Bulgaria	
Croatia	
Cyprus	
Czech Republic	
Denmark	
France	
Hungary	
Ireland	
Italy	
Lithuania	
Luxembourg	
Netherlands	
Norway	
Portugal	
Romania	
Slovakia	
Slovenia	
Spain	
Sweden	
Switzerland	

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008	
Aspiration hazard	Category 1 - (H304)
Skin corrosion/irritation	Category 2 - (H315)
Specific target organ toxicity — single exposure	Category 3 - (H336)
Category 3 Narcotic effects	
Acute aquatic toxicity	Category 1 - (H400)
Chronic aquatic toxicity	Category 1 - (H410)
Flammable liquids	Category 2 - (H225)

#### 2.2. Label elements

**Contains Cyclohexane** 



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 09-Aug-2023

**Revision Number** 1

## DRE-XA17213000CY - Tefluthrin 100 µg/mL in Cyclohexane



Danger

#### Hazard statements

- H304 May be fatal if swallowed and enters airways
- H315 Causes skin irritation
- H336 May cause drowsiness or dizziness
- H410 Very toxic to aquatic life with long lasting effects
- H225 Highly flammable liquid and vapour

#### Precautionary Statements - EU (§28, 1272/2008)

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking P273 - Avoid release to the environment P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor P331 - Do NOT induce vomiting P370 + P378 - In case of fire: Use dry chemical, CO2, water spray or alcohol-resistant foam to extinguish P391 - Collect spillage P403 + P235 - Store in a well-ventilated place. Keep cool

#### 2.3. Other hazards

No information available.

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Endocrine Disruptor Information	This product does not contain ar	ny known or suspected endocrine disruptors.
---------------------------------	----------------------------------	---

(	Chemical name	EU - REACH (1907/2006) - Article 59(1)	EU - REACH (1907/2006) - Endocrine
		- Candidate List of Substances of Very	Disruptor Assessment List of
		High Concern (SVHC) for Authorisation	Substances
	Cyclohexane	-	-
	Tefluthrin	-	-

## SECTION 3: Composition/information on ingredients

#### 3.1 Substances



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

#### Revision date 09-Aug-2023

**Revision Number** 1

## DRE-XA17213000CY - Tefluthrin 100 µg/mL in Cyclohexane

Not applicable

#### 3.2 Mixtures

Chemical name	Weight-%	REACH registration number	· ·	Classification according to Regulation (EC) No. 1272/2008 [CLP]	M-Factor	M-Factor (long-term)
Cyclohexane 110-82-7	80 - 100	-	203-806-2	Flam. Liq. 2 (H225) Skin Irrit. 2 (H315) STOT SE 3 (H336) Asp. Tox. 1 (H304) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)		
Tefluthrin 79538-32-2	<0.1	-	616-699-6	Acute Tox. 2 (H300) Acute Tox. 2 (H310) Acute Tox. 1 (H330) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	10000	10000

#### Full text of H- and EUH-phrases: see section 16

#### Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg		Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Cyclohexane 110-82-7	12705	2000	32.88	No data available	No data available
Tefluthrin 79538-32-2	21.8	177	No data available	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

### Revision date 09-Aug-2023

**Revision Number** 1

### DRE-XA17213000CY - Tefluthrin 100 µg/mL in Cyclohexane

General advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
Inhalation	Remove to fresh air. Aspiration into lungs can produce severe lung damage. If breathing has stopped, give artificial respiration. Get medical attention immediately. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Get immediate medical advice/attention. Delayed pulmonary edema may occur.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get medical attention if irritation develops and persists.
Ingestion	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Get immediate medical advice/attention.
Self-protection of the first aider	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Avoid contact with skin, eyes or clothing.
4.2. Most important symptoms and	effects, both acute and delayed
Symptoms	Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.
4.3. Indication of any immediate me	edical attention and special treatment needed
Note to doctors	Because of the danger of aspiration, emesis or gastric lavage should not be used unless the risk is justified by the presence of additional toxic substances.
SECTION 5: Firefighting n	neasures
5.1. Extinguishing media	

Suitable Extinguishing Media	Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 09-Aug-2023

**Revision Number** 1

## DRE-XA17213000CY - Tefluthrin 100 µg/mL in Cyclohexane

#### 5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
5.3. Advice for firefighters	
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.
Other information	Ventilate the area. Refer to protective measures listed in Sections 7 and 8.
For emergency responders	Use personal protection recommended in Section 8.
6.2. Environmental precautions	
Environmental precautions	Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.
6.3. Methods and material for conta	inment and cleaning up
Methods for containment	Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapour suppressing foam may be used to reduce vapours. Dyke far ahead of spill to collect run-off water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.
Methods for cleaning up	Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labelled containers.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.
6.4. Reference to other sections	



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 09-Aug-2023

Revision Number 1

## DRE-XA17213000CY - Tefluthrin 100 µg/mL in Cyclohexane

**Reference to other sections** See section 8 for more information. See section 13 for more information.

## **SECTION 7: Handling and storage**

7.1. Precautions for safe handling

Advice on safe handling	Use personal protection equipment. Avoid breathing vapours or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse. In case of insufficient ventilation, wear suitable respiratory equipment.
General hygiene considerations	Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage ConditionsPlease refer to the manufacturer's certificate for specific storage and transport temperature<br/>conditions. Store only in the original receptacle unless other advice is given on the CoA.<br/>Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat,<br/>sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static<br/>electricity). Keep in properly labelled containers. Do not store near combustible materials.<br/>Keep in an area equipped with sprinklers. Store in accordance with the particular national<br/>regulations. Store in accordance with local regulations. Store locked up. Keep out of the<br/>reach of children. Store away from other materials.

#### 7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

#### Revision date 09-Aug-2023

**Revision Number** 1

## DRE-XA17213000CY - Tefluthrin 100 µg/mL in Cyclohexane

### **Exposure Limits**

Chemical name	Europe	an Union	Austria	Belgium	Bu	Igaria	Croatia	
Cyclohexane	TWA:	200 ppm	TWA: 200 ppm	TWA: 100 ppm		200 ppm	TWA: 200 ppm	
110-82-7	TWA: 7	'00 mg/m³	TWA: 700 mg/m <sup>3</sup>	TWA: 350 mg/m <sup>3</sup>	TWA: 70	00.0 mg/m <sup>3</sup>	TWA: 700 mg/m <sup>3</sup>	
			STEL 800 ppm				*	
			STEL 2800 mg/m <sup>3</sup>					
Chemical name		/prus	Czech Republic	Denmark		tonia	Finland	
Cyclohexane		200 ppm	TWA: 700 mg/m <sup>3</sup>	TWA: 50 ppm		200 ppm	TWA: 100 ppm	
110-82-7	TWA: 7	'00 mg/m³	Ceiling: 2000 mg/m <sup>3</sup>	TWA: 172 mg/m <sup>3</sup>	TWA: 7	'00 mg/m³	TWA: 350 mg/m <sup>3</sup>	
							STEL: 250 ppm	
							STEL: 875 mg/m <sup>3</sup>	
Chemical name		ance	Germany	Germany MAK		eece	Hungary	
Cyclohexane		200 ppm	TWA: 200 ppm	TWA: 200 ppm		200 ppm	TWA: 700 mg/m <sup>3</sup>	
110-82-7		'00 mg/m³	TWA: 700 mg/m <sup>3</sup>	TWA: 700 mg/m <sup>3</sup>	TWA: 7	'00 mg/m³		
		375 ppm		Peak: 800 ppm				
		300 mg/m <sup>3</sup>		Peak: 2800 mg/m <sup>3</sup>				
Chemical name		eland	Italy	Italy REL		atvia	Lithuania	
Cyclohexane		200 ppm	TWA: 100 ppm	TWA: 100 ppm		23 ppm	TWA: 200 ppm	
110-82-7		'00 mg/m <sup>3</sup>	TWA: 350 mg/m <sup>3</sup>	TWA: 344 mg/m <sup>3</sup>	TWA:	80 mg/m³	TWA: 700 mg/m <sup>3</sup>	
		600 ppm						
		100 mg/m <sup>3</sup>						
Chemical name		mbourg	Malta	Netherlands		orway	Poland	
Cyclohexane		200 ppm	TWA: 200 ppm	TWA: 700 mg/m <sup>3</sup>		150 ppm	STEL: 1000 mg/m <sup>3</sup>	
110-82-7	TWA: 7	'00 mg/m <sup>3</sup>	TWA: 700 mg/m <sup>3</sup>	STEL: 1400 mg/m <sup>3</sup>		525 mg/m <sup>3</sup>	TWA: 300 mg/m <sup>3</sup>	
						187.5 ppm	*	
			<b>.</b> .	0		6.25 mg/m <sup>3</sup>	<b>a</b> .	
Chemical name		rtugal	Romania	Slovakia		venia	Spain	
Cyclohexane		200 ppm	TWA: 200 ppm	TWA: 200 ppm		200 ppm	TWA: 200 ppm	
110-82-7	TWA: 7	'00 mg/m³	TWA: 700 mg/m <sup>3</sup>	TWA: 700 mg/m <sup>3</sup>		'00 mg/m <sup>3</sup>	TWA: 700 mg/m <sup>3</sup>	
						800 mg/m <sup>3</sup>		
					SIEL:	800 ppm		
			veden	Switzerland			ted Kingdom	
,			200 ppm	TWA: 200 ppm			TWA: 100 ppm	
110-82-7		NGV: A	700 mg/m³	TWA: 700 mg/m			A: 350 mg/m <sup>3</sup>	
				STEL: 800 ppm		-	EL: 300 ppm	
				STEL: 2800 mg/i	112	SIE	_: 1050 mg/m <sup>3</sup>	

#### **Biological occupational exposure limits**

Chemical name	European Union	Austria	Bulgaria	Croatia	Czech Republic
Cyclohexane	-	-	-	150 mg/g Creatinine	-
110-82-7				- urine	



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 09-Aug-2023

Revision Number 1

## DRE-XA17213000CY - Tefluthrin 100 µg/mL in Cyclohexane

	,,						,
					(1,2-Cyclohexa		
					ol) - at the end c	of the	
					work shift; at ch	ronic	
					exposure aft	er	
					several succes	sive	
					shifts		
					450 µg/L - blo	hod	
					(Cyclohexano		
						'	
					during exposi		
					3.20 mg/g Creat	inine	
					- urine		
					(Cyclohexano		
					during the sec		
					half of the work	shift	
Chemical name	Denmark	Finland	Fra	nce	Germany		Germany
Cyclohexane	-	-		-	150 mg/g Creat	inine	150 mg/g Creatinine
110-82-7					(urine - tota		(urine - total
					1,2-Cyclohexan	ediol	1,2-Cyclohexanediol
					(after hydrolysis	) end	(after hydrolysis) end
					of shift)	,	of shift)
						inine	150 mg/g Creatinine
					(urine - tota		(urine - total
							1,2-Cyclohexanediol
							(after hydrolysis) for
						5) 101	
					long-term	41	long-term
					exposures: at		exposures: at the
							end of the shift after
					several shifts	'	several shifts)
					150 mg/g Creat		
					- BAT (for long-		
					exposures: at		
					end of the shift	after	
					several shifts) ι	urine	
Chemical name	Slovenia	Spain		Sw	itzerland		United Kingdom
Cyclohexane	150 mg/g Creatinine -	-		150 mg/g (	creatinine (urine		-
110-82-7	urine				- total		
	(1,2-Cyclohexanediol				hexanediol end		
	(after hydrolysis)) - at the				nd after several		
	end of the work shift; for				for long-term		
	long-term exposure: at the	1			osures))		
	•						
	end of the work shift after				mmol creatinine		
	several consecutive			· · · ·	ne - total		
	workdays				hexanediol end		
					nd after several		
1		1		I shifts (f	for long-term		
					let let ig term		



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 09-Aug-2023

**Revision Number** 1

## DRE-XA17213000CY - Tefluthrin 100 µg/mL in Cyclohexane

Derived No Effect Level (DNEL) Predicted No Effect Concentration (PNEC)	No information available. No information available.
8.2. Exposure controls	
Personal protective equipment	
Eye/face protection	Avoid contact with eyes. Wear safety glasses with side shields (or goggles). Tight sealing safety goggles.
Hand protection	Wear protective nitrile rubber gloves. The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374. Wear suitable gloves. Impervious gloves.
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.
Environmental exposure controls	Do not allow into any sewer, on the ground or into any body of water.

## **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties Physical state Liquid Appearance Liquid Colour colourless Odour Odourless. **Odour threshold** No information available Property Values Melting point / freezing point 6.5 °C Initial boiling point and boiling range80.7 °C

Remarks • Method None known None known



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

#### Revision date 09-Aug-2023

Revision Number 1

### DRE-XA17213000CY - Tefluthrin 100 µg/mL in Cyclohexane

Flammability Flammability Limit in Air	No data available	None known None known
Upper flammability or explosive limits	9,3 Vol% - 326 g/m³	None known
Lower flammability or explosive limits	1 Vol% - 35 g/m³	
Flash point	-20 °C	None known
Autoignition temperature	260 °C	None known
Decomposition temperature		None known
рН	No data available	None known
pH (as aqueous solution)	No data available	No information available
Kinematic viscosity	No data available	None known
Dynamic viscosity	0.894 mPa s	@ 20°C
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	3.44	None known
Vapour pressure	103 hPa	@ 20°C
Relative density	0.78	None known
Bulk density	No data available	
Liquid Density	No data available	
Relative vapour density	2.9	None known
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	

#### 9.2. Other information

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics No information available

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Reactivity

No information available.

#### 10.2. Chemical stability

Stability

Stable under normal conditions.

## Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge Yes.



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 09-Aug-2023

**Revision Number** 1

## DRE-XA17213000CY - Tefluthrin 100 µg/mL in Cyclohexane

10.3. Possibility of hazardous reactions		
Possibility of hazardous reactions	None under normal processing.	
10.4. Conditions to avoid		
Conditions to avoid	Heat, flames and sparks.	
10.5. Incompatible materials		
Incompatible materials	Strong acids. Strong bases. Strong oxidising agents.	
Hazardous decomposition products None known based on information supplied.		

## **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Information on likely routes of exposure

#### Product Information

Inhalation	Specific test data for the substance or mixture is not available. Aspiration into lungs can produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be fatal. May cause irritation of respiratory tract. May cause drowsiness or dizziness.
Eye contact	Specific test data for the substance or mixture is not available. May cause irritation.
Skin contact	Repeated exposure may cause skin dryness or cracking. Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components).
Ingestion	Specific test data for the substance or mixture is not available. Potential for aspiration if swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.
Symptoms related to the physical,	chemical and toxicological characteristics
Symptoms	Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Redness. May cause redness and tearing of the eyes. Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

### Numerical measures of toxicity



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

#### Revision date 09-Aug-2023

**Revision Number** 1

### DRE-XA17213000CY - Tefluthrin 100 µg/mL in Cyclohexane

#### Acute toxicity

#### The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	99,999.00 mg/kg
ATEmix (dermal)	99,999.00 mg/kg
ATEmix (inhalation-gas)	99,999.00 ppm
ATEmix (inhalation-dust/mist)	99,999.000 mg/l
ATEmix (inhalation-vapour)	99,999.00 mg/l

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Cyclohexane	= 12705 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 32.88 mg/L (Rat)4 h
Tefluthrin	= 21.8 mg/kg (Rat)	= 177 mg/kg (Rat)	= 37.1 mg/m³ (Rat)4 h = 49.1 mg/m³ (Rat)4 h

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Classification based on data available for ingredients. Causes skin irritation.
Serious eye damage/eye irritation	No information available.
Respiratory or skin sensitisation	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	No information available.
STOT - single exposure	May cause drowsiness or dizziness.
STOT - repeated exposure	No information available.



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 09-Aug-2023

Revision Number 1

## DRE-XA17213000CY - Tefluthrin 100 µg/mL in Cyclohexane

Aspiration hazard May be fatal if swallowed and enters airways.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

11.2.2. Other information

Other adverse effects

No information available.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecotoxicity

Very toxic to aquatic life with long lasting effects.

Unknown aquatic toxicity

Contains 0 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Cyclohexane	EC50: >500mg/L (72h, Desmodesmus subspicatus)	LC50: 3.96 - 5.18mg/L (96h, Pimephales promelas) LC50: 23.03 - 42.07mg/L (96h, Pimephales promelas) LC50: 24.99 - 44.69mg/L (96h, Lepomis macrochirus) LC50: 48.87 - 68.76mg/L (96h, Poecilia reticulata)	-	EC50: 3.78mg/L (48h, Daphnia magna)
Tefluthrin	EC50: > 1.05 mg/L (72h, Pseudokirchneriella subcapitata)	LC50: 0.00006 mg/L (96h, Oncorhynchus mykiss)	-	EC50: 0.00007 mg/L (48h, Daphnia magna)

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 09-Aug-2023

Revision Number 1

## DRE-XA17213000CY - Tefluthrin 100 µg/mL in Cyclohexane

**Bioaccumulation** 

There is no data for this product.

#### Component Information

Chemical name	Partition coefficient
Cyclohexane	3.44
Tefluthrin	6.4

#### 12.4. Mobility in soil

Mobility in soil

No information available.

#### 12.5. Results of PBT and vPvB assessment

**PBT and vPvB assessment** The product contains substance(s) classified as PBT or vPvB.

Chemical name PBT and vPvB assessment		
Cyclohexane	The substance is not PBT / vPvB PBT assessment does	
	not apply	

#### 12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

#### 12.7. Other adverse effects

No information available.

## SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Waste from residues/unused products	Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

## **SECTION 14: Transport information**

IATA 14.1 UN number or ID number UN1145



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

#### Revision date 09-Aug-2023

**Revision Number** 1

## DRE-XA17213000CY - Tefluthrin 100 µg/mL in Cyclohexane

<ul> <li>14.2 UN proper shipping name</li> <li>14.3 Transport hazard class(es)</li> <li>14.4 Packing group Description</li> <li>14.5 Environmental hazards</li> <li>14.6 Special precautions for user Special Provisions ERG Code</li> </ul>	Cyclohexane mixture 3 II UN1145, Cyclohexane mixture, 3, II Yes None 3H
<ul> <li>IMDG</li> <li>14.1 UN number or ID number</li> <li>14.2 UN proper shipping name</li> <li>14.3 Transport hazard class(es)</li> <li>14.4 Packing group Description</li> <li>14.5 Marine pollutant Environmental hazards</li> <li>14.6 Special precautions for user Special Provisions EmS-No.</li> <li>14.7 Maritime transport in bulk according to IMO instruments</li> </ul>	UN1145 Cyclohexane mixture 3 II UN1145, Cyclohexane mixture, 3, II, (-20°C c.c.), Marine pollutant P Yes None F-E, S-D No information available No information available
RID14.1UN number or ID number14.2UN proper shipping name14.3Transport hazard class(es)14.4Packing group Description14.5Environmental hazards14.6Special precautions for user Special Provisions Classification code	UN1145 Cyclohexane mixture 3 II UN1145, Cyclohexane mixture, 3, II, Environmentally Hazardous Yes None F1
ADR 14.1 UN number or ID number 14.2 UN proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group Description 14.5 Environmental hazards 14.6 Special precautions for user Special Provisions Classification code Tunnel restriction code	UN1145 Cyclohexane mixture 3 II UN1145, Cyclohexane mixture, 3, II, (D/E), Environmentally Hazardous Yes None F1 (D/E)



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 09-Aug-2023

**Revision Number** 1

## DRE-XA17213000CY - Tefluthrin 100 µg/mL in Cyclohexane

## **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number	Title
Cyclohexane 110-82-7	RG 84	-

Water hazard class (WGK)

obviously hazardous to water (WGK 2)

Poland

SDS created according to the following Polish regulation: Act of February 25, 2011 on chemical substances and their mixtures (Journal of Laws of 2018, item 143, as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing the European Chemicals Agency (EC) as amended. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labeling and packaging of substances and mixtures, as amended. Regulation of the Minister of Health of 10 August 2012 on the criteria and method of classifying chemical substances and their mixtures (Journal of Laws of 2012, item 1018). Regulation of the Minister of Health of 20 April 2012 on labeling packaging of hazardous substances and mixtures and some mixtures (Journal of Laws of 2012, item 445). Regulation of the Minister of Family, Labor and Social Policy of 12 June 2018 on the maximum allowable concentrations and intensities of factors harmful to health in the work environment (Journal of Laws of 2018, item 1286). Announcement of the Minister of Economy, Labor and Social Policy of August 28, 2003 on the publication of the unified text of the Ordinance of the Minister of Labor and Social Policy on general health and safety at work regulations (Journal of Laws of 2003, No. 169, item 1650) . Regulation of the Minister of Health of 30 December 2004 on occupational safety and health related to the presence of chemical agents in the workplace (Journal of Laws of 2005, No. 11, item 86). Act of December 14, 2012 on waste (Journal of Laws of 2013, item 21) Regulation of the Minister of Health of December 30, 2004 on occupational health and safety related to the presence of chemical agents in the workplace (Journal U. of 2005, No. 11, item 86). Waste Act of December 14, 2012 (Journal of Laws of 2013, item 21). Act of 13 June 2013 on the management of packaging and packaging waste, Journal of Laws 2013, item 888). Government statement of September 24, 2002 - European Agreement on the International Carriage of Dangerous Goods by Road (ADR) (Journal of Laws No. 194, item 1629 and Journal of Laws of 2003, No. 207, item 2013 and 2014).

**European Union** 



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 09-Aug-2023

Revision Number 1

## DRE-XA17213000CY - Tefluthrin 100 µg/mL in Cyclohexane

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

#### Authorisations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

#### DIRECTIVE (EU) 2021/1187 on the marketing and use of explosives precursors

Not applicable

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV
Cyclohexane - 110-82-7	57.	
	75.	

#### **Persistent Organic Pollutants**

Not applicable

#### Dangerous substance category per Seveso Directive (2012/18/EU)

P5a - FLAMMABLE LIQUIDS P5b - FLAMMABLE LIQUIDS P5c - FLAMMABLE LIQUIDS

E1 - Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1

#### Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

#### EU - Plant Protection Products (1107/2009/EC)

Chemical name	EU - Plant Protection Products (1107/2009/EC)
Tefluthrin - 79538-32-2	Plant protection agent

International Inventories TSCA	Complies under research and development exemption or is regulated by a different government agency.
DSL/NDSL EINECS/ELINCS ENCS IECSC KECL PICCS	Contact supplier for inventory compliance status Contact supplier for inventory compliance status
AIIC	Contact supplier for inventory compliance status



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 09-Aug-2023

Revision Number 1

## DRE-XA17213000CY - Tefluthrin 100 µg/mL in Cyclohexane

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### 15.2. Chemical safety assessment

**Chemical Safety Report** 

A Chemical Safety Assessment is not required for this substance

## **SECTION 16: Other information**

Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

- H225 Highly flammable liquid and vapour
- H300 Fatal if swallowed
- H304 May be fatal if swallowed and enters airways
- H310 Fatal in contact with skin
- H315 Causes skin irritation
- H330 Fatal if inhaled
- H336 May cause drowsiness or dizziness
- H400 Very toxic to aquatic life
- H410 Very toxic to aquatic life with long lasting effects

#### Legend

SVHC: Substances of Very High Concern for Authorisation:

#### Legend Section 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - Vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

#### Revision date 09-Aug-2023

**Revision Number** 1

## DRE-XA17213000CY - Tefluthrin 100 µg/mL in Cyclohexane

Skin corrosion/irritation	Calculation method	
Serious eye damage/eye irritation	Calculation method	
Respiratory sensitisation	Calculation method	
Skin sensitisation	Calculation method	
Mutagenicity	Calculation method	
Carcinogenicity	Calculation method	
Reproductive toxicity	Calculation method	
STOT - single exposure	Calculation method	
STOT - repeated exposure	Calculation method	
Acute aquatic toxicity	Calculation method	
Chronic aquatic toxicity	Calculation method	
Aspiration hazard	Calculation method	
Ozone	Calculation method	
Flammable liquids	On basis of test data	

#### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme Organisation for Economic Co-operation and Development Screening Information Data Set World Health Organization

#### Revision date

09-Aug-2023

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 Disclaimer

The information in this safety data sheet (SDS) has been prepared with due care and is true and accurate to the best of our knowledge. The user must determine the suitability of the information for its particular purpose, ensure compliance with existing laws and regulations, and be aware that other or additional safety or performance considerations may arise



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 09-Aug-2023

Revision Number 1

### DRE-XA17213000CY - Tefluthrin 100 µg/mL in Cyclohexane

when using, handling and/ or storing the material. The information in this SDS does not purport to be all inclusive or a guarantee as to the properties of the material supplied, and should be used only as a guide. LGC makes no warranties or representations as to the accuracy and completeness of the information contained herein, shall not be held responsible for the suitability of this information for the user's intended purposes or the consequences of such use, and shall not be liable for any damage or loss, howsoever arising, direct or otherwise.

End of Safety Data Sheet