

This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

Revision date 18-Jan-2024 Revision Number 2

## 1. Identification

Product identifier

Product Name 3-Chloro-2-methyl-1-propene

Other means of identification

Product Code(s) TRC-C368130-10G

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use Laboratory use

Restrictions on use Not to be used for human or animal consumption

Details of the supplier of the safety data sheet

### **Supplier Address**

VHG LGC Standards 276 Abby Road Manchester, NH 03103 UNITED STATES OF AMERICA

Tel:+1 (603) 622-7660 Fax:+1 (603) 622-5180 Email: lgcusa@lgcgroup.com

Web: Igcstandards.com

E-mail sds-request@lgcgroup.com

#### Emergency telephone number

### **Emergency Telephone**

For Hazardous Materials or Dangerous Goods Incident Spill, Leak, Fire Exposure, or Accident Call CHEMTREC: USA & Canada 1-800-424-9300 Rest of the world +1 703-741-5970

## 2. Hazard(s) identification

AGHS / EN Page 1/14



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

## TRC-C368130-10G - 3-Chloro-2-methyl-1-propene

Revision date 18-Jan-2024

### Classification

Classified according to OSHA.

Acute toxicity - Oral	Category 4
Acute toxicity - Inhalation (Vapors)	Category 4
Skin corrosion/irritation	Category 1 Sub-category B
Skin sensitization	Category 1
Carcinogenicity	Category 2
Chronic aquatic toxicity	Category 2
Flammable liquids	Category 2

## Hazards not otherwise classified (HNOC)

Not applicable

### Label elements

#### Danger

### Hazard statements

Classified according to OSHA.

Harmful if swallowed

Harmful if inhaled

Causes severe skin burns and eye damage

May cause an allergic skin reaction

May cause cancer

Toxic to aquatic life with long lasting effects

Highly flammable liquid and vapor



### **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/clothing and eye/face protection

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Do not breathe dusts or mists

Contaminated work clothing must not be allowed out of the workplace

AGHS / EN Page 2/14



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

### TRC-C368130-10G - 3-Chloro-2-methyl-1-propene

Revision date 18-Jan-2024

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Keep container tightly closed

Ground and bond container and receiving equipment

Use only non-sparking tools

Take action to prevent static discharges

### **Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

Wash contaminated clothing before reuse

If skin irritation or rash occurs: Get medical advice/attention

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Immediately call a POISON CENTER or doctor

IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell

Rinse mouth

Do NOT induce vomiting

In case of fire: Use CO2, dry chemical, or foam to extinguish

### **Precautionary Statements - Storage**

Store locked up

Store in a well-ventilated place. Keep cool

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

## Other information

No information available.

# 3. Composition/information on ingredients

### Substance

Formula C4H7CI

Chemical name	CAS No.	Weight-%	Trade secret
3-chloro-2-methylpropene	563-47-3	100	*

## 4. First-aid measures

## **Description of first aid measures**

General advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required. IF exposed or concerned: Get medical advice/attention.

AGHS / EN Page 3/14



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

### TRC-C368130-10G - 3-Chloro-2-methyl-1-propene

Revision date 18-Jan-2024

Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical Inhalation

> attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical

attention.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present

and easy to do. Continue rinsing. Get immediate medical attention.

Wash off immediately with soap and plenty of water while removing all contaminated clothes Skin contact

and shoes. Get immediate medical attention. May cause an allergic skin reaction.

Ingestion Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious

person. Get immediate medical attention.

Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) Self-protection of the first aider

> involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give

mouth-to-mouth resuscitation. Avoid breathing vapors or mists.

Most important symptoms and effects, both acute and delayed

Burning sensation. Itching. Rashes. Hives. Coughing and/ or wheezing. Difficulty in **Symptoms** 

breathing.

Indication of any immediate medical attention and special treatment needed

Note to physicians Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

> Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. May cause

sensitization in susceptible persons. Treat symptomatically.

5. Fire-fighting measures

**Suitable Extinguishing Media** 

Large Fire

Dry chemical, Carbon dioxide (CO2), Water spray, Alcohol resistant foam, CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media

Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray, Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors. Product is or contains a sensitizer. May cause

AGHS / EN Page 4/14



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

TRC-C368130-10G - 3-Chloro-2-methyl-1-propene

Revision date 18-Jan-2024

sensitization by skin contact.

**Explosion data** 

Sensitivity to mechanical impact None.

Sensitivity to static discharge Yes.

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. See

section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Attention!

Corrosive material. Avoid breathing vapors or mists.

Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor

suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other

non-combustible material and transfer to containers for later disposal.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labeled containers.

# 7. Handling and storage

### Precautions for safe handling

hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In

AGHS / EN Page 5/14



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

TRC-C368130-10G - 3-Chloro-2-methyl-1-propene

Revision date 18-Jan-2024

case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

#### Conditions for safe storage, including any incompatibilities

Storage Conditions Please refer to the manufacturer's certificate for specific storage and tra

Please refer to the manufacturer's certificate for specific storage and transport temperature conditions. Store only in the original receptacle unless other advice is given on the CoA. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Keep out of the reach of children. Protect from moisture. Store locked up. Store away from other materials.

## 8. Exposure controls/personal protection

Control parameters

Exposure Limits This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

### Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

#### **Appropriate engineering controls**

Engineering controls Showers

Eyewash stations Ventilation systems.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** Avoid contact with eyes. Wear safety glasses with side shields (or goggles). Tight sealing

safety goggles. Face protection shield.

**Hand protection** The protective gloves to be used must comply with the specifications of EC Directive

89/686/EEC and the related standard EN374. Wear suitable gloves. Impervious gloves.

**Skin and body protection** Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Antistatic boots.

AGHS / EN Page 6/14



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

TRC-C368130-10G - 3-Chloro-2-methyl-1-propene

Revision date 18-Jan-2024

exceeded or irritation is experienced, ventilation and evacuation may be required.

**Environmental exposure controls** Do not allow into any sewer, on the ground or into any body of water.

**General hygiene considerations** Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this

product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Remove and wash contaminated clothing and

gloves, including the inside, before re-use.

## 9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid
Appearance Oily
Color colorless
Odor Pungent

Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

No data available None known pН Melting point / freezing point No data available None known Initial boiling point and boiling rangeNo data available None known Flash point No data available None known **Evaporation rate** No data available None known Flammability No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

No data available None known Vapor pressure None known Relative vapor density No data available Relative density No data available None known Water solubility No data available None known Solubility(ies) No data available None known Partition coefficient No data available None known **Autoignition temperature** No data available None known

Decomposition temperature None known

Kinematic viscosityNo data availableNone knownDynamic viscosityNo data availableNone known

Other information

Explosive propertiesNo information availableOxidizing propertiesNo information availableSoftening pointNo information available

Molecular weight 90.55

AGHS / EN Page 7/14



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

### TRC-C368130-10G - 3-Chloro-2-methyl-1-propene

Revision date 18-Jan-2024

VOC contentNo information availableLiquid DensityNo information availableBulk densityNo information available

## 10. Stability and reactivity

**Reactivity** No information available.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

Conditions to avoid Heat, flames and sparks. Exposure to air or moisture over prolonged periods. Excessive

heat.

Incompatible materials Acids. Bases. Oxidizing agent.

Hazardous decomposition products None known based on information supplied.

# 11. Toxicological information

### Information on likely routes of exposure

#### **Product Information**

**Inhalation** Specific test data for the substance or mixture is not available. Corrosive by inhalation.

(based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs.

Pulmonary edema can be fatal. Harmful by inhalation.

**Eye contact** Specific test data for the substance or mixture is not available. Causes serious eye damage.

(based on components). Corrosive to the eyes and may cause severe damage including

blindness. May cause irreversible damage to eyes.

**Skin contact** Specific test data for the substance or mixture is not available. Corrosive. (based on

components). Causes burns. May cause sensitization by skin contact. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.

**Ingestion** Specific test data for the substance or mixture is not available. Causes burns. (based on

components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung

damage if swallowed. May be fatal if swallowed and enters airways.

AGHS / EN Page 8/14



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

TRC-C368130-10G - 3-Chloro-2-methyl-1-propene

Revision date 18-Jan-2024

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. Burning. May cause blindness. Coughing and/ or wheezing. Itching. Rashes.

Hives.

**Acute toxicity** 

**Numerical measures of toxicity** 

**Component Information** 

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
3-chloro-2-methylpropene 563-47-3	= 848 mg/kg (Rat)	> 4000 mg/kg (Rat)	> 6.3 mg/L (Rat) 4 h
	= 1149 mg/kg (Rat)		

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes severe skin burns and eye

damage.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye damage. Causes

burns.

**Respiratory or skin sensitization** May cause an allergic skin reaction.

**Germ cell mutagenicity** No information available.

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for

ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

The table below makes thrown agency has noted any my salent as a careful gen.				
Chemical name	ACGIH	IARC	NTP	OSHA
3-chloro-2-methylpropene	-	Group 2B	Reasonably Anticipated	X
563-47-3				

### Legend

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program)

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

AGHS / EN Page 9/14



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

TRC-C368130-10G - 3-Chloro-2-methyl-1-propene

Revision date 18-Jan-2024

Reproductive toxicity No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure**No information available.

Aspiration hazard No information available.

Other adverse effects No information available.

Interactive effects No information available.

# 12. Ecological information

**Ecotoxicity** Toxic to aquatic life with long lasting effects.

Persistence and degradability No information available.

**Bioaccumulation** There is no data for this product.

**Component Information** 

Chemical name	Partition coefficient	
3-chloro-2-methylpropene 563-47-3	1.98	

Other adverse effects No information available.

## 13. Disposal considerations

**Disposal methods** 

Waste from residues/unused Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

AGHS / EN Page 10/14



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

TRC-C368130-10G - 3-Chloro-2-methyl-1-propene

Revision date 18-Jan-2024

containers.

## 14. Transport information

DOT

UN number or ID number UN2924

Extended proper shipping name Flammable liquids, corrosive, n.o.s. (3-chloro-2-methylpropene)

Transport hazard class(es) 3
Subsidiary hazard class 8
Packing group ||

Special Provisions IB2, T11, TP2, TP27

DOT Marine Pollutant

Marine pollutant 3-chloro-2-methylpropene

**Description** UN2924, Flammable liquids, corrosive, n.o.s. (3-chloro-2-methylpropene), 3 (8), II, Marine

pollutant

132

**Emergency Response Guide** 

Number

TDG

UN number or ID number UN2924

**UN proper shipping name** Flammable liquid, corrosive, n.o.s. (3-chloro-2-methylpropene)

Transport hazard class(es) 3
Subsidiary hazard class 8
Packing group II
Special Provisions 16
Marine pollutant P

**Description** UN2924, Flammable liquid, corrosive, n.o.s. (3-chloro-2-methylpropene), 3 (8), II

**MEX** 

UN number or ID number UN2924

**UN proper shipping name** Flammable liquid, corrosive, n.o.s. (3-chloro-2-methylpropene)

Transport hazard class(es) 3
Subsidiary hazard class 8
Packing group ||

**Technical Name** 3-chloro-2-methylpropene

Description UN2924, Flammable liquid, corrosive, n.o.s. (3-chloro-2-methylpropene), 3 (8), II

Special Provisions 274

<u>IATA</u>

UN number or ID number UN2924

**UN proper shipping name** Flammable liquid, corrosive, n.o.s. (3-chloro-2-methylpropene)

Transport hazard class(es) 3
Subsidiary hazard class 8
Packing group ||

**Technical Name** 3-chloro-2-methylpropene

**Description** UN2924, Flammable liquid, corrosive, n.o.s. (3-chloro-2-methylpropene), 3 (8), II

Special Provisions A3, A803

AGHS / EN Page 11/14



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

### TRC-C368130-10G - 3-Chloro-2-methyl-1-propene

Revision date 18-Jan-2024

ERG Code 3CH

<u>IMDG</u> Not regulated

UN number or ID number UN2924

**UN proper shipping name** Flammable liquid, corrosive, n.o.s. (3-chloro-2-methylpropene)

Transport hazard class(es) 3
Subsidiary hazard class 8
Packing group || |

EmS-No. F-E, S-C Special Provisions 274 Marine pollutant P

Marine Pollutant 3-chloro-2-methylpropene

**Description** UN2924, Flammable liquid, corrosive, n.o.s. (3-chloro-2-methylpropene), 3 (8), II, Marine

pollutant

## 15. Regulatory information

### **International Inventories**

TSCA Complies.

Chemical name	CAS No.	Inventory Listing Status	Commercial Activity Designation
3-chloro-2-methylpropene	563-47-3	Present	Active

DSL/NDSL
Contact supplier for inventory compliance status.
AllC
Contact supplier for inventory compliance status.
Contact supplier for inventory compliance status.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

AGHS / EN Page 12/14



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

### TRC-C368130-10G - 3-Chloro-2-methyl-1-propene

Revision date 18-Jan-2024

### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %	
3-chloro-2-methylpropene - 563-47-3	0.1	

#### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

### **US State Regulations**

## **California Proposition 65**

This product contains the following Proposition 65 chemicals:.

Chemical name	California Proposition 65
3-chloro-2-methylpropene - 563-47-3	Carcinogen

### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
3-chloro-2-methylpropene	X	X	X
563-47-3			

### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

## 16. Other information

AGHS / EN Page 13/14



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

TRC-C368130-10G - 3-Chloro-2-methyl-1-propene

Revision date 18-Jan-2024

Chronic Hazard Star Legend \*= Chronic Health Hazard

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Sk\* Skin designation

#### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 18-Jan-2024

**Revision Note**No information available.

**Disclaimer** 

The information in this Safety Data Sheet meets the requirements of the United States OCCUPATIONAL SAFETY AND HEALTH ACT and regulations promulgated thereunder (29 CFR 1910.1200 et. seq.) This document is intended only as a guide to the appropriate precautionary handling of the material by a person trained in, or supervised by a person trained in, chemical handling. The user is responsible for determining the application. Depending on usage, protective clothing including eye and face guards and respirators must be used to avoid contact with material or breathing chemical vapors/fumes. Exposure to this product may have serious adverse health effects. This chemical may interact with other substances. Since the potential uses are so varied, we cannot warn of all of the potential dangers of use or interaction with other chemicals or materials. We warrant that the chemical meets the specifications set forth on the label. We (LGC/VHG/ARMI) disclaim any other warranties, expressed or implied with regard to the product supplied hereunder, its merchantability or its fitness for a particular purpose. The user should recognize that this product can cause severe injury and even death, especially if improperly handled or the known dangers of use are not heeded. Read all precautionary information.

**End of Safety Data Sheet** 

AGHS / EN Page 14/14