

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-Jul-2024 Revision Number 1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code(s) DRE-YA10537700HE

Product Name Benzoic acid-benzyl ester 5000 μg/mL in Hexane

Form Not applicable

Unique Formula Identifier (UFI) 8PMV-D0U5-900S-5TES

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Laboratory use

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

#### Supplier

LGC Limited Queens Road Teddington Middlesex TW11 0LY UNITED KINGDOM :+44 (0) 20 8943 7000 Fax :+44 (0) 20 8943 2767 eMail : gb@lgcstandards.com

Web: www.lgcstandards.com

For further information, please contact

E-mail address sds-request@lgcgroup.com

1.4. Emergency telephone number

Emergency Telephone For Hazardous Materials or Dangerous Goods Incident

Spill, Leak, Fire Exposure, or Accident

Call CHEMTREC:

USA & Canada 1-800-424-9300 Rest of the world +1 703-741-3877

EGHS / EN Page 1 / 21



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-Jul-2024 **Revision Number** 1

DRE-YA10537700HE - Benzoic acid-benzyl ester 5000 µg/mL in Hexane

Emergency Telephone - §45 - (EC)1	272/2008
Europe	112
Austria	No information available
Bulgaria	
Croatia	
Cyprus	
Czech Republic	
Denmark	
France	
Hungary	
Ireland	
Italy	
Lithuania	
Luxembourg	
Netherlands	
Norway	
Portugal	
Romania	
Slovakia	
Slovenia	
Spain	
Sweden	
Switzerland	

## **SECTION 2: Hazards identification**

# **2.1. Classification of the substance or mixture** Classification according to

Regulation (EC) No. 1272/2008 [CLP]

Aspiration hazard	Category 1 - (H304)
Skin corrosion/irritation	Category 2 - (H315)
Reproductive toxicity	Category 2 - (H361f)
Specific target organ toxicity — single exposure	Category 3 - (H336)
Category 3 Narcotic effects	
Specific target organ toxicity — repeated exposure	Category 2 - (H373)
Chronic aquatic toxicity	Category 2 - (H411)
Flammable liquids	Category 2 - (H225)

### 2.2. Label elements

Contains n-Hexane

EGHS / EN Page 2 / 21



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-Jul-2024 Revision Number 1

### DRE-YA10537700HE - Benzoic acid-benzyl ester 5000 µg/mL in Hexane



#### Signal word Danger

#### **Hazard statements**

H304 - May be fatal if swallowed and enters airways

H315 - Causes skin irritation

H336 - May cause drowsiness or dizziness

H361f - Suspected of damaging fertility

H373 - May cause damage to organs through prolonged or repeated exposure

H411 - Toxic to aquatic life with long lasting effects

H225 - Highly flammable liquid and vapour

### Precautionary Statements - EU (§28, 1272/2008)

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P260 - Do not breathe dust/fume/gas/mist/vapours/spray

P273 - Avoid release to the environment

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor

P331 - Do NOT induce vomiting

P370 + P378 - In case of fire: Use dry chemical, CO2, water spray or alcohol-resistant foam to extinguish

P391 - Collect spillage

P403 + P235 - Store in a well-ventilated place. Keep cool

Benzyl benzoate

#### 2.3. Other hazards

Harmful to aquatic life.

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Endocrine Disruptor InformationThis product does not contain any known or suspected endocrine disruptors.Chemical nameEU - REACH (1907/2006) - Article 59(1)<br/>- Candidate List of Substances of Very<br/>High Concern (SVHC) for AuthorisationEU - REACH (1907/2006) - Endocrine<br/>Disruptor Assessment List of<br/>Substancesn-Hexane-

EGHS / EN Page 3 / 21



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-Jul-2024 Revision Number 1

DRE-YA10537700HE - Benzoic acid-benzyl ester 5000 µg/mL in Hexane

## **SECTION 3: Composition/information on ingredients**

3.1 Substances

Not applicable

3.2 Mixtures

**Chemical nature** 

Mixture of organic compounds.

Chemical name	Weight-%	REACH registration	EC No (EU	Classification according	Specific	M-Factor	M-Factor
		number	Index No)	to Regulation (EC) No.	concentration		(long-term)
				1272/2008 [CLP]	limit (SCL)		
n-Hexane	80 - 100	-	203-777-6	Skin Irrit. 2 (H315)	STOT RE 2 ::		
110-54-3				Repr. 2 (H361f)	C>=5%		
				STOT SE 3 (H336)			
				STOT RE 2 (H373)			
				Asp. Tox. 1 (H304)			
				Aquatic Chronic 2			
				(H411)			
				Flam. Liq. 2 (H225)			
Benzyl benzoate	0.1 - 1	-	204-402-9	Acute Tox. 4 (H302)			
120-51-4				Aquatic Chronic 2			
				(H411)			
				Aquatic Acute 1			
				(H400)			

#### Full text of H- and EUH-phrases: see section 16

### **Acute Toxicity Estimate**

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg		Inhalation LC50 - 4	Inhalation LC50 - 4	Inhalation LC50 - 4
		mg/kg	hour - dust/mist - mg/L	hour - vapour - mg/L	hour - gas - ppm
n-Hexane 110-54-3	25000	3000	No data available	169.1681	No data available
Benzyl benzoate 120-51-4	500	4000	No data available	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EGHS / EN Page 4 / 21



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-Jul-2024 Revision Number 1

DRE-YA10537700HE - Benzoic acid-benzyl ester 5000 µg/mL in Hexane

### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

**General advice** Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

**Inhalation** Remove to fresh air. Aspiration into lungs can produce severe lung damage. If breathing

has stopped, give artificial respiration. Get medical attention immediately. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Get immediate medical attention. Delayed

pulmonary edema may occur.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area.

**Skin contact** Wash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes. Get medical attention if irritation develops and persists.

**Ingestion** Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious

person. ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. If vomiting occurs spontaneously, keep head below hips to prevent aspiration.

Get immediate medical attention.

**Self-protection of the first aider** Remove all sources of ignition. Ensure that medical personnel are aware of the material(s)

involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Avoid contact with skin,

eyes or clothing.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Inhalation of high vapour

concentrations may cause symptoms like headache, dizziness, tiredness, nausea and

vomiting.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Because of the danger of aspiration, emesis or gastric lavage should not be used unless the

risk is justified by the presence of additional toxic substances.

### SECTION 5: Firefighting measures

5.1. Extinguishing media

EGHS / EN Page 5 / 21



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-Jul-2024 Revision Number 1

DRE-YA10537700HE - Benzoic acid-benzyl ester 5000 µg/mL in Hexane

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

**Unsuitable extinguishing media** Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. See

section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the

product must be grounded. Do not touch or walk through spilled material.

Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

**Environmental precautions** Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if

safe to do so. Prevent product from entering drains.

#### 6.3. Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. A

vapour suppressing foam may be used to reduce vapours. Dyke far ahead of spill to collect run-off water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand

or other non-combustible material and transfer to containers for later disposal.

EGHS / EN Page 6 / 21



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-Jul-2024 Revision Number 1

DRE-YA10537700HE - Benzoic acid-benzyl ester 5000 µg/mL in Hexane

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labelled containers.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

**Reference to other sections** See section 8 for more information. See section 13 for more information.

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Advice on safe handling

Use personal protection equipment. Avoid breathing vapours or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes. Take off contaminated clothing and wash it before reuse. In case of insufficient ventilation, wear suitable respiratory equipment.

**General hygiene considerations** 

Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection.

#### 7.2. Conditions for safe storage, including any incompatibilities

**Storage Conditions** 

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labelled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store locked up. Keep out of the reach of children. Store away from other materials. Please refer to the manufacturer's certificate for specific storage and transport temperature conditions. Store only in the original receptacle unless other advice is given on the CoA.

#### 7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

EGHS / EN Page 7/21



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-Jul-2024 Revision Number 1

DRE-YA10537700HE - Benzoic acid-benzyl ester 5000 µg/mL in Hexane

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

### **Exposure Limits**

Chemical name	Euro	pean Union	Austria	Belgium	Bu	Igaria	Croatia
n-Hexane		/A: 20 ppm	TWA: 20 ppm	TWA: 20 ppm		: 20 ppm	TWA: 20 ppm
110-54-3	TW	4: 72 mg/m³	TWA: 72 mg/m <sup>3</sup>	TWA: 72 mg/m <sup>3</sup>	TWA: 7	'2.0 mg/m <sup>3</sup>	TWA: 72 mg/m <sup>3</sup>
			STEL 80 ppm				Sk*
		•	STEL 288 mg/m <sup>3</sup>				
Chemical name		Cyprus	Czech Republic	Denmark		stonia	Finland
n-Hexane		/A: 20 ppm	TWA: 70 mg/m <sup>3</sup>	TWA: 20 ppm		: 20 ppm	TWA: 20 ppm
110-54-3	1 ///	4: 72 mg/m³	Sk*	TWA: 72 mg/m <sup>3</sup>	I WA:	72 mg/m <sup>3</sup>	TWA: 72 mg/m <sup>3</sup>
			Ceiling: 200 mg/m <sup>3</sup>	STEL: 40 ppm			STEL: 630 ppm
				STEL: 144 mg/m <sup>3</sup>			STEL: 2300 mg/m <sup>3</sup>
Ob		<b></b>	0TD00	0	0.		Sk*
Chemical name		France	Germany TRGS	Germany DFG		reece	Hungary
n-Hexane		/A: 20 ppm	TWA: 50 ppm	TWA: 50 ppm		: 20 ppm	TWA: 72 mg/m <sup>3</sup>
110-54-3		A: 72 mg/m <sup>3</sup>	TWA: 180 mg/m <sup>3</sup>	TWA: 180 mg/m <sup>3</sup>	I WA:	72 mg/m <sup>3</sup>	TWA: 20 ppm
	SIEL	: 1500 mg/m <sup>3</sup>		Peak: 400 ppm			Sk*
Chaminal manna		lualand	Italy MDLDC	Peak: 1440 mg/m <sup>3</sup>	-	at ia	Lithuania
Chemical name	T\A	Ireland	Italy MDLPS	Italy AIDII		atvia	Lithuania
n-Hexane		/A: 20 ppm	TWA: 20 ppm	TWA: 50 ppm		: 20 ppm	TWA: 20 ppm
110-54-3		A: 72 mg/m <sup>3</sup>	TWA: 72 mg/m <sup>3</sup>	TWA: 176 mg/m <sup>3</sup>		72 mg/m <sup>3</sup>	TWA: 72 mg/m <sup>3</sup>
		EL: 60 ppm		Sk*	SIEL:	300 mg/m <sup>3</sup>	
	SIEL	_: 216 mg/m³ Sk*					
Chemical name	1.0	xembourg	Malta	Netherlands	No	orway	Poland
n-Hexane		/A: 20 ppm	TWA: 20 ppm	TWA: 20 ppm		: 20 ppm	TWA: 72 mg/m <sup>3</sup>
110-54-3		A: 72 mg/m <sup>3</sup>	TWA: 72 mg/m <sup>3</sup>	TWA: 72 mg/m <sup>3</sup>		72 mg/m <sup>3</sup>	Sk*
110010		1. 72 mg/m	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	STEL: 40 ppm		: 30 ppm	
				STEL: 144 mg/m <sup>3</sup>		108 mg/m <sup>3</sup>	
Chemical name		Portugal	Romania	Slovakia		venia	Spain
n-Hexane		/A: 20 ppm	TWA: 20 ppm	TWA: 20 mg/m <sup>3</sup>	TWA	: 20 ppm	TWA: 20 ppm
110-54-3		A: 72 mg/m³	TWA: 72 mg/m <sup>3</sup>	TWA: 72 mg/m <sup>3</sup>		72 mg/m³	TWA: 72 mg/m <sup>3</sup>
		Sk*	STEL: 1000 mg/m <sup>3</sup>	Ceiling: 140 mg/m <sup>3</sup>	STEL:	576 mg/m <sup>3</sup>	
			_		STEL:	160 ppm	
Chemical name		_	weden	Switzerland		Uni	ted Kingdom
n-Hexane	NGV:		: 20 ppm	TWA: 50 ppm		TV	VA: 20 ppm
110-54-3			72 mg/m <sup>3</sup>	TWA: 180 mg/m			/A: 72 mg/m <sup>3</sup>
			KGV: 50 ppm	STEL: 400 ppn			EL: 60 ppm
		Bindande K	GV: 180 mg/m <sup>3</sup>	STEL: 1440 mg/ı	m³	STE	L: 216 mg/m <sup>3</sup>

EGHS / EN Page 8 / 21



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-Jul-2024 Revision Number 1

DRE-YA10537700HE - Benzoic acid-benzyl ester 5000 µg/mL in Hexane

	Sk*	

### **Biological occupational exposure limits**

Chemical name	European Union	Austria	Bulg	jaria	Croatia		Czech Republic
n-Hexane	-	-		-	150 μg/L - blo		-
110-54-3					(n-Hexane) - dเ	uring	
					exposure		
					40 ppm - fina		
					exhaled air		
					(n-Hexane) - dเ	uring	
					exposure		
					0.20 mg/g Creat		
					- urine (2-Hexar at the end of t		
					work shift	me	
					5.30 mg/g Creat	tinina	
					- urine		
					(2,5-Hexanedio	ne) -	
					at the end of t		
					work shift		
Chemical name	Denmark	Finland	Fra	nce	Germany DF	G	Germany TRGS
n-Hexane	-	-		ine	5 mg/L (urine		5 mg/L (urine -
110-54-3							2,5-Hexandione plus
			end o	f shift			4,5-Dihydroxy-2-hex
					anone (afte		anone (after
					hydrolysis) en	d of	hydrolysis) end of
					shift)		shift)
					5 mg/L - BAT (e		
					exposure or en shift) urine		
					5 mg/L - BAT		
					long-term	101	
					exposures: at	the	
					end of the shift		
					several shifts) ι		
Chemical name	Hungary	Irelan	-	Italy	/ MDLPS		Italy AIDII
n-Hexane	2 mg/L (urine -	0.4 mg/L (ւ			-		0.5 mg/L - urine
110-54-3	2,5-Hexanedione (after						2,5-Hexanedione
	hydrolysis) end of shift)	shift at end of v	vorkweek)				out hydrolysis)) - end
	18 µmol/L (urine -					'	of shift at end of
	2,5-Hexanedione (after						workweek
Chemical name	hydrolysis) end of shift)	_	ura	D	omania		Slovakia
Chemical hame	Latvia	Luxembo	Julg	K	Unania		Siovakia

EGHS / EN Page 9 / 21



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-Jul-2024 Revision Number 1

### DRE-YA10537700HE - Benzoic acid-benzyl ester 5000 µg/mL in Hexane

n-Hexane 110-54-3	-	<del>-</del>		
Chemical name	Slovenia	Spain	Switzerland	United Kingdom
n-Hexane	5 mg/L - urine	0.2 mg/L (urine -	5 mg/L (urine -	-
110-54-3	(2,5-Hexandione and	2,5-Hexanedione end of	2,5-Hexanedione plus	
	4,5-Dihydroxy-2-hexanon	workweek)	4,5-Dihydroxy-2-hexanon	
	e (after hydrolysis)) - at		e end of shift)	
	the end of the work shift			

Derived No Effect Level (DNEL)
Predicted No Effect Concentration
(PNEC)

No information available. No information available.

8.2. Exposure controls

Personal protective equipment

Eye/face protection Tight sealing safety goggles. Avoid contact with eyes. Wear safety glasses with side shields

(or goggles).

**Hand protection** Wear protective nitrile rubber gloves. Wear suitable gloves. Impervious gloves. The

protective gloves to be used must comply with the specifications of EC Directive

89/686/EEC and the related standard EN374.

**Skin and body protection**Long sleeved clothing. Chemical resistant apron. Antistatic boots. Wear suitable protective

clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of

equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear

suitable gloves and eye/face protection.

**Environmental exposure controls** Do not allow into any sewer, on the ground or into any body of water.

EGHS / EN Page 10 / 21



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-Jul-2024 Revision Number 1

DRE-YA10537700HE - Benzoic acid-benzyl ester 5000 µg/mL in Hexane

## SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical stateLiquidAppearanceLiquidColourcolourless

Odour Petroleum distillates.
Odour threshold Petroleum distillates.
No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Melting point / freezing point-95 °CNone knownInitial boiling point and boiling range69 °CNone knownFlammabilityNo data availableNone knownFlammability Limit in AirNone known

Upper flammability or explosive 8,9 Vol% - 319 g/m<sup>3</sup>

limits

Lower flammability or explosive 1,0 Vol% - 35 g/m<sup>3</sup>

limits

Flash point <-20 None known Autoignition temperature 230 °C None known Decomposition temperature None known

No data available None known

pH (as aqueous solution) No data available No information available 0.47 - 0.55 mm<sup>2</sup>/s Kinematic viscosity @ 20°C **Dynamic viscosity** No data available None known Water solubility No data available None known Solubility(ies) No data available None known **Partition coefficient** 3.9 None known Vapour pressure 162 hPa @ 20°C

Relative density 0.66

Bulk density No data available
Liquid Density No data available

**Relative vapour density** 2.97 None known

**Particle characteristics** 

Particle Size No information available Particle Size Distribution No information available

### 9.2. Other information

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics No information available

EGHS / EN Page 11 / 21

None known



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-Jul-2024 Revision Number 1

DRE-YA10537700HE - Benzoic acid-benzyl ester 5000 µg/mL in Hexane

## SECTION 10: Stability and reactivity

10.1. Reactivity

**Reactivity** No information available.

10.2. Chemical stability

**Stability** Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical impact None. Sensitivity to static discharge Yes.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions 
None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Heat, flames and sparks.

10.5. Incompatible materials

**Incompatible materials** Strong acids. Strong bases. Strong oxidising agents.

Hazardous decomposition products None known based on information supplied.

### SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

**Product Information** 

**Inhalation** Specific test data for the substance or mixture is not available. Aspiration into lungs can

produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be fatal. May cause irritation of respiratory tract. May cause drowsiness or dizziness.

Eye contact Specific test data for the substance or mixture is not available. May cause irritation.

**Skin contact** Repeated exposure may cause skin dryness or cracking. Specific test data for the

substance or mixture is not available. Causes skin irritation. (based on components).

EGHS / EN Page 12 / 21



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-Jul-2024 Revision Number 1

### DRE-YA10537700HE - Benzoic acid-benzyl ester 5000 µg/mL in Hexane

**Ingestion** Specific test data for the substance or mixture is not available. Potential for aspiration if

swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhoea.

#### Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Redness. May cause redness

and tearing of the eyes. Inhalation of high vapour concentrations may cause symptoms like

headache, dizziness, tiredness, nausea and vomiting.

#### Numerical measures of toxicity

#### **Acute toxicity**

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 99,999.00 mg/kg

 ATEmix (dermal)
 99,999.00 mg/kg

 ATEmix (inhalation-gas)
 99,999.00 ppm

 ATEmix (inhalation-dust/mist)
 99,999.00 mg/l

 ATEmix (inhalation-vapour)
 99,999.00 mg/l

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
n-Hexane	= 25 g/kg (Rat)	= 3000 mg/kg ( Rabbit )	= 169mg/L (Rat) 4 h
Benzyl benzoate	= 500 mg/kg (Rat)	= 4000 mg/kg ( Rabbit )	

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Classification based on data available for ingredients. Causes skin irritation.

Serious eye damage/eye irritation No information available.

**Respiratory or skin sensitisation** No information available.

Germ cell mutagenicity No information available.

EGHS / EN Page 13 / 21



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-Jul-2024 Revision Number 1

### DRE-YA10537700HE - Benzoic acid-benzyl ester 5000 µg/mL in Hexane

**Carcinogenicity** No information available.

Reproductive toxicity Contains a known or suspected reproductive toxin. Classification based on data available

for ingredients. Suspected of damaging fertility or the unborn child.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as reproductive toxins.

Chemical name	European Union		
n-Hexane	Repr. 2		

**STOT - single exposure** May cause drowsiness or dizziness.

**STOT - repeated exposure** May cause damage to organs through prolonged or repeated exposure.

**Aspiration hazard** May be fatal if swallowed and enters airways.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

### SECTION 12: Ecological information

**12.1. Toxicity** 

**Ecotoxicity** Toxic to aquatic life with long lasting effects. Harmful to aquatic life.

**Unknown aquatic toxicity**Contains 0 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
n-Hexane	-	LC50: 2.1 - 2.98mg/L (96h, Pimephales promelas)	-	-
Benzyl benzoate	-	LC50: =2.32mg/L (96h,	-	EC50: 3.09 mg/L (48h,

EGHS / EN Page 14 / 21



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-Jul-2024 Revision Number 1

### DRE-YA10537700HE - Benzoic acid-benzyl ester 5000 µg/mL in Hexane

Danio rerio) Daphnia magna)

#### 12.2. Persistence and degradability

Persistence and degradability

No information available.

12.3. Bioaccumulative potential

**Bioaccumulation** There is no data for this product.

**Component Information** 

Chemical name	Partition coefficient		
n-Hexane	3.9		
Benzyl benzoate	3.97		

#### 12.4. Mobility in soil

**Mobility in soil** No information available.

### 12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

Chemical name	PBT and vPvB assessment	
n-Hexane	The substance is not PBT / vPvB	
Benzyl benzoate	The substance is not PBT / vPvB	

#### 12.6. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

### 12.7. Other adverse effects

No information available.

## SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Waste from residues/unused

products

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld

containers.

EGHS / EN Page 15 / 21



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-Jul-2024 Revision Number 1

DRE-YA10537700HE - Benzoic acid-benzyl ester 5000 µg/mL in Hexane

### **SECTION 14: Transport information**

IATA

14.1 UN number or ID number UN1208

14.2 UN proper shipping name Hexanes mixture

14.3 Transport hazard class(es)14.4 Packing group

**Description** UN1208, Hexanes mixture, 3, II

14.5 Environmental hazards Yes

14.6 Special precautions for user

Special Provisions None ERG Code 3H

**IMDG** 

**14.1 UN number or ID number** UN1208

14.2 UN proper shipping name Hexanes mixture

14.3 Transport hazard class(es)14.4 Packing group

**Description** UN1208, Hexanes mixture, 3, II, (0°C c.c.), Marine pollutant

14.5 Marine pollutant P
Environmental hazards Yes

14.6 Special precautions for user

Special Provisions None

**EmS-No.** F-E, S-D No information available

14.7 Maritime transport in bulk No information available according to IMO instruments

RID

14.1 UN number or ID number UN1208

14.2 UN proper shipping name Hexanes mixture

14.3 Transport hazard class(es) 314.4 Packing group | |

**Description** UN1208, Hexanes mixture, 3, II, Environmentally Hazardous

14.5 Environmental hazards Yes

14.6 Special precautions for user

**Special Provisions** None **Classification code** F1

<u>ADR</u>

**14.1 UN number or ID number** UN1208

14.2 UN proper shipping name Hexanes mixture

14.3 Transport hazard class(es)14.4 Packing group

**Description** UN1208, Hexanes mixture, 3, II, (D/E), Environmentally Hazardous

EGHS / EN Page 16 / 21



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-Jul-2024 Revision Number 1

DRE-YA10537700HE - Benzoic acid-benzyl ester 5000 µg/mL in Hexane

14.5 Environmental hazards Yes

14.6 Special precautions for user

Special ProvisionsNoneClassification codeF1Tunnel restriction code(D/E)

## **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

#### **France**

Occupational Illnesses (R-463-3, France)

- 1	Chemical name	French RG number	Title
	Chemical name	T Telloll ING Hullibel	Tiue
	n-Hexane	RG 59.RG 84	-
		110 00,110 01	
	110-54-3		

Water hazard class (WGK) strongly hazardous to water (WGK 3)

#### **Netherlands**

Chemical name	Netherlands - List of	Netherlands - List of	Netherlands - List of
	Carcinogens	Carcinogens	Reproductive Toxins
n-Hexane	-	-	Fertility Category 2

Poland

SDS created according to the following Polish regulation: Act of February 25, 2011 on chemical substances and their mixtures (Journal of Laws of 2018, item 143, as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing the European Chemicals Agency (EC) as amended. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labeling and packaging of substances and mixtures, as amended. Regulation of the Minister of Health of 10 August 2012 on the criteria and method of classifying chemical substances and their mixtures (Journal of Laws of 2012, item 1018). Regulation of the Minister of Health of 20 April 2012 on labeling packaging of hazardous substances and mixtures and some mixtures (Journal of Laws of 2012, item 445). Regulation of the Minister of Family, Labor and Social Policy of 12 June 2018 on the maximum allowable concentrations and intensities of factors harmful to health in the work environment (Journal of Laws of 2018, item 1286). Announcement of the Minister of Economy, Labor and Social Policy of August 28, 2003 on the publication of the unified text of the Ordinance of the Minister of Labor

EGHS / EN Page 17 / 21



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-Jul-2024 Revision Number 1

DRE-YA10537700HE - Benzoic acid-benzyl ester 5000 µg/mL in Hexane

and Social Policy on general health and safety at work regulations (Journal of Laws of 2003, No. 169, item 1650). Regulation of the Minister of Health of 30 December 2004 on occupational safety and health related to the presence of chemical agents in the workplace (Journal of Laws of 2005, No. 11, item 86). Act of December 14, 2012 on waste (Journal of Laws of 2013, item 21) Regulation of the Minister of Health of December 30, 2004 on occupational health and safety related to the presence of chemical agents in the workplace (Journal U. of 2005, No. 11, item 86). Waste Act of December 14, 2012 (Journal of Laws of 2013, item 21). Act of 13 June 2013 on the management of packaging and packaging waste, Journal of Laws 2013, item 888). Government statement of September 24, 2002 - European Agreement on the International Carriage of Dangerous Goods by Road (ADR) (Journal of Laws No. 194, item 1629 and Journal of Laws of 2003, No. 207, item 2013 and 2014).

#### **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

#### Authorisations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

# DIRECTIVE (EU) 2021/1187 on the marketing and use of explosives precursors Not applicable

Chemical name	Restricted substance per REACH	Substance subject to authorisation per
	Annex XVII	REACH Annex XIV
n-Hexane - 110-54-3	75	

#### **Persistent Organic Pollutants**

Not applicable

#### Dangerous substance category per Seveso Directive (2012/18/EU)

P5a - FLAMMABLE LIQUIDS P5b - FLAMMABLE LIQUIDS

P5c - FLAMMABLE LIQUIDS

E2 - Hazardous to the Aquatic Environment in Category Chronic 2

#### Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

#### **International Inventories**

TSCA

LGC, to the best of its ability, has confirmed that the chemical substances in this product are

EGHS / EN Page 18 / 21



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-Jul-2024 Revision Number 1

#### DRE-YA10537700HE - Benzoic acid-benzyl ester 5000 µg/mL in Hexane

listed as "Active" in the EPA (Environmental Protection Agency) "TSCA Inventory

Notification (Active-Inactive) Requirements Rule" ("the Final Rule") of Feb 2019, as

amended Feb 2021."

Contact supplier for inventory compliance status DSL/NDSL Contact supplier for inventory compliance status **EINECS/ELINCS** Contact supplier for inventory compliance status **ENCS IECSC** Contact supplier for inventory compliance status KECI Contact supplier for inventory compliance status Contact supplier for inventory compliance status **PICCS** Contact supplier for inventory compliance status AIIC

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### 15.2. Chemical safety assessment

A Chemical Safety Assessment is not required for this substance **Chemical Safety Report** 

### **SECTION 16: Other information**

#### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

H225 - Highly flammable liquid and vapour

H302 - Harmful if swallowed

H304 - May be fatal if swallowed and enters airways

H315 - Causes skin irritation

H336 - May cause drowsiness or dizziness

H361f - Suspected of damaging fertility

H373 - May cause damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

H411 - Toxic to aquatic life with long lasting effects

#### Legend

SVHC: Substances of Very High Concern for Authorisation:

#### Legend Section 8: Exposure controls/personal protection

EGHS / EN Page 19 / 21



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-Jul-2024 Revision Number 1

### DRE-YA10537700HE - Benzoic acid-benzyl ester 5000 µg/mL in Hexane

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Sk\* Skin designation

Classification procedure			
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used		
Acute oral toxicity	Calculation method		
Acute dermal toxicity	Calculation method		
Acute inhalation toxicity - gas	Calculation method		
Acute inhalation toxicity - Vapour	Calculation method		
Acute inhalation toxicity - dust/mist	Calculation method		
Skin corrosion/irritation	Calculation method		
Serious eye damage/eye irritation	Calculation method		
Respiratory sensitisation	Calculation method		
Skin sensitisation	Calculation method		
Mutagenicity	Calculation method		
Carcinogenicity	Calculation method		
Reproductive toxicity	Calculation method		
STOT - single exposure	Calculation method		
STOT - repeated exposure	Calculation method		
Acute aquatic toxicity	Calculation method		
Chronic aquatic toxicity	Calculation method		
Aspiration hazard	Calculation method		
Ozone	Calculation method		
Flammable liquids	On basis of test data		

### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

EGHS / EN Page 20 / 21



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-Jul-2024 Revision Number 1

DRE-YA10537700HE - Benzoic acid-benzyl ester 5000 µg/mL in Hexane

Organisation for Economic Co-operation and Development Screening Information Data Set World Health Organization

Revision date 16-Jul-2024

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 Disclaimer

The information in this safety data sheet (SDS) has been prepared with due care and is true and accurate to the best of our knowledge. The user must determine the suitability of the information for its particular purpose, ensure compliance with existing laws and regulations, and be aware that other or additional safety or performance considerations may arise when using, handling and/ or storing the material. The information in this SDS does not purport to be all inclusive or a guarantee as to the properties of the material supplied, and should be used only as a guide. LGC makes no warranties or representations as to the accuracy and completeness of the information contained herein, shall not be held responsible for the suitability of this information for the user's intended purposes or the consequences of such use, and shall not be liable for any damage or loss, howsoever arising, direct or otherwise.

**End of Safety Data Sheet** 

EGHS / EN Page 21 / 21