

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 21-Sep-2021 Revision Number 1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product Code(s) DRE-XA11453500ME

Product Name 1-Chloro-2-nitrobenzene 100 µg/mL in Methanol

EC No -

CAS No -

Unique Formula Identifier (UFI) A7S0-W0E2-J00D-CTA7

Pure substance/mixture Substance

Formula -

Molecular weight -

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Laboratory use

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

### **Supplier**

LGC Limited Queens Road Teddington Middlesex TW11 0LY UNITED KINGDOM :+44 (0) 20 8943 7000 Fax :+44 (0) 20 8943 2767

eMail: gb@lgcstandards.com

Web: www.lgcstandards.com

For further information, please contact

E-mail address sds-request@lgcgroup.com

1.4. Emergency telephone number

Emergency Telephone For Hazardous Materials or Dangerous Goods Incident

EGHS / EN Page 1/20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 21-Sep-2021 Revision Number 1

# DRE-XA11453500ME - 1-Chloro-2-nitrobenzene 100 µg/mL in Methanol

Spill, Leak, Fire Exposure, or Accident

Call CHEMTREC: USA & Canada 1-800-424-9300 Rest of the world +1 703-741-5970

Emergency Telephone - §	45 - (EC)1272/2008		
Europe	112		
Austria			
Bulgaria			
Croatia			
Cyprus			
Czech Republic			
Denmark			
France			
Hungary			
Ireland			
Italy			
Lithuania			
Luxembourg			
Netherlands			
Norway			
Portugal			
Romania			
Slovakia			
Slovenia			
Spain			
Sweden		 	
Switzerland			

# **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Acute toxicity - Oral	Category 3 - (H301)
Acute toxicity - Dermal	Category 3 - (H311)
Acute toxicity - Inhalation (Dusts/Mists)	Category 3 - (H331)
Specific target organ toxicity — single exposure	Category 1 - (H370)
Flammable liquids	Category 2 - (H225)

## 2.2. Label elements

200-659-6

Contains Methanol

EGHS / EN Page 2/20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 21-Sep-2021 Revision Number 1

# DRE-XA11453500ME - 1-Chloro-2-nitrobenzene 100 µg/mL in Methanol



### Signal word Danger

#### **Hazard statements**

H301 - Toxic if swallowed

H311 - Toxic in contact with skin

H331 - Toxic if inhaled

H370 - Causes damage to organs

H225 - Highly flammable liquid and vapour

### Precautionary Statements - EU (§28, 1272/2008)

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P260 - Do not breathe dust/fume/gas/mist/vapours/spray

P264 - Wash face, hands and any exposed skin thoroughly after handling

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor

P403 + P235 - Store in a well-ventilated place. Keep cool

### 2.3. Other hazards

No information available.

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

**Endocrine Disruptor Information** 

Chemical name	EU - REACH (1907/2006) - Article 59(1)	EU - REACH (1907/2006) - Endocrine	
	- Candidate List of Substances of Very	Disruptor Assessment List of	
	High Concern (SVHC) for Authorisation	Substances	
Methanol	-	-	
1-Chloro-2-nitrobenzene	-	-	

# **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Chemical name	Weight-%	REACH registration	EC No	Classification	Specific	M-Factor	M-Factor
		number		according to	concentration		(long-term)

EGHS / EN Page 3/20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 21-Sep-2021 Revision Number 1

# DRE-XA11453500ME - 1-Chloro-2-nitrobenzene 100 µg/mL in Methanol

				Regulation (EC) No. 1272/2008 [CLP]	limit (SCL)	
Methanol 67-56-1	80 - 100	-	200-659-6	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331) STOT SE 1 (H370) Flam. Liq. 2 (H225)	STOT SE 1 :: C>=10% STOT SE 2 :: 3%<=C<10%	
1-Chloro-2-nitroben zene 88-73-3	<0.1	-	201-854-9	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331) Skin Sens. 1 (H317) Carc. 2 (H351) Repr. 2 (H361) STOT RE 1 (H372)		

### Full text of H- and EUH-phrases: see section 16

#### **Acute Toxicity Estimate**

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50 - 4	Inhalation LC50 - 4	Inhalation LC50 - 4
	mg/kg	mg/kg	hour - dust/mist - mg/L	hour - vapour - mg/L	hour - gas - ppm
Methanol 67-56-1	6200	15840	No data available	41.6976	No data available
1-Chloro-2-nitrobenzene 88-73-3	144	400	3.2	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## SECTION 4: First aid measures

## 4.1. Description of first aid measures

**General advice** Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

**Inhalation** Remove to fresh air. IF exposed or concerned: Get medical advice/attention. If breathing

has stopped, give artificial respiration. Get medical attention immediately. Immediate medical attention is required. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with

EGHS / EN Page 4/20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 21-Sep-2021 Revision Number 1

## DRE-XA11453500ME - 1-Chloro-2-nitrobenzene 100 µg/mL in Methanol

a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained

personnel should) give oxygen.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Get immediate medical

advice/attention.

**Skin contact** Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Get immediate medical advice/attention.

**Ingestion** Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious

person. Get immediate medical advice/attention.

Self-protection of the first aider Remove all sources of ignition. Ensure that medical personnel are aware of the material(s)

involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory

medical device. Do not breathe vapour or mist.

4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** Coughing and/ or wheezing. Difficulty in breathing.

4.3. Indication of any immediate medical attention and special treatment needed

**Note to doctors**Treat symptomatically.

## **SECTION 5: Firefighting measures**

5.1. Extinguishing media

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

**Unsuitable extinguishing media**Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

EGHS / EN Page 5/20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 21-Sep-2021 Revision Number 1

DRE-XA11453500ME - 1-Chloro-2-nitrobenzene 100 µg/mL in Methanol

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Evacuate personnel to safe areas. Use personal protective equipment as required. See

section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Do not breathe

vapour or mist.

**Other information** Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

**For emergency responders** Use personal protection recommended in Section 8.

6.2. Environmental precautions

**Environmental precautions** Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage

if safe to do so. Prevent product from entering drains.

### 6.3. Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. A

vapour suppressing foam may be used to reduce vapours. Dyke far ahead of spill to collect run-off water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand

or other non-combustible material and transfer to containers for later disposal.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labelled containers.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

**Reference to other sections** See section 8 for more information. See section 13 for more information.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Advice on safe handling Use personal protection equipment. Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use spark-proof

tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use

EGHS / EN Page 6/20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 21-Sep-2021 Revision Number 1

## DRE-XA11453500ME - 1-Chloro-2-nitrobenzene 100 µg/mL in Methanol

according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash it before reuse. Do not breathe vapour or mist. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product.

#### General hygiene considerations

Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Do not breathe vapour or mist.

### 7.2. Conditions for safe storage, including any incompatibilities

### **Storage Conditions**

Please refer to the manufacturer's certificate for specific storage and transport temperature conditions. Store only in the original receptacle unless other advice is given on the CoA. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labelled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Keep out of the reach of children. Store locked up.

### 7.3. Specific end use(s)

### Identified uses

**Risk Management Methods (RMM)** The information required is contained in this Safety Data Sheet.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### **Exposure Limits**

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Methanol	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm
67-56-1	TWA: 260 mg/m <sup>3</sup>	TWA: 260 mg/m <sup>3</sup>	TWA: 266 mg/m <sup>3</sup>	TWA: 260.0 mg/m <sup>3</sup>	TWA: 260 mg/m <sup>3</sup>
	*	STEL 800 ppm	STEL: 250 ppm	K*	*
		STEL 1040 mg/m <sup>3</sup>	STEL: 333 mg/m <sup>3</sup>		
		H*	*		
1-Chloro-2-nitrobenzene	=	H*	-	TWA: 1.0 mg/m <sup>3</sup>	=
88-73-3					
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Methanol	*	TWA: 250 mg/m <sup>3</sup>	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm

EGHS / EN Page 7/20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 21-Sep-2021 Revision Number 1

# DRE-XA11453500ME - 1-Chloro-2-nitrobenzene 100 µg/mL in Methanol

67-56-1		A: 200 ppm x: 260 mg/m <sup>3</sup>	Ceiling: 1000 mg/m <sup>3</sup>	TWA: 260 mg/m³ H*	STEL:	250 mg/m <sup>3</sup> 250 ppm 350 mg/m <sup>3</sup> A*	TWA: 270 mg/m³ STEL: 250 ppm STEL: 330 mg/m³ iho*
1-Chloro-2-nitrobenzene 88-73-3		-	-	-		1 mg/m <sup>3</sup>	-
Chemical name		France	Germany	Germany MAK	Gr	reece	Hungary
Methanol 67-56-1	TWA STE	A: 200 ppm x: 260 mg/m³ L: 1000 ppm : 1300 mg/m³ *	TWA: 100 ppm TWA: 130 mg/m <sup>3</sup> H*	TWA: 100 ppm TWA: 130 mg/m³ Peak: 200 ppm Peak: 260 mg/m³ *	TWA: 2 STEL: STEL: 3 skin - pe cuta	200 ppm 260 mg/m <sup>3</sup> 250 ppm 325 mg/m <sup>3</sup> otential for aneous orption	TWA: 260 mg/m <sup>3</sup>
1-Chloro-2-nitrobenzene 88-73-3		-	-	*		-	-
Chemical name		Ireland	Italy	Italy REL		atvia	Lithuania
Methanol 67-56-1	TWA STE	A: 200 ppm A: 260 mg/m <sup>3</sup> EL: 600 ppm L: 780 mg/m <sup>3</sup> Sk*	TWA: 200 ppm TWA: 260 mg/m³ pelle*	TWA: 200 ppm TWA: 262 mg/m³ STEL: 250 ppm STEL: 328 mg/m³		200 ppm 260 mg/m <sup>3</sup>	* TWA: 200 ppm TWA: 260 mg/m³
Chemical name	Lu	xembourg	Malta	Netherlands	No	orway	Poland
NA - 41 1							
Methanol 67-56-1	TW TWA	* A: 200 ppm a: 260 mg/m <sup>3</sup>	* TWA: 200 ppm TWA: 260 mg/m <sup>3</sup>	TWA: 133 mg/m³ H*	TWA: 1 STEL: STEL: 1	100 ppm  30 mg/m <sup>3</sup>  125 ppm  62.5 mg/m <sup>3</sup>  H*	mixtures containing Methanol in weight concentration >3%;except fuels used in the model building, powerboating, fuel cells and biofuels *
1-Chloro-2-nitrobenzene 88-73-3	TWA	x: 260 mg/m³	TWA: 260 mg/m <sup>3</sup>	H* ¯	TWA: 1 STEL: STEL: 1	130 mg/m³ 125 ppm 62.5 mg/m³ H*	TWA: 100 mg/m³ Prohibited - substances or mixtures containing Methanol in weight concentration >3%;except fuels used in the model building, powerboating, fuel cells and biofuels  *  STEL: 3 mg/m³ TWA: 1 mg/m³
1-Chloro-2-nitrobenzene 88-73-3 Chemical name	TWA	.: 260 mg/m³ -	TWA: 260 mg/m³  - Romania	H* - Slovakia	TWA: 1 STEL: STEL: 1	130 mg/m³ 125 ppm 62.5 mg/m³ H*	TWA: 100 mg/m³ Prohibited - substances or mixtures containing Methanol in weight concentration >3%;except fuels used in the model building, powerboating, fuel cells and biofuels  * STEL: 3 mg/m³ TWA: 1 mg/m³ Spain
1-Chloro-2-nitrobenzene 88-73-3 Chemical name Methanol 67-56-1	TWA		TWA: 260 mg/m³	- Slovakia TWA: 200 ppm TWA: 260 mg/m³	SIC TWA: 1 STEL: 10 STEL: 10 TWA: 2 STEL: 3	130 mg/m³ 125 ppm 62.5 mg/m³ H*	TWA: 100 mg/m³ Prohibited - substances or mixtures containing Methanol in weight concentration >3%;except fuels used in the model building, powerboating, fuel cells and biofuels  *  STEL: 3 mg/m³ TWA: 1 mg/m³ Spain  TWA: 200 ppm TWA: 266 mg/m³ vía dérmica*
1-Chloro-2-nitrobenzene 88-73-3 Chemical name Methanol	TWA	- Portugal A: 200 ppm A: 200 ppm A: 250 ppm P*	TWA: 260 mg/m³  - Romania TWA: 200 ppm	H*  Slovakia TWA: 200 ppm	Slo TWA: 1 STEL: 10 STEL: 10 TWA: 2 STEL: S	and the second s	TWA: 100 mg/m³ Prohibited - substances or mixtures containing Methanol in weight concentration >3%;except fuels used in the model building, powerboating, fuel cells and biofuels *  STEL: 3 mg/m³ TWA: 1 mg/m³ Spain TWA: 200 ppm TWA: 266 mg/m³

EGHS / EN Page 8/20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 21-Sep-2021 Revision Number 1

# DRE-XA11453500ME - 1-Chloro-2-nitrobenzene 100 µg/mL in Methanol

Vägledande KGV: 250 ppm	STEL: 800 ppm	STEL: 250 ppm
Vägledande KGV: 350 mg/m <sup>3</sup>	STEL: 1040 mg/m <sup>3</sup>	STEL: 333 mg/m <sup>3</sup>
*	H*	Sk*

# **Biological occupational exposure limits**

Chemical name	European Union	Austria	Bulg	jaria	Croatia	Czech Republic
Methanol	-	-	-	•		nine 0.47 mmol/L (urine -
67-56-1					- urine (Methano	
					at the end of the	- 1 7 - 1
					work shift	15 mg/L (urine -
						Methanol end of
<u> </u>			_			shift)
Chemical name	Denmark	Finland	Fra		Germany	Germany
Methanol	-	-	15 mg/L		15 mg/L (urine	, , , ,
67-56-1				l) - end of	Methanol end	
			sh	nift	shift)	shift)
					15 mg/L (urine	
					Methanol for	
					long-term exposures: at t	long-term he exposures: at the
					exposures, at the end of the shift a	
					several shifts	
					15 mg/L - BAT	, I , I
					long-term	(
					exposures: at t	he l
					end of the shift a	
					several shifts) u	rine
					15 mg/L - BAT (	end
					of exposure or e	end
					of shift) urine	
Chemical name	Hungary	Irelan			Italy	Italy REL
Methanol	30 mg/L (urine -	15 mg/L (ս			-	15 mg/L - urine
67-56-1	Methanol end of shift	) Methanol end	l of shift)			(Methanol) - end of shift
	940 µmol/L (urine -					
	Methanol end of shift					
Chemical name	Latvia	Luxembo	ourg	R	omania	Slovakia
Methanol	-	-			-	30 mg/L (urine -
67-56-1						Methanol end of
						exposure or work shift)
						30 mg/L (urine -
						Methanol after all work
Chamical name	Clavania	C		C	it	shifts)
Chemical name	Slovenia	Spain			itzerland	United Kingdom
Methanol	30 mg/L - urine	15 mg/L (u	irine -	30 m	g/L (urine -	-

EGHS / EN Page 9/20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 21-Sep-2021 Revision Number 1

## DRE-XA11453500ME - 1-Chloro-2-nitrobenzene 100 µg/mL in Methanol

67-56-1	(Methanol) - at the end of the work shift; for long-term exposure: at the end of the work shift	,	Methanol end of shift, and after several shifts (for long-term exposures))	
	after several consecutive			
	workdays			

Derived No Effect Level (DNEL)
Predicted No Effect Concentration
(PNEC)

No information available. No information available.

8.2. Exposure controls

Personal protective equipment

**Eye/face protection** Avoid contact with eyes. Wear safety glasses with side shields (or goggles). Tight sealing

safety goggles.

Hand protection Wear protective butyl rubber gloves. The protective gloves to be used must comply with the

specifications of EC Directive 89/686/EEC and the related standard EN374. Wear suitable

gloves. Impervious gloves.

Gloves						
Duration of contact	PPE - Glove material	Glove thickness	Break through time			
	Wear protective butyl rubber gloves					

**Skin and body protection** Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Antistatic boots.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

**General hygiene considerations** Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this

product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Remove and wash contaminated clothing and

gloves, including the inside, before re-use. Do not breathe vapour or mist.

**Environmental exposure controls** Do not allow into any sewer, on the ground or into any body of water.

# SECTION 9: Physical and chemical properties

EGHS / EN Page 10/20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 21-Sep-2021 Revision Number 1

## DRE-XA11453500ME - 1-Chloro-2-nitrobenzene 100 μg/mL in Methanol

9.1. Information on basic physical and chemical properties

Physical stateLiquidAppearanceLiquidColourcolourlessOdourAlcohol.

Odour threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Melting point / freezing point-98 °CNone knownBoiling point / boiling range64.7 °CNone knownFlammability (solid, gas)No data availableNone knownFlammability Limit in AirNone known

Upper flammability or explosive 50 Vol% - 665 g/m³

limits

Lower flammability or explosive 6 Vol% - 80 g/m<sup>3</sup>

limits

Flash point11 °CNone knownAutoignition temperature464 °CNone knownDecomposition temperatureNone known

pH No data available None known
pH (as aqueous solution) No data available No information available

Kinematic viscosity No data available None known Dynamic viscosity 0.544 - 0.59 mPas @ 25°C Water solubility No data available None known Solubility(ies) No data available None known Partition coefficient -0.77 None known 128 hPa Vapour pressure @ 20°C 0.791 None known Relative density

Bulk density
No data available
Liquid Density
No data available

Relative vapour density 1.1 None known

Particle characteristics

Particle Size No information available Particle Size Distribution No information available

9.2. Other information

Molecular weight -

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics No information available

# SECTION 10: Stability and reactivity

10.1. Reactivity

EGHS / EN Page 11/20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 21-Sep-2021 Revision Number 1

DRE-XA11453500ME - 1-Chloro-2-nitrobenzene 100 µg/mL in Methanol

**Reactivity** No information available.

10.2. Chemical stability

**Stability** Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical impact None. Sensitivity to static discharge Yes.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

**Conditions to avoid** Heat, flames and sparks. Excessive heat.

10.5. Incompatible materials

**Incompatible materials**None known based on information supplied.

Hazardous decomposition products None known based on information supplied.

# SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

## Information on likely routes of exposure

#### **Product Information**

**Inhalation** Specific test data for the substance or mixture is not available. Toxic by inhalation. (based

on components).

**Eye contact** Specific test data for the substance or mixture is not available.

**Skin contact** Specific test data for the substance or mixture is not available. Toxic in contact with skin.

(based on components).

Ingestion Specific test data for the substance or mixture is not available. Toxic if swallowed. (based

on components).

Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** Coughing and/ or wheezing. Difficulty in breathing.

EGHS / EN Page 12/20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 21-Sep-2021 Revision Number 1

DRE-XA11453500ME - 1-Chloro-2-nitrobenzene 100 µg/mL in Methanol

-----

Numerical measures of toxicity

### **Acute toxicity**

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 100.00 mg/kg

 ATEmix (dermal)
 300.00 mg/kg

 ATEmix (inhalation-dust/mist)
 0.501 mg/l

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Methanol	= 6200 mg/kg (Rat)	= 15840 mg/kg ( Rabbit )	= 22500 ppm (Rat) 8 h
1-Chloro-2-nitrobenzene	= 144 mg/kg (Rat)	= 400 mg/kg (Rabbit)	= 3.2 mg/L (Rat) 4 h

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation**No information available.

Serious eye damage/eye irritation No information available.

**Respiratory or skin sensitisation** No information available.

Germ cell mutagenicity No information available.

**Carcinogenicity** No information available.

Reproductive toxicity No information available.

STOT - single exposure Based on the classification criteria of the Globally Harmonized System as adopted in the

country or region with which this safety data sheet complies, this product has been determined to cause systemic target organ toxicity from acute exposure. (STOT SE). Causes damage to organs if swallowed. Causes damage to organs in contact with skin.

EGHS / EN Page 13/20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 21-Sep-2021 Revision Number 1

DRE-XA11453500ME - 1-Chloro-2-nitrobenzene 100 µg/mL in Methanol

**STOT - repeated exposure**No information available.

**Aspiration hazard** No information available.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

11.2.2. Other information

Other adverse effects No information available.

# **SECTION 12: Ecological information**

12.1. Toxicity

**Ecotoxicity** 

**Unknown aquatic toxicity**Contains 0 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Methanol	-	LC50: 13500 - 17600mg/L (96h, Lepomis macrochirus) LC50: 18 - 20mL/L (96h, Oncorhynchus mykiss)	-	-
		LC50: 19500 - 20700mg/L (96h, Oncorhynchus mykiss) LC50: =28200mg/L (96h, Pimephales promelas)		
		LC50: >100mg/L (96h, Pimephales promelas)		
1-Chloro-2-nitrobenzene	-	LC50: =29.6mg/L (96h, Pimephales promelas) LC50: =34.58mg/L (96h, Brachydanio rerio)	-	EC50: =3.2mg/L (48h, Daphnia magna)

## 12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

EGHS / EN Page 14/20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 21-Sep-2021 Revision Number 1

## DRE-XA11453500ME - 1-Chloro-2-nitrobenzene 100 µg/mL in Methanol

\_\_\_\_\_

**Bioaccumulation** There is no data for this product.

**Component Information** 

Chemical name	Partition coefficient	
Methanol	-0.77	
1-Chloro-2-nitrobenzene	2.36	

#### 12.4. Mobility in soil

Mobility in soil No information available.

### 12.5. Results of PBT and vPvB assessment

#### PBT and vPvB assessment

Chemical name	PBT and vPvB assessment
Methanol	The substance is not PBT / vPvB PBT assessment does
	not apply Further information relevant for the PBT
	assessment is necessary

### 12.6. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

## 12.7. Other adverse effects

No information available.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Waste from residues/unused

products

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging

Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

# **SECTION 14: Transport information**

### IATA

**14.1 UN number or ID number** UN1230

14.2 UN proper shipping name

Methanol mixture

EGHS / EN Page 15/20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 21-Sep-2021 **Revision Number** 1

### DRE-XA11453500ME - 1-Chloro-2-nitrobenzene 100 µg/mL in Methanol

FT1

(D/E)

**Tunnel restriction code** 

14.3 Transport hazard class(es) 3 Subsidiary hazard class 6.1 14.4 Packing group Description UN1230, Methanol mixture, 3 (6.1), II 14.5 Environmental hazards Not applicable 14.6 Special precautions for user **Special Provisions** A113 **ERG Code** 3L **IMDG** UN1230 14.1 UN number or ID number 14.2 UN proper shipping name Methanol mixture 14.3 Transport hazard class(es) Subsidiary hazard class 6.1 14.4 Packing group UN1230, Methanol mixture, 3 (6.1), II, (11°C c.c.) Description NP 14.5 Marine pollutant 14.6 Special precautions for user **Special Provisions** 279 F-E, S-D No information available **EmS-No** No information available 14.7 Maritime transport in bulk according to IMO instruments RID 14.1 UN number or ID number UN1230 14.2 UN proper shipping name Methanol mixture 14.3 Transport hazard class(es) Subsidiary hazard class 6.1 14.4 Packing group Description UN1230, Methanol mixture, 3 (6.1), II 14.5 Environmental hazards Not applicable 14.6 Special precautions for user **Special Provisions** 279 Classification code FT1 **ADR** 14.1 UN number or ID number UN1230 14.2 UN proper shipping name Methanol mixture 14.3 Transport hazard class(es) Subsidiary hazard class 6.1 14.4 Packing group Description UN1230, Methanol mixture, 3 (6.1), II, (D/E) 14.5 Environmental hazards Not applicable 14.6 Special precautions for user **Special Provisions** 279 Classification code

EGHS / EN Page 16/20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 21-Sep-2021 Revision Number 1

DRE-XA11453500ME - 1-Chloro-2-nitrobenzene 100 µg/mL in Methanol

-----

# **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### National regulations

#### **France**

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number	Title
Methanol	RG 84	-
67-56-1		
1-Chloro-2-nitrobenzene	RG 13	-
88-73-3		

Water hazard class (WGK)

obviously hazardous to water (WGK 2)

### **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

### Authorisations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

# DIRECTIVE (EU) 2021/1187 on the marketing and use of explosives precursors

Not applicable

Chemical nan	ie	Restricted substance per REACH	Substance subject to authorisation per
		Annex XVII	REACH Annex XIV
Methanol - 67-5	6-1	69.	

#### **Persistent Organic Pollutants**

Not applicable

# Dangerous substance category per Seveso Directive (2012/18/EU)

H2 - ACUTE TOXIC

H3 - STOT SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE

P5a - FLAMMABLE LIQUIDS

P5b - FLAMMABLE LIQUIDS

P5c - FLAMMABLE LIQUIDS

Named dangerous substances per Seveso Directive (2012/18/EU)

ramou dangorous substantos por sorrocs En source		(20:2,:0,20)	
	Chemical name	Lower-tier requirements (tons)	Upper-tier requirements (tons)
	Methanol - 67-56-1	500	5000

EGHS / EN Page 17/20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 21-Sep-2021 Revision Number 1

DRE-XA11453500ME - 1-Chloro-2-nitrobenzene 100 µg/mL in Methanol

### Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

**International Inventories** 

**TSCA** Contact supplier for inventory compliance status DSL/NDSL Contact supplier for inventory compliance status Contact supplier for inventory compliance status **EINECS/ELINCS** Contact supplier for inventory compliance status **ENCS IECSC** Contact supplier for inventory compliance status Contact supplier for inventory compliance status **KECL PICCS** Contact supplier for inventory compliance status Contact supplier for inventory compliance status AICS

### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

### 15.2. Chemical safety assessment

Chemical Safety Report A Chemical Safety Assessment has been carried out for this substance

## **SECTION 16: Other information**

Key or legend to abbreviations and acronyms used in the safety data sheet

### Full text of H-Statements referred to under section 3

H225 - Highly flammable liquid and vapour

H301 - Toxic if swallowed

H311 - Toxic in contact with skin

H317 - May cause an allergic skin reaction

H331 - Toxic if inhaled

H351 - Suspected of causing cancer

H361 - Suspected of damaging fertility or the unborn child

H370 - Causes damage to organs

H372 - Causes damage to organs through prolonged or repeated exposure

EGHS / EN Page 18/20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 21-Sep-2021 Revision Number 1

## DRE-XA11453500ME - 1-Chloro-2-nitrobenzene 100 µg/mL in Methanol

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

Classification investigate		
Classification procedure		
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used	
Acute oral toxicity	Calculation method	
Acute dermal toxicity	Calculation method	
Acute inhalation toxicity - gas	Calculation method	
Acute inhalation toxicity - Vapour	Calculation method	
Acute inhalation toxicity - dust/mist	Calculation method	
Skin corrosion/irritation	Calculation method	
Serious eye damage/eye irritation	Calculation method	
Respiratory sensitisation	Calculation method	
Skin sensitisation	Calculation method	
Mutagenicity	Calculation method	
Carcinogenicity	Calculation method	
Reproductive toxicity	Calculation method	
STOT - repeated exposure	Calculation method	
Acute aquatic toxicity	Calculation method	
Chronic aquatic toxicity	Calculation method	
Aspiration hazard	Calculation method	
Ozone	Calculation method	
Flammable liquids	On basis of test data	

### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

EGHS / EN Page 19/20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 21-Sep-2021 Revision Number 1

### DRE-XA11453500ME - 1-Chloro-2-nitrobenzene 100 µg/mL in Methanol

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme Organisation for Economic Co-operation and Development Screening Information Data Set World Health Organization

Revision date 21-Sep-2021

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 Disclaimer

The information in this safety data sheet (SDS) has been prepared with due care and is true and accurate to the best of our knowledge. The user must determine the suitability of the information for its particular purpose, ensure compliance with existing laws and regulations, and be aware that other or additional safety or performance considerations may arise when using, handling and/ or storing the material. The information in this SDS does not purport to be all inclusive or a guarantee as to the properties of the material supplied, and should be used only as a guide. LGC makes no warranties or representations as to the accuracy and completeness of the information contained herein, shall not be held responsible for the suitability of this information for the user's intended purposes or the consequences of such use, and shall not be liable for any damage or loss, howsoever arising, direct or otherwise.

**End of Safety Data Sheet** 

EGHS / EN Page 20/20