



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Mar-2023

Revision Number 1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

|                                 |                                               |
|---------------------------------|-----------------------------------------------|
| Product Code(s)                 | VHG-PZRH-250                                  |
| Product Name                    | Zirconium Standard: Zr @ 1000 µg/mL in 5% HCl |
| Form                            | Not applicable                                |
| Unique Formula Identifier (UFI) | RYNE-G03D-M00K-88GM                           |
| Pure substance/mixture          | Mixture                                       |

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

|                      |                          |
|----------------------|--------------------------|
| Recommended use      | Laboratory use           |
| Uses advised against | No information available |

### 1.3. Details of the supplier of the safety data sheet

#### Supplier

LGC Limited  
Queens Road  
Teddington  
Middlesex TW11 0LY  
UNITED KINGDOM  
:+44 (0) 20 8943 7000  
Fax :+44 (0) 20 8943 2767  
eMail : gb@lgcstandards.com

Web : [www.lgcstandards.com](http://www.lgcstandards.com)

For further information, please contact

**E-mail address** sds-request@lgcgroup.com

### 1.4. Emergency telephone number

|                     |                                                                                                                                                                                      |
|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Emergency Telephone | For Hazardous Materials or Dangerous Goods Incident<br>Spill, Leak, Fire Exposure, or Accident<br>Call CHEMTREC:<br>USA & Canada 1-800-424-9300<br>Rest of the world +1 703-741-5970 |
|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Mar-2023

Revision Number 1

VHG-PZRH-250 - Zirconium Standard: Zr @ 1000 µg/mL in 5% HCl

| Emergency Telephone - §45 - (EC)1272/2008 |                          |
|-------------------------------------------|--------------------------|
| Europe                                    | 112                      |
| Austria                                   | No information available |
| Bulgaria                                  |                          |
| Croatia                                   |                          |
| Cyprus                                    |                          |
| Czech Republic                            |                          |
| Denmark                                   |                          |
| France                                    |                          |
| Hungary                                   |                          |
| Ireland                                   |                          |
| Italy                                     |                          |
| Lithuania                                 |                          |
| Luxembourg                                |                          |
| Netherlands                               |                          |
| Norway                                    |                          |
| Portugal                                  |                          |
| Romania                                   |                          |
| Slovakia                                  |                          |
| Slovenia                                  |                          |
| Spain                                     |                          |
| Sweden                                    |                          |
| Switzerland                               |                          |

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

|                     |                     |
|---------------------|---------------------|
| Corrosive to metals | Category 1 - (H290) |
|---------------------|---------------------|

### 2.2. Label elements



Signal word

Warning

### Hazard statements

H290 - May be corrosive to metals



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Mar-2023

Revision Number 1

VHG-PZRH-250 - Zirconium Standard: Zr @ 1000 µg/mL in 5% HCl

## Precautionary Statements - EU (§28, 1272/2008)

P234 - Keep only in original packaging

P390 - Absorb spillage to prevent material damage

P201 - Obtain special instructions before use

P234 - Keep only in original container

P406 - Store in corrosive resistant stainless steel container with a resistant inner liner

## 2.3. Other hazards

Causes mild skin irritation.

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors.

| Chemical name     | EU - REACH (1907/2006) - Article 59(1)<br>- Candidate List of Substances of Very<br>High Concern (SVHC) for Authorisation | EU - REACH (1907/2006) - Endocrine<br>Disruptor Assessment List of<br>Substances |
|-------------------|---------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|
| Hydrochloric acid | -                                                                                                                         | -                                                                                |

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not applicable

### 3.2 Mixtures

**Chemical nature** aqueous solution.

| Chemical name                                | Weight-% | REACH registration<br>number | EC No (EU<br>Index No) | Classification according<br>to Regulation (EC) No.<br>1272/2008 [CLP] | Specific<br>concentration<br>limit (SCL)                                                                            | M-Factor | M-Factor<br>(long-term) |
|----------------------------------------------|----------|------------------------------|------------------------|-----------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|----------|-------------------------|
| Hydrochloric acid<br>7647-01-0               | 1 - <3   | -                            | 231-595-7              | Met. Corr. 1 (H290)<br>Skin Corr. 1B (H314)<br>STOT SE 3 (H335)       | Eye Irrit. 2 ::<br>10%≤C<25%<br>Skin Corr. 1B ::<br>C≥25%<br>Skin Irrit. 2 ::<br>10%≤C<25%<br>STOT SE 3 ::<br>C≥10% |          |                         |
| Zirconium(IV) oxide<br>chloride<br>7699-43-6 | 0.1 - 1  | -                            | 231-717-9              | Met. Corr. 1 (H290)<br>Skin Corr. 1B (H314)<br>Eye Dam. 1 (H318)      |                                                                                                                     |          |                         |



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Mar-2023

Revision Number 1

VHG-PZRH-250 - Zirconium Standard: Zr @ 1000 µg/mL in 5% HCl

|  |  |  |  |                             |  |  |  |
|--|--|--|--|-----------------------------|--|--|--|
|  |  |  |  | Aquatic Chronic 3<br>(H412) |  |  |  |
|--|--|--|--|-----------------------------|--|--|--|

**Full text of H- and EUH-phrases: see section 16**

## Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

| Chemical name                                | Oral LD50 mg/kg   | Dermal LD50 mg/kg | Inhalation LC50 - 4 hour - dust/mist - mg/L | Inhalation LC50 - 4 hour - vapour - mg/L | Inhalation LC50 - 4 hour - gas - ppm |
|----------------------------------------------|-------------------|-------------------|---------------------------------------------|------------------------------------------|--------------------------------------|
| Hydrochloric acid<br>7647-01-0               | No data available | 5010              | No data available                           | No data available                        | No data available                    |
| Zirconium(IV) oxide<br>chloride<br>7699-43-6 | 3500              | No data available | No data available                           | No data available                        | No data available                    |

This product does not contain candidate substances of very high concern at a concentration  $\geq 0.1\%$  (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

|                                           |                                                                                                                                                                                                                                                                                     |
|-------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>General advice</b>                     | Show this safety data sheet to the doctor in attendance.                                                                                                                                                                                                                            |
| <b>Inhalation</b>                         | Remove to fresh air. Get medical attention immediately if symptoms occur.                                                                                                                                                                                                           |
| <b>Eye contact</b>                        | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists. |
| <b>Skin contact</b>                       | Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.                                                                                                                                              |
| <b>Ingestion</b>                          | Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a doctor.                                                                                                                                                                          |
| <b>Self-protection of the first aider</b> | Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).                                                                                                                                                                                       |

### 4.2. Most important symptoms and effects, both acute and delayed



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Mar-2023

Revision Number 1

VHG-PZRH-250 - Zirconium Standard: Zr @ 1000 µg/mL in 5% HCl

**Symptoms** Prolonged contact may cause redness and irritation.

## 4.3. Indication of any immediate medical attention and special treatment needed

**Note to doctors** Treat symptomatically.

## **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

**Suitable Extinguishing Media** Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Large Fire** CAUTION: Use of water spray when fighting fire may be inefficient.

**Unsuitable extinguishing media** Do not scatter spilled material with high pressure water streams.

### 5.2. Special hazards arising from the substance or mixture

**Specific hazards arising from the chemical** No information available.

### 5.3. Advice for firefighters

**Special protective equipment and precautions for fire-fighters** Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required.

**Other information** Refer to protective measures listed in Sections 7 and 8.

**For emergency responders** Use personal protection recommended in Section 8.

### 6.2. Environmental precautions

**Environmental precautions** Prevent further leakage or spillage if safe to do so.

### 6.3. Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Mar-2023

Revision Number 1

VHG-PZRH-250 - Zirconium Standard: Zr @ 1000 µg/mL in 5% HCl

**Methods for cleaning up** Take up mechanically, placing in appropriate containers for disposal.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

## 6.4. Reference to other sections

**Reference to other sections** See section 8 for more information. See section 13 for more information.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Advice on safe handling** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing.

**General hygiene considerations** Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials. Please refer to the manufacturer's certificate for specific storage and transport temperature conditions. Store only in the original receptacle unless other advice is given on the CoA.

### 7.3. Specific end use(s)

**Risk Management Methods (RMM)** The information required is contained in this Safety Data Sheet.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure Limits

| Chemical name                  | European Union                                                                       | Austria                                                                            | Belgium                                                                              | Bulgaria                                                                                 | Croatia                                                                              |
|--------------------------------|--------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| Hydrochloric acid<br>7647-01-0 | TWA: 5 ppm<br>TWA: 8 mg/m <sup>3</sup><br>STEL: 10 ppm<br>STEL: 15 mg/m <sup>3</sup> | TWA: 5 ppm<br>TWA: 8 mg/m <sup>3</sup><br>STEL 10 ppm<br>STEL 15 mg/m <sup>3</sup> | TWA: 5 ppm<br>TWA: 8 mg/m <sup>3</sup><br>STEL: 10 ppm<br>STEL: 15 mg/m <sup>3</sup> | STEL: 10 ppm<br>STEL: 15.0 mg/m <sup>3</sup><br>TWA: 5 ppm<br>TWA: 8.0 mg/m <sup>3</sup> | TWA: 5 ppm<br>TWA: 8 mg/m <sup>3</sup><br>STEL: 10 ppm<br>STEL: 15 mg/m <sup>3</sup> |



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Mar-2023

Revision Number 1

## VHG-PZRH-250 - Zirconium Standard: Zr @ 1000 µg/mL in 5% HCl

|                                           |                                                                                                        |                                                                                      |                                                                                      |                                                                                          |                                                                                        |
|-------------------------------------------|--------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|
| Zirconium(IV) oxide chloride<br>7699-43-6 | -                                                                                                      | TWA: 5 mg/m <sup>3</sup>                                                             | TWA: 5 mg/m <sup>3</sup><br>STEL: 10 mg/m <sup>3</sup>                               | -                                                                                        | TWA: 5 mg/m <sup>3</sup><br>STEL: 10 mg/m <sup>3</sup>                                 |
| Chemical name                             | Cyprus                                                                                                 | Czech Republic                                                                       | Denmark                                                                              | Estonia                                                                                  | Finland                                                                                |
| Hydrochloric acid<br>7647-01-0            | STEL: 10 ppm<br>STEL: 15 mg/m <sup>3</sup><br>TWA: 5 ppm<br>TWA: 8 mg/m <sup>3</sup>                   | TWA: 8 mg/m <sup>3</sup><br>Ceiling: 15 mg/m <sup>3</sup>                            | Ceiling: 5 ppm<br>Ceiling: 8 mg/m <sup>3</sup>                                       | TWA: 5 ppm<br>TWA: 8 mg/m <sup>3</sup><br>STEL: 10 ppm<br>STEL: 15 mg/m <sup>3</sup>     | STEL: 5 ppm<br>STEL: 7.6 mg/m <sup>3</sup>                                             |
| Zirconium(IV) oxide chloride<br>7699-43-6 | -                                                                                                      | -                                                                                    | TWA: 5 mg/m <sup>3</sup>                                                             | -                                                                                        | TWA: 1 mg/m <sup>3</sup>                                                               |
| Chemical name                             | France                                                                                                 | Germany                                                                              | Germany MAK                                                                          | Greece                                                                                   | Hungary                                                                                |
| Hydrochloric acid<br>7647-01-0            | STEL: 5 ppm<br>STEL: 7.6 mg/m <sup>3</sup>                                                             | TWA: 2 ppm<br>TWA: 3 mg/m <sup>3</sup>                                               | TWA: 2 ppm<br>TWA: 3.0 mg/m <sup>3</sup><br>Peak: 4 ppm<br>Peak: 6 mg/m <sup>3</sup> | TWA: 5 ppm<br>TWA: 7 mg/m <sup>3</sup><br>STEL: 5 ppm<br>STEL: 7 mg/m <sup>3</sup>       | TWA: 8 mg/m <sup>3</sup><br>STEL: 16 mg/m <sup>3</sup>                                 |
| Zirconium(IV) oxide chloride<br>7699-43-6 | -                                                                                                      | -                                                                                    | -                                                                                    | TWA: 5 mg/m <sup>3</sup><br>STEL: 10 mg/m <sup>3</sup>                                   | TWA: 5 mg/m <sup>3</sup>                                                               |
| Chemical name                             | Ireland                                                                                                | Italy                                                                                | Italy REL                                                                            | Latvia                                                                                   | Lithuania                                                                              |
| Hydrochloric acid<br>7647-01-0            | TWA: 8 mg/m <sup>3</sup><br>TWA: 5 ppm<br>STEL: 10 ppm<br>STEL: 15 mg/m <sup>3</sup>                   | TWA: 5 ppm<br>TWA: 8 mg/m <sup>3</sup><br>STEL: 10 ppm<br>STEL: 15 mg/m <sup>3</sup> | Ceiling: 2 ppm<br>Ceiling: 2.9 mg/m <sup>3</sup>                                     | TWA: 5 ppm<br>TWA: 8 mg/m <sup>3</sup><br>STEL: 10 ppm<br>STEL: 15 mg/m <sup>3</sup>     | TWA: 5 ppm<br>TWA: 8 mg/m <sup>3</sup><br>STEL: 10 ppm<br>STEL: 15 mg/m <sup>3</sup>   |
| Zirconium(IV) oxide chloride<br>7699-43-6 | TWA: 5 mg/m <sup>3</sup><br>STEL: 10 mg/m <sup>3</sup>                                                 | -                                                                                    | TWA: 5 mg/m <sup>3</sup><br>STEL: 10 mg/m <sup>3</sup>                               | -                                                                                        | -                                                                                      |
| Chemical name                             | Luxembourg                                                                                             | Malta                                                                                | Netherlands                                                                          | Norway                                                                                   | Poland                                                                                 |
| Hydrochloric acid<br>7647-01-0            | STEL: 10 ppm<br>STEL: 15 mg/m <sup>3</sup><br>TWA: 5 ppm<br>TWA: 8 mg/m <sup>3</sup>                   | STEL: 10 ppm<br>STEL: 15 mg/m <sup>3</sup><br>TWA: 5 ppm<br>TWA: 8 mg/m <sup>3</sup> | TWA: 8 mg/m <sup>3</sup><br>STEL: 15 mg/m <sup>3</sup>                               | Ceiling: 5 ppm<br>Ceiling: 7 mg/m <sup>3</sup>                                           | STEL: 10 mg/m <sup>3</sup><br>TWA: 5 mg/m <sup>3</sup>                                 |
| Zirconium(IV) oxide chloride<br>7699-43-6 | -                                                                                                      | -                                                                                    | -                                                                                    | TWA: 5 mg/m <sup>3</sup><br>STEL: 10 mg/m <sup>3</sup>                                   | STEL: 10 mg/m <sup>3</sup><br>TWA: 5 mg/m <sup>3</sup>                                 |
| Chemical name                             | Portugal                                                                                               | Romania                                                                              | Slovakia                                                                             | Slovenia                                                                                 | Spain                                                                                  |
| Hydrochloric acid<br>7647-01-0            | TWA: 5 ppm<br>TWA: 8 mg/m <sup>3</sup><br>STEL: 10 ppm<br>STEL: 15 mg/m <sup>3</sup><br>Ceiling: 2 ppm | TWA: 5 ppm<br>TWA: 8 mg/m <sup>3</sup><br>STEL: 10 ppm<br>STEL: 15 mg/m <sup>3</sup> | TWA: 5 ppm<br>TWA: 8.0 mg/m <sup>3</sup><br>Ceiling: 15 mg/m <sup>3</sup>            | TWA: 5 ppm<br>TWA: 8 mg/m <sup>3</sup><br>STEL: STEL ppm<br>STEL: STEL mg/m <sup>3</sup> | TWA: 5 ppm<br>TWA: 7.6 mg/m <sup>3</sup><br>STEL: 10 ppm<br>STEL: 15 mg/m <sup>3</sup> |
| Zirconium(IV) oxide chloride<br>7699-43-6 | TWA: 5 mg/m <sup>3</sup><br>STEL: 10 mg/m <sup>3</sup>                                                 | -                                                                                    | TWA: 1 mg/m <sup>3</sup>                                                             | TWA: 1 mg/m <sup>3</sup><br>STEL: STEL mg/m <sup>3</sup>                                 | TWA: 5 mg/m <sup>3</sup><br>STEL: 10 mg/m <sup>3</sup>                                 |
| Chemical name                             | Sweden                                                                                                 |                                                                                      | Switzerland                                                                          |                                                                                          | United Kingdom                                                                         |
| Hydrochloric acid                         | NGV: 2 ppm                                                                                             |                                                                                      | TWA: 2 ppm                                                                           |                                                                                          | TWA: 1 ppm                                                                             |



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Mar-2023

Revision Number 1

**VHG-PZRH-250 - Zirconium Standard: Zr @ 1000 µg/mL in 5% HCl**

|                                           |                                                                                      |                                                                      |                                                                      |
|-------------------------------------------|--------------------------------------------------------------------------------------|----------------------------------------------------------------------|----------------------------------------------------------------------|
| 7647-01-0                                 | NGV: 3 mg/m <sup>3</sup><br>Bindande KGV: 4 ppm<br>Bindande KGV: 6 mg/m <sup>3</sup> | TWA: 3 mg/m <sup>3</sup><br>STEL: 4 ppm<br>STEL: 6 mg/m <sup>3</sup> | TWA: 2 mg/m <sup>3</sup><br>STEL: 5 ppm<br>STEL: 8 mg/m <sup>3</sup> |
| Zirconium(IV) oxide chloride<br>7699-43-6 | -                                                                                    | TWA: 5 mg/m <sup>3</sup>                                             | TWA: 5 mg/m <sup>3</sup><br>STEL: 10 mg/m <sup>3</sup>               |

## Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

**Derived No Effect Level (DNEL)** No information available.

**Predicted No Effect Concentration (PNEC)** No information available.

## 8.2. Exposure controls

### Personal protective equipment

**Eye/face protection** Avoid contact with eyes. Wear safety glasses with side shields (or goggles).

**Hand protection** Wear protective Neoprene™ gloves. Wear suitable gloves. The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374.

**Skin and body protection** Wear suitable protective clothing.

**Respiratory protection** No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

**General hygiene considerations** Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection.

**Environmental exposure controls** Do not allow into any sewer, on the ground or into any body of water.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

**Physical state** Liquid  
**Appearance** Liquid  
**Colour** colourless



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Mar-2023

Revision Number 1

## VHG-PZRH-250 - Zirconium Standard: Zr @ 1000 µg/mL in 5% HCl

Odour Odourless.  
Odour threshold No information available

| Property                                | Values                             | Remarks • Method         |
|-----------------------------------------|------------------------------------|--------------------------|
| Melting point / freezing point          | 0 °C                               | None known               |
| Initial boiling point and boiling range | 100 °C                             | None known               |
| Flammability                            | No data available                  | None known               |
| Flammability Limit in Air               |                                    | None known               |
| Upper flammability or explosive limits  | No data available                  |                          |
| Lower flammability or explosive limits  | No data available                  |                          |
| Flash point                             | No data available                  | None known               |
| Autoignition temperature                | No data available                  | None known               |
| Decomposition temperature               | 100 °C                             | None known               |
| pH                                      | No data available                  | None known               |
| pH (as aqueous solution)                | No data available                  | No information available |
| Kinematic viscosity                     | No data available                  | None known               |
| Dynamic viscosity                       | No data available                  | None known               |
| Water solubility                        | No data available                  | None known               |
| Solubility(ies)                         | No data available                  | None known               |
| Partition coefficient                   | No data available                  | None known               |
| Vapour pressure                         | 23 hPa                             | @ 20°C                   |
| Relative density                        | 0.99821 g/cm <sup>3</sup> at 20 °C | None known               |
| Bulk density                            | No data available                  |                          |
| Liquid Density                          | No data available                  |                          |
| Relative vapour density                 | No data available                  | None known               |
| Particle characteristics                |                                    |                          |
| Particle Size                           | No information available           |                          |
| Particle Size Distribution              | No information available           |                          |

### 9.2. Other information

#### 9.2.1. Information with regards to physical hazard classes

Not applicable 100 °C 100 °C

#### 9.2.2. Other safety characteristics

No information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Reactivity No information available.

### 10.2. Chemical stability



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Mar-2023

Revision Number 1

**VHG-PZRH-250 - Zirconium Standard: Zr @ 1000 µg/mL in 5% HCl**

**Stability** Stable under normal conditions.

**Explosion data**

**Sensitivity to mechanical impact** None.

**Sensitivity to static discharge** None.

**10.3. Possibility of hazardous reactions**

**Possibility of hazardous reactions** None under normal processing.

**10.4. Conditions to avoid**

**Conditions to avoid** Exposure to air or moisture over prolonged periods.

**10.5. Incompatible materials**

**Incompatible materials** Oxidising agent.

**Hazardous decomposition products** None known based on information supplied.

## SECTION 11: Toxicological information

**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Information on likely routes of exposure**

**Product Information**

**Inhalation** Specific test data for the substance or mixture is not available.

**Eye contact** Specific test data for the substance or mixture is not available.

**Skin contact** Specific test data for the substance or mixture is not available. Causes mild skin irritation.

**Ingestion** Specific test data for the substance or mixture is not available.

**Symptoms related to the physical, chemical and toxicological characteristics**

**Symptoms** Prolonged contact may cause redness and irritation.

**Numerical measures of toxicity**

**Acute toxicity**



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Mar-2023

Revision Number 1

VHG-PZRH-250 - Zirconium Standard: Zr @ 1000 µg/mL in 5% HCl

## Component Information

| Chemical name                | Oral LD50            | Dermal LD50             | Inhalation LC50 |
|------------------------------|----------------------|-------------------------|-----------------|
| Hydrochloric acid            |                      | > 5010 mg/kg ( Rabbit ) |                 |
| Zirconium(IV) oxide chloride | = 3500 mg/kg ( Rat ) |                         |                 |

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Based on available data, the classification criteria are not met.

**Serious eye damage/eye irritation** No information available.

**Respiratory or skin sensitisation** No information available.

**Germ cell mutagenicity** No information available.

**Carcinogenicity** No information available.

**Reproductive toxicity** No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Aspiration hazard** No information available.

## 11.2. Information on other hazards

### 11.2.1. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

### 11.2.2. Other information



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Mar-2023

Revision Number 1

VHG-PZRH-250 - Zirconium Standard: Zr @ 1000 µg/mL in 5% HCl

Other adverse effects No information available.

## SECTION 12: Ecological information

### 12.1. Toxicity

#### Ecotoxicity

Unknown aquatic toxicity Contains 0 % of components with unknown hazards to the aquatic environment.

| Chemical name                | Algae/aquatic plants | Fish                                                                                                 | Toxicity to microorganisms | Crustacea |
|------------------------------|----------------------|------------------------------------------------------------------------------------------------------|----------------------------|-----------|
| Zirconium(IV) oxide chloride | -                    | LC50: =15mg/L (96h, <i>Lepomis macrochirus</i> )<br>LC50: =18mg/L (96h, <i>Pimephales promelas</i> ) | -                          | -         |

### 12.2. Persistence and degradability

Persistence and degradability No information available.

### 12.3. Bioaccumulative potential

Bioaccumulation No information available.

### 12.4. Mobility in soil

Mobility in soil No information available.

### 12.5. Results of PBT and vPvB assessment

#### PBT and vPvB assessment

| Chemical name                | PBT and vPvB assessment                                       |
|------------------------------|---------------------------------------------------------------|
| Hydrochloric acid            | The substance is not PBT / vPvB PBT assessment does not apply |
| Zirconium(IV) oxide chloride | The substance is not PBT / vPvB PBT assessment does not apply |

### 12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Mar-2023

Revision Number 1

VHG-PZRH-250 - Zirconium Standard: Zr @ 1000 µg/mL in 5% HCl

## 12.7. Other adverse effects

No information available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging

Do not reuse empty containers.

## SECTION 14: Transport information

### IATA

|                                   |                                                                                 |
|-----------------------------------|---------------------------------------------------------------------------------|
| 14.1 UN number or ID number       | UN3264                                                                          |
| 14.2 UN proper shipping name      | Corrosive liquid, acidic, inorganic, n.o.s. (Hydrochloric acid)                 |
| 14.3 Transport hazard class(es)   | 8                                                                               |
| 14.4 Packing group                | III                                                                             |
| Description                       | UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Hydrochloric acid), 8, III |
| 14.5 Environmental hazards        | Not applicable                                                                  |
| 14.6 Special precautions for user |                                                                                 |
| Special Provisions                | A3, A803                                                                        |
| ERG Code                          | 8L                                                                              |

### IMDG

|                                                              |                                                                 |
|--------------------------------------------------------------|-----------------------------------------------------------------|
| 14.1 UN number or ID number                                  | UN3264                                                          |
| 14.2 UN proper shipping name                                 | Corrosive liquid, acidic, inorganic, n.o.s. (Hydrochloric acid) |
| 14.3 Transport hazard class(es)                              | 8                                                               |
| 14.4 Packing group                                           | III                                                             |
| Description                                                  | UN3264, Corrosive liquid, acidic, inorganic, n.o.s., 8, III     |
| 14.5 Marine pollutant                                        | NP                                                              |
| 14.6 Special precautions for user                            |                                                                 |
| Special Provisions                                           | 223, 274                                                        |
| EmS-No                                                       | F-A, S-B No information available                               |
| 14.7 Maritime transport in bulk according to IMO instruments | No information available                                        |

### RID

|                                 |                                                                                 |
|---------------------------------|---------------------------------------------------------------------------------|
| 14.1 UN number or ID number     | UN3264                                                                          |
| 14.2 UN proper shipping name    | Corrosive liquid, acidic, inorganic, n.o.s. (Hydrochloric acid)                 |
| 14.3 Transport hazard class(es) | 8                                                                               |
| 14.4 Packing group              | III                                                                             |
| Description                     | UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Hydrochloric acid), 8, III |



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Mar-2023

Revision Number 1

**VHG-PZRH-250 - Zirconium Standard: Zr @ 1000 µg/mL in 5% HCl**

**14.5 Environmental hazards** Not applicable

**14.6 Special precautions for user**

Special Provisions 274

Classification code C1

## ADR

**14.1 UN number or ID number** UN3264

**14.2 UN proper shipping name** Corrosive liquid, acidic, inorganic, n.o.s. (Hydrochloric acid)

**14.3 Transport hazard class(es)** 8

**14.4 Packing group** III

Description UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Hydrochloric acid), 8, III, (E)

**14.5 Environmental hazards** Not applicable

**14.6 Special precautions for user**

Special Provisions 274

Classification code C1

Tunnel restriction code (E)

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**Water hazard class (WGK)** non-hazardous to water (nwg)

Poland

SDS created according to the following Polish regulation: Act of February 25, 2011 on chemical substances and their mixtures (Journal of Laws of 2018, item 143, as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing the European Chemicals Agency (EC) as amended. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labeling and packaging of substances and mixtures, as amended. Regulation of the Minister of Health of 10 August 2012 on the criteria and method of classifying chemical substances and their mixtures (Journal of Laws of 2012, item 1018). Regulation of the Minister of Health of 20 April 2012 on labeling packaging of hazardous substances and mixtures and some mixtures (Journal of Laws of 2012, item 445). Regulation of the Minister of Family, Labor and Social Policy of 12 June 2018 on the maximum allowable concentrations and intensities of factors harmful to health in the work environment (Journal of Laws of 2018, item 1286). Announcement of the Minister of Economy, Labor and Social Policy of August 28, 2003 on the publication of the unified text of the Ordinance of the Minister of Labor and Social Policy on general health and safety at work regulations (Journal of Laws of 2003, No. 169, item 1650). Regulation of the Minister of Health of 30 December 2004 on occupational safety and health related to the presence of chemical agents in the workplace (Journal of Laws of 2005, No. 11, item 86). Act of December 14, 2012 on



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Mar-2023

Revision Number 1

VHG-PZRH-250 - Zirconium Standard: Zr @ 1000 µg/mL in 5% HCl

waste (Journal of Laws of 2013, item 21) Regulation of the Minister of Health of December 30, 2004 on occupational health and safety related to the presence of chemical agents in the workplace (Journal U. of 2005, No. 11, item 86). Waste Act of December 14, 2012 (Journal of Laws of 2013, item 21). Act of 13 June 2013 on the management of packaging and packaging waste, Journal of Laws 2013, item 888). Government statement of September 24, 2002 - European Agreement on the International Carriage of Dangerous Goods by Road (ADR) (Journal of Laws No. 194, item 1629 and Journal of Laws of 2003, No. 207, item 2013 and 2014).

## European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

## Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

## DIRECTIVE (EU) 2021/1187 on the marketing and use of explosives precursors

Not applicable

## Persistent Organic Pollutants

Not applicable

## Named dangerous substances per Seveso Directive (2012/18/EU)

| Chemical name                 | Lower-tier requirements (tons) | Upper-tier requirements (tons) |
|-------------------------------|--------------------------------|--------------------------------|
| Hydrochloric acid - 7647-01-0 | 25                             | 250                            |

## Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

## Biocidal Products Regulation (EU) No 528/2012 (BPR)

| Chemical name                 | Biocidal Products Regulation (EU) No 528/2012 (BPR)                                                  |
|-------------------------------|------------------------------------------------------------------------------------------------------|
| Hydrochloric acid - 7647-01-0 | Product-type 2: Disinfectants and algicides not intended for direct application to humans or animals |

## International Inventories

TSCA

Complies

DSL/NDL

Contact supplier for inventory compliance status

EINECS/ELINCS

Contact supplier for inventory compliance status

ENCS

Contact supplier for inventory compliance status

IECSC

Contact supplier for inventory compliance status

KECL

Contact supplier for inventory compliance status



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Mar-2023

Revision Number 1

**VHG-PZRH-250 - Zirconium Standard: Zr @ 1000 µg/mL in 5% HCl**

PICCS

Contact supplier for inventory compliance status

AIIC

Contact supplier for inventory compliance status

## Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

## 15.2. Chemical safety assessment

**Chemical Safety Report**

A Chemical Safety Assessment is not required for this substance

## SECTION 16: Other information

### Key or legend to abbreviations and acronyms used in the safety data sheet

### Full text of H-Statements referred to under section 3

H290 - May be corrosive to metals

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H335 - May cause respiratory irritation

H412 - Harmful to aquatic life with long lasting effects

### Legend

SVHC: Substances of Very High Concern for Authorisation:

### Legend Section 8: Exposure controls/personal protection

TWA

TWA (time-weighted average)

STEL

STEL (Short Term Exposure Limit)

Ceiling

Maximum limit value

\*

Skin designation

| Classification procedure                                        |                    |
|-----------------------------------------------------------------|--------------------|
| Classification according to Regulation (EC) No. 1272/2008 [CLP] | Method Used        |
| Acute oral toxicity                                             | Calculation method |
| Acute dermal toxicity                                           | Calculation method |
| Acute inhalation toxicity - gas                                 | Calculation method |
| Acute inhalation toxicity - Vapour                              | Calculation method |
| Acute inhalation toxicity - dust/mist                           | Calculation method |
| Skin corrosion/irritation                                       | Calculation method |
| Serious eye damage/eye irritation                               | Calculation method |



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Mar-2023

Revision Number 1

**VHG-PZRH-250 - Zirconium Standard: Zr @ 1000 µg/mL in 5% HCl**

|                           |                       |
|---------------------------|-----------------------|
| Respiratory sensitisation | Calculation method    |
| Skin sensitisation        | Calculation method    |
| Mutagenicity              | Calculation method    |
| Carcinogenicity           | Calculation method    |
| Reproductive toxicity     | Calculation method    |
| STOT - single exposure    | Calculation method    |
| STOT - repeated exposure  | Calculation method    |
| Acute aquatic toxicity    | Calculation method    |
| Chronic aquatic toxicity  | Calculation method    |
| Aspiration hazard         | Calculation method    |
| Ozone                     | Calculation method    |
| Corrosive to metals       | On basis of test data |

## Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)  
U.S. Environmental Protection Agency ChemView Database  
European Food Safety Authority (EFSA)  
EPA (Environmental Protection Agency)  
Acute Exposure Guideline Level(s) (AEGL(s))  
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
U.S. Environmental Protection Agency High Production Volume Chemicals  
Food Research Journal  
Hazardous Substance Database  
International Uniform Chemical Information Database (IUCLID)  
Japan GHS Classification  
Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
NIOSH (National Institute for Occupational Safety and Health)  
National Library of Medicine's ChemID Plus (NLM CIP)  
National Library of Medicine's PubMed database (NLM PUBMED)  
National Toxicology Program (NTP)  
New Zealand's Chemical Classification and Information Database (CCID)  
Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications  
Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme  
Organisation for Economic Co-operation and Development Screening Information Data Set  
World Health Organization

Revision date 08-Mar-2023

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

## Disclaimer

The information in this safety data sheet (SDS) has been prepared with due care and is true and accurate to the best of our knowledge. The user must determine the suitability of the information for its particular purpose, ensure compliance with existing laws and regulations, and be aware that other or additional safety or performance considerations may arise when using, handling and/ or storing the material. The information in this SDS does not purport to be all inclusive or a guarantee as to the properties of the material supplied, and should be used only as a guide. LGC makes no warranties or representations as to the accuracy and completeness of the information contained herein, shall not be held responsible



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Mar-2023

Revision Number 1

**VHG-PZRH-250 - Zirconium Standard: Zr @ 1000 µg/mL in 5% HCl**

---

for the suitability of this information for the user's intended purposes or the consequences of such use, and shall not be liable for any damage or loss, howsoever arising, direct or otherwise.

**End of Safety Data Sheet**