

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 28-Aug-2024 Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code(s) VHG-SM68-2-500

Product Name SM68 Standard 2: Ag, Ge, Hf, Mo, Nb, Sb, Si, Sn, Ta, Ti, W, Zr @ 100 μg/mL in 5% HNO3,

tr. HF

Form Not applicable

Unique Formula Identifier (UFI) 1GEW-P09V-T00T-AFUE

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Laboratory use

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Supplier

LGC Limited
Queens Road
Teddington
Middlesex TW11 0LY
UNITED KINGDOM
:+44 (0) 20 8943 7000
Fax :+44 (0) 20 8943 2767

eMail: gb@lgcstandards.com

Web: www.lgcstandards.com

For further information, please contact

E-mail address sds-request@lgcgroup.com

1.4. Emergency telephone number

Emergency Telephone For Hazardous Materials or Dangerous Goods Incident

Spill, Leak, Fire Exposure, or Accident

Call CHEMTREC:

USA & Canada 1-800-424-9300

EGHS / EN Page 1/20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 28-Aug-2024

Revision Number 1

VHG-SM68-2-500 - SM68 Standard 2: Ag, Ge, Hf, Mo, Nb, Sb, Si, Sn, Ta, Ti, W, Zr @ 100 μ g/mL in 5% HNO3, tr. HF

Rest of the world +1 703-741-3877

Emergency Telephone - §45 - (EC)1	mergency Telephone - §45 - (EC)1272/2008					
Europe	112					
Austria	No information available					
Bulgaria						
Croatia						
Cyprus						
Czech Republic						
Denmark						
France						
Hungary						
Ireland						
Italy						
Lithuania						
Luxembourg						
Netherlands						
Norway						
Portugal						
Romania						
Slovakia						
Slovenia						
Spain						
Sweden						
Switzerland						

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to

Regulation (EC) No. 1272/2008 [CLP]

: : · · · · · · · · · · · · · · · · · ·					
Skin corrosion/irritation	Category 2 - (H315)				
Serious eye damage/eye irritation	Category 1 - (H318)				
Chronic aquatic toxicity	Category 1 - (H410)				
Corrosive to metals	Category 1 - (H290)				

2.2. Label elements

Contains Nitric Acid; hydrofluoric acid

EGHS / EN Page 2 / 20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 28-Aug-2024

Revision Number 1

VHG-SM68-2-500 - SM68 Standard 2: Ag, Ge, Hf, Mo, Nb, Sb, Si, Sn, Ta, Ti, W, Zr @ 100 μg/mL in 5% HNO3, tr. HF



Signal word Danger

Hazard statements

H315 - Causes skin irritation

H318 - Causes serious eye damage

H410 - Very toxic to aquatic life with long lasting effects

H290 - May be corrosive to metals

EUH071 - Corrosive to the respiratory tract

Precautionary Statements - EU (§28, 1272/2008)

P264 - Wash face, hands and any exposed skin thoroughly after handling

P273 - Avoid release to the environment

P280 - Wear protective gloves and eye/face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P391 - Collect spillage

P201 - Obtain special instructions before use

P234 - Keep only in original container

P406 - Store in corrosive resistant stainless steel container with a resistant inner liner

2.3. Other hazards

Toxic to aquatic life.

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors.

	Chemical name	EU - REACH (1907/2006) - Article 59(1)	EU - REACH (1907/2006) - Endocrine
		- Candidate List of Substances of Very	Disruptor Assessment List of
		High Concern (SVHC) for Authorisation	Substances
	Nitric Acid	-	- -
Γ	hydrofluoric acid	-	_

EGHS / EN Page 3 / 20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 28-Aug-2024

Revision Number 1

VHG-SM68-2-500 - SM68 Standard 2: Ag, Ge, Hf, Mo, Nb, Sb, Si, Sn, Ta, Ti, W, Zr @ 100 μg/mL in 5% HNO3, tr. HF

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical nature

aqueous solution.

Chemical name	Weight-%	· · ·	,	Classification according	•	M-Factor	M-Factor
		number	Index No)	to Regulation (EC) No. 1272/2008 [CLP]	concentration limit (SCL)		(long-term)
Nitric Acid 7697-37-2	3 - <5	-	231-714-2	Met. Corr. 1 (H290) Ox. Liq. 2 (H272) Acute Tox. 3 (H331) Skin Corr. 1A (H314) (EUH071)	Ox. Liq. 2 :: C>=99% Ox. Liq. 3 :: C≥65% Skin Corr. 1A :: C>=20% Skin Corr. 1B :: 5%<=C<20%		
hydrofluoric acid 7664-39-3	0.1 - 1	-	231-634-8 (009-002-00 -6)	Acute Tox. 2 (H330) Skin Corr. 1A (H314)	Eye Irrit. 2 :: 0.1%<=C<1% Skin Corr. 1A :: C>=7% Skin Corr. 1B :: 1%<=C<7%		

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50	Inhalation LC50 - 4	Inhalation LC50 - 4	Inhalation LC50 - 4
		mg/kg	hour - dust/mist - mg/L	hour - vapour - mg/L	hour - gas - ppm
Nitric Acid 7697-37-2	No data available	No data available	No data available	2.65	No data available
hydrofluoric acid 7664-39-3	No data available	No data available	No data available	No data available	482.8875

EGHS / EN Page 4 / 20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 28-Aug-2024 Revision Number 1

VHG-SM68-2-500 - SM68 Standard 2: Ag, Ge, Hf, Mo, Nb, Sb, Si, Sn, Ta, Ti, W, Zr @ 100 μg/mL in 5% HNO3, tr. HF

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open

while rinsing. Do not rub affected area. Get immediate medical attention.

Skin contact Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical

attention if irritation develops and persists.

Ingestion Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce

vomiting. Call a doctor.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing mediaDo not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

EGHS / EN Page 5 / 20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 28-Aug-2024 Revision Number 1

VHG-SM68-2-500 - SM68 Standard 2: Ag, Ge, Hf, Mo, Nb, Sb, Si, Sn, Ta, Ti, W, Zr @ 100 μg/mL in 5% HNO3, tr. HF

Specific hazards arising from the

chemical

No information available.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required.

Other information Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning upTake up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off

contaminated clothing and wash it before reuse.

EGHS / EN Page 6 / 20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 28-Aug-2024

Revision Number 1

VHG-SM68-2-500 - SM68 Standard 2: Ag, Ge, Hf, Mo, Nb, Sb, Si, Sn, Ta, Ti, W, Zr @ 100 μg/mL in 5% HNO3, tr. HF

General hygiene considerations

Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials. Please refer to the manufacturer's certificate for specific storage and transport temperature conditions. Store only in the original receptacle unless other advice is given on the CoA.

7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Nitric Acid	-	STEL 1 ppm	STEL: 1 ppm	STEL: 1 ppm	STEL: 1 ppm
7697-37-2		STEL 2.6 mg/m ³	STEL: 2.6 mg/m ³	STEL: 2.6 mg/m ³	STEL: 2.6 mg/m ³
hydrofluoric acid	TWA: 1.8 ppm	TWA: 1.8 ppm	TWA: 1.8 ppm	STEL: 3 ppm	TWA: 1.8 ppm
7664-39-3	TWA: 1.5 mg/m ³	TWA: 1.5 mg/m ³	TWA: 1.5 mg/m ³	STEL: 2.5 mg/m ³	TWA: 1.5 mg/m ³
	STEL: 3 ppm	STEL 3 ppm	STEL: 3 ppm	TWA: 1.8 ppm	STEL: 3 ppm
	STEL: 2.5 mg/m ³	STEL 2.5 mg/m ³	STEL: 2.5 mg/m ³	TWA: 1.5 mg/m ³	STEL: 2.5 mg/m ³
		H*			
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Nitric Acid	STEL: 1 ppm	TWA: 1 mg/m ³	STEL: 1 ppm	STEL: 1 ppm	TWA: 0.5 ppm
7697-37-2	STEL: 2.6 mg/m ³	Ceiling: 2.5 mg/m ³	STEL: 2.6 mg/m ³	STEL: 2.6 mg/m ³	TWA: 1.3 mg/m ³
					STEL: 1 ppm
					STEL: 2.6 mg/m ³
hydrofluoric acid	STEL: 3.0 ppm	TWA: 1.5 mg/m ³	TWA: 1.8 ppm	TWA: 1.8 ppm	TWA: 1.8 ppm
7664-39-3	STEL: 2.5 mg/m ³	Ceiling: 2.5 mg/m ³	TWA: 1.5 mg/m ³	TWA: 1.5 mg/m ³	TWA: 1.5 mg/m ³
	TWA: 1.8 ppm		STEL: 2.5 mg/m ³	STEL: 3 ppm	STEL: 3 ppm
	TWA: 1.5 mg/m ³		STEL: 3 ppm	STEL: 2.5 mg/m ³	STEL: 2.5 mg/m ³
					iho*
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary

EGHS / EN Page 7 / 20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 28-Aug-2024

Revision Number 1

VHG-SM68-2-500 - SM68 Standard 2: Ag, Ge, Hf, Mo, Nb, Sb, Si, Sn, Ta, Ti, W, Zr @ 100 μ g/mL in 5% HNO3, tr. HF

Nitric Acid	STEL: 1 ppm	TWA: 1 ppm	-		_: 1 ppm	STEL: 2.6 mg/m ³
7697-37-2	STEL: 2.6 mg/m ³	TWA: 2.6 mg/m ³			2.6 mg/m ³	STEL: 1 ppm
hydrofluoric acid	TWA: 1.8 ppm	TWA: 1 ppm	TWA: 1 ppm	TWA	: 3 ppm	TWA: 1.8 ppm
7664-39-3	TWA: 1.5 mg/m ³	TWA: 0.83 mg/m ³	TWA: 0.83 mg/m ³	TWA: 2	2.5 mg/m ³	TWA: 1.5 mg/m ³
	STEL: 3 ppm	H*	Peak: 2 ppm	STEL	_: 3 ppm	STEL: 2.5 mg/m ³
	STEL: 2.5 mg/m ³		Peak: 1.66 mg/m ³		2.5 mg/m³	STEL: 3 ppm
	· ·		*		ŭ	b*
Chemical name	Ireland	Italy MDLPS	Italy AIDII	La	atvia	Lithuania
Nitric Acid	STEL: 1 ppm	STEL: 1 ppm	TWA: 2 ppm	TWA:	0.78 ppm	STEL: 1 ppm
7697-37-2	STEL: 2.6 mg/m ³	STEL: 2.6 mg/m ³	TWA: 5.2 mg/m ³	TWA:	2 mg/m ³	STEL: 2.6 mg/m ³
	_		STEL: 4 ppm	STEL	.: 1 ppm	_
			STEL: 10.3 mg/m ³	STEL: :	2.6 mg/m ³	
hydrofluoric acid	TWA: 1.5 mg/m ³	TWA: 1.8 ppm	TWA: 0.5 ppm	TWA:	1.8 ppm	TWA: 1.8 ppm
7664-39-3	TWA: 1.8 ppm	TWA: 1.5 mg/m ³	TWA: 0.4 mg/m ³	TWA: 1	1.5 mg/m ³	TWA: 1.5 mg/m ³
	STEL: 2.5 mg/m ³	STEL: 3 ppm	cute*		_: 3 ppm	STEL: 3 ppm
	STEL: 3 ppm	STEL: 2.5 mg/m ³	Ceiling: 2 ppm		2.5 mg/m³	STEL: 2.5 mg/m ³
	Sk* · ·		Ceiling: 1.6 mg/m ³		J	J
Chemical name	Luxembourg	Malta	Netherlands	No	rway	Poland
Nitric Acid	STEL: 1 ppm	STEL: 1 ppm	STEL: 0.5 ppm	TWA	: 2 ppm	TWA: 1.4 mg/m ³
7697-37-2	STEL: 2.6 mg/m ³	STEL: 2.6 mg/m ³	STEL: 1.3 mg/m ³		5 mg/m ³	STEL: 2.6 mg/m ³
	J				_: 4 ppm	9
					10 mg/m ³	
hydrofluoric acid	STEL: 3 ppm	STEL: 3 ppm	STEL: 1.27 ppm	TWA:	0.6 ppm	STEL: 2 mg/m ³
7664-39-3	STEL: 2.5 mg/m ³	STEL: 2.5 mg/m ³	STEL: 1 mg/m ³		0.5 mg/m ³	TWA: 0.5 mg/m ³
	TWA: 1.8 ppm	TWA: 1.8 ppm			1.5 mg/m ³	J
	TWA: 1.5 mg/m ³	TWA: 1.5 mg/m ³			1.8 ppm	
	- J			_	H*	
Chemical name	Portugal	Romania	Slovakia	Slo	venia	Spain
Nitric Acid	TWA: 2 ppm	STEL: 1 ppm	Ceiling: 2.6 mg/m ³	TWA	: 1 ppm	STEL: 1 ppm
7697-37-2	STEL: 1 ppm	STEL: 2.6 mg/m ³		TWA: 2	2.6 mg/m ³	STEL: 2.6 mg/m ³
	STEL: 2.6 mg/m ³			STEL	_: 1 ppm	
	•				2.6 mg/m ³	
hydrofluoric acid	TWA: 1.8 ppm	TWA: 1.8 ppm	TWA: 1.8 ppm		1.8 ppm	TWA: 1.8 ppm
7664-39-3	TWA: 1.5 mg/m ³	TWA: 1.5 mg/m ³	TWA: 1.5 mg/m ³		1.5 mg/m ³	TWA: 1.5 mg/m ³
	STEL: 3 ppm	STEL: 3 ppm	Ceiling: 2.5 mg/m ³		_: 3 ppm	STEL: 3 ppm
	STEL: 2.5 mg/m ³	STEL: 2.5 mg/m ³]		2.5 mg/m ³	STEL: 2.5 mg/m ³
	Ceiling: 2 ppm]			K*	. 5,
	Cutânea*					
Chemical name	S	weden	Switzerland		Uni	ted Kingdom
Nitric Acid	NGV	': 0.5 ppm	TWA: 2 ppm			TEL: 1 ppm
7697-37-2		1.3 mg/m ³	TWA: 5 mg/m ³	;		L: 2.6 mg/m ³
		e KGV: 1 ppm	STEL: 2 ppm			Ĭ
		KGV: 2.6 mg/m ³	STEL: 5 mg/m ²	3		
hydrofluoric acid		': 1.8 ppm	TWA: 1 ppm		TV	VA: 1.8 ppm

EGHS / EN Page 8 / 20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 28-Aug-2024

VHG-SM68-2-500 - SM68 Standard 2: Ag, Ge, Hf, Mo, Nb, Sb, Si, Sn, Ta, Ti, W, Zr @ 100 μ g/mL in 5% HNO3, tr. HF

Revision Number 1

7664-39-3	NGV: 1.5 mg/m ³	TWA: 0.83 mg/m ³	TWA: 1.5 mg/m ³
	Bindande KGV: 2 ppm	STEL: 2 ppm	STEL: 3 ppm
	Bindande KGV: 1.7 mg/m ³	STEL: 1.66 mg/m ³	STEL: 2.5 mg/m ³

Biological occupational exposure limits

Chemical name	European Union	Austria	Bulç	garia	Croatia		Czech Republic
hydrofluoric acid	-	-		-	8 mg/g Creatin		-
7664-39-3					urine (Fluorides		
					the end of the shift	work	
						oino	
					4.0 mg/g Creating urine (Fluoride		
					before the sta		
					the work shift in		
					middle of the w		
Chemical name	Denmark	Finland	Fra	nce	Germany DF	G	Germany TRGS
hydrofluoric acid	-	-	3 mg/g cr	eatinine -	4.0 mg/g Creat	inine	4.0 mg/g Creatinine
7664-39-3				uorides) -	(urine - Fluoride	e end	(urine - Fluoride end
				g of shift	of shift)		of shift)
			10 mg/g c		4 mg/L - BAT (e		
				uorides) -	exposure or er		
				of shift	shift) urine		L L AIDH
Chemical name	Hungary	Irelar	<u>id</u>	Italy	/ MDLPS		Italy AIDII
hydrofluoric acid	7 mg/g Creatinine (un				-		g/g Creatinine - urine
7664-39-3	Fluoride end of shi 4 mg/g Creatinine (ur						orides) - prior to shift g/g Creatinine - urine
	Fluoride prior to next						orides) - end of shift
	42 µmol/mmol Creat					(1 14	
	(urine - Fluoride en						
	shift)	G. G.					
	24 µmol/mmol Creat	inine					
	(urine - Fluoride pric	or to					
	next shift)						
Chemical name	Latvia	Luxemb	ourg		omania		Slovakia
hydrofluoric acid	-	-			eatinine - urine		/g creatinine (urine -
7664-39-3				(Fluorine	e) - end of shift	Fluo	ride end of exposure
						<u>ا</u> ۔۔۔	or work shift)
							/g creatinine (urine -
Chemical name	01	Spai	_	C···	itzerland		oride prior to shift)
hydrofluoric acid	Slovenia 7.0 mg/g Creatinin				urine - Fluoride		United Kingdom

EGHS / EN Page 9 / 20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 28-Aug-2024 **Revision Number** 1

VHG-SM68-2-500 - SM68 Standard 2: Ag, Ge, Hf, Mo, Nb, Sb, Si, Sn, Ta, Ti, W, Zr @ 100 μg/mL in 5% HNO3, tr. HF

7664-39-3	urine (Fluoride) - at the end of the work shift 4.0 mg/g Creatinine -	pre-shift) 3 mg/L (urine - Fluorides end of shift)	end of shift) 211 µmol/L (urine - Fluoride end of shift)
	urine () - before the next working day	,	r idende end er ermity

Derived No Effect Level (DNEL) Predicted No Effect Concentration

No information available. No information available.

(PNEC)

8.2. Exposure controls

Personal protective equipment

Tight sealing safety goggles. Avoid contact with eyes. Wear safety glasses with side shields Eye/face protection

(or goggles).

Wear protective Neoprene™ gloves. Wear suitable gloves. Impervious gloves. The Hand protection

protective gloves to be used must comply with the specifications of EC Directive

89/686/EEC and the related standard EN374.

Skin and body protection Long sleeved clothing. Wear suitable protective clothing.

No protective equipment is needed under normal use conditions. If exposure limits are Respiratory protection

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with

skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands

before breaks and after work. Wear suitable gloves and eye/face protection.

Do not allow into any sewer, on the ground or into any body of water. **Environmental exposure controls**

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid **Appearance** Liquid Colour colourless Odour Odourless.

Odour threshold No information available

EGHS / EN Page 10 / 20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Number 1

Revision date 28-Aug-2024

VHG-SM68-2-500 - SM68 Standard 2: Ag, Ge, Hf, Mo, Nb, Sb, Si, Sn, Ta, Ti, W, Zr @ 100 μg/mL in 5% HNO3, tr. HF

Remarks • Method Property Values No data available Melting point / freezing point None known Initial boiling point and boiling rangeNo data available None known **Flammability** No data available None known Flammability Limit in Air None known No data available Upper flammability or explosive limits Lower flammability or explosive No data available limits Flash point No data available None known **Autoignition temperature** No data available None known **Decomposition temperature** None known No data available None known pH (as aqueous solution) No data available No information available Kinematic viscosity No data available None known Dynamic viscosity No data available None known No data available Water solubility None known No data available None known Solubility(ies) No data available None known **Partition coefficient** Vapour pressure No data available None known No data available Relative density None known No data available **Bulk density Liquid Density** No data available Relative vapour density No data available None known Particle characteristics **Particle Size** No information available **Particle Size Distribution** No information available

9.2. Other information

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

EGHS / EN Page 11 / 20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 28-Aug-2024 Revision Number 1

VHG-SM68-2-500 - SM68 Standard 2: Ag, Ge, Hf, Mo, Nb, Sb, Si, Sn, Ta, Ti, W, Zr @ 100 μg/mL in 5% HNO3, tr. HF

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions
None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Exposure to air or moisture over prolonged periods.

10.5. Incompatible materials

Incompatible materials Oxidising agent. Strong acids. Strong bases.

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye damage.

May cause irreversible damage to eyes.

Skin contact Specific test data for the substance or mixture is not available. Causes skin irritation. (based

on components).

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhoea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. Burning. May cause blindness. May cause redness and tearing of the eyes.

Numerical measures of toxicity

EGHS / EN Page 12 / 20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Number 1

VHG-SM68-2-500 - SM68 Standard 2: Ag, Ge, Hf, Mo, Nb, Sb, Si, Sn, Ta, Ti, W, Zr @ 100 μg/mL in 5% HNO3, tr. HF

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 5,010.00 mg/kg
ATEmix (dermal) 5,000.00 mg/kg
ATEmix (inhalation-gas) 99,999.00 ppm
ATEmix (inhalation-dust/mist) 50.10 mg/l
ATEmix (inhalation-vapour) 66.70 mg/l

Revision date 28-Aug-2024

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Nitric Acid			= 2500 ppm (Rat) 1 h
			ATE (vapours) = 2.65 mg/L
hydrofluoric acid			= 0.79 mg/L (Rat) 1 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes burns. Causes serious eye

damage.

Respiratory or skin sensitisation No information available.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

Reproductive toxicityNo information available.

STOT - single exposure No information available.

EGHS / EN Page 13 / 20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Number 1

Revision date 28-Aug-2024

VHG-SM68-2-500 - SM68 Standard 2: Ag, Ge, Hf, Mo, Nb, Sb, Si, Sn, Ta, Ti, W, Zr @ 100 μg/mL in 5% HNO3, tr.

HF

STOT - repeated exposureNo information available.

Aspiration hazard No information available.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties This product does not contain any known or suspected endocrine disruptors.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Very toxic to aquatic life with long lasting effects. Toxic to aquatic life.

Unknown aquatic toxicityContains 0 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
hydrofluoric acid	-	-	-	EC50: =270mg/L (48h, Daphnia species)

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient
Nitric Acid	-2.3
hydrofluoric acid	-1.4

12.4. Mobility in soil

Mobility in soil No information available.

EGHS / EN Page 14 / 20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 28-Aug-2024

Revision Number 1

VHG-SM68-2-500 - SM68 Standard 2: Ag, Ge, Hf, Mo, Nb, Sb, Si, Sn, Ta, Ti, W, Zr @ 100 μg/mL in 5% HNO3, tr. HF

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No

No information available.

Chemical name	PBT and vPvB assessment
Nitric Acid	The substance is not PBT / vPvB
hydrofluoric acid	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

SECTION 14: Transport information

IATA

14.1 UN number or ID number UN3264

14.2 UN proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid, hydrofluoric acid)

14.3 Transport hazard class(es) 814.4 Packing group |||

Description
14.5 Environmental hazards

UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid, hydrofluoric acid), 8, III Yes

14.6 Special precautions for user

is for user

Special Provisions

A3, A803

. ERG Code 8L

<u>IMDG</u>

14.1 UN number or ID number UN3264

EGHS / EN Page 15 / 20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Number 1 Revision date 28-Aug-2024

VHG-SM68-2-500 - SM68 Standard 2: Ag, Ge, Hf, Mo, Nb, Sb, Si, Sn, Ta, Ti, W, Zr @ 100 μg/mL in 5% HNO3, tr. HF

14.2 UN proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid, hydrofluoric acid)

14.3 Transport hazard class(es) 14.4 Packing group

UN3264, Corrosive liquid, acidic, inorganic, n.o.s.(Nitric Acid, hydrofluoric acid), 8, III, Description

Marine pollutant

14.5 Marine pollutant Yes **Environmental hazards**

14.6 Special precautions for user

Special Provisions

223, 274

EmS-No. F-A, S-B No information available No information available

Yes

Yes

14.7 Maritime transport in bulk

according to IMO instruments

RID

14.1 UN number or ID number UN3264

14.2 UN proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid, hydrofluoric acid)

14.3 Transport hazard class(es) Ш 14.4 Packing group

UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid, hydrofluoric acid), 8, III, Description

Environmentally Hazardous

14.5 Environmental hazards

14.6 Special precautions for user

Special Provisions 274 Classification code C1

ADR

14.1 UN number or ID number UN3264

Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid, hydrofluoric acid) 14.2 UN proper shipping name

14.3 Transport hazard class(es) 14.4 Packing group Ш

UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid, hydrofluoric acid), 8, III, (E), Description

Environmentally Hazardous

14.5 Environmental hazards

14.6 Special precautions for user

Special Provisions 274 Classification code C1 **Tunnel restriction code** (E)

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

EGHS / EN Page 16 / 20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 28-Aug-2024

VHG-SM68-2-500 - SM68 Standard 2: Ag, Ge, Hf, Mo, Nb, Sb, Si, Sn, Ta, Ti, W, Zr @ 100 μg/mL in 5% HNO3, tr. HF

France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number	Title
hydrofluoric acid	RG 32	-
7664-39-3		

Water hazard class (WGK)

slightly hazardous to water (WGK 1)

Poland

SDS created according to the following Polish regulation: Act of February 25, 2011 on chemical substances and their mixtures (Journal of Laws of 2018, item 143, as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing the European Chemicals Agency (EC) as amended. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labeling and packaging of substances and mixtures, as amended. Regulation of the Minister of Health of 10 August 2012 on the criteria and method of classifying chemical substances and their mixtures (Journal of Laws of 2012, item 1018). Regulation of the Minister of Health of 20 April 2012 on labeling packaging of hazardous substances and mixtures and some mixtures (Journal of Laws of 2012, item 445). Regulation of the Minister of Family, Labor and Social Policy of 12 June 2018 on the maximum allowable concentrations and intensities of factors harmful to health in the work environment (Journal of Laws of 2018, item 1286). Announcement of the Minister of Economy, Labor and Social Policy of August 28, 2003 on the publication of the unified text of the Ordinance of the Minister of Labor and Social Policy on general health and safety at work regulations (Journal of Laws of 2003, No. 169, item 1650). Regulation of the Minister of Health of 30 December 2004 on occupational safety and health related to the presence of chemical agents in the workplace (Journal of Laws of 2005, No. 11, item 86). Act of December 14, 2012 on waste (Journal of Laws of 2013, item 21) Regulation of the Minister of Health of December 30, 2004 on occupational health and safety related to the presence of chemical agents in the workplace (Journal U. of 2005, No. 11, item 86). Waste Act of December 14, 2012 (Journal of Laws of 2013, item 21). Act of 13 June 2013 on the management of packaging and packaging waste, Journal of Laws 2013, item 888). Government statement of September 24, 2002 - European Agreement on the International Carriage of Dangerous Goods by Road (ADR) (Journal of Laws No. 194, item 1629 and Journal of Laws of 2003, No. 207, item 2013 and 2014).

Revision Number 1

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorisations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

EGHS / EN Page 17 / 20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 28-Aug-2024 Revision Number 1

VHG-SM68-2-500 - SM68 Standard 2: Ag, Ge, Hf, Mo, Nb, Sb, Si, Sn, Ta, Ti, W, Zr @ 100 μg/mL in 5% HNO3, tr. HF

DIRECTIVE (EU) 2021/1187 on the marketing and use of explosives precursors

Product contains: Restricted explosives precursors. Making available, introduction, possession and use according to Regulation (EU) 2019/1148, Article 5 (1) and (3)

Chemical name	RESTRICTED EXPLOSIVES PRECURSORS - ANNEX I	REPORTABLE EXPLOSIVES PRECURSORS - ANNEX II
Nitric Acid - 7697-37-2	3 %w/w	-

Chemical name	Restricted substance per REACH	Substance subject to authorisation per
	Annex XVII	REACH Annex XIV
Nitric Acid - 7697-37-2	75.	
hydrofluoric acid - 7664-39-3	75.	

Persistent Organic Pollutants

Not applicable

Dangerous substance category per Seveso Directive (2012/18/EU)

E1 - Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

International Inventories

TSCA LGC, to the best of its ability, has confirmed that the chemical substances in this product are

listed as "Active" in the EPA (Environmental Protection Agency) "TSCA Inventory Notification (Active-Inactive) Requirements Rule" ("the Final Rule") of Feb 2019, as

amended Feb 2021."

DSL/NDSL
EINECS/ELINCS
Contact supplier for inventory compliance status
Contact supplier for inventory compliance status
ENCS
Contact supplier for inventory compliance status
IECSC
Contact supplier for inventory compliance status
KECI
Contact supplier for inventory compliance status
PICCS
Contact supplier for inventory compliance status
Contact supplier for inventory compliance status
Contact supplier for inventory compliance status

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

EGHS / EN Page 18 / 20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Number 1

Revision date 28-Aug-2024

VHG-SM68-2-500 - SM68 Standard 2: Ag, Ge, Hf, Mo, Nb, Sb, Si, Sn, Ta, Ti, W, Zr @ 100 μg/mL in 5% HNO3, tr. HF

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

Chemical Safety Report A Chemical Safety Assessment is not required for this substance

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H272 - May intensify fire; oxidiser

H290 - May be corrosive to metals

H300 - Fatal if swallowed

H310 - Fatal in contact with skin

H314 - Causes severe skin burns and eye damage

H330 - Fatal if inhaled

H331 - Toxic if inhaled

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Sk* Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - Vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	On basis of test data
Serious eye damage/eye irritation	On basis of test data
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method

EGHS / EN Page 19 / 20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 28-Aug-2024

Revision Number 1

VHG-SM68-2-500 - SM68 Standard 2: Ag, Ge, Hf, Mo, Nb, Sb, Si, Sn, Ta, Ti, W, Zr @ 100 μg/mL in 5% HNO3, tr. HF

Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method
Corrosive to metals	On basis of test data

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 28-Aug-2024

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 Disclaimer

The information in this safety data sheet (SDS) has been prepared with due care and is true and accurate to the best of our knowledge. The user must determine the suitability of the information for its particular purpose, ensure compliance with existing laws and regulations, and be aware that other or additional safety or performance considerations may arise when using, handling and/ or storing the material. The information in this SDS does not purport to be all inclusive or a guarantee as to the properties of the material supplied, and should be used only as a guide. LGC makes no warranties or representations as to the accuracy and completeness of the information contained herein, shall not be held responsible for the suitability of this information for the user's intended purposes or the consequences of such use, and shall not be liable for any damage or loss, howsoever arising, direct or otherwise.

End of Safety Data Sheet

EGHS / EN Page 20 / 20