



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 17-May-2022

Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code(s) VHG-SCLOIL-5-250
Product Name Sulfur & Chlorine Standard: S, Cl @ 5 µg/g in 75 cSt Mineral Oil
Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Laboratory use
Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Supplier

LGC Limited
Queens Road
Teddington
Middlesex TW11 0LY
UNITED KINGDOM
:+44 (0) 20 8943 7000
Fax :+44 (0) 20 8943 2767
eMail : gb@lgcstandards.com

Web : www.lgcstandards.com

For further information, please contact

E-mail address sds-request@lgcgroup.com

1.4. Emergency telephone number

Emergency Telephone For Hazardous Materials or Dangerous Goods Incident
Spill, Leak, Fire Exposure, or Accident
Call CHEMTREC:
USA & Canada 1-800-424-9300
Rest of the world +1 703-741-5970

Emergency Telephone - §45 - (EC)1272/2008	
Europe	112
Austria	No information available
Bulgaria	



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 17-May-2022

Revision Number 1

VHG-SCLOIL-5-250 - Sulfur & Chlorine Standard: S, Cl @ 5 µg/g in 75 cSt Mineral Oil

Croatia	
Cyprus	
Czech Republic	
Denmark	
France	
Hungary	
Ireland	
Italy	
Lithuania	
Luxembourg	(+352) 8002 5500 Free telephone number with a 24/7 access in French, Dutch and English.
Netherlands	
Norway	
Portugal	
Romania	
Slovakia	
Slovenia	
Spain	
Sweden	
Switzerland	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Aspiration hazard	Category 1 - (H304)
-------------------	---------------------

2.2. Label elements

Contains White mineral oil, petroleum



Signal word
Danger

Hazard statements

H304 - May be fatal if swallowed and enters airways

Precautionary Statements - EU (§28, 1272/2008)



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 17-May-2022

Revision Number 1

VHG-SCLOIL-5-250 - Sulfur & Chlorine Standard: S, Cl @ 5 µg/g in 75 cSt Mineral Oil

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor

P331 - Do NOT induce vomiting

P405 - Store locked up

P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Endocrine Disruptor Information

Chemical name	EU - REACH (1907/2006) - Article 59(1) - Candidate List of Substances of Very High Concern (SVHC) for Authorisation	EU - REACH (1907/2006) - Endocrine Disruptor Assessment List of Substances
White mineral oil, petroleum	-	-
1,2-Dichlorobenzene	-	-

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	Weight-%	REACH registration number	EC No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
White mineral oil, petroleum 8042-47-5	80 - 100	-	232-455-8	Asp. Tox. 1 (H304)			
1,2-Dichlorobenzene 95-50-1	<0.1	-	202-425-9	Acute Tox. 4 (H302) Acute Tox. 4 (H332) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Skin Sens. 1B (H317) STOT SE 3 (H335) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)			



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 17-May-2022

Revision Number 1

VHG-SCLOIL-5-250 - Sulfur & Chlorine Standard: S, Cl @ 5 µg/g in 75 cSt Mineral Oil

--	--	--	--	--	--	--	--

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATE_{mix}) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
White mineral oil, petroleum 8042-47-5	5000	No data available	No data available	No data available	No data available
1,2-Dichlorobenzene 95-50-1	1516	10000	No data available	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.
Inhalation	Aspiration into lungs can produce severe lung damage. If breathing has stopped, give artificial respiration. Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Get immediate medical advice/attention. Delayed pulmonary edema may occur.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a doctor.
Skin contact	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a doctor.
Ingestion	ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. Do NOT induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Rinse mouth. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention.



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 17-May-2022

Revision Number 1

VHG-SCLOIL-5-250 - Sulfur & Chlorine Standard: S, Cl @ 5 µg/g in 75 cSt Mineral Oil

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Difficulty in breathing. Coughing and/ or wheezing. Dizziness.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Because of the danger of aspiration, emesis or gastric lavage should not be used unless the risk is justified by the presence of additional toxic substances.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical No information available.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Use personal protective equipment as required.

Other information Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 17-May-2022

Revision Number 1

VHG-SCLOIL-5-250 - Sulfur & Chlorine Standard: S, Cl @ 5 µg/g in 75 cSt Mineral Oil

Environmental precautions See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation.

General hygiene considerations Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Please refer to the manufacturer's certificate for specific storage and transport temperature conditions. Store only in the original receptacle unless other advice is given on the CoA. Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children. Store away from other materials.

7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
---------------	----------------	---------	---------	----------	---------



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 17-May-2022

Revision Number 1

VHG-SCLOIL-5-250 - Sulfur & Chlorine Standard: S, Cl @ 5 µg/g in 75 cSt Mineral Oil

1,2-Dichlorobenzene 95-50-1	TWA: 20 ppm TWA: 122 mg/m³ STEL: 50 ppm STEL: 306 mg/m³ *	TWA: 20 ppm TWA: 122 mg/m³ STEL 50 ppm STEL 306 mg/m³ H*	TWA: 20 ppm TWA: 122 mg/m³ STEL: 50 ppm STEL: 306 mg/m³ *	STEL: 300 mg/m³ TWA: 120 mg/m³ K*	TWA: 20 ppm TWA: 122 mg/m³ STEL: 50 ppm STEL: 306 mg/m³ *
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
1,2-Dichlorobenzene 95-50-1	* STEL: 50 ppm STEL: 306 mg/m³ TWA: 20 ppm TWA: 122 mg/m³	TWA: 100 mg/m³ Ceiling: 200 mg/m³ *	TWA: 20 ppm TWA: 122 mg/m³ H*	TWA: 20 ppm TWA: 122 mg/m³ STEL: 50 ppm STEL: 306 mg/m³ A*	TWA: 10 ppm TWA: 61 mg/m³ STEL: 50 ppm STEL: 300 mg/m³ iho*
Chemical name	France	Germany	Germany MAK	Greece	Hungary
White mineral oil, petroleum 8042-47-5	-	TWA: 5 mg/m³	TWA: 5 mg/m³ Peak: 20 mg/m³	-	TWA: 5 mg/m³
1,2-Dichlorobenzene 95-50-1	TWA: 20 ppm TWA: 122 mg/m³ STEL: 50 ppm STEL: 306 mg/m³ *	TWA: 10 ppm TWA: 61 mg/m³ H*	TWA: 10 ppm TWA: 61 mg/m³ Peak: 20 ppm Peak: 122 mg/m³ *	TWA: 50 ppm TWA: 300 mg/m³ STEL: 50 ppm STEL: 300 mg/m³	TWA: 122 mg/m³ STEL: 306 mg/m³ *
Chemical name	Ireland	Italy	Italy REL	Latvia	Lithuania
White mineral oil, petroleum 8042-47-5	-	-	-	TWA: 5 mg/m³	-
1,2-Dichlorobenzene 95-50-1	TWA: 20 ppm TWA: 122 mg/m³ STEL: 50 ppm STEL: 306 mg/m³ Sk*	TWA: 20 ppm TWA: 122 mg/m³ STEL: 50 ppm STEL: 306 mg/m³ pelle*	TWA: 25 ppm TWA: 150 mg/m³ STEL: 50 ppm STEL: 301 mg/m³	TWA: 20 ppm TWA: 122 mg/m³ STEL: 50 ppm STEL: 306 mg/m³ *	* TWA: 20 ppm TWA: 122 mg/m³ STEL: 50 ppm STEL: 306 mg/m³
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
1,2-Dichlorobenzene 95-50-1	* STEL: 50 ppm STEL: 306 mg/m³ TWA: 20 ppm TWA: 122 mg/m³	* STEL: 50 ppm STEL: 306 mg/m³ TWA: 20 ppm TWA: 122 mg/m³	TWA: 122 mg/m³ STEL: 300 mg/m³ H*	TWA: 20 ppm TWA: 122 mg/m³ STEL: 50 ppm STEL: 306 mg/m³ H*	STEL: 180 mg/m³ TWA: 90 mg/m³ *
Chemical name	Portugal	Romania	Slovakia	Slovenia	Spain
White mineral oil, petroleum 8042-47-5	-	-	-	TWA: 5 mg/m³ STEL: STEL mg/m³	-
1,2-Dichlorobenzene 95-50-1	TWA: 20 ppm TWA: 122 mg/m³ STEL: 50 ppm STEL: 306 mg/m³ P*	-	TWA: 20 ppm TWA: 122 mg/m³ * Ceiling: 306 mg/m³	TWA: 20 ppm TWA: 122 mg/m³ STEL: STEL ppm STEL: STEL mg/m³ *	TWA: 20 ppm TWA: 122 mg/m³ STEL: 50 ppm STEL: 306 mg/m³ via dérmica*
Chemical name	Sweden		Switzerland		United Kingdom
White mineral oil, petroleum	-		TWA: 5 ma/m³		-



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 17-May-2022

Revision Number 1

VHG-SCLOIL-5-250 - Sulfur & Chlorine Standard: S, Cl @ 5 µg/g in 75 cSt Mineral Oil

8042-47-5			
1,2-Dichlorobenzene 95-50-1	NGV: 20 ppm NGV: 122 mg/m ³ Bindande KGV: 50 ppm Bindande KGV: 306 mg/m ³ *	TWA: 10 ppm TWA: 61 mg/m ³ STEL: 20 ppm STEL: 122 mg/m ³ H*	TWA: 25 ppm TWA: 153 mg/m ³ STEL: 50 ppm STEL: 306 mg/m ³ Sk*

Biological occupational exposure limits

Chemical name	European Union	Austria	Bulgaria	Croatia	Czech Republic
1,2-Dichlorobenzene 95-50-1	-	-	-	150 mg/g Creatinine - urine (3,4- and 4,5-Dichlorocatechol) - at the end of the work shift; at chronic exposure after several successive shifts 140 µg/L - blood (1,2-Dichlorobenzene) - right at the end of the work shift	-
Chemical name	Denmark	Finland	France	Germany	Germany
1,2-Dichlorobenzene 95-50-1	-	-	-	140 µg/L (whole blood - 1,2-Dichlorobenzene immediately after exposure) 150 mg/g Creatinine (urine - 3,4- and 4,5-Dichlorocatechol (after hydrolysis) end of shift) 150 mg/g Creatinine (urine - 3,4- and 4,5-Dichlorocatechol (after hydrolysis) for long-term exposures: at the end of the shift after several shifts) 140 µg/L - BAT (immediately after exposure) blood 150 mg/g Creatinine	140 µg/L (whole blood - 1,2-Dichlorobenzene immediately after exposure) 150 mg/g Creatinine (urine - 3,4- and 4,5-Dichlorocatechol (after hydrolysis) end of shift) 150 mg/g Creatinine (urine - 3,4- and 4,5-Dichlorocatechol (after hydrolysis) for long-term exposures: at the end of the shift after several shifts)



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 17-May-2022

Revision Number 1

VHG-SCLOIL-5-250 - Sulfur & Chlorine Standard: S, Cl @ 5 µg/g in 75 cSt Mineral Oil

				- BAT (end of exposure or end of shift) urine 150 mg/g Creatinine - BAT (for long-term exposures: at the end of the shift after several shifts) urine	
Chemical name	Slovenia	Spain	Switzerland	United Kingdom	
1,2-Dichlorobenzene 95-50-1	140 µg/L - blood (1,2-Dichlorobenzene) - at the end of the work shift 150 mg/g Creatinine - urine (3,4- and 4,5-Dichlorocatechol (after hydrolysis)) - at the end of the work shift	-	-	-	

Derived No Effect Level (DNEL) No information available.

Predicted No Effect Concentration (PNEC) No information available.

8.2. Exposure controls

Personal protective equipment

Eye/face protection

Avoid contact with eyes. Wear safety glasses with side shields (or goggles). If splashes are likely to occur, wear safety glasses with side-shields.

Hand protection

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374. Wear protective nitrile rubber gloves.

Skin and body protection

Wear suitable protective clothing.

Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations

Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection.

Environmental exposure controls

Do not allow into any sewer, on the ground or into any body of water.



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 17-May-2022

Revision Number 1

VHG-SCLOIL-5-250 - Sulfur & Chlorine Standard: S, Cl @ 5 µg/g in 75 cSt Mineral Oil

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Oily
Colour	colourless
Odour	Mineral oil-like odour.
Odour threshold	No information available

Property	Values	Remarks • Method
Melting point / freezing point	No data available	None known
Initial boiling point and boiling range	No data available	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Flash point	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature		None known
pH	No data available	None known
pH (as aqueous solution)	No data available	No information available
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Vapour pressure	No data available	None known
Relative density	No data available	None known
Bulk density	No data available	
Liquid Density	No data available	
Relative vapour density	No data available	None known
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	

9.2. Other information

9.2.1. Information with regards to physical hazard classes
Not applicable

9.2.2. Other safety characteristics
No information available



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 17-May-2022

Revision Number 1

VHG-SCLOIL-5-250 - Sulfur & Chlorine Standard: S, Cl @ 5 µg/g in 75 cSt Mineral Oil

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid None known based on information supplied.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. Aspiration into lungs can produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be fatal.

Eye contact Specific test data for the substance or mixture is not available.

Skin contact Repeated exposure may cause skin dryness or cracking.

Ingestion Specific test data for the substance or mixture is not available. Potential for aspiration if swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 17-May-2022

Revision Number 1

VHG-SCLOIL-5-250 - Sulfur & Chlorine Standard: S, Cl @ 5 µg/g in 75 cSt Mineral Oil

and pneumonitis. May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Difficulty in breathing. Coughing and/ or wheezing. Dizziness.

Numerical measures of toxicity

Acute toxicity

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
White mineral oil, petroleum	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	
1,2-Dichlorobenzene	= 1516 mg/kg (Rat)	> 10 g/kg (Rabbit)	= 9.2 mg/L (Rat) 6 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitisation No information available.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 17-May-2022

Revision Number 1

VHG-SCLOIL-5-250 - Sulfur & Chlorine Standard: S, Cl @ 5 µg/g in 75 cSt Mineral Oil

Aspiration hazard May be fatal if swallowed and enters airways.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Unknown aquatic toxicity Contains 0 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
White mineral oil, petroleum	-	LC50: >10000mg/L (96h, <i>Lepomis macrochirus</i>)	-	-
1,2-Dichlorobenzene	EC50: 61.2 - 181mg/L (72h, <i>Pseudokirchneriella subcapitata</i>) EC50: =2.2mg/L (96h, <i>Pseudokirchneriella subcapitata</i>) EC50: =91.6mg/L (96h, <i>Pseudokirchneriella subcapitata</i>)	LC50: 1.44 - 1.73mg/L (96h, <i>Oncorhynchus mykiss</i>) LC50: 4.8 - 6.6mg/L (96h, <i>Lepomis macrochirus</i>) LC50: 42.6 - 80.4mg/L (96h, <i>Pimephales promelas</i>) LC50: 8.23 - 10.9mg/L (96h, <i>Pimephales promelas</i>) LC50: =5.2mg/L (96h, <i>Brachydanio rerio</i>) LC50: =5.8mg/L (96h, <i>Pimephales promelas</i>)	-	EC50: =0.74mg/L (48h, <i>Daphnia magna</i>)

12.2. Persistence and degradability

Persistence and degradability No information available.



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 17-May-2022

Revision Number 1

VHG-SCLOIL-5-250 - Sulfur & Chlorine Standard: S, Cl @ 5 µg/g in 75 cSt Mineral Oil

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient
White mineral oil, petroleum	>6
1,2-Dichlorobenzene	3.43

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

Chemical name	PBT and vPvB assessment
White mineral oil, petroleum	The substance is not PBT / vPvB PBT assessment does not apply
1,2-Dichlorobenzene	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

SECTION 14: Transport information

IATA

14.1 UN number or ID number Not regulated



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 17-May-2022

Revision Number 1

VHG-SCLOIL-5-250 - Sulfur & Chlorine Standard: S, Cl @ 5 µg/g in 75 cSt Mineral Oil

14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None

IMDG

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Marine pollutant	Not applicable
14.6 Special precautions for user	
Special Provisions	None No information available
14.7 Maritime transport in bulk according to IMO instruments	No information available

RID

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None

ADR

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number	Title
White mineral oil, petroleum	RG 36bis	-



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 17-May-2022

Revision Number 1

VHG-SCLOIL-5-250 - Sulfur & Chlorine Standard: S, Cl @ 5 µg/g in 75 cSt Mineral Oil

8042-47-5		
1,2-Dichlorobenzene 95-50-1	RG 9	-

Germany

Water hazard class (WGK)

slightly hazardous to water (WGK 1)

Poland

SDS created according to the following Polish regulation: Act of February 25, 2011 on chemical substances and their mixtures (Journal of Laws of 2018, item 143, as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing the European Chemicals Agency (EC) as amended. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labeling and packaging of substances and mixtures, as amended. Regulation of the Minister of Health of 10 August 2012 on the criteria and method of classifying chemical substances and their mixtures (Journal of Laws of 2012, item 1018). Regulation of the Minister of Health of 20 April 2012 on labeling packaging of hazardous substances and mixtures and some mixtures (Journal of Laws of 2012, item 445). Regulation of the Minister of Family, Labor and Social Policy of 12 June 2018 on the maximum allowable concentrations and intensities of factors harmful to health in the work environment (Journal of Laws of 2018, item 1286). Announcement of the Minister of Economy, Labor and Social Policy of August 28, 2003 on the publication of the unified text of the Ordinance of the Minister of Labor and Social Policy on general health and safety at work regulations (Journal of Laws of 2003, No. 169, item 1650). Regulation of the Minister of Health of 30 December 2004 on occupational safety and health related to the presence of chemical agents in the workplace (Journal of Laws of 2005, No. 11, item 86). Act of December 14, 2012 on waste (Journal of Laws of 2013, item 21) Regulation of the Minister of Health of December 30, 2004 on occupational health and safety related to the presence of chemical agents in the workplace (Journal U. of 2005, No. 11, item 86). Waste Act of December 14, 2012 (Journal of Laws of 2013, item 21). Act of 13 June 2013 on the management of packaging and packaging waste, Journal of Laws 2013, item 888). Government statement of September 24, 2002 - European Agreement on the International Carriage of Dangerous Goods by Road (ADR) (Journal of Laws No. 194, item 1629 and Journal of Laws of 2003, No. 207, item 2013 and 2014).

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

DIRECTIVE (EU) 2021/1187 on the marketing and use of explosives precursors

Not applicable



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 17-May-2022

Revision Number 1

VHG-SCLOIL-5-250 - Sulfur & Chlorine Standard: S, Cl @ 5 µg/g in 75 cSt Mineral Oil

Persistent Organic Pollutants

Not applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

EU - Plant Protection Products (1107/2009/EC)

Chemical name	EU - Plant Protection Products (1107/2009/EC)
White mineral oil, petroleum - 8042-47-5	Plant protection agent

International Inventories

TSCA	Contact supplier for inventory compliance status
DSL/NDSL	Contact supplier for inventory compliance status
EINECS/ELINCS	Contact supplier for inventory compliance status
ENCS	Contact supplier for inventory compliance status
IECSC	Contact supplier for inventory compliance status
KECL	Contact supplier for inventory compliance status
PICCS	Contact supplier for inventory compliance status
AIIC	Contact supplier for inventory compliance status

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

Chemical Safety Report A Chemical Safety Assessment has been carried out for this substance

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 17-May-2022

Revision Number 1

VHG-SCLOIL-5-250 - Sulfur & Chlorine Standard: S, Cl @ 5 µg/g in 75 cSt Mineral Oil

Full text of H-Statements referred to under section 3

H302 - Harmful if swallowed
H304 - May be fatal if swallowed and enters airways
H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H319 - Causes serious eye irritation
H332 - Harmful if inhaled
H335 - May cause respiratory irritation
H400 - Very toxic to aquatic life
H410 - Very toxic to aquatic life with long lasting effects

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)
Ceiling Maximum limit value * Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - Vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
U.S. Environmental Protection Agency ChemView Database
European Food Safety Authority (EFSA)
EPA (Environmental Protection Agency)
Acute Exposure Guideline Level(s) (AEGl(s))



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 17-May-2022

Revision Number 1

VHG-SCLOIL-5-250 - Sulfur & Chlorine Standard: S, Cl @ 5 µg/g in 75 cSt Mineral Oil

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
U.S. Environmental Protection Agency High Production Volume Chemicals
Food Research Journal
Hazardous Substance Database
International Uniform Chemical Information Database (IUCLID)
Japan GHS Classification
Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine's PubMed database (NLM PUBMED)
National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications
Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme
Organisation for Economic Co-operation and Development Screening Information Data Set
World Health Organization

Revision date 17-May-2022

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information in this safety data sheet (SDS) has been prepared with due care and is true and accurate to the best of our knowledge. The user must determine the suitability of the information for its particular purpose, ensure compliance with existing laws and regulations, and be aware that other or additional safety or performance considerations may arise when using, handling and/ or storing the material. The information in this SDS does not purport to be all inclusive or a guarantee as to the properties of the material supplied, and should be used only as a guide. LGC makes no warranties or representations as to the accuracy and completeness of the information contained herein, shall not be held responsible for the suitability of this information for the user's intended purposes or the consequences of such use, and shall not be liable for any damage or loss, howsoever arising, direct or otherwise.

End of Safety Data Sheet