

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 06-Dec-2023 Revision Number 1

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product Code(s) DRE-L16025000ME

Product Name Phenol 10 μg/mL in Methanol

Form Not applicable

Unique Formula Identifier (UFI) D6P4-10XE-300P-ETD4

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Laboratory use

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

#### **Supplier**

LGC Limited
Queens Road
Teddington
Middlesex TW11 0LY
UNITED KINGDOM
:+44 (0) 20 8943 7000
Fax :+44 (0) 20 8943 2767
eMail : gb@lgcstandards.com

Web: www.lgcstandards.com

For further information, please contact

E-mail address sds-request@lgcgroup.com

1.4. Emergency telephone number

Emergency Telephone For Hazardous Materials or Dangerous Goods Incident

Spill, Leak, Fire Exposure, or Accident

Call CHEMTREC:

USA & Canada 1-800-424-9300 Rest of the world +1 703-741-5970

EGHS / EN Page 1/24



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 06-Dec-2023 **Revision Number** 1

DRE-L16025000ME - Phenol 10 µg/mL in Methanol

Emergency Telephone - §45 - (EC)	1272/2008
Europe	112
Austria	No information available
Bulgaria	
Croatia	
Cyprus	
Czech Republic	
Denmark	
France	
Hungary	
Ireland	
Italy	
Lithuania	
Luxembourg	
Netherlands	
Norway	
Portugal	
Romania	
Slovakia	
Slovenia	
Spain	
Sweden	
Switzerland	

### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity - Oral	Category 3 - (H301)
Acute toxicity - Dermal	Category 3 - (H311)
Acute toxicity - Inhalation (Vapours)	Category 3 - (H331)
Specific target organ toxicity — single exposure	Category 1
Flammable liquids	Category 2 - (H225)

#### 2.2. Label elements

200-659-6

Contains Methanol

EGHS / EN Page 2/24



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 06-Dec-2023 Revision Number 1

#### DRE-L16025000ME - Phenol 10 µg/mL in Methanol



#### Signal word Danger

#### **Hazard statements**

H301 - Toxic if swallowed

H311 - Toxic in contact with skin

H331 - Toxic if inhaled

H370 - Causes damage to organs

H225 - Highly flammable liquid and vapour

#### Precautionary Statements - EU (§28, 1272/2008)

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P260 - Do not breathe dust/fume/gas/mist/vapours/spray

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor

P403 + P235 - Store in a well-ventilated place. Keep cool

#### 2.3. Other hazards

No information available.

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors.

Chemical name	EU - REACH (1907/2006) - Article 59(1)	EU - REACH (1907/2006) - Endocrine
	- Candidate List of Substances of Very	Disruptor Assessment List of
	High Concern (SVHC) for Authorisation	Substances
Methanol	-	-
Phenol	-	-

### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not applicable

EGHS / EN Page 3/24



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 06-Dec-2023 Revision Number 1

DRE-L16025000ME - Phenol 10 µg/mL in Methanol

#### 3.2 Mixtures

**Chemical nature** 

Mixture of organic compounds.

Chemical name	Weight-%	· · · · · · · · · · · · · · · · · · ·	,	Classification according to Regulation (EC) No.		M-Factor	M-Factor
		number	index No)	1272/2008 [CLP]	concentration limit (SCL)		(long-term)
Methanol 67-56-1	80 - 100	-	200-659-6	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331)	STOT SE 1 :: C>=10% STOT SE 2 ::		
				STOT SE 1 (H370) Flam. Liq. 2 (H225)	3%<=C<10%		
Phenol 108-95-2	<0.1	-	203-632-7 (604-001-00 -2)	,	Eye Irrit. 2 :: 1%<=C<3% Skin Corr. 1B :: C>=3% Skin Irrit. 2 :: 1%<=C<3%		

#### Full text of H- and EUH-phrases: see section 16

#### **Acute Toxicity Estimate**

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Γ	Chemical name	Oral LD50 mg/kg	Dermal LD50	Inhalation LC50 - 4	Inhalation LC50 - 4	Inhalation LC50 - 4
			mg/kg	hour - dust/mist - mg/L	hour - vapour - mg/L	hour - gas - ppm
	Methanol 67-56-1	6200	15840	No data available	41.6976	No data available
Ī	Phenol 108-95-2	340	630	No data available	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### SECTION 4: First aid measures

EGHS / EN Page 4/24



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 06-Dec-2023 Revision Number 1

DRE-L16025000ME - Phenol 10 µg/mL in Methanol

4.1. Description of first aid measures

**General advice** Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

**Inhalation** Remove to fresh air. IF exposed or concerned: Get medical advice/attention. If breathing

has stopped, give artificial respiration. Get medical attention immediately. Immediate medical attention is required. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained

personnel should) give oxygen.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Get immediate medical attention.

**Skin contact**Wash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes. Get immediate medical attention.

**Ingestion** Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious

person. Get immediate medical attention.

**Self-protection of the first aider** Remove all sources of ignition. Ensure that medical personnel are aware of the material(s)

involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory

medical device. Do not breathe vapour or mist.

4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** Coughing and/ or wheezing. Difficulty in breathing.

4.3. Indication of any immediate medical attention and special treatment needed

**Note to doctors** Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

EGHS / EN Page 5/24



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 06-Dec-2023 Revision Number 1

DRE-L16025000ME - Phenol 10 µg/mL in Methanol

**Unsuitable extinguishing media** Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

#### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. See

section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Do not breathe

vapour or mist.

Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Environmental precautions Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if

safe to do so. Prevent product from entering drains.

6.3. Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. A

vapour suppressing foam may be used to reduce vapours. Dyke far ahead of spill to collect run-off water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand

or other non-combustible material and transfer to containers for later disposal.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labelled containers.

EGHS / EN Page 6/24



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 06-Dec-2023 Revision Number 1

DRE-L16025000ME - Phenol 10 µg/mL in Methanol

Prevention of secondary hazards

Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections

See section 8 for more information. See section 13 for more information.

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Advice on safe handling

Use personal protection equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash it before reuse. Do not breathe vapour or mist. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product.

General hygiene considerations

Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Do not breathe vapour or mist.

#### 7.2. Conditions for safe storage, including any incompatibilities

**Storage Conditions** 

Please refer to the manufacturer's certificate for specific storage and transport temperature conditions. Store only in the original receptacle unless other advice is given on the CoA. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labelled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Keep out of the reach of children. Store locked up.

#### 7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

EGHS / EN Page 7/24



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 06-Dec-2023 Revision Number 1

DRE-L16025000ME - Phenol 10 µg/mL in Methanol

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### **Exposure Limits**

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Methanol	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm
67-56-1	TWA: 260 mg/m <sup>3</sup>	TWA: 260 mg/m <sup>3</sup>	TWA: 266 mg/m <sup>3</sup>	TWA: 260.0 mg/m <sup>3</sup>	TWA: 260 mg/m <sup>3</sup>
	*	STEL 800 ppm	STEL: 250 ppm	Sk*	Sk*
		STEL 1040 mg/m <sup>3</sup>	STEL: 333 mg/m <sup>3</sup>		
		Sk*	Sk*		
Phenol	TWA: 2 ppm	TWA: 2 ppm	TWA: 2 ppm	TWA: 2 ppm	TWA: 2 ppm
108-95-2	TWA: 8 mg/m <sup>3</sup>	TWA: 8 mg/m <sup>3</sup>	TWA: 8 mg/m <sup>3</sup>	TWA: 8 mg/m <sup>3</sup>	TWA: 8 mg/m <sup>3</sup>
	STEL: 4 ppm	STEL 4 ppm	STEL: 4 ppm	STEL: 4 ppm	STEL: 4 ppm
	STEL: 16 mg/m <sup>3</sup>	STEL 16 mg/m <sup>3</sup>	STEL: 16 mg/m <sup>3</sup>	STEL: 16 mg/m <sup>3</sup>	STEL: 16 mg/m <sup>3</sup>
	*	Sk*	Sk*	Sk*	Sk*
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Methanol	TWA: 200 ppm	TWA: 250 mg/m <sup>3</sup>	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm
67-56-1	TWA: 260 mg/m <sup>3</sup>	Sk*	TWA: 260 mg/m <sup>3</sup>	TWA: 250 mg/m <sup>3</sup>	TWA: 270 mg/m <sup>3</sup>
	Sk*	Ceiling: 1000 mg/m <sup>3</sup>	STEL: 400 ppm	STEL: 250 ppm	STEL: 250 ppm
			STEL: 520 mg/m <sup>3</sup>	STEL: 350 mg/m <sup>3</sup>	STEL: 330 mg/m <sup>3</sup>
Dharail	TMA . O/2	T\\\\\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Sk*	Sk*	Sk*
Phenol	TWA: 8 mg/m <sup>3</sup>	TWA: 7.5 mg/m³ Sk*	TWA: 1 ppm	TWA: 2 ppm	TWA: 2 ppm
108-95-2	TWA: 2 ppm STEL: 16 mg/m <sup>3</sup>	Ceiling: 15 mg/m <sup>3</sup>	TWA: 4 mg/m <sup>3</sup> STEL: 16 mg/m <sup>3</sup>	TWA: 8 mg/m <sup>3</sup> STEL: 16 mg/m <sup>3</sup>	TWA: 8 mg/m <sup>3</sup> STEL: 4 ppm
	STEL: 16 mg/m <sup>3</sup>	Celling. 15 mg/m <sup>2</sup>	STEL: 16 mg/m <sup>o</sup>	STEL: 16 mg/m <sup>s</sup>	STEL: 4 ppill STEL: 16 mg/m <sup>3</sup>
	Sk*		Sk*	Sk*	Sk*
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
Methanol	TWA: 200 ppm	TWA: 100 ppm	TWA: 100 ppm	TWA: 200 ppm	TWA: 260 mg/m <sup>3</sup>
67-56-1	TWA: 260 mg/m <sup>3</sup>	TWA: 130 mg/m <sup>3</sup>	TWA: 130 mg/m <sup>3</sup>	TWA: 260 mg/m <sup>3</sup>	TWA: 200 ppm
	STEL: 1000 ppm	Sk*	Peak: 200 ppm	STEL: 250 ppm	Sk*
	STEL: 1300 mg/m <sup>3</sup>		Peak: 260 mg/m <sup>3</sup>	STEL: 325 mg/m <sup>3</sup>	
	Sk*		Sk*	Sk*	
Phenol	TWA: 2 ppm	TWA: 2 ppm	Sk*	TWA: 2 ppm	TWA: 2 ppm
108-95-2	TWA: 7.8 mg/m <sup>3</sup>	TWA: 8 mg/m <sup>3</sup>		TWA: 8 mg/m <sup>3</sup>	TWA: 8 mg/m <sup>3</sup>
	STEL: 4 ppm	Sk*		STEL: 4 ppm	STEL: 4 ppm
	STEL: 15.6 mg/m <sup>3</sup>			STEL: 16 mg/m <sup>3</sup>	STEL: 16 mg/m <sup>3</sup>
	Sk*			Sk*	Sk*
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
Methanol	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm
67-56-1	TWA: 260 mg/m <sup>3</sup>	TWA: 260 mg/m <sup>3</sup>	TWA: 262 mg/m <sup>3</sup>	TWA: 260 mg/m <sup>3</sup>	TWA: 260 mg/m <sup>3</sup>
	STEL: 600 ppm	Sk*	STEL: 250 ppm	Sk*	Sk*

EGHS / EN Page 8/24



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 06-Dec-2023 Revision Number 1

#### DRE-L16025000ME - Phenol 10 µg/mL in Methanol

		1	1 o==:	1		
	STEL: 780 mg/m <sup>3</sup>		STEL: 328 mg/m <sup>3</sup>			
	Sk*	T1444 0	Sk*	-T.A.		T14/4 0
Phenol	TWA: 2 ppm	TWA: 2 ppm	TWA: 5 ppm		: 2 ppm	TWA: 2 ppm
108-95-2	TWA: 8 mg/m <sup>3</sup>	TWA: 8.0 mg/m <sup>3</sup>	TWA: 19.2 mg/m <sup>3</sup>		8 mg/m <sup>3</sup>	TWA: 8 mg/m <sup>3</sup>
	STEL: 4 ppm	STEL: 4 ppm	Sk*		.: 4 ppm	STEL: 4 ppm
	STEL: 16 mg/m <sup>3</sup>	STEL: 16 mg/m <sup>3</sup>			16 mg/m <sup>3</sup>	STEL: 16 mg/m <sup>3</sup>
	Sk*	Sk*			Sk*	Sk*
Chemical name	Luxembourg	Malta	Netherlands		rway	Poland
Methanol	TWA: 200 ppm	TWA: 200 ppm	TWA: 100 ppm		100 ppm	TWA: 100 mg/m <sup>3</sup>
67-56-1	TWA: 260 mg/m <sup>3</sup>	TWA: 260 mg/m <sup>3</sup>	TWA: 133 mg/m <sup>3</sup>		30 mg/m <sup>3</sup>	STEL: 300 mg/m <sup>3</sup>
	Sk*	Sk*	Sk*		150 ppm	Sk*
					62.5 mg/m <sup>3</sup>	Prohibited -
					Sk*	substances or
						mixtures containing
						Methanol in weight
						concentration
						>3%;except fuels
						used in the model
						building,
						powerboating, fuel
						cells and biofuels
Phenol	TWA: 2 ppm	TWA: 2 ppm	TWA: 2 ppm		: 1 ppm	TWA: 7.8 mg/m <sup>3</sup>
108-95-2	TWA: 8 mg/m <sup>3</sup>	TWA: 8 mg/m <sup>3</sup>	TWA: 8 mg/m <sup>3</sup>		4 mg/m <sup>3</sup>	STEL: 16 mg/m <sup>3</sup>
	STEL: 16 mg/m <sup>3</sup>	STEL: 16 mg/m <sup>3</sup>	Sk*		: 3 ppm	Sk*
	STEL: 4 ppm	STEL: 4 ppm			12 mg/m <sup>3</sup>	
	Sk*	Sk*			Sk*	
Chemical name	Portugal	Romania	Slovakia		venia	Spain
Methanol	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm		200 ppm	TWA: 200 ppm
67-56-1	TWA: 260 mg/m <sup>3</sup>	TWA: 260 mg/m <sup>3</sup>	TWA: 260 mg/m <sup>3</sup>		260 mg/m <sup>3</sup>	TWA: 266 mg/m <sup>3</sup>
	STEL: 250 ppm	Sk*	Sk*		800 ppm	Sk*
	Sk*				040 mg/m <sup>3</sup>	
					Sk*	
Phenol	TWA: 2 ppm	TWA: 2 ppm	TWA: 2 ppm		: 2 ppm	TWA: 2 ppm
108-95-2	TWA: 8 mg/m <sup>3</sup>	TWA: 8 mg/m <sup>3</sup>	TWA: 8 mg/m <sup>3</sup>		8 mg/m <sup>3</sup>	TWA: 8 mg/m <sup>3</sup>
	STEL: 4 ppm	STEL: 4 ppm	Sk*		.: 4 ppm	STEL: 4 ppm
	STEL: 16 mg/m <sup>3</sup>	STEL: 16 mg/m <sup>3</sup>	Ceiling: 16 mg/m <sup>3</sup>		16 mg/m <sup>3</sup>	STEL: 16 mg/m <sup>3</sup>
21	Sk*	Sk*		<u> </u>	Sk*	Sk*
Chemical name		weden	Switzerland			ted Kingdom
Methanol		: 200 ppm	TWA: 200 ppm			VA: 200 ppm
67-56-1		250 mg/m <sup>3</sup>	TWA: 260 mg/n			A: 266 mg/m <sup>3</sup>
		e KGV: 250 ppm	STEL: 400 ppn			EL: 250 ppm
	Vägledande	KGV: 350 mg/m <sup>3</sup>	STEL: 520 mg/r	n <sup>3</sup>	STE	L: 333 mg/m <sup>3</sup>
		Sk*	Sk*			Sk*
Phenol	l NG	V: 1 ppm	TWA: 5 ppm		T	WA: 2 ppm

EGHS / EN Page 9/24



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 06-Dec-2023 Revision Number 1

#### DRE-L16025000ME - Phenol 10 µg/mL in Methanol

108-95-2	NGV: 4 mg/m <sup>3</sup>	TWA: 19 mg/m <sup>3</sup>	TWA: 7.8 mg/m <sup>3</sup>
	Bindande KGV: 4 ppm	STEL: 5 ppm	STEL: 4 ppm
	Bindande KGV: 16 mg/m <sup>3</sup>	STEL: 19 mg/m <sup>3</sup>	STEL: 16 mg/m <sup>3</sup>
	Sk*	Sk*	Sk*

#### **Biological occupational exposure limits**

Chemical name	European Union		Austria	Bulgaria	Croatia		Czech Republic
Methanol	-		-	-			0.47 mmol/L (urine -
67-56-1					urine (Methanol)		
					the end of the w	vork	shift)
					shift		15 mg/L (urine -
							Methanol end of
					ļ		shift)
Phenol	-		-	200 μg/L - urine	120 mg/g Creati		
108-95-2				(Phenol) - at the er			
				of exposure or end		vork	Phenol end of shift)
				of work shift	shift		300 mg/g Creatinine
							(urine - Phenol end
			F: 1 1	-	0 55	_	of shift)
Chemical name	Denmark		Finland	France	Germany DF		Germany TRGS
Methanol	-		-	- urine (Methanol)			15 mg/L (urine -
67-56-1				end of shift	Methanol end	Oī	Methanol end of
					shift)	_	shift)
					15 mg/L (urine Methanol for		15 mg/L (urine - Methanol for
						ſ	
					long-term exposures: at t	tha	long-term
							exposures: at the end of the shift after
					several shifts		several shifts)
					15 mg/L - BAT (		
					of exposure or		
					of shift) urine		
Phenol	-	1.3 r	mmol/L (urine -	- urine (Total			120 mg/g Creatinine
108-95-2							(urine - Phenol (after
			the shift)	,	hydrolysis) end		hydrolysis) end of
			,		shift)		shift)
					200 mg/L - BL	W	,
					(end of exposur	e or	
					end of shift) ur	ine	
Chemical name	Hungary		Irelan	d Ita	ly MDLPS		Italy AIDII
Methanol	30 mg/L (urine - Meth	nanol	15 mg/L (urine	- Methanol	-		15 mg/L - urine

EGHS / EN Page 10/24



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 06-Dec-2023 **Revision Number** 1

#### DRE-L16025000ME - Phenol 10 µg/mL in Methanol

67-56-1	end of shift) 940 µmol/L (urine - Methanol end of shift)	end of shift)		(Methanol) - end of shift
Phenol 108-95-2	120 mg/g Creatinine (urine - Phenol end of shift) 144 µmol/mmol Creatinine (urine - Phenol end of shift)	120 mg/g Creatinine (urine - Phenol end of shift)	-	250 mg/g Creatinine - urine (Phenol (with hydrolysis)) - end of shift
Chemical name	Latvia	Luxembourg	Romania	Slovakia
Methanol 67-56-1	-	-	6 mg/L - urine (Methanol) - end of shift	30 mg/L (urine - Methanol end of exposure or work shift) 30 mg/L (urine - Methanol after all work shifts)
Phenol 108-95-2	-	-	120 mg/g Creatinine - urine (total Phenols) - end of shift	200 mg/L (urine - Phenol end of exposure or work shift)
Chemical name	Slovenia	Spain	Switzerland	United Kingdom
Methanol 67-56-1	15 mg/L - urine (Methanol) - at the end of the work shift; for long-term exposure: at the end of the work shift after several consecutive workdays	end of shift)	30 mg/L (urine - Methanol end of shift, and after several shifts (for long-term exposures)) 936 µmol/L (urine - Methanol end of shift, and after several shifts (for long-term exposures))	-
Phenol 108-95-2	120 mg/g Creatinine - urine (Phenol (after hydrolysis)) - at the end of the work shift	120 mg/g Creatinine (urine - end of shift)	250 mg/g creatinine (urine - Phenol end of shift) 300.5 µmol/mmol creatinine (urine - Phenol end of shift)	-

**Derived No Effect Level (DNEL)** Predicted No Effect Concentration No information available. (PNEC)

No information available.

8.2. Exposure controls

Personal protective equipment

Avoid contact with eyes. Wear safety glasses with side shields (or goggles). Tight sealing Eye/face protection

safety goggles.

EGHS / EN Page 11/24



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 06-Dec-2023 Revision Number 1

DRE-L16025000ME - Phenol 10 µg/mL in Methanol

Hand protection Wear protective butyl rubber gloves. The protective gloves to be used must comply with the

specifications of EC Directive 89/686/EEC and the related standard EN374. Wear suitable

gloves. Impervious gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Antistatic boots.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this **General hygiene considerations** 

> product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Remove and wash contaminated clothing and

gloves, including the inside, before re-use. Do not breathe vapour or mist.

**Environmental exposure controls** Do not allow into any sewer, on the ground or into any body of water.

#### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

**Physical state** Liquid **Appearance** Liquid Colour colourless Odour Alcohol.

No information available **Odour threshold** 

Property Remarks • Method Values

Melting point / freezing point -98 °C None known Initial boiling point and boiling range64.7 °C None known No data available None known **Flammability** Flammability Limit in Air None known

Upper flammability or explosive 50 Vol% - 665 g/m<sup>3</sup>

limits

Lower flammability or explosive 6 Vol% - 80 g/m3

limits

Flash point 11 °C None known **Autoignition temperature** 464 °C None known

**Decomposition temperature** 

None known No data available None known

pH (as aqueous solution) No data available No information available

EGHS / EN Page 12/24



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 06-Dec-2023 Revision Number 1

#### DRE-L16025000ME - Phenol 10 µg/mL in Methanol

Kinematic viscosity No data available None known Dynamic viscosity 0.544 - 0.59 mPas @ 25°C Water solubility No data available None known Solubility(ies) No data available None known **Partition coefficient** None known -0.77Vapour pressure 128 hPa @ 20°C Relative density 0.791 None known

Bulk density
No data available
Liquid Density
No data available

Relative vapour density 1.1 None known

Particle characteristics

Particle Size No information available Particle Size Distribution No information available

9.2. Other information

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics No information available

#### SECTION 10: Stability and reactivity

10.1. Reactivity

**Reactivity** No information available.

10.2. Chemical stability

**Stability** Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical impact None. Sensitivity to static discharge Yes.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions 
None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Heat, flames and sparks. Excessive heat.

10.5. Incompatible materials

EGHS / EN Page 13/24



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 06-Dec-2023 Revision Number 1

DRE-L16025000ME - Phenol 10 µg/mL in Methanol

**Incompatible materials**None known based on information supplied.

Hazardous decomposition products None known based on information supplied.

#### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Information on likely routes of exposure

#### **Product Information**

**Inhalation** Specific test data for the substance or mixture is not available. Toxic by inhalation. (based

on components).

**Eye contact** Specific test data for the substance or mixture is not available.

**Skin contact** Specific test data for the substance or mixture is not available. Toxic in contact with skin.

(based on components).

**Ingestion** Specific test data for the substance or mixture is not available. Toxic if swallowed. (based on

components).

Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** Coughing and/ or wheezing. Difficulty in breathing.

Numerical measures of toxicity

#### **Acute toxicity**

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 100.00 mg/kg
ATEmix (dermal) 300.00 mg/kg
ATEmix (inhalation-vapour) 3.00 mg/l

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Methanol	= 6200 mg/kg (Rat)	= 15840 mg/kg (Rabbit)	= 22500 ppm (Rat) 8 h

EGHS / EN Page 14/24



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 06-Dec-2023 Revision Number 1

#### DRE-L16025000ME - Phenol 10 µg/mL in Methanol

Phenol	= 340 mg/kg (Rat)	= 630 mg/kg (Rabbit)	

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation**Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation No information available.

**Respiratory or skin sensitisation** No information available.

**Germ cell mutagenicity** No information available.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as mutagenic.

Chemical name	European Union
Phenol	Muta. 2

**Carcinogenicity** No information available.

**Reproductive toxicity** No information available.

STOT - single exposure Based on the classification criteria of the Globally Harmonized System as adopted in the

country or region with which this safety data sheet complies, this product has been determined to cause systemic target organ toxicity from acute exposure. (STOT SE). Causes damage to organs if swallowed. Causes damage to organs in contact with skin.

**STOT - repeated exposure** No information available.

**Aspiration hazard** No information available.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

EGHS / EN Page 15/24



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 06-Dec-2023 Revision Number 1

DRE-L16025000ME - Phenol 10 µg/mL in Methanol

11.2.2. Other information

Other adverse effects No information available.

# **SECTION 12: Ecological information**

12.1. Toxicity

**Ecotoxicity** 

**Unknown aquatic toxicity**Contains 0 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Methanol	-	LC50: =28200mg/L (96h,	-	-
		Pimephales promelas)		
		LC50: >100mg/L (96h,		
		Pimephales promelas)		
		LC50: 19500 - 20700mg/L		
		(96h, Oncorhynchus		
		mykiss)		
		LC50: 18 - 20mL/L (96h,		
		Oncorhynchus mykiss)		
		LC50: 13500 - 17600mg/L		
		(96h, Lepomis		
		macrochirus)		
Phenol	EC50: =46.42mg/L (96h,	LC50: 8.9mg/L (96h,	-	EC50: 4.24 - 10.7mg/L
	Pseudokirchneriella	Onchorynchus mykiss)		(48h, Daphnia magna)
	subcapitata)	LC50: 11.9 - 25.3mg/L		EC50: 10.2 - 15.5mg/L
	EC50: 0.0188 -	(96h, Lepomis		(48h, Daphnia magna)
	0.1044mg/L (96h,	macrochirus)		
	Pseudokirchneriella	LC50: 11.9 - 50.5mg/L		
	subcapitata)	(96h, Pimephales		
	EC50: 187 - 279mg/L	promelas)		
	(72h, Desmodesmus	LC50: 20.5 - 25.6mg/L		
	subspicatus)	(96h, Pimephales		
		promelas)		
		LC50: 23.4 - 36.6mg/L		
		(96h, Oryzias latipes)		
		LC50: 33.9 - 43.3mg/L		
		(96h, Oryzias latipes)		
		LC50: 34.09 - 47.64mg/L		
		(96h, Poecilia reticulata)		

EGHS / EN Page 16/24



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 06-Dec-2023 Revision Number 1

DRE-L16025000ME - Phenol 10 µg/mL in Methanol

LC50: 4.23 - 7.49mg/L
(96h, Oncorhynchus
mykiss)
LC50: 5.0 - 12.0mg/L
(96h, Oncorhynchus
mykiss)
LC50: 5.449 - 6.789mg/L
(96h, Oncorhynchus
mykiss)
LC50: 7.5 - 14mg/L (96h,
Oncorhynchus mykiss)
LC50: =0.00175mg/L
(96h, Cyprinus carpio)
LC50: =11.5mg/L (96h,
Lepomis macrochirus)
LC50: =13.5mg/L (96h,
Lepomis macrochirus)
LC50: =27.8mg/L (96h,
Brachydanio rerio)
LC50: =31mg/L (96h,
Poecilia reticulata)
LC50: =32mg/L (96h,
Pimephales promelas)

#### 12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

**Bioaccumulation** There is no data for this product.

**Component Information** 

Chemical name	Partition coefficient
Methanol	-0.77
Phenol	1.5

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

EGHS / EN Page 17/24



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 06-Dec-2023 Revision Number 1

#### DRE-L16025000ME - Phenol 10 µg/mL in Methanol

Chemical name	PBT and vPvB assessment
Methanol	The substance is not PBT / vPvB
Phenol	The substance is not PBT / vPvB

#### 12.6. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

12.7. Other adverse effects

No information available.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste from residues/unused

products

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging

Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

#### **SECTION 14: Transport information**

IATA

14.1 UN number or ID number UN1230

14.2 UN proper shipping name Methanol mixture

14.3 Transport hazard class(es)
Subsidiary hazard class
6.1
14.4 Packing group

**Description** UN1230, Methanol mixture, 3 (6.1), II

14.5 Environmental hazards Not applicable

14.6 Special precautions for user

Special Provisions A113 ERG Code 3L

<u>IMDG</u>

**14.1 UN number or ID number** UN1230

14.2 UN proper shipping name Methanol mixture

14.3 Transport hazard class(es) 3 Subsidiary hazard class 6.1

EGHS / EN Page 18/24



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 06-Dec-2023 Revision Number 1

#### DRE-L16025000ME - Phenol 10 µg/mL in Methanol

14.4 Packing group

**Description** UN1230, Methanol mixture, 3 (6.1), II, (11°C c.c.)

14.5 Marine pollutant NP

14.6 Special precautions for user

Special Provisions 279

**EmS-No.** F-E, S-D No information available

14.7 Maritime transport in bulk No information available according to IMO instruments

RID

14.1 UN number or ID number UN1230

14.2 UN proper shipping name Methanol mixture

14.3 Transport hazard class(es)
Subsidiary hazard class
14.4 Packing group
II

**Description** UN1230, Methanol mixture, 3 (6.1), II

14.5 Environmental hazards Not applicable

14.6 Special precautions for user

Special Provisions 279 Classification code FT1

ADR

**14.1 UN number or ID number** UN1230

14.2 UN proper shipping name Methanol mixture

14.3 Transport hazard class(es) 3
Subsidiary hazard class 6.1
14.4 Packing group II

**Description** UN1230, Methanol mixture, 3 (6.1), II, (D/E)

14.5 Environmental hazards Not applicable

14.6 Special precautions for user

Special Provisions279Classification codeFT1Tunnel restriction code(D/E)

#### SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

#### **France**

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number	Title
Methanol	RG 84	-

EGHS / EN Page 19/24



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 06-Dec-2023 Revision Number 1

DRE-L16025000ME - Phenol 10 µg/mL in Methanol

67-56-1		
Phenol	RG 14	-
108-95-2		

Water hazard class (WGK)

obviously hazardous to water (WGK 2)

Poland

SDS created according to the following Polish regulation: Act of February 25, 2011 on chemical substances and their mixtures (Journal of Laws of 2018, item 143, as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing the European Chemicals Agency (EC) as amended. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labeling and packaging of substances and mixtures, as amended. Regulation of the Minister of Health of 10 August 2012 on the criteria and method of classifying chemical substances and their mixtures (Journal of Laws of 2012, item 1018). Regulation of the Minister of Health of 20 April 2012 on labeling packaging of hazardous substances and mixtures and some mixtures (Journal of Laws of 2012, item 445). Regulation of the Minister of Family, Labor and Social Policy of 12 June 2018 on the maximum allowable concentrations and intensities of factors harmful to health in the work environment (Journal of Laws of 2018, item 1286). Announcement of the Minister of Economy, Labor and Social Policy of August 28, 2003 on the publication of the unified text of the Ordinance of the Minister of Labor and Social Policy on general health and safety at work regulations (Journal of Laws of 2003, No. 169, item 1650) . Regulation of the Minister of Health of 30 December 2004 on occupational safety and health related to the presence of chemical agents in the workplace (Journal of Laws of 2005, No. 11, item 86). Act of December 14, 2012 on waste (Journal of Laws of 2013, item 21) Regulation of the Minister of Health of December 30, 2004 on occupational health and safety related to the presence of chemical agents in the workplace (Journal U. of 2005, No. 11, item 86). Waste Act of December 14, 2012 (Journal of Laws of 2013, item 21). Act of 13 June 2013 on the management of packaging and packaging waste, Journal of Laws 2013, item 888). Government statement of September 24, 2002 - European Agreement on the International Carriage of Dangerous Goods by Road (ADR) (Journal of Laws No. 194, item 1629 and Journal of Laws of 2003, No. 207, item 2013 and 2014).

#### **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

#### Authorisations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

**DIRECTIVE (EU) 2021/1187 on the marketing and use of explosives precursors**Not applicable

EGHS / EN Page 20/24



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 06-Dec-2023 Revision Number 1

DRE-L16025000ME - Phenol 10 µg/mL in Methanol

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV
Methanol - 67-56-1	69.	
	75.	
Phenol - 108-95-2	75.	

#### **Persistent Organic Pollutants**

Not applicable

#### Dangerous substance category per Seveso Directive (2012/18/EU)

H2 - ACUTE TOXIC

H3 - STOT SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE

P5a - FLAMMABLE LIQUIDS P5b - FLAMMABLE LIQUIDS P5c - FLAMMABLE LIQUIDS

Named dangerous substances per Seveso Directive (2012/18/EU)

Chemical name	Lower-tier requirements (tons)	Upper-tier requirements (tons)
Methanol - 67-56-1	500	5000

#### Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

#### **International Inventories**

**TSCA** Complies

DSL/NDSL
Contact supplier for inventory compliance status

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances **IECSC** - China Inventory of Existing Chemical Substances

EGHS / EN Page 21/24



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 06-Dec-2023 Revision Number 1

#### DRE-L16025000ME - Phenol 10 µg/mL in Methanol

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### 15.2. Chemical safety assessment

Chemical Safety Report A Chemical Safety Assessment has been carried out for this substance

#### **SECTION 16: Other information**

Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

H225 - Highly flammable liquid and vapour

H301 - Toxic if swallowed

H311 - Toxic in contact with skin

H314 - Causes severe skin burns and eye damage

H331 - Toxic if inhaled

H341 - Suspected of causing genetic defects

H370 - Causes damage to organs

H373 - May cause damage to organs through prolonged or repeated exposure

H411 - Toxic to aquatic life with long lasting effects

#### Legend

SVHC: Substances of Very High Concern for Authorisation:

#### Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Sk\* Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - Vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method

EGHS / EN Page 22/24



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 06-Dec-2023 Revision Number 1

#### DRE-L16025000ME - Phenol 10 µg/mL in Methanol

Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method
Flammable liquids	On basis of test data

#### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 06-Dec-2023

# This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 Disclaimer

The information in this safety data sheet (SDS) has been prepared with due care and is true and accurate to the best of our knowledge. The user must determine the suitability of the information for its particular purpose, ensure compliance with existing laws and regulations, and be aware that other or additional safety or performance considerations may arise when using, handling and/ or storing the material. The information in this SDS does not purport to be all inclusive or a guarantee as to the properties of the material supplied, and should be used only as a guide. LGC makes no warranties or representations as to the accuracy and completeness of the information contained herein, shall not be held responsible for the suitability of this information for the user's intended purposes or the consequences of such use, and shall not be liable for any damage or loss, howsoever arising, direct or otherwise.

EGHS / EN Page 23/24



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 06-Dec-2023 Revision Number 1

DRE-L16025000ME - Phenol 10 µg/mL in Methanol

**End of Safety Data Sheet** 

EGHS / EN Page 24/24