

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 23-Mar-2023

Revision Number 1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Product Code(s)	DRE-L16495000CY
Product Name	Propisochlor 10 µg/mL in Cyclohexane
Form	Not applicable
Unique Formula Identifier (UFI)	AP0F-R0D0-W00E-XXAP
Pure substance/mixture	Mixture
1.2. Relevant identified uses of the	substance or mixture and uses advised against
Recommended use	Laboratory use
Uses advised against	No information available
1.3. Details of the supplier of the sa	fety data sheet
<u>Supplier</u>	
LGC Limited Queens Road Teddington Middlesex TW11 0LY UNITED KINGDOM :+44 (0) 20 8943 7000 Fax :+44 (0) 20 8943 2767 eMail : gb@lgcstandards.com	
Web : www.lgcstandards.com	
For further information, please contact	<u> </u>
E-mail address	sds-request@lgcgroup.com
1.4. Emergency telephone number	-
Emergency Telephone Emergency Telephone - §45 - (EC)	For Hazardous Materials or Dangerous Goods Incident Spill, Leak, Fire Exposure, or Accident Call CHEMTREC: USA & Canada 1-800-424-9300 Rest of the world +1 703-741-5970



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 23-Mar-2023

**Revision Number** 1

## DRE-L16495000CY - Propisochlor 10 µg/mL in Cyclohexane

Europe	112
Austria	No information available
Bulgaria	
Croatia	
Cyprus	
Czech Republic	
Denmark	
France	
Hungary	
Ireland	
Italy	
Lithuania	
Luxembourg	
Netherlands	
Norway	
Portugal	
Romania	
Slovakia	
Slovenia	
Spain	
Sweden	
Switzerland	

## **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture Regulation (EC) No 1272/2008

Aspiration hazard	Category 1 - (H304)
Skin corrosion/irritation	Category 2 - (H315)
Specific target organ toxicity — single exposure	Category 3 - (H336)
Category 3 Narcotic effects	
Acute aquatic toxicity	Category 1 - (H400)
Chronic aquatic toxicity	Category 1 - (H410)
Flammable liquids	Category 2 - (H225)

### 2.2. Label elements

Contains Cyclohexane



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 23-Mar-2023

Revision Number 1

## DRE-L16495000CY - Propisochlor 10 µg/mL in Cyclohexane



Signal word Danger

#### Hazard statements

H304 - May be fatal if swallowed and enters airways

H315 - Causes skin irritation

H336 - May cause drowsiness or dizziness

H410 - Very toxic to aquatic life with long lasting effects

H225 - Highly flammable liquid and vapour

#### Precautionary Statements - EU (§28, 1272/2008)

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P273 - Avoid release to the environment P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor

P331 - Do NOT induce vomiting

P370 + P378 - In case of fire: Use dry chemical, CO2, water spray or alcohol-resistant foam to extinguish

P391 - Collect spillage

P403 + P235 - Store in a well-ventilated place. Keep cool

#### 2.3. Other hazards

No information available.

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

#### **Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors.

Chemical name	EU - REACH (1907/2006) - Article 59(1)	EU - REACH (1907/2006) - Endocrine
	- Candidate List of Substances of Very	· · · · · · · · · · · · · · · · · · ·
	High Concern (SVHC) for Authorisation	Substances
Cyclohexane	-	-

## SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Not applicable

#### 3.2 Mixtures



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 23-Mar-2023

Revision Number 1

## DRE-L16495000CY - Propisochlor 10 µg/mL in Cyclohexane

**Chemical nature** 

Mixture of organic compounds.

Chemical name	Weight-%	<b>REACH</b> registration	EC No (EU	Classification according	Specific	M-Factor	M-Factor
		number	Index No)	to Regulation (EC) No.	concentration		(long-term)
				1272/2008 [CLP]	limit (SCL)		
Cyclohexane	80 - 100	-	203-806-2	Flam. Liq. 2 (H225)			
110-82-7				Skin Irrit. 2 (H315)			
				STOT SE 3 (H336)			
				Asp. Tox. 1 (H304)			
				Aquatic Acute 1 (H400)			
				Aquatic Chronic 1			
				(H410)			

#### Full text of H- and EUH-phrases: see section 16

#### Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg		Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Cyclohexane 110-82-7	12705	2000	32.88	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## SECTION 4: First aid measures

## 4.1. Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
Inhalation	Remove to fresh air. Aspiration into lungs can produce severe lung damage. If breathing has stopped, give artificial respiration. Get medical attention immediately. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Get immediate medical advice/attention. Delayed pulmonary edema may occur.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area.



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 23-Mar-2023

Revision Number 1

## DRE-L16495000CY - Propisochlor 10 µg/mL in Cyclohexane

Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get medical attention if irritation develops and persists.
Ingestion	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Get immediate medical advice/attention.
Self-protection of the first aider	Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. Remove all sources of ignition. See section 8 for more information. Avoid contact with skin, eyes or clothing.
4.2. Most important symptoms and	effects, both acute and delayed
Symptoms	Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.
4.3. Indication of any immediate me	dical attention and special treatment needed
Note to doctors	Because of the danger of aspiration, emesis or gastric lavage should not be used unless the risk is justified by the presence of additional toxic substances.

SECTION 5: Firefighting measures 5.1. Extinguishing media							
Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.							
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.						
<b>Unsuitable extinguishing media</b> Do not scatter spilled material with high pressure water streams.							
5.2. Special hazards arising from the	e substance or mixture						
<b>Specific hazards arising from the</b> <b>chemical</b> Risk of ignition. Keep product and empty container away from heat and sources of igni In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.							
5.3. Advice for firefighters							
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.						



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 23-Mar-2023

Revision Number 1

## DRE-L16495000CY - Propisochlor 10 µg/mL in Cyclohexane

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Evacuate personnel to safe areas. Use personal protective equipment as required. Ensure adequate ventilation. See section 8 for more information. Avoid contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.
Other information	Refer to protective measures listed in Sections 7 and 8. Ventilate the area.
For emergency responders	Use personal protection recommended in Section 8.
6.2. Environmental precautions	
Environmental precautions	Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.
6.3. Methods and material for conta	inment and cleaning up
Methods for containment	Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapour suppressing foam may be used to reduce vapours. Dyke far ahead of spill to collect run-off water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.
Methods for cleaning up	Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labelled containers.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.
6.4. Reference to other sections	
Reference to other sections	See section 8 for more information. See section 13 for more information.

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Advice on safe handling Use personal protection equipment. Avoid breathing vapours or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 23-Mar-2023

Revision Number 1

## DRE-L16495000CY - Propisochlor 10 µg/mL in Cyclohexane

this product. Take off contaminated clothing and wash it before reuse. In case of insufficient ventilation, wear suitable respiratory equipment.

**General hygiene considerations** Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage ConditionsStore locked up. Keep out of the reach of children. Store away from other materials. Keep<br/>containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat,<br/>sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static<br/>electricity). Keep in properly labelled containers. Do not store near combustible materials.<br/>Keep in an area equipped with sprinklers. Store in accordance with the particular national<br/>regulations. Store in accordance with local regulations. Please refer to the manufacturer's<br/>certificate for specific storage and transport temperature conditions. Store only in the<br/>original receptacle unless other advice is given on the CoA.

#### 7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### Exposure Limits

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Cyclohexane	TWA: 200 ppm	TWA: 200 ppm	TWA: 100 ppm	TWA: 200 ppm	TWA: 200 ppm
110-82-7	TWA: 700 mg/m <sup>3</sup>	TWA: 700 mg/m <sup>3</sup>	TWA: 350 mg/m <sup>3</sup>	TWA: 700.0 mg/m <sup>3</sup>	TWA: 700 mg/m <sup>3</sup>
		STEL 800 ppm		-	*
		STEL 2800 mg/m <sup>3</sup>			
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Cyclohexane	TWA: 200 ppm	TWA: 700 mg/m <sup>3</sup>	TWA: 50 ppm	TWA: 200 ppm	TWA: 100 ppm
110-82-7	TWA: 700 mg/m <sup>3</sup>	Ceiling: 2000 mg/m <sup>3</sup>	TWA: 172 mg/m <sup>3</sup>	TWA: 700 mg/m <sup>3</sup>	TWA: 350 mg/m <sup>3</sup>
				-	STEL: 250 ppm
					STEL: 875 mg/m <sup>3</sup>
Chemical name	France	Germany	Germany MAK	Greece	Hungary
Cyclohexane	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm	TWA: 700 mg/m <sup>3</sup>
110-82-7	TWA: 700 mg/m <sup>3</sup>	TWA: 700 mg/m <sup>3</sup>	TWA: 700 mg/m <sup>3</sup>	TWA: 700 mg/m <sup>3</sup>	
	STEL: 375 ppm		Peak: 800 ppm	-	
	STEL: 1300 mg/m <sup>3</sup>		Peak: 2800 mg/m <sup>3</sup>		



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

#### Revision date 23-Mar-2023

#### Revision Number 1

## DRE-L16495000CY - Propisochlor 10 µg/mL in Cyclohexane

Chemical name		Ireland	Italy	Italy REL	Latv	ia	Lithuania
Cyclohexane	TW	A: 200 ppm	TWA: 100 ppm	TWA: 100 ppm	TWA: 23 ppm		TWA: 200 ppm
110-82-7	TWA	: 700 mg/m <sup>3</sup>	TWA: 350 mg/m <sup>3</sup>	TWA: 344 mg/m <sup>3</sup>	TWA: 80	mg/m <sup>3</sup>	TWA: 700 mg/m <sup>3</sup>
	STE	L: 600 ppm					-
	STEL	: 2100 mg/m <sup>3</sup>					
Chemical name	Lu	xembourg	Malta	Netherlands	Norw	'ay	Poland
Cyclohexane	TW	A: 200 ppm	TWA: 200 ppm	TWA: 700 mg/m <sup>3</sup>	TWA: 15	0 ppm	STEL: 1000 mg/m <sup>3</sup>
110-82-7	TWA	: 700 mg/m³	TWA: 700 mg/m <sup>3</sup>	STEL: 1400 mg/m <sup>3</sup>	TWA: 525	mg/m³	TWA: 300 mg/m <sup>3</sup>
					STEL: 187.5 ppm		*
					STEL: 656.25 mg/m <sup>3</sup>		
Chemical name	F	Portugal	Romania	Slovakia	Slove	nia	Spain
Cyclohexane	TW	A: 200 ppm	TWA: 200 ppm	TWA: 200 ppm	TWA: 20	0 ppm	TWA: 200 ppm
110-82-7	TWA	: 700 mg/m³	TWA: 700 mg/m <sup>3</sup>	TWA: 700 mg/m <sup>3</sup>	TWA: 700	) mg/m³	TWA: 700 mg/m <sup>3</sup>
					STEL: 280	0 mg/m <sup>3</sup>	
					STEL: 80	0 ppm	
Chemical name		Sv	veden	Switzerland		United Kingdom	
Cyclohexane		NGV:	200 ppm	TWA: 200 ppm			/A: 100 ppm
110-82-7		NGV: 7	700 mg/m <sup>3</sup>	TWA: 700 mg/n			A: 350 mg/m <sup>3</sup>
				STEL: 800 ppn	n 🛛	ST	EL: 300 ppm
				STEL: 2800 mg/	m <sup>3</sup>	STEI	.: 1050 mg/m <sup>3</sup>

### **Biological occupational exposure limits**

Chemical name	European Union	Austria	Bulgaria	Croatia	Czech Republic
Cyclohexane	-	-	-	150 mg/g Creatinine	-
110-82-7				- urine	
				(1,2-Cyclohexanedi	
				ol) - at the end of the	
				work shift; at chronic	
				exposure after	
				several successive	
				shifts	
				450 µg/L - blood	
				(Cyclohexanol) -	
				during exposure	
				3.20 mg/g Creatinine	
				- urine	
				(Cyclohexanol) -	
				during the second	
				half of the work shift	
Chemical name	Denmark	Finland	France	Germany	Germany
Cyclohexane	-	-	-		150 mg/g Creatinine
110-82-7				(urine - total	
					1,2-Cyclohexanediol
				(after hydrolysis) end	(after hydrolysis) end



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 23-Mar-2023

Revision Number 1

## DRE-L16495000CY - Propisochlor 10 µg/mL in Cyclohexane

				(urine - total 1,2-Cyclohexand (after hydrolysis long-term exposures: at end of the shift several shifts 150 mg/g Creati - BAT (for long-term exposures: at end of the shift	l ediol s) for the after s) inine term the after	of shift) 150 mg/g Creatinine (urine - total 1,2-Cyclohexanediol (after hydrolysis) for long-term exposures: at the end of the shift after several shifts)
Chemical name	Slovenia	Spain	Sw	several shifts) u		United Kingdom
Cyclohexane 110-82-7	150 mg/g Creatinine - urine (1,2-Cyclohexanediol (after hydrolysis)) - at the end of the work shift; for long-term exposure: at the end of the work shift after several consecutive workdays	-	1,2-Cyclol of shift, ar shifts (f exp 146 µmol/r (uri 1,2-Cyclol of shift, ar shifts (f	creatinine (urine - total hexanediol end nd after several for long-term hosures)) mmol creatinine ne - total hexanediol end nd after several for long-term hosures))		-

Derived No Effect Level (DNEL) No information available. Predicted No Effect Concentration (PNEC)

8.2. Exposure controls

Personal protective equipment	
Eye/face protection	Tight sealing safety goggles. Avoid contact with eyes. Wear safety glasses with side shields (or goggles).
Hand protection	Wear protective nitrile rubber gloves. Wear suitable gloves. Impervious gloves. The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374.
Skin and body protection	Long sleeved clothing. Chemical resistant apron. Antistatic boots. Wear suitable protective clothing.



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 23-Mar-2023

Revision Number 1

## DRE-L16495000CY - Propisochlor 10 µg/mL in Cyclohexane

Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection.
Environmental exposure controls	Do not allow into any sewer, on the ground or into any body of water.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

9.1. Information on basic physical a	and chemical properties	
Physical state	Liquid	
Appearance	Liquid	
Colour	colourless	
Odour	Odourless.	
Odour threshold	No information available	
Property	<u>Values</u>	Remarks • Method
Melting point / freezing point	6.5 °C	None known
Initial boiling point and boiling rang	ј <b>е</b> 80.7 °С	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive	9,3 Vol% - 326 g/m³	
limits		
Lower flammability or explosive	1 Vol% - 35 g/m³	
limits		
Flash point	-20 °C	None known
Autoignition temperature	260 °C	None known
Decomposition temperature		None known
рН	No data available	None known
pH (as aqueous solution)	No data available	No information available
Kinematic viscosity	No data available	None known
Dynamic viscosity	0.894 mPa s	@ 20°C
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	3.44	None known
Vapour pressure	103 hPa	@ 20°C
Relative density	0.78	None known
Bulk density	No data available	
Liquid Density	No data available	
Relative vapour density	2.9	None known
Particle characteristics		
Particle Size	No information available	



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 23-Mar-2023

Revision Number 1

## DRE-L16495000CY - Propisochlor 10 µg/mL in Cyclohexane

Particle Size Distribution No information available

#### 9.2. Other information

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics No information available

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Reactivity

No information available.

10.2. Chemical stability

Stability

Stable under normal conditions.

- Explosion data Sensitivity to mechanical impact None. Sensitivity to static discharge Yes.
- 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

- Conditions to avoid Heat, flames and sparks.
- 10.5. Incompatible materials
- Incompatible materials Strong acids. Strong bases. Strong oxidising agents.

Hazardous decomposition products None known based on information supplied.

## **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Information on likely routes of exposure

#### **Product Information**

Inhalation

Specific test data for the substance or mixture is not available. Aspiration into lungs can



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 23-Mar-2023

**Revision Number** 1

## DRE-L16495000CY - Propisochlor 10 µg/mL in Cyclohexane

	produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be fatal. May cause drowsiness or dizziness.
Eye contact	Specific test data for the substance or mixture is not available. May cause irritation.
Skin contact	Repeated exposure may cause skin dryness or cracking. Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components).
Ingestion	Specific test data for the substance or mixture is not available. Potential for aspiration if swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.
Symptoms related to the physical	, chemical and toxicological characteristics
Symptoms	Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Redness. May cause redness and tearing of the eyes. Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

Numerical measures of toxicity

Acute toxicity

### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Cyclohexane	= 12705 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 32.88 mg/L (Rat) 4 h
	5 5 ¢ ,	5 5 ( ,	5 、 ,
Delayed and immediate effects	as well as chronic effects fror	n short and long-term exposure	9
Skin corrosion/irritation	Classification based on da	ata available for ingredients. Caus	es skin irritation.
Serious eye damage/eye irritatio	n No information available.		
Respiratory or skin sensitisatio	n No information available.		
Germ cell mutagenicity	No information available.		
Carcinogenicity	No information available.		



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 23-Mar-2023

**Revision Number** 1

## DRE-L16495000CY - Propisochlor 10 µg/mL in Cyclohexane

Reproductive toxicity	No information available.	
STOT - single exposure	May cause drowsiness or dizziness.	
STOT - repeated exposure	No information available.	
Aspiration hazard	May be fatal if swallowed and enters airways.	
11.2. Information on other hazards		
11.2.1. Endocrine disrupting properties		
Endocrine disrupting properties	No information available.	
11.2.2. Other information		
Other adverse effects	No information available.	
SECTION 42. Ecological im	formation	

## **SECTION 12: Ecological information**

### 12.1. Toxicity

Ecotoxicity

Very toxic to aquatic life with long lasting effects.

Unknown aquatic toxicity

Contains 0 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
Cyclohexane	EC50: >500mg/L (72h, Desmodesmus subspicatus)	LC50: 3.96 - 5.18mg/L (96h, Pimephales promelas) LC50: 23.03 - 42.07mg/L (96h, Pimephales promelas) LC50: 24.99 - 44.69mg/L (96h, Lepomis macrochirus) LC50: 48.87 - 68.76mg/L (96h, Poecilia reticulata)	microorganisms -	EC50: 3.78mg/L (48h, Daphnia magna)



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 23-Mar-2023

**Revision Number** 1

## DRE-L16495000CY - Propisochlor 10 µg/mL in Cyclohexane

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

**Bioaccumulation** 

There is no data for this product.

**Component Information** 

Chemical name	Partition coefficient
Cyclohexane	3.44

#### 12.4. Mobility in soil

Mobility in soil

No information available.

#### 12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB.

Chemical name	PBT and vPvB assessment
Cyclohexane	The substance is not PBT / vPvB PBT assessment does
	not apply

### 12.6. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

#### 12.7. Other adverse effects

No information available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste from residues/unused products	Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

## **SECTION 14: Transport information**



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 23-Mar-2023

Revision Number 1

## DRE-L16495000CY - Propisochlor 10 µg/mL in Cyclohexane

IATA 14.1 UN number or ID number 14.2 UN proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group Description 14.5 Environmental hazards 14.6 Special precautions for user Special Provisions ERG Code	UN1145 Cyclohexane mixture 3 II UN1145, Cyclohexane mixture, 3, II Yes None 3H	
IMDG 14.1 UN number or ID number 14.2 UN proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group Description 14.5 Marine pollutant Environmental hazards 14.6 Special precautions for user Special Provisions EmS-No 14.7 Maritime transport in bulk according to IMO instruments	UN1145 Cyclohexane mixture 3 II UN1145, Cyclohexane mixture, 3, II, (-20°C c.c.), Marine pollutant P Yes None F-E, S-D No information available No information available	
RID14.1 UN number or ID number14.2 UN proper shipping name14.3 Transport hazard class(es)14.4 Packing groupDescription14.5 Environmental hazards14.6 Special precautions for userSpecial ProvisionsClassification code	UN1145 Cyclohexane mixture 3 II UN1145, Cyclohexane mixture, 3, II, Environmentally Hazardous Yes None F1	
ADR 14.1 UN number or ID number 14.2 UN proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group Description 14.5 Environmental hazards 14.6 Special precautions for user Special Provisions Classification code Tunnel restriction code	UN1145 Cyclohexane mixture 3 II UN1145, Cyclohexane mixture, 3, II, (D/E), Environmentally Hazardous Yes None F1 (D/E)	



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 23-Mar-2023

**Revision Number** 1

## DRE-L16495000CY - Propisochlor 10 µg/mL in Cyclohexane

## **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

France

**Occupational Illnesses (R-463-3, France)** 

Chemical name	French RG number	Title
Cyclohexane	RG 84	-
110-82-7		

#### Water hazard class (WGK)

obviously hazardous to water (WGK 2)

Poland

SDS created according to the following Polish regulation: Act of February 25, 2011 on chemical substances and their mixtures (Journal of Laws of 2018, item 143, as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing the European Chemicals Agency (EC) as amended. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labeling and packaging of substances and mixtures, as amended. Regulation of the Minister of Health of 10 August 2012 on the criteria and method of classifying chemical substances and their mixtures (Journal of Laws of 2012, item 1018). Regulation of the Minister of Health of 20 April 2012 on labeling packaging of hazardous substances and mixtures and some mixtures (Journal of Laws of 2012, item 445). Regulation of the Minister of Family, Labor and Social Policy of 12 June 2018 on the maximum allowable concentrations and intensities of factors harmful to health in the work environment (Journal of Laws of 2018, item 1286). Announcement of the Minister of Economy, Labor and Social Policy of August 28, 2003 on the publication of the unified text of the Ordinance of the Minister of Labor and Social Policy on general health and safety at work regulations (Journal of Laws of 2003, No. 169, item 1650) . Regulation of the Minister of Health of 30 December 2004 on occupational safety and health related to the presence of chemical agents in the workplace (Journal of Laws of 2005, No. 11, item 86). Act of December 14, 2012 on waste (Journal of Laws of 2013, item 21) Regulation of the Minister of Health of December 30, 2004 on occupational health and safety related to the presence of chemical agents in the workplace (Journal U. of 2005, No. 11, item 86). Waste Act of December 14, 2012 (Journal of Laws of 2013, item 21). Act of 13 June 2013 on the management of packaging and packaging waste, Journal of Laws 2013, item 888). Government statement of September 24, 2002 - European Agreement on the International Carriage of Dangerous Goods by Road (ADR) (Journal of Laws No. 194, item 1629 and Journal of Laws of 2003, No. 207, item 2013 and 2014).

**European Union** 

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 23-Mar-2023

Revision Number 1

bei

## DRE-L16495000CY - Propisochlor 10 µg/mL in Cyclohexane

#### Authorisations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

#### DIRECTIVE (EU) 2021/1187 on the marketing and use of explosives precursors Not applicable

Chemical name	Restricted substance per REACH	Substance subject to authorisation p
	Annex XVII	REACH Annex XIV
Cyclohexane - 110-82-7	57.	
	75.	

#### **Persistent Organic Pollutants**

Not applicable

#### Dangerous substance category per Seveso Directive (2012/18/EU)

P5a - FLAMMABLE LIQUIDS P5b - FLAMMABLE LIQUIDS P5c - FLAMMABLE LIQUIDS E1 - Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1

#### Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

International Inventories TSCA	Complies under research and development exemption or is regulated by a different government agency.
DSL/NDSL	Contact supplier for inventory compliance status
EINECS/ELINCS	Contact supplier for inventory compliance status
ENCS	Contact supplier for inventory compliance status
IECSC	Contact supplier for inventory compliance status
KECL	Contact supplier for inventory compliance status
PICCS	Contact supplier for inventory compliance status
AIIC	Contact supplier for inventory compliance status

Legend:

 TSCA
 - United States Toxic Substances Control Act Section 8(b) Inventory

 DSL/NDSL
 - Canadian Domestic Substances List/Non-Domestic Substances List

 EINECS/ELINCS
 - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

 ENCS
 - Japan Existing and New Chemical Substances

 IECSC
 - China Inventory of Existing Chemical Substances

 KECL
 - Korean Existing and Evaluated Chemical Substances



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

#### Revision date 23-Mar-2023

Revision Number 1

## DRE-L16495000CY - Propisochlor 10 µg/mL in Cyclohexane

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances **AICS** - Australian Inventory of Chemical Substances

#### 15.2. Chemical safety assessment

Chemical Safety Report A Chemical Safety Assessment is not required for this substance

## **SECTION 16: Other information**

#### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

H225 - Highly flammable liquid and vapour

- H304 May be fatal if swallowed and enters airways
- H315 Causes skin irritation
- H336 May cause drowsiness or dizziness
- H400 Very toxic to aquatic life
- H410 Very toxic to aquatic life with long lasting effects

#### Legend

SVHC: Substances of Very High Concern for Authorisation:

#### Legend Section 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL
Ceiling	Maximum limit value	*

STEL (Short Term Exposure Limit) Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - Vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 23-Mar-2023

Revision Number 1

## DRE-L16495000CY - Propisochlor 10 µg/mL in Cyclohexane

Ozone	Calculation method
Flammable liquids	On basis of test data

#### Key literature references and sources for data used to compile the SDS Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme Organisation for Economic Co-operation and Development Screening Information Data Set World Health Organization

Revision date 23-Mar-2023

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 Disclaimer

The information in this safety data sheet (SDS) has been prepared with due care and is true and accurate to the best of our knowledge. The user must determine the suitability of the information for its particular purpose, ensure compliance with existing laws and regulations, and be aware that other or additional safety or performance considerations may arise when using, handling and/ or storing the material. The information in this SDS does not purport to be all inclusive or a guarantee as to the properties of the material supplied, and should be used only as a guide. LGC makes no warranties or representations as to the accuracy and completeness of the information contained herein, shall not be held responsible for the suitability of this information for the user's intended purposes or the consequences of such use, and shall not be liable for any damage or loss, howsoever arising, direct or otherwise.

**End of Safety Data Sheet**