



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 30-Aug-2022

Revision Number 1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product Code(s) DRE-CA17945000

Product Name o-Xylene

Form Not applicable

*NOTE [8] - No registration number is given for this substance because it is under the threshold in REACH Article 6(1) and not subject to the registration requirements according to REACH Title II*

EC No (EU Index No) 202-422-2

CAS No. 95-47-6

Chemical name o-Xylene

Pure substance/mixture Substance

Formula C<sub>8</sub> H<sub>10</sub>

Molecular weight 106.17

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Laboratory use

Uses advised against No information available

### 1.3. Details of the supplier of the safety data sheet

#### Supplier

LGC Limited  
Queens Road  
Teddington  
Middlesex TW11 0LY  
UNITED KINGDOM  
:+44 (0) 20 8943 7000  
Fax :+44 (0) 20 8943 2767  
eMail : gb@lgcstandards.com

Web : [www.lgcstandards.com](http://www.lgcstandards.com)

For further information, please contact



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 30-Aug-2022

Revision Number 1

DRE-CA17945000 - o-Xylene

E-mail address sds-request@lgcgroup.com

## 1.4. Emergency telephone number

Emergency Telephone For Hazardous Materials or Dangerous Goods Incident  
Spill, Leak, Fire Exposure, or Accident  
Call CHEMTREC:  
USA & Canada 1-800-424-9300  
Rest of the world +1 703-741-5970

Emergency Telephone - §45 - (EC)1272/2008	
Europe	112
Austria	No information available
Bulgaria	
Croatia	
Cyprus	
Czech Republic	
Denmark	
France	
Hungary	
Ireland	
Italy	
Lithuania	
Luxembourg	
Netherlands	
Norway	
Portugal	
Romania	
Slovakia	
Slovenia	
Spain	
Sweden	
Switzerland	

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification according to  
Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity - Dermal	Category 4 - (H312)
Acute toxicity - Inhalation (Vapours)	Category 4 - (H332)



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 30-Aug-2022

Revision Number 1

DRE-CA17945000 - o-Xylene

Skin corrosion/irritation	Category 2 - (H315)
Acute aquatic toxicity	Category 1 - (H400)
Chronic aquatic toxicity	Category 2 - (H411)
Flammable liquids	Category 3 - (H226)

## 2.2. Label elements

202-422-2

Contains o-Xylene



### Signal word

Warning

### Hazard statements

H312 - Harmful in contact with skin

H315 - Causes skin irritation

H332 - Harmful if inhaled

H400 - Very toxic to aquatic life

H411 - Toxic to aquatic life with long lasting effects

H226 - Flammable liquid and vapour

### Precautionary Statements - EU (§28, 1272/2008)

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P273 - Avoid release to the environment

P312 - Call a POISON CENTER or doctor if you feel unwell

P370 + P378 - In case of fire: Use dry chemical, CO<sub>2</sub>, water spray or alcohol-resistant foam to extinguish

P391 - Collect spillage

P403 + P235 - Store in a well-ventilated place. Keep cool

## 2.3. Other hazards

No information available.

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors.

Chemical name	EU - REACH (1907/2006) - Article 59(1) - Candidate List of Substances of Very High Concern (SVHC) for Authorisation	EU - REACH (1907/2006) - Endocrine Disruptor Assessment List of Substances
---------------	---	--



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 30-Aug-2022

Revision Number 1

DRE-CA17945000 - o-Xylene

o-Xylene	-	-
----------	---	---

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Chemical name	Weight-%	REACH registration number	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
o-Xylene 95-47-6	100	-	202-422-2	Flam. Liq. 3 (H226) Acute Tox. 4 (H312) Acute Tox. 4 (H332) Skin Irrit. 2 (H315) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)			

**Full text of H- and EUH-phrases: see section 16**

#### Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
o-Xylene 95-47-6	3608	14100	No data available	23.0258	No data available

This product does not contain candidate substances of very high concern at a concentration  $\geq 0.1\%$  (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General advice

Show this safety data sheet to the doctor in attendance.

#### Inhalation

Remove to fresh air. Get medical attention immediately if symptoms occur. If symptoms



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 30-Aug-2022

Revision Number 1

DRE-CA17945000 - o-Xylene

---

	persist, call a doctor. If breathing has stopped, give artificial respiration. Get medical attention immediately.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If symptoms persist, call a doctor.
<b>Ingestion</b>	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Get medical attention.
<b>Self-protection of the first aider</b>	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Avoid breathing vapours or mists.

## 4.2. Most important symptoms and effects, both acute and delayed

<b>Symptoms</b>	Coughing and/ or wheezing. Difficulty in breathing.
-----------------	---

## 4.3. Indication of any immediate medical attention and special treatment needed

<b>Note to doctors</b>	Treat symptomatically.
------------------------	------------------------

## **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

<b>Suitable Extinguishing Media</b>	Dry chemical. Carbon dioxide (CO <sub>2</sub> ). Water spray. Alcohol resistant foam.
<b>Large Fire</b>	CAUTION: Use of water spray when fighting fire may be inefficient.
<b>Unsuitable extinguishing media</b>	Do not scatter spilled material with high pressure water streams.

### 5.2. Special hazards arising from the substance or mixture

<b>Specific hazards arising from the chemical</b>	Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
---	---

### 5.3. Advice for firefighters

<b>Special protective equipment and precautions for fire-fighters</b>	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
---	--

---



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 30-Aug-2022

Revision Number 1

DRE-CA17945000 - o-Xylene

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### Personal precautions

Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Avoid breathing vapours or mists.

#### Other information

Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

#### For emergency responders

Use personal protection recommended in Section 8.

### 6.2. Environmental precautions

#### Environmental precautions

Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

### 6.3. Methods and material for containment and cleaning up

#### Methods for containment

Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapour suppressing foam may be used to reduce vapours. Dyke far ahead of spill to collect run-off water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

#### Methods for cleaning up

Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labelled containers.

#### Prevention of secondary hazards

Clean contaminated objects and areas thoroughly observing environmental regulations.

### 6.4. Reference to other sections

#### Reference to other sections

See section 8 for more information. See section 13 for more information.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

Use personal protection equipment. Avoid breathing vapours or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 30-Aug-2022

Revision Number 1

DRE-CA17945000 - o-Xylene

discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse. In case of insufficient ventilation, wear suitable respiratory equipment.

## General hygiene considerations

Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection.

## 7.2. Conditions for safe storage, including any incompatibilities

### Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labelled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store locked up. Keep out of the reach of children. Please refer to the manufacturer's certificate for specific storage and transport temperature conditions. Store only in the original receptacle unless other advice is given on the CoA.

## 7.3. Specific end use(s)

**Risk Management Methods (RMM)** The information required is contained in this Safety Data Sheet.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure Limits

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
o-Xylene 95-47-6	TWA: 50 ppm TWA: 221 mg/m <sup>3</sup> STEL: 100 ppm STEL: 442 mg/m <sup>3</sup> *	TWA: 50 ppm TWA: 221 mg/m <sup>3</sup> STEL 100 ppm STEL 442 mg/m <sup>3</sup>	TWA: 50 ppm TWA: 221 mg/m <sup>3</sup> STEL: 100 ppm STEL: 442 mg/m <sup>3</sup> *	STEL: 100 ppm STEL: 442.0 mg/m <sup>3</sup> TWA: 50 ppm TWA: 221.0 mg/m <sup>3</sup> K*	TWA: 50 ppm TWA: 221 mg/m <sup>3</sup> STEL: 100 ppm STEL: 442 mg/m <sup>3</sup> *
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
o-Xylene 95-47-6	*	TWA: 200 mg/m <sup>3</sup> Ceiling: 400 mg/m <sup>3</sup>	TWA: 25 ppm TWA: 109 mg/m <sup>3</sup>	TWA: 50 ppm TWA: 200 mg/m <sup>3</sup>	TWA: 50 ppm TWA: 220 mg/m <sup>3</sup>



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 30-Aug-2022

Revision Number 1

## DRE-CA17945000 - o-Xylene

	STEL: 442 mg/m <sup>3</sup> TWA: 50 ppm TWA: 221 mg/m <sup>3</sup>	*	H*	STEL: 100 ppm STEL: 450 mg/m <sup>3</sup> A*	STEL: 100 ppm STEL: 440 mg/m <sup>3</sup> iho*
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
o-Xylene 95-47-6	TWA: 50 ppm TWA: 221 mg/m <sup>3</sup> STEL: 100 ppm STEL: 442 mg/m <sup>3</sup> *	TWA: 100 ppm TWA: 440 mg/m <sup>3</sup>	TWA: 50 ppm TWA: 220 mg/m <sup>3</sup> Peak: 100 ppm Peak: 440 mg/m <sup>3</sup> *	TWA: 100 ppm TWA: 435 mg/m <sup>3</sup> STEL: 150 ppm STEL: 650 mg/m <sup>3</sup> skin - potential for cutaneous absorption	TWA: 221 mg/m <sup>3</sup> STEL: 442 mg/m <sup>3</sup> *
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
o-Xylene 95-47-6	TWA: 50 ppm TWA: 221 mg/m <sup>3</sup> STEL: 100 ppm STEL: 442 mg/m <sup>3</sup> Sk*	TWA: 50 ppm TWA: 221 mg/m <sup>3</sup> STEL: 100 ppm STEL: 442 mg/m <sup>3</sup> pelle*	TWA: 100 ppm TWA: 434 mg/m <sup>3</sup> STEL: 150 ppm STEL: 651 mg/m <sup>3</sup>	TWA: 50 ppm TWA: 221 mg/m <sup>3</sup> STEL: 100 ppm STEL: 442 mg/m <sup>3</sup> *	* TWA: 221 mg/m <sup>3</sup> TWA: 50 ppm STEL: 442 mg/m <sup>3</sup> STEL: 100 ppm
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
o-Xylene 95-47-6	* STEL: 100 ppm STEL: 442 mg/m <sup>3</sup> TWA: 50 ppm TWA: 221 mg/m <sup>3</sup>	* STEL: 100 ppm STEL: 442 mg/m <sup>3</sup> TWA: 50 ppm TWA: 221 mg/m <sup>3</sup>	TWA: 210 mg/m <sup>3</sup> STEL: 442 mg/m <sup>3</sup> H*	TWA: 25 ppm TWA: 108 mg/m <sup>3</sup> STEL: 37.5 ppm STEL: 135 mg/m <sup>3</sup> H*	STEL: 200 mg/m <sup>3</sup> TWA: 100 mg/m <sup>3</sup> *
Chemical name	Portugal	Romania	Slovakia	Slovenia	Spain
o-Xylene 95-47-6	TWA: 50 ppm TWA: 221 mg/m <sup>3</sup> STEL: 100 ppm STEL: 442 mg/m <sup>3</sup> P*	-	TWA: 50 ppm TWA: 221 mg/m <sup>3</sup> * Ceiling: 442 mg/m <sup>3</sup>	TWA: 50 ppm TWA: 221 mg/m <sup>3</sup> STEL: STEL ppm STEL: STEL mg/m <sup>3</sup> *	TWA: 50 ppm TWA: 221 mg/m <sup>3</sup> STEL: 100 ppm STEL: 442 mg/m <sup>3</sup> vía dérmica*
Chemical name	Sweden		Switzerland		United Kingdom
o-Xylene 95-47-6	NGV: 50 ppm NGV: 221 mg/m <sup>3</sup> Bindande KGV: 100 ppm Bindande KGV: 442 mg/m <sup>3</sup> *		TWA: 100 ppm TWA: 435 mg/m <sup>3</sup> STEL: 200 ppm STEL: 870 mg/m <sup>3</sup> H*		TWA: 50 ppm TWA: 220 mg/m <sup>3</sup> STEL: 100 ppm STEL: 441 mg/m <sup>3</sup> Sk*

### Biological occupational exposure limits

Chemical name	European Union	Austria	Bulgaria	Croatia	Czech Republic
o-Xylene 95-47-6	-	1.5 g/L (urine - Methylhippuric acid after end of work day, at the end of a	-	1.50 mg/L - blood (Xylene) - at the end of the work shift 1.50 g/g Creatinine -	-





# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 30-Aug-2022

Revision Number 1

DRE-CA17945000 - o-Xylene

		work week/end of the shift)		urine (Methylhippuric acid) - at the end of the work shift	
Chemical name	Denmark	Finland	France	Germany DFG	Germany TRGS
o-Xylene 95-47-6	-	-	1500 mg/g creatinine - urine (Methylhippuric acid) - end of shift	2000 mg/L (urine - Methylhippuric(tolur-)acid (all isomers) end of shift) 2000 mg/L - BAT (end of exposure or end of shift) urine	2000 mg/L (urine - Methylhippuric(tolur-)acid (all isomers) end of shift)
Chemical name	Hungary	Ireland	Italy MDLPS	Italy AIDII	
o-Xylene 95-47-6	1500 mg/g Creatinine (urine - Methyl hippuric acid end of shift) 860 µmol/mmol Creatinine (urine - Methyl hippuric acid end of shift)	1.5 g/g Creatinine (urine - Methylhippuric acids end of shift)	-	1.5 g/g Creatinine - urine (Methylhippuric acids) - end of shift	
Chemical name	Slovenia	Spain	Switzerland	United Kingdom	
o-Xylene 95-47-6	2 g/L - urine (Methylpuric acid (all isomers)) - at the end of the work shift	-	-	650 mmol/mol creatinine - urine (Methyl hippuric acid) - post shift	

**Derived No Effect Level (DNEL)** No information available.

**Predicted No Effect Concentration (PNEC)** No information available.

## 8.2. Exposure controls

### Personal protective equipment

**Eye/face protection** Tight sealing safety goggles. Avoid contact with eyes. Wear safety glasses with side shields (or goggles).

**Hand protection** Wear suitable gloves. Impervious gloves. The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374. Wear protective nitrile rubber or Viton™ gloves.

**Skin and body protection** Long sleeved clothing. Chemical resistant apron. Antistatic boots. Wear suitable protective clothing.

**Respiratory protection** No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 30-Aug-2022

Revision Number 1

DRE-CA17945000 - o-Xylene

**General hygiene considerations** Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection.

**Environmental exposure controls** Do not allow into any sewer, on the ground or into any body of water.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Liquid
Colour	colourless
Odour	Characteristic.
Odour threshold	No information available

Property	Values	Remarks • Method
Melting point / freezing point	-25 °C	None known
Initial boiling point and boiling range	144 °C	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	7.6 %vol ; 335 g/m <sup>3</sup>	
Lower flammability or explosive limits	0.97 %vol ; 43 g/m <sup>3</sup>	
Flash point	30 °C	None known
Autoignition temperature	465 °C	None known
Decomposition temperature		None known
pH	No data available	None known
pH (as aqueous solution)	No data available	No information available
Kinematic viscosity	No data available	None known
Dynamic viscosity	0.81 mPa s	@ 20°C
Water solubility	0.18 g/l	@ 20 °C
Solubility(ies)	No data available	None known
Partition coefficient	3.12	None known
Vapour pressure	6.69 hPa	@ 20°C
Relative density	0.88	@ 20 °C
Bulk density	No data available	
Liquid Density	No data available	
Relative vapour density	3.66	None known
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 30-Aug-2022

Revision Number 1

DRE-CA17945000 - o-Xylene

---

## 9.2. Other information

Molecular weight 106.17  
Molecular formula C<sub>8</sub>H<sub>10</sub>

9.2.1. Information with regards to physical hazard classes  
Not applicable

9.2.2. Other safety characteristics  
No information available

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Reactivity No information available.

### 10.2. Chemical stability

Stability Stable under normal conditions.

#### Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge Yes.

### 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

### 10.4. Conditions to avoid

Conditions to avoid Heat, flames and sparks. Excessive heat.

### 10.5. Incompatible materials

Incompatible materials Strong acids. Strong bases. Strong oxidising agents.

Hazardous decomposition products None known based on information supplied.

## **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Information on likely routes of exposure

---



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 30-Aug-2022

Revision Number 1

DRE-CA17945000 - o-Xylene

## Product Information

Inhalation	Specific test data for the substance or mixture is not available. Harmful by inhalation. (based on components).
Eye contact	Specific test data for the substance or mixture is not available.
Skin contact	Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components). Harmful in contact with skin.
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

## Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** Redness. May cause redness and tearing of the eyes. Coughing and/ or wheezing.

## Numerical measures of toxicity

### Acute toxicity

## Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
o-Xylene	= 3565 mg/kg ( Rat )	= 14100 mg/kg ( Rabbit )	= 4330 ppm ( Rat ) 6 h

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Classification based on data available for ingredients. Causes skin irritation.

**Serious eye damage/eye irritation** No information available.

**Respiratory or skin sensitisation** No information available.

**Germ cell mutagenicity** No information available.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as mutagenic.



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 30-Aug-2022

Revision Number 1

DRE-CA17945000 - o-Xylene

Chemical name	European Union
o-Xylene	Muta. 1B

**Carcinogenicity** No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

**Reproductive toxicity** No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Aspiration hazard** No information available.

## 11.2. Information on other hazards

### 11.2.1. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

### 11.2.2. Other information

**Other adverse effects** No information available.

## SECTION 12: Ecological information

### 12.1. Toxicity

**Ecotoxicity** Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
o-Xylene	EC50: =11mg/L (72h, Pseudokirchneriella subcapitata) EC50: =4.7mg/L (72h, Pseudokirchneriella subcapitata)	LC50: 11.6 - 22.4mg/L (96h, Lepomis macrochirus) LC50: 11.6 - 22.4mg/L (96h, Pimephales promelas) LC50: 13.1 - 16.5mg/L	-	EC50: 0.78 - 2.51mg/L (48h, Daphnia magna) EC50: 2.61 - 5.59mg/L (48h, Daphnia magna) LC50: =0.6mg/L (48h, Gammarus lacustris) EC50: =3.2mg/L (48h,



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 30-Aug-2022

Revision Number 1

DRE-CA17945000 - o-Xylene

		(96h, <i>Lepomis macrochirus</i> ) LC50: 13.5 - 17.3mg/L (96h, <i>Oncorhynchus mykiss</i> ) LC50: 2.661 - 4.093mg/L (96h, <i>Oncorhynchus mykiss</i> ) LC50: 23.53 - 29.97mg/L (96h, <i>Pimephales promelas</i> ) LC50: 30.26 - 40.75mg/L (96h, <i>Poecilia reticulata</i> ) LC50: 5.59 - 11.6mg/L (96h, <i>Oncorhynchus mykiss</i> ) LC50: 7.711 - 9.591mg/L (96h, <i>Lepomis macrochirus</i> ) LC50: =12mg/L (96h, <i>Poecilia reticulata</i> ) LC50: =13.4mg/L (96h, <i>Pimephales promelas</i> ) LC50: =19mg/L (96h, <i>Lepomis macrochirus</i> ) LC50: =780mg/L (96h, <i>Cyprinus carpio</i> ) LC50: >780mg/L (96h, <i>Cyprinus carpio</i> )		<i>Daphnia magna</i> EC50: =3.82mg/L (48h, water flea)
--	--	--	--	---

## 12.2. Persistence and degradability

Persistence and degradability No information available.

## 12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

## Component Information

Chemical name	Partition coefficient
o-Xylene	3.12

## 12.4. Mobility in soil

Mobility in soil No information available.



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 30-Aug-2022

Revision Number 1

DRE-CA17945000 - o-Xylene

## 12.5. Results of PBT and vPvB assessment

**PBT and vPvB assessment** The product does not contain any substance(s) classified as PBT or vPvB.

Chemical name	PBT and vPvB assessment
o-Xylene	The substance is not PBT / vPvB

## 12.6. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

## 12.7. Other adverse effects

No information available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**Waste from residues/unused products** Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

## SECTION 14: Transport information

### IATA

14.1 UN number or ID number UN1307  
14.2 UN proper shipping name Xylenes  
14.3 Transport hazard class(es) 3  
14.4 Packing group III  
Description UN1307, Xylenes, 3, III  
14.5 Environmental hazards Yes  
14.6 Special precautions for user  
Special Provisions A3  
ERG Code 3L

### IMDG

14.1 UN number or ID number UN1307  
14.2 UN proper shipping name Xylenes  
14.3 Transport hazard class(es) 3



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 30-Aug-2022

Revision Number 1

DRE-CA17945000 - o-Xylene

**14.4 Packing group** III  
**Description** UN1307, Xylenes, 3, III, (30°C c.c.), Marine pollutant  
**14.5 Marine pollutant** P  
**Environmental hazards** Yes  
**14.6 Special precautions for user**  
**Special Provisions** 223  
**EmS-No.** F-E, S-D No information available  
**14.7 Maritime transport in bulk according to IMO instruments** No information available

## RID

**14.1 UN number or ID number** UN1307  
**14.2 UN proper shipping name** Xylenes  
**14.3 Transport hazard class(es)** 3  
**14.4 Packing group** III  
**Description** UN1307, Xylenes, 3, III, Environmentally Hazardous  
**14.5 Environmental hazards** Yes  
**14.6 Special precautions for user**  
**Special Provisions** None  
**Classification code** F1

## ADR

**14.1 UN number or ID number** UN1307  
**14.2 UN proper shipping name** Xylenes  
**14.3 Transport hazard class(es)** 3  
**14.4 Packing group** III  
**Description** UN1307, Xylenes, 3, III, (D/E), Environmentally Hazardous  
**14.5 Environmental hazards** Yes  
**14.6 Special precautions for user**  
**Special Provisions** None  
**Classification code** F1  
**Tunnel restriction code** (D/E)

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number	Title
o-Xylene 95-47-6	RG 4bis, RG 84	-





# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 30-Aug-2022

Revision Number 1

DRE-CA17945000 - o-Xylene

Water hazard class (WGK) strongly hazardous to water (WGK 3)

## Netherlands

Chemical name	Netherlands - List of Carcinogens	Netherlands - List of Carcinogens	Netherlands - List of Reproductive Toxins
o-Xylene	-	-	Development Category 2

## Poland

SDS created according to the following Polish regulation: Act of February 25, 2011 on chemical substances and their mixtures (Journal of Laws of 2018, item 143, as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing the European Chemicals Agency (EC) as amended. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labeling and packaging of substances and mixtures, as amended. Regulation of the Minister of Health of 10 August 2012 on the criteria and method of classifying chemical substances and their mixtures (Journal of Laws of 2012, item 1018). Regulation of the Minister of Health of 20 April 2012 on labeling packaging of hazardous substances and mixtures and some mixtures (Journal of Laws of 2012, item 445). Regulation of the Minister of Family, Labor and Social Policy of 12 June 2018 on the maximum allowable concentrations and intensities of factors harmful to health in the work environment (Journal of Laws of 2018, item 1286). Announcement of the Minister of Economy, Labor and Social Policy of August 28, 2003 on the publication of the unified text of the Ordinance of the Minister of Labor and Social Policy on general health and safety at work regulations (Journal of Laws of 2003, No. 169, item 1650). Regulation of the Minister of Health of 30 December 2004 on occupational safety and health related to the presence of chemical agents in the workplace (Journal of Laws of 2005, No. 11, item 86). Act of December 14, 2012 on waste (Journal of Laws of 2013, item 21) Regulation of the Minister of Health of December 30, 2004 on occupational health and safety related to the presence of chemical agents in the workplace (Journal U. of 2005, No. 11, item 86). Waste Act of December 14, 2012 (Journal of Laws of 2013, item 21). Act of 13 June 2013 on the management of packaging and packaging waste, Journal of Laws 2013, item 888). Government statement of September 24, 2002 - European Agreement on the International Carriage of Dangerous Goods by Road (ADR) (Journal of Laws No. 194, item 1629 and Journal of Laws of 2003, No. 207, item 2013 and 2014).

## European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

## Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 30-Aug-2022

Revision Number 1

**DRE-CA17945000 - o-Xylene**

---

**DIRECTIVE (EU) 2021/1187 on the marketing and use of explosives precursors**

Not applicable

**Persistent Organic Pollutants**

Not applicable

**Dangerous substance category per Seveso Directive (2012/18/EU)**

P5a - FLAMMABLE LIQUIDS

P5b - FLAMMABLE LIQUIDS

P5c - FLAMMABLE LIQUIDS

E1 - Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1

E2 - Hazardous to the Aquatic Environment in Category Chronic 2

**Ozone-depleting substances (ODS) regulation (EC) 1005/2009**

Not applicable

**International Inventories**

**TSCA**

LGC, to the best of its ability, has confirmed that the chemical substances in this product are listed as "Active" in the EPA (Environmental Protection Agency) "TSCA Inventory Notification (Active-Inactive) Requirements Rule" ("the Final Rule") of Feb 2019, as amended Feb 2021."

**DSL/NDL**

Contact supplier for inventory compliance status

**EINECS/ELINCS**

Contact supplier for inventory compliance status

**ENCS**

Contact supplier for inventory compliance status

**IECSC**

Contact supplier for inventory compliance status

**KECL**

Contact supplier for inventory compliance status

**PICCS**

Contact supplier for inventory compliance status

**AIIC**

Contact supplier for inventory compliance status

**Legend:**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**AICS** - Australian Inventory of Chemical Substances



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 30-Aug-2022

Revision Number 1

DRE-CA17945000 - o-Xylene

## 15.2. Chemical safety assessment

### Chemical Safety Report

A Chemical Safety Assessment is not required for this substance

## SECTION 16: Other information

### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

H226 - Flammable liquid and vapour

H312 - Harmful in contact with skin

H315 - Causes skin irritation

H332 - Harmful if inhaled

H400 - Very toxic to aquatic life

H411 - Toxic to aquatic life with long lasting effects

#### Legend

SVHC: Substances of Very High Concern for Authorisation:

#### Legend Section 8: Exposure controls/personal protection

TWA

TWA (time-weighted average)

STEL

STEL (Short Term Exposure Limit)

Ceiling

Maximum limit value

Sk\*

Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - Vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 30-Aug-2022

Revision Number 1

DRE-CA17945000 - o-Xylene

Ozone	Calculation method
-------	--------------------

## Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)  
U.S. Environmental Protection Agency ChemView Database  
European Food Safety Authority (EFSA)  
EPA (Environmental Protection Agency)  
Acute Exposure Guideline Level(s) (AEGL(s))  
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
U.S. Environmental Protection Agency High Production Volume Chemicals  
Food Research Journal  
Hazardous Substance Database  
International Uniform Chemical Information Database (IUCLID)  
Japan GHS Classification  
Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
NIOSH (National Institute for Occupational Safety and Health)  
National Library of Medicine's ChemID Plus (NLM CIP)  
National Library of Medicine's PubMed database (NLM PUBMED)  
National Toxicology Program (NTP)  
New Zealand's Chemical Classification and Information Database (CCID)  
Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications  
Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme  
Organisation for Economic Co-operation and Development Screening Information Data Set  
World Health Organization

Revision date 30-Aug-2022

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

## Disclaimer

The information in this safety data sheet (SDS) has been prepared with due care and is true and accurate to the best of our knowledge. The user must determine the suitability of the information for its particular purpose, ensure compliance with existing laws and regulations, and be aware that other or additional safety or performance considerations may arise when using, handling and/ or storing the material. The information in this SDS does not purport to be all inclusive or a guarantee as to the properties of the material supplied, and should be used only as a guide. LGC makes no warranties or representations as to the accuracy and completeness of the information contained herein, shall not be held responsible for the suitability of this information for the user's intended purposes or the consequences of such use, and shall not be liable for any damage or loss, howsoever arising, direct or otherwise.

End of Safety Data Sheet