

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 12-Apr-2022 Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code(s) DRE-XA12370000ME

Product Name 1,2-Dichlorobenzene 100 µg/mL in Methanol

Unique Formula Identifier (UFI) KHX5-V027-D00C-C58P

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Laboratory use

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Supplier

LGC Limited Queens Road Teddington Middlesex TW11 0LY UNITED KINGDOM :+44 (0) 20 8943 7000 Fax :+44 (0) 20 8943 2767

eMail: gb@lgcstandards.com

Web: www.lgcstandards.com

For further information, please contact

E-mail address sds-request@lgcgroup.com

1.4. Emergency telephone number

Emergency Telephone For Hazardous Materials or Dangerous Goods Incident

Spill, Leak, Fire Exposure, or Accident

Call CHEMTREC:

USA & Canada 1-800-424-9300 Rest of the world +1 703-741-5970

Emergency Telephone - §45 - (EC)1272/2008				
Europe	112			
Austria	No information available			

EGHS / EN Page 1/22



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 12-Apr-2022 Revision Number 1

DRE-XA12370000ME - 1,2-Dichlorobenzene 100 µg/mL in Methanol

Bulgaria	
Croatia	
Cyprus	
Czech Republic	
Denmark	
France	
Hungary	
Ireland	
Italy	
Lithuania	
Luxembourg	(+352) 8002 5500 Free telephone number with a 24/7 access in French, Dutch and English.
Luxembourg Netherlands	
Netherlands	
Netherlands Norway	
Netherlands Norway Portugal	
Netherlands Norway Portugal Romania	
Netherlands Norway Portugal Romania Slovakia	
Netherlands Norway Portugal Romania Slovakia Slovenia	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Regulation (EO) No 1272/2000	
Acute toxicity - Oral	Category 3 - (H301)
Acute toxicity - Dermal	Category 3 - (H311)
Acute toxicity - Inhalation (Vapours)	Category 3 - (H331)
Specific target organ toxicity — single exposure	Category 1 - (H370)
Flammable liquids	Category 2 - (H225)

2.2. Label elements

200-659-6

Contains Methanol







Signal word Danger

EGHS / EN Page 2/22



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 12-Apr-2022 Revision Number 1

DRE-XA12370000ME - 1,2-Dichlorobenzene 100 µg/mL in Methanol

Hazard statements

H301 - Toxic if swallowed

H311 - Toxic in contact with skin

H331 - Toxic if inhaled

H370 - Causes damage to organs

H225 - Highly flammable liquid and vapour

EUH210 - Safety data sheet available on request

Precautionary Statements - EU (§28, 1272/2008)

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P260 - Do not breathe dust/fume/gas/mist/vapours/spray

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor

P403 + P235 - Store in a well-ventilated place. Keep cool

2.3. Other hazards

No information available.

Endocrine Disruptor Information

Litaberine disruptor information		
Chemical name	EU - REACH (1907/2006) - Article 59(1)	EU - REACH (1907/2006) - Endocrine
	- Candidate List of Substances of Very	Disruptor Assessment List of
	High Concern (SVHC) for Authorisation	Substances
Methanol	-	- -

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	Weight-%	REACH registration number	EC No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Methanol 67-56-1	80 - 100	-	200-659-6	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331) STOT SE 1 (H370) Flam. Liq. 2 (H225)	STOT SE 1 :: C>=10% STOT SE 2 :: 3%<=C<10%		
1,2-Dichlorobenzen e 95-50-1	<0.1	-	202-425-9	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Skin Sens. 1 (H317)			

EGHS / EN Page 3/22



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 12-Apr-2022 Revision Number 1

DRE-XA12370000ME - 1,2-Dichlorobenzene 100 µg/mL in Methanol

	STOT SE 3 (H335) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)		
--	--	--	--

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50 - 4	Inhalation LC50 - 4	Inhalation LC50 - 4
	mg/kg	mg/kg	hour - dust/mist - mg/L	hour - vapour - mg/L	hour - gas - ppm
Methanol 67-56-1	6200	15840	No data available	41.6976	No data available
1,2-Dichlorobenzene 95-50-1	1516	10000	13.8	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Inhalation Remove to fresh air. IF exposed or concerned: Get medical advice/attention. If breathing

has stopped, give artificial respiration. Get medical attention immediately. Immediate medical attention is required. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained

personnel should) give oxygen.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Get immediate medical

advice/attention.

Skin contactWash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Get immediate medical advice/attention.

EGHS / EN Page 4/22



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 12-Apr-2022 Revision Number 1

DRE-XA12370000ME - 1,2-Dichlorobenzene 100 µg/mL in Methanol

Ingestion Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious

person. Get immediate medical advice/attention.

Self-protection of the first aider Remove all sources of ignition. Ensure that medical personnel are aware of the material(s)

involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory

medical device. Do not breathe vapour or mist.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Coughing and/ or wheezing. Difficulty in breathing.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. See

section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take

EGHS / EN Page 5/22



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 12-Apr-2022 Revision Number 1

DRE-XA12370000ME - 1,2-Dichlorobenzene 100 µg/mL in Methanol

precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Do not breathe

vapour or mist.

Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage

if safe to do so. Prevent product from entering drains.

6.3. Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. A

vapour suppressing foam may be used to reduce vapours. Dyke far ahead of spill to collect run-off water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand

or other non-combustible material and transfer to containers for later disposal.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labelled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sectionsSee section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Use personal protection equipment. Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash it before reuse. Do not breathe vapour or mist. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product.

General hygiene considerations

Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Do not breathe vapour or mist. Avoid contact

EGHS / EN Page 6/22



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 12-Apr-2022 Revision Number 1

DRE-XA12370000ME - 1,2-Dichlorobenzene 100 µg/mL in Methanol

with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labelled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Keep out of the reach of children. Store locked up. Please refer to the manufacturer's certificate for specific storage and transport temperature conditions. Store only in the original receptacle unless other advice is given on the CoA.

7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Methanol	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm
67-56-1	TWA: 260 mg/m ³	TWA: 260 mg/m ³	TWA: 266 mg/m ³	TWA: 260.0 mg/m ³	TWA: 260 mg/m ³
	*	STEL 800 ppm	STEL: 250 ppm	K*	*
		STEL 1040 mg/m ³	STEL: 333 mg/m ³		
		H*	*		
1,2-Dichlorobenzene	TWA: 20 ppm	TWA: 20 ppm	TWA: 20 ppm	STEL: 300 mg/m ³	TWA: 20 ppm
95-50-1	TWA: 122 mg/m ³	TWA: 122 mg/m ³	TWA: 122 mg/m ³	TWA: 120 mg/m ³	TWA: 122 mg/m ³
	STEL: 50 ppm	STEL 50 ppm	STEL: 50 ppm	K*	STEL: 50 ppm
	STEL: 306 mg/m ³	STEL 306 mg/m ³	STEL: 306 mg/m ³		STEL: 306 mg/m ³
	*	H*	*		*
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Methanol	*	TWA: 250 mg/m ³	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm
67-56-1	TWA: 200 ppm	Ceiling: 1000 mg/m ³	TWA: 260 mg/m ³	TWA: 250 mg/m ³	TWA: 270 mg/m ³
	TWA: 260 mg/m ³	*	H*	STEL: 250 ppm	STEL: 250 ppm
				STEL: 350 mg/m ³	STEL: 330 mg/m ³
				A*	iho*
1,2-Dichlorobenzene	*	TWA: 100 mg/m ³	TWA: 20 ppm	TWA: 20 ppm	TWA: 10 ppm
95-50-1	STEL: 50 ppm	Ceiling: 200 mg/m ³	TWA: 122 mg/m ³	TWA: 122 mg/m ³	TWA: 61 mg/m ³
	STEL: 306 mg/m ³	*	H*	STEL: 50 ppm	STEL: 50 ppm
	TWA: 20 ppm			STEL: 306 mg/m ³	STEL: 300 mg/m ³

EGHS / EN Page 7/22



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 12-Apr-2022 Revision Number 1

DRE-XA12370000ME - 1,2-Dichlorobenzene 100 µg/mL in Methanol

	TWA: 122 mg/m ³			A*	iho*
Chemical name	France	Germany	Germany MAK	Greece	Hungary
Methanol 67-56-1	TWA: 200 ppm TWA: 260 mg/m³ STEL: 1000 ppm STEL: 1300 mg/m³ *	TWA: 100 ppm TWA: 130 mg/m³ H*	TWA: 100 ppm TWA: 130 mg/m³ Peak: 200 ppm Peak: 260 mg/m³ *	TWA: 200 ppm TWA: 260 mg/m³ STEL: 250 ppm STEL: 325 mg/m³ skin - potential for cutaneous absorption	TWA: 260 mg/m ³ *
1,2-Dichlorobenzene 95-50-1	TWA: 20 ppm TWA: 122 mg/m³ STEL: 50 ppm STEL: 306 mg/m³ *	TWA: 10 ppm TWA: 61 mg/m³ H*	TWA: 10 ppm TWA: 61 mg/m³ Peak: 20 ppm Peak: 122 mg/m³ *	TWA: 50 ppm TWA: 300 mg/m ³ STEL: 50 ppm STEL: 300 mg/m ³	TWA: 122 mg/m ³ STEL: 306 mg/m ³ *
Chemical name	Ireland	Italy	Italy REL	Latvia	Lithuania
Methanol 67-56-1	TWA: 200 ppm TWA: 260 mg/m³ STEL: 600 ppm STEL: 780 mg/m³ Sk*	TWA: 200 ppm TWA: 260 mg/m³ pelle*	TWA: 200 ppm TWA: 262 mg/m³ STEL: 250 ppm STEL: 328 mg/m³	TWA: 200 ppm TWA: 260 mg/m ³ *	* TWA: 200 ppm TWA: 260 mg/m ³
1,2-Dichlorobenzene 95-50-1	TWA: 20 ppm TWA: 122 mg/m³ STEL: 50 ppm STEL: 306 mg/m³ Sk*	TWA: 20 ppm TWA: 122 mg/m³ STEL: 50 ppm STEL: 306 mg/m³ pelle*	TWA: 25 ppm TWA: 150 mg/m³ STEL: 50 ppm STEL: 301 mg/m³	TWA: 20 ppm TWA: 122 mg/m³ STEL: 50 ppm STEL: 306 mg/m³	* TWA: 20 ppm TWA: 122 mg/m³ STEL: 50 ppm STEL: 306 mg/m³
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
Methanol 67-56-1	* TWA: 200 ppm TWA: 260 mg/m ³	* TWA: 200 ppm TWA: 260 mg/m ³	TWA: 133 mg/m³ H*	TWA: 100 ppm TWA: 130 mg/m³ STEL: 125 ppm STEL: 162.5 mg/m³ H*	STEL: 300 mg/m³ TWA: 100 mg/m³ Prohibited - substances or mixtures containing Methanol in weight concentration >3%;except fuels used in the model building, powerboating, fuel cells and biofuels *
1,2-Dichlorobenzene 95-50-1	* STEL: 50 ppm STEL: 306 mg/m³ TWA: 20 ppm TWA: 122 mg/m³	* STEL: 50 ppm STEL: 306 mg/m³ TWA: 20 ppm TWA: 122 mg/m³	TWA: 122 mg/m ³ STEL: 300 mg/m ³ H*	TWA: 20 ppm TWA: 122 mg/m³ STEL: 50 ppm STEL: 306 mg/m³ H*	STEL: 180 mg/m ³ TWA: 90 mg/m ³ *
Chemical name	Portugal	Romania	Slovakia	Slovenia	Spain
Methanol 67-56-1	TWA: 200 ppm TWA: 260 mg/m ³	TWA: 200 ppm TWA: 260 mg/m ³	TWA: 200 ppm TWA: 260 mg/m ³	TWA: 200 ppm TWA: 260 mg/m ³	TWA: 200 ppm TWA: 266 mg/m ³

EGHS / EN Page 8/22



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 12-Apr-2022 Revision Number 1

DRE-XA12370000ME - 1,2-Dichlorobenzene 100 µg/mL in Methanol

	STE	EL: 250 ppm * P*		*	STEL: STEL ppm STEL: STEL mg/m³ *		vía dérmica*	
1,2-Dichlorobenzene 95-50-1	TWA: 20 ppm TWA: 122 mg/m³ STEL: 50 ppm STEL: 306 mg/m³ P*		-	TWA: 20 ppm TWA: 122 mg/m³ * Ceiling: 306 mg/m³	TWA: 20 ppm TWA: 122 mg/m³ STEL: STEL ppm STEL: STEL mg/m		TWA: 20 ppm TWA: 122 mg/m³ STEL: 50 ppm STEL: 306 mg/m³ vía dérmica*	
Chemical name		Sı	weden	Switzerland		United Kingdom		
Methanol		NGV: 200 ppm		TWA: 200 ppm	TWA: 200 ppm		/A: 200 ppm	
67-56-1		NGV: 250 mg/m ³		TWA: 260 mg/n	n ³	TW	A: 266 mg/m ³	
		Vägledande KGV: 250 ppm		STEL: 800 ppn	n	STEL: 250 ppm		
		Vägledande KGV: 350 mg/m ³		STEL: 1040 mg/	STEL: 1040 mg/m ³		STEL: 333 mg/m ³	
		*		H*		Sk*		
1,2-Dichlorobenzen	е	NGV	: 20 ppm	TWA: 10 ppm		TWA: 25 ppm		
95-50-1	95-50-1		122 mg/m ³	TWA: 61 mg/m ³		TWA: 153 mg/m ³		
		Bindande KGV: 50 ppm		STEL: 20 ppm	STEL: 20 ppm		EL: 50 ppm	
		Bindande K	GV: 306 mg/m ³	STEL: 122 mg/r	n ³	STEL: 306 mg/m ³		
			*	H*		Sk*		

Biological occupational exposure limits

Chemical name	European Union	Austria	Bulgaria	Croatia	Czech Republic
Methanol	-	-	-	7.0 mg/g Creatinine	
67-56-1				- urine (Methanol) -	Methanol end of
				at the end of the	shift)
				work shift	15 mg/L (urine -
					Methanol end of
					shift)
1,2-Dichlorobenzene	-	-	-	150 mg/g Creatinine	-
95-50-1				- urine (3,4- and	
				4,5-Dichlorocatechol	
) - at the end of the	
				work shift; at chronic	
				exposure after	
				several successive	
				shifts	
				140 μg/L - blood	
				(1,2-Dichlorobenzen	
				e) - right at the end	
				of the work shift	
Chemical name	Denmark	Finland	France	Germany	Germany
Methanol	-	-	15 mg/L - urine	15 mg/L (urine -	15 mg/L (urine -
67-56-1			(Methanol) - end of	Methanol end of	Methanol end of
			shift	shift)	shift)

EGHS / EN Page 9/22



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 12-Apr-2022 Revision Number 1

DRE-XA12370000ME - 1,2-Dichlorobenzene 100 µg/mL in Methanol

			15 mg/L (urii	ne - 15 mg/L (urine -
			Methanol for	or Methanol for
			long-term	long-term
			exposures: at	
			end of the shift	t after end of the shift after
			several shif	ts) several shifts)
			15 mg/L - BA	Γ (for
			long-term	
			exposures: at	t the
			end of the shift	t after
			several shifts)	urine
			15 mg/L - BAT	(end
			of exposure of	r end
			of shift) urir	ne
1,2-Dichlorobenzene	-	-	- 140 μg/L (wh	nole 140 µg/L (whole
95-50-1			blood -	blood -
			1,2-Dichlorobe	enzen 1,2-Dichlorobenzen
			e immediately	after e immediately after
			exposure	exposure)
			150 mg/g Crea	tinine 150 mg/g Creatinine
			(urine - 3,4-	and urine - 3,4- and
			4,5-Dichloroca	techol 4,5-Dichlorocatechol
			(after hydroly	vsis) (after hydrolysis)
			end of shif	t) end of shift)
			150 mg/g Crea	itinine 150 mg/g Creatinine
			(urine - 3,4-	and urine - 3,4- and
			4,5-Dichloroca	techol 4,5-Dichlorocatechol
			(after hydrolys	is) for (after hydrolysis) for
			long-term	long-term
			exposures: a	t the exposures: at the
			end of the shift	t after end of the shift after
			several shif	
			140 µg/L - B	
			(immediately	after
			exposure) bl	
			150 mg/g Crea	
			- BAT (end	
			exposure or e	
			shift) urine	
			150 mg/g Crea	
			- BAT (for long	
			exposures: a	
			end of the shift	
			several shifts)	
Chemical name	Hungary	Ireland	Italy	Italy REL
Methanol	30 mg/L (urine -	15 mg/L (urine -	-	15 mg/L - urine
67-56-1	Methanol end of shift)	Methanol end of shift)		(Methanol) - end of shift
	940 µmol/L (urine -			

EGHS / EN Page 10/22



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Number 1 Revision date 12-Apr-2022

DRE-XA12370000ME - 1,2-Dichlorobenzene 100 µg/mL in Methanol

	Methanol end of shift)			
Chemical name	Latvia	Luxembourg	Romania	Slovakia
Methanol 67-56-1	-	-	-	30 mg/L (urine - Methanol end of exposure or work shift) 30 mg/L (urine - Methanol after all work shifts)
Chemical name	Slovenia	Spain	Switzerland	United Kingdom
Methanol 67-56-1	30 mg/L - urine (Methanol) - at the end of the work shift; for long-term exposure: at the end of the work shift after several consecutive workdays	15 mg/L (urine - Methanol end of shift)	30 mg/L (urine - Methanol end of shift, and after several shifts (for long-term exposures))	-
1,2-Dichlorobenzene 95-50-1	140 µg/L - blood (1,2-Dichlorobenzene) - at the end of the work shift 150 mg/g Creatinine - urine (3,4- and 4,5-Dichlorocatechol (after hydrolysis)) - at the end of the work shift	-	-	-

Derived No Effect Level (DNEL) Predicted No Effect Concentration No information available. (PNEC)

No information available.

8.2. Exposure controls

Personal protective equipment

Tight sealing safety goggles. Avoid contact with eyes. Wear safety glasses with side shields Eye/face protection

(or goggles).

Wear protective butyl rubber gloves. Wear suitable gloves. Impervious gloves. The Hand protection

protective gloves to be used must comply with the specifications of EC Directive

89/686/EEC and the related standard EN374.

Skin and body protection Long sleeved clothing. Chemical resistant apron. Antistatic boots. Wear suitable protective

clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

EGHS / EN Page 11/22



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Number 1 Revision date 12-Apr-2022

DRE-XA12370000ME - 1,2-Dichlorobenzene 100 µg/mL in Methanol

General hygiene considerations

Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Do not breathe vapour or mist, Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection.

Do not allow into any sewer, on the ground or into any body of water. **Environmental exposure controls**

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid **Appearance** Liquid Colour colourless Alcohol. Odour

No information available **Odour threshold**

Remarks • Method Property Values

-98 °C Melting point / freezing point None known 64.7 °C None known

Initial boiling point and boiling range

Flammability No data available None known Flammability Limit in Air None known

Upper flammability or explosive

50 Vol% - 665 g/m3 limits

Lower flammability or explosive 6 Vol% - 80 g/m3

limits

11 °C Flash point None known 464 °C **Autoignition temperature** None known

Decomposition temperature

None known pН No data available None known

pH (as aqueous solution) No data available No information available

No data available Kinematic viscosity None known Dynamic viscosity 0.544 - 0.59 mPas @ 25°C Water solubility No data available None known Solubility(ies) No data available None known **Partition coefficient** -0.77None known Vapour pressure 128 hPa @ 20°C Relative density 0.791 None known

Bulk density No data available **Liquid Density** No data available

Relative vapour density None known 1 1

Particle characteristics

Particle Size No information available

EGHS / EN Page 12/22



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 12-Apr-2022 Revision Number 1

DRE-XA12370000ME - 1,2-Dichlorobenzene 100 µg/mL in Methanol

Particle Size Distribution No information available

9.2. Other information

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge Yes.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Heat, flames and sparks. Excessive heat.

10.5. Incompatible materials

Incompatible materialsNone known based on information supplied.

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. Toxic by inhalation. (based

EGHS / EN Page 13/22



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 12-Apr-2022 Revision Number 1

DRE-XA12370000ME - 1,2-Dichlorobenzene 100 µg/mL in Methanol

on components).

Eye contact Specific test data for the substance or mixture is not available.

Skin contact Specific test data for the substance or mixture is not available. Toxic in contact with skin.

(based on components).

Ingestion Specific test data for the substance or mixture is not available. Toxic if swallowed. (based

on components).

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Coughing and/ or wheezing. Difficulty in breathing.

Numerical measures of toxicity

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 100.00 mg/kg

 ATEmix (dermal)
 300.00 mg/kg

 ATEmix (inhalation-vapour)
 3.00 mg/l

Component Information

	Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
	Methanol	= 6200 mg/kg (Rat)	= 15840 mg/kg (Rabbit)	= 22500 ppm (Rat) 8 h
Ī	1,2-Dichlorobenzene	= 1516 mg/kg (Rat)	> 10 g/kg (Rabbit)	= 9.2 mg/L (Rat) 6 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationBased on available data, the classification criteria are not met.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitisation No information available.

Germ cell mutagenicity No information available.

EGHS / EN Page 14/22



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 12-Apr-2022 Revision Number 1

DRE-XA12370000ME - 1,2-Dichlorobenzene 100 µg/mL in Methanol

Carcinogenicity No information available.

Reproductive toxicity No information available.

STOT - single exposure Based on the classification criteria of the Globally Harmonized System as adopted in the

country or region with which this safety data sheet complies, this product has been determined to cause systemic target organ toxicity from acute exposure. (STOT SE). Causes damage to organs if swallowed. Causes damage to organs in contact with skin.

STOT - repeated exposureNo information available.

Aspiration hazard No information available.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Unknown aquatic toxicityContains 0 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Methanol	-	LC50: 13500 -	-	-
		17600mg/L (96h,		
		Lepomis macrochirus)		
		LC50: 18 - 20mL/L (96h,		
		Oncorhynchus mykiss)		
		LC50: 19500 -		
		20700mg/L (96h,		
		Oncorhynchus mykiss)		

EGHS / EN Page 15/22



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 12-Apr-2022 Revision Number 1

DRE-XA12370000ME - 1,2-Dichlorobenzene 100 µg/mL in Methanol

		LC50: =28200mg/L (96h, Pimephales promelas)		
		LC50: >100mg/L (96h,		
		Pimephales promelas)		
1,2-Dichlorobenzene	EC50: 61.2 - 181mg/L	LC50: 1.44 - 1.73mg/L	-	EC50: =0.74mg/L (48h,
	(72h, Pseudokirchneriella	(96h, Oncorhynchus		Daphnia magna)
	subcapitata)	mykiss)		
	EC50: =2.2mg/L (96h,	LC50: 4.8 - 6.6mg/L (96h,		
	Pseudokirchneriella	Lepomis macrochirus)		
	subcapitata)	LC50: 42.6 - 80.4mg/L		
	EC50: =91.6mg/L (96h,	(96h, Pimephales		
	Pseudokirchneriella	promelas)		
	subcapitata)	LC50: 8.23 - 10.9mg/L		
		(96h, Pimephales		
		promelas)		
		LC50: =5.2mg/L (96h,		
		Brachydanio rerio)		
		LC50: =5.8mg/L (96h,		
		Pimephales promelas)		

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient
Methanol	-0.77
1,2-Dichlorobenzene	3.43

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

Chemical name	PBT and vPvB assessment	
Methanol	The substance is not PBT / vPvB PBT assessment does	
	not apply Further information relevant for the PBT	
	assessment is necessary	
1,2-Dichlorobenzene	The substance is not PBT / vPvB	

12.6. Endocrine disrupting properties

EGHS / EN Page 16/22



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 12-Apr-2022 Revision Number 1

DRE-XA12370000ME - 1,2-Dichlorobenzene 100 µg/mL in Methanol

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

products

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging

Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

SECTION 14: Transport information

IATA

14.1 UN number or ID number UN1230

14.2 UN proper shipping name Methanol mixture

14.3 Transport hazard class(es) Subsidiary hazard class 6.1 14.4 Packing group

Description UN1230, Methanol mixture, 3 (6.1), II

14.5 Environmental hazards Not applicable

14.6 Special precautions for user

Special Provisions A113 **ERG Code** 3L

IMDG

14.1 UN number or ID number UN1230

14.2 UN proper shipping name Methanol mixture

14.3 Transport hazard class(es) **Subsidiary hazard class** 6.1 14.4 Packing group

UN1230, Methanol mixture, 3 (6.1), II, (11°C c.c.) Description

14.5 Marine pollutant NP

14.6 Special precautions for user

Special Provisions 279

F-E. S-D No information available **EmS-No**

No information available 14.7 Maritime transport in bulk according to IMO instruments

EGHS / EN Page 17/22



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 12-Apr-2022 Revision Number 1

DRE-XA12370000ME - 1,2-Dichlorobenzene 100 µg/mL in Methanol

RID

14.1 UN number or ID number UN1230

14.2 UN proper shipping name Methanol mixture

14.3 Transport hazard class(es) 3
Subsidiary hazard class 6.1
14.4 Packing group ||

Description UN1230, Methanol mixture, 3 (6.1), II

14.5 Environmental hazards Not applicable

14.6 Special precautions for user

Special Provisions 279
Classification code FT1

ADR

14.1 UN number or ID number UN1230

14.2 UN proper shipping name Methanol mixture

14.3 Transport hazard class(es)
Subsidiary hazard class
14.4 Packing group
II

Description UN1230, Methanol mixture, 3 (6.1), II, (D/E)

14.5 Environmental hazards Not applicable

14.6 Special precautions for user

Special Provisions279Classification codeFT1Tunnel restriction code(D/E)

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

France

Occupational Illnesses (R-463-3, France)

	Chemical name	French RG number	Title
	Methanol	RG 84	-
	67-56-1		
1,2-Dichlorobenzene		RG 9	-
	95-50-1		

Water hazard class (WGK) obviously hazardous to water (WGK 2)

Poland SDS created according to the following Polish regulation: Act of February 25, 2011

on chemical substances and their mixtures (Journal of Laws of 2018, item 143, as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the

EGHS / EN Page 18/22



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 12-Apr-2022 Revision Number 1

DRE-XA12370000ME - 1,2-Dichlorobenzene 100 µg/mL in Methanol

Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing the European Chemicals Agency (EC) as amended. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labeling and packaging of substances and mixtures, as amended. Regulation of the Minister of Health of 10 August 2012 on the criteria and method of classifying chemical substances and their mixtures (Journal of Laws of 2012, item 1018). Regulation of the Minister of Health of 20 April 2012 on labeling packaging of hazardous substances and mixtures and some mixtures (Journal of Laws of 2012, item 445). Regulation of the Minister of Family, Labor and Social Policy of 12 June 2018 on the maximum allowable concentrations and intensities of factors harmful to health in the work environment (Journal of Laws of 2018, item 1286). Announcement of the Minister of Economy, Labor and Social Policy of August 28, 2003 on the publication of the unified text of the Ordinance of the Minister of Labor and Social Policy on general health and safety at work regulations (Journal of Laws of 2003, No. 169, item 1650) . Regulation of the Minister of Health of 30 December 2004 on occupational safety and health related to the presence of chemical agents in the workplace (Journal of Laws of 2005, No. 11, item 86). Act of December 14, 2012 on waste (Journal of Laws of 2013, item 21) Regulation of the Minister of Health of December 30, 2004 on occupational health and safety related to the presence of chemical agents in the workplace (Journal U. of 2005, No. 11, item 86). Waste Act of December 14, 2012 (Journal of Laws of 2013, item 21). Act of 13 June 2013 on the management of packaging and packaging waste, Journal of Laws 2013, item 888). Government statement of September 24, 2002 - European Agreement on the International Carriage of Dangerous Goods by Road (ADR) (Journal of Laws No. 194, item 1629 and Journal of Laws of 2003, No. 207, item 2013 and 2014).

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorisations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

DIRECTIVE (EU) 2021/1187 on the marketing and use of explosives precursors Not applicable

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV
Methanol - 67-56-1	69.	

Persistent Organic Pollutants

Not applicable

Dangerous substance category per Seveso Directive (2012/18/EU)

H2 - ACUTE TOXIC

H3 - STOT SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE

P5a - FLAMMABLE LIQUIDS

EGHS / EN Page 19/22



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 12-Apr-2022 Revision Number 1

DRE-XA12370000ME - 1,2-Dichlorobenzene 100 µg/mL in Methanol

P5b - FLAMMABLE LIQUIDS

P5c - FLAMMABLE LIQUIDS

Named dangerous substances per Seveso Directive (2012/18/EU)

Chemical name	Lower-tier requirements (tons)	Upper-tier requirements (tons)
Methanol - 67-56-1	500	5000

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

International Inventories

TSCA Contact supplier for inventory compliance status DSL/NDSL Contact supplier for inventory compliance status **EINECS/ELINCS** Contact supplier for inventory compliance status Contact supplier for inventory compliance status **ENCS IECSC** Contact supplier for inventory compliance status Contact supplier for inventory compliance status **KECL PICCS** Contact supplier for inventory compliance status AIIC Contact supplier for inventory compliance status

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

Chemical Safety Report A Chemical Safety Assessment has been carried out for this substance

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H225 - Highly flammable liquid and vapour

H301 - Toxic if swallowed

H302 - Harmful if swallowed

H311 - Toxic in contact with skin

EGHS / EN Page 20/22



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 12-Apr-2022 Revision Number 1

DRE-XA12370000ME - 1,2-Dichlorobenzene 100 µg/mL in Methanol

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H331 - Toxic if inhaled

H335 - May cause respiratory irritation

H370 - Causes damage to organs

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

Classification procedure				
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used			
Acute oral toxicity	Calculation method			
Acute dermal toxicity	Calculation method			
Acute inhalation toxicity - gas	Calculation method			
Acute inhalation toxicity - Vapour	Calculation method			
Acute inhalation toxicity - dust/mist	Calculation method			
Skin corrosion/irritation	Calculation method			
Serious eye damage/eye irritation	Calculation method			
Respiratory sensitisation	Calculation method			
Skin sensitisation	Calculation method			
Mutagenicity	Calculation method			
Carcinogenicity	Calculation method			
Reproductive toxicity	Calculation method			
STOT - single exposure	Calculation method			
STOT - repeated exposure	Calculation method			
Acute aquatic toxicity	Calculation method			
Chronic aquatic toxicity	Calculation method			
Aspiration hazard	Calculation method			
Ozone	Calculation method			
Flammable liquids	On basis of test data			

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

EGHS / EN Page 21/22



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 12-Apr-2022 Revision Number 1

DRE-XA12370000ME - 1,2-Dichlorobenzene 100 µg/mL in Methanol

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date

12-Apr-2022

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 Disclaimer

The information in this safety data sheet (SDS) has been prepared with due care and is true and accurate to the best of our knowledge. The user must determine the suitability of the information for its particular purpose, ensure compliance with existing laws and regulations, and be aware that other or additional safety or performance considerations may arise when using, handling and/ or storing the material. The information in this SDS does not purport to be all inclusive or a guarantee as to the properties of the material supplied, and should be used only as a guide. LGC makes no warranties or representations as to the accuracy and completeness of the information contained herein, shall not be held responsible for the suitability of this information for the user's intended purposes or the consequences of such use, and shall not be liable for any damage or loss, howsoever arising, direct or otherwise.

End of Safety Data Sheet

EGHS / EN Page 22/22