



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 18-Jul-2023

Revision Number 1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

|                                 |                                                             |
|---------------------------------|-------------------------------------------------------------|
| Product Code(s)                 | VHG-TMGN-500                                                |
| Product Name                    | Magnesium Standard: Mg @ 10000 µg/mL in 5% HNO <sub>3</sub> |
| Form                            | Not applicable                                              |
| Unique Formula Identifier (UFI) | ODMM-N0Q3-H00K-4J66                                         |
| Pure substance/mixture          | Mixture                                                     |

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

|                      |                          |
|----------------------|--------------------------|
| Recommended use      | Laboratory use           |
| Uses advised against | No information available |

### 1.3. Details of the supplier of the safety data sheet

#### Supplier

LGC Limited  
Queens Road  
Teddington  
Middlesex TW11 0LY  
UNITED KINGDOM  
:+44 (0) 20 8943 7000  
Fax :+44 (0) 20 8943 2767  
eMail : gb@lgcstandards.com

Web : [www.lgcstandards.com](http://www.lgcstandards.com)

For further information, please contact

**E-mail address** sds-request@lgcgroup.com

### 1.4. Emergency telephone number

|                     |                                                                                                                                                                                      |
|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Emergency Telephone | For Hazardous Materials or Dangerous Goods Incident<br>Spill, Leak, Fire Exposure, or Accident<br>Call CHEMTREC:<br>USA & Canada 1-800-424-9300<br>Rest of the world +1 703-741-5970 |
|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 18-Jul-2023

Revision Number 1

VHG-TMGN-500 - Magnesium Standard: Mg @ 10000 µg/mL in 5% HNO<sub>3</sub>

| Emergency Telephone - §45 - (EC)1272/2008 |                          |
|-------------------------------------------|--------------------------|
| Europe                                    | 112                      |
| Austria                                   | No information available |
| Bulgaria                                  |                          |
| Croatia                                   |                          |
| Cyprus                                    |                          |
| Czech Republic                            |                          |
| Denmark                                   |                          |
| France                                    |                          |
| Hungary                                   |                          |
| Ireland                                   |                          |
| Italy                                     |                          |
| Lithuania                                 |                          |
| Luxembourg                                |                          |
| Netherlands                               |                          |
| Norway                                    |                          |
| Portugal                                  |                          |
| Romania                                   |                          |
| Slovakia                                  |                          |
| Slovenia                                  |                          |
| Spain                                     |                          |
| Sweden                                    |                          |
| Switzerland                               |                          |

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

|                                   |                                    |
|-----------------------------------|------------------------------------|
| Skin corrosion/irritation         | Category 1 Sub-category A - (H314) |
| Serious eye damage/eye irritation | Category 1 - (H318)                |
| Corrosive to metals               | Category 1 - (H290)                |

### 2.2. Label elements



Signal word  
Danger



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 18-Jul-2023

Revision Number 1

## VHG-TMGN-500 - Magnesium Standard: Mg @ 10000 µg/mL in 5% HNO<sub>3</sub>

### Hazard statements

H314 - Causes severe skin burns and eye damage

H290 - May be corrosive to metals

EUH071 - Corrosive to the respiratory tract

### Precautionary Statements - EU (§28, 1272/2008)

P260 - Do not breathe dust/fume/gas/mist/vapours/spray

P280 - Wear protective gloves/protective clothing and eye/face protection

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P201 - Obtain special instructions before use

P234 - Keep only in original container

P406 - Store in corrosive resistant stainless steel container with a resistant inner liner

### 2.3. Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors.

| Chemical name | EU - REACH (1907/2006) - Article 59(1)<br>- Candidate List of Substances of Very<br>High Concern (SVHC) for Authorisation | EU - REACH (1907/2006) - Endocrine<br>Disruptor Assessment List of<br>Substances |
|---------------|---------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|
| Nitric Acid   | -                                                                                                                         | -                                                                                |

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not applicable

### 3.2 Mixtures

**Chemical nature** aqueous solution.

| Chemical name | Weight-% | REACH registration<br>number | EC No (EU<br>Index No) | Classification according<br>to Regulation (EC) No.<br>1272/2008 [CLP] | Specific<br>concentration<br>limit (SCL) | M-Factor | M-Factor<br>(long-term) |
|---------------|----------|------------------------------|------------------------|-----------------------------------------------------------------------|------------------------------------------|----------|-------------------------|
| Nitric Acid   | 5 - <10  | -                            | 231-714-2              | Met. Corr. 1 (H290)                                                   | Ox. Liq. 2 ::                            |          |                         |



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 18-Jul-2023

Revision Number 1

## VHG-TMGN-500 - Magnesium Standard: Mg @ 10000 µg/mL in 5% HNO3

|                                 |        |   |           |                                                                                      |                                                                                                 |  |  |
|---------------------------------|--------|---|-----------|--------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|--|--|
| 7697-37-2                       |        |   |           | Ox. Liq. 2 (H272)<br>Acute Tox. 3 (H331)<br>Skin Corr. 1A (H314)<br>(EUH071)         | C>=99%<br>Ox. Liq. 3 ::<br>C≥65%<br>Skin Corr. 1A ::<br>C>=20%<br>Skin Corr. 1B ::<br>5%<=C<20% |  |  |
| Magnesium nitrate<br>13446-18-9 | 1 - <3 | - | 233-826-7 | Ox. Sol. 2 (H272)<br>Skin Irrit. 2 (H315)<br>Eye Irrit. 2 (H319)<br>STOT SE 3 (H335) |                                                                                                 |  |  |

**Full text of H- and EUH-phrases: see section 16**

### Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

| Chemical name                   | Oral LD50 mg/kg   | Dermal LD50 mg/kg | Inhalation LC50 - 4 hour - dust/mist - mg/L | Inhalation LC50 - 4 hour - vapour - mg/L | Inhalation LC50 - 4 hour - gas - ppm |
|---------------------------------|-------------------|-------------------|---------------------------------------------|------------------------------------------|--------------------------------------|
| Nitric Acid<br>7697-37-2        | No data available | No data available | No data available                           | 2.65                                     | No data available                    |
| Magnesium nitrate<br>13446-18-9 | 5440              | No data available | No data available                           | No data available                        | No data available                    |

This product does not contain candidate substances of very high concern at a concentration  $\geq 0.1\%$  (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

#### Inhalation

Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 18-Jul-2023

Revision Number 1

**VHG-TMGN-500 - Magnesium Standard: Mg @ 10000 µg/mL in 5% HNO3**

---

|                                           |                                                                                                                                                                                                                                                                                                                                  |
|-------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                           | advice/attention.                                                                                                                                                                                                                                                                                                                |
| <b>Eye contact</b>                        | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get immediate medical advice/attention.                                                                 |
| <b>Skin contact</b>                       | Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get immediate medical advice/attention.                                                                                                                                                                                    |
| <b>Ingestion</b>                          | Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Get immediate medical advice/attention.                                                                                                                                                                                              |
| <b>Self-protection of the first aider</b> | Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8). Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. |

## **4.2. Most important symptoms and effects, both acute and delayed**

|                 |                    |
|-----------------|--------------------|
| <b>Symptoms</b> | Burning sensation. |
|-----------------|--------------------|

## **4.3. Indication of any immediate medical attention and special treatment needed**

|                        |                                                                                                                                                                                                                                                                                                                                         |
|------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Note to doctors</b> | Product is a corrosive material. Use of gastric lavage or emesis is contra-indicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. |
|------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## **SECTION 5: Firefighting measures**

### **5.1. Extinguishing media**

|                                       |                                                                                                         |
|---------------------------------------|---------------------------------------------------------------------------------------------------------|
| <b>Suitable Extinguishing Media</b>   | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| <b>Large Fire</b>                     | CAUTION: Use of water spray when fighting fire may be inefficient.                                      |
| <b>Unsuitable extinguishing media</b> | Do not scatter spilled material with high pressure water streams.                                       |

### **5.2. Special hazards arising from the substance or mixture**

|                                                   |                                                                                                                                         |
|---------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| <b>Specific hazards arising from the chemical</b> | The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapours. |
|---------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|

### **5.3. Advice for firefighters**



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 18-Jul-2023

Revision Number 1

**VHG-TMGN-500 - Magnesium Standard: Mg @ 10000 µg/mL in 5% HNO<sub>3</sub>**

**Special protective equipment and precautions for fire-fighters** Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Attention! Corrosive material. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

**Other information** Refer to protective measures listed in Sections 7 and 8.

**For emergency responders** Use personal protection recommended in Section 8.

### 6.2. Environmental precautions

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.

### 6.3. Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Take up mechanically, placing in appropriate containers for disposal.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

### 6.4. Reference to other sections

**Reference to other sections** See section 8 for more information. See section 13 for more information.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Advice on safe handling** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse.

**General hygiene considerations** Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear suitable gloves and eye/face



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 18-Jul-2023

Revision Number 1

## VHG-TMGN-500 - Magnesium Standard: Mg @ 10000 µg/mL in 5% HNO3

protection. Regular cleaning of equipment, work area and clothing is recommended. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Wash hands before breaks and immediately after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Storage Conditions

Please refer to the manufacturer's certificate for specific storage and transport temperature conditions. Store only in the original receptacle unless other advice is given on the CoA. Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials.

### 7.3. Specific end use(s)

**Risk Management Methods (RMM)** The information required is contained in this Safety Data Sheet.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure Limits

| Chemical name            | European Union                             | Austria                                                    | Belgium                                                                                 | Bulgaria                                                                                | Croatia                                                                                  |
|--------------------------|--------------------------------------------|------------------------------------------------------------|-----------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
| Nitric Acid<br>7697-37-2 | -                                          | STEL 1 ppm<br>STEL 2.6 mg/m <sup>3</sup>                   | STEL: 1 ppm<br>STEL: 2.6 mg/m <sup>3</sup>                                              | STEL: 1 ppm<br>STEL: 2.6 mg/m <sup>3</sup>                                              | STEL: 1 ppm<br>STEL: 2.6 mg/m <sup>3</sup>                                               |
| Chemical name            | Cyprus                                     | Czech Republic                                             | Denmark                                                                                 | Estonia                                                                                 | Finland                                                                                  |
| Nitric Acid<br>7697-37-2 | STEL: 1 ppm<br>STEL: 2.6 mg/m <sup>3</sup> | TWA: 1 mg/m <sup>3</sup><br>Ceiling: 2.5 mg/m <sup>3</sup> | STEL: 1 ppm<br>STEL: 2.6 mg/m <sup>3</sup>                                              | STEL: 1 ppm<br>STEL: 2.6 mg/m <sup>3</sup>                                              | TWA: 0.5 ppm<br>TWA: 1.3 mg/m <sup>3</sup><br>STEL: 1 ppm<br>STEL: 2.6 mg/m <sup>3</sup> |
| Chemical name            | France                                     | Germany                                                    | Germany MAK                                                                             | Greece                                                                                  | Hungary                                                                                  |
| Nitric Acid<br>7697-37-2 | STEL: 1 ppm<br>STEL: 2.6 mg/m <sup>3</sup> | TWA: 1 ppm<br>TWA: 2.6 mg/m <sup>3</sup>                   | -                                                                                       | STEL: 1 ppm<br>STEL: 2.6 mg/m <sup>3</sup>                                              | STEL: 2.6 mg/m <sup>3</sup><br>STEL: 1 ppm                                               |
| Chemical name            | Ireland                                    | Italy                                                      | Italy REL                                                                               | Latvia                                                                                  | Lithuania                                                                                |
| Nitric Acid<br>7697-37-2 | STEL: 1 ppm<br>STEL: 2.6 mg/m <sup>3</sup> | STEL: 1 ppm<br>STEL: 2.6 mg/m <sup>3</sup>                 | TWA: 2 ppm<br>TWA: 5.2 mg/m <sup>3</sup><br>STEL: 4 ppm<br>STEL: 10.3 mg/m <sup>3</sup> | TWA: 0.78 ppm<br>TWA: 2 mg/m <sup>3</sup><br>STEL: 1 ppm<br>STEL: 2.6 mg/m <sup>3</sup> | STEL: 1 ppm<br>STEL: 2.6 mg/m <sup>3</sup>                                               |
| Chemical name            | Luxembourg                                 | Malta                                                      | Netherlands                                                                             | Norway                                                                                  | Poland                                                                                   |
| Nitric Acid<br>7697-37-2 | STEL: 1 ppm<br>STEL: 2.6 mg/m <sup>3</sup> | STEL: 1 ppm<br>STEL: 2.6 mg/m <sup>3</sup>                 | STEL: 0.5 ppm<br>STEL: 1.3 mg/m <sup>3</sup>                                            | TWA: 2 ppm<br>TWA: 5 mg/m <sup>3</sup>                                                  | STEL: 2.6 mg/m <sup>3</sup><br>TWA: 1.4 mg/m <sup>3</sup>                                |



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 18-Jul-2023

Revision Number 1

## VHG-TMGN-500 - Magnesium Standard: Mg @ 10000 µg/mL in 5% HNO3

|                          |                                                                                                          |                                            |                                                                                    |                                                                                        |                                            |
|--------------------------|----------------------------------------------------------------------------------------------------------|--------------------------------------------|------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|--------------------------------------------|
|                          |                                                                                                          |                                            |                                                                                    | STEL: 4 ppm<br>STEL: 10 mg/m <sup>3</sup>                                              |                                            |
| Chemical name            | Portugal                                                                                                 | Romania                                    | Slovakia                                                                           | Slovenia                                                                               | Spain                                      |
| Nitric Acid<br>7697-37-2 | TWA: 2 ppm<br>STEL: 1 ppm<br>STEL: 2.6 mg/m <sup>3</sup>                                                 | STEL: 1 ppm<br>STEL: 2.6 mg/m <sup>3</sup> | Ceiling: 2.6 mg/m <sup>3</sup>                                                     | TWA: 1 ppm<br>TWA: 2.6 mg/m <sup>3</sup><br>STEL: 1 ppm<br>STEL: 2.6 mg/m <sup>3</sup> | STEL: 1 ppm<br>STEL: 2.6 mg/m <sup>3</sup> |
| Chemical name            | Sweden                                                                                                   |                                            | Switzerland                                                                        |                                                                                        | United Kingdom                             |
| Nitric Acid<br>7697-37-2 | NGV: 0.5 ppm<br>NGV: 1.3 mg/m <sup>3</sup><br>Bindande KGV: 1 ppm<br>Bindande KGV: 2.6 mg/m <sup>3</sup> |                                            | TWA: 2 ppm<br>TWA: 5 mg/m <sup>3</sup><br>STEL: 2 ppm<br>STEL: 5 mg/m <sup>3</sup> |                                                                                        | STEL: 1 ppm<br>STEL: 2.6 mg/m <sup>3</sup> |

### Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

**Derived No Effect Level (DNEL)** No information available.

**Predicted No Effect Concentration (PNEC)** No information available.

### 8.2. Exposure controls

#### Personal protective equipment

##### Eye/face protection

Avoid contact with eyes. Wear safety glasses with side shields (or goggles). Tight sealing safety goggles. Face protection shield.

##### Hand protection

Wear protective Neoprene™ gloves. The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374. Wear suitable gloves. Impervious gloves.

##### Skin and body protection

Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

##### Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

##### General hygiene considerations

Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection. Regular cleaning of equipment, work area and clothing is recommended. Remove and wash contaminated clothing and gloves, including the inside, before re-use.



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 18-Jul-2023

Revision Number 1

VHG-TMGN-500 - Magnesium Standard: Mg @ 10000 µg/mL in 5% HNO<sub>3</sub>

Contaminated work clothing should not be allowed out of the workplace. Wash hands before breaks and immediately after handling the product.

**Environmental exposure controls** Do not allow into any sewer, on the ground or into any body of water.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                 |                          |
|-----------------|--------------------------|
| Physical state  | Liquid                   |
| Appearance      | Liquid                   |
| Colour          | colourless               |
| Odour           | Odourless.               |
| Odour threshold | No information available |

| Property                                | Values                   | Remarks • Method         |
|-----------------------------------------|--------------------------|--------------------------|
| Melting point / freezing point          | No data available        | None known               |
| Initial boiling point and boiling range | No data available        | None known               |
| Flammability                            | No data available        | None known               |
| Flammability Limit in Air               |                          | None known               |
| Upper flammability or explosive limits  | No data available        |                          |
| Lower flammability or explosive limits  | No data available        |                          |
| Flash point                             | No data available        | None known               |
| Autoignition temperature                | No data available        | None known               |
| Decomposition temperature               |                          | None known               |
| pH                                      | No data available        | None known               |
| pH (as aqueous solution)                | No data available        | No information available |
| Kinematic viscosity                     | No data available        | None known               |
| Dynamic viscosity                       | No data available        | None known               |
| Water solubility                        | No data available        | None known               |
| Solubility(ies)                         | No data available        | None known               |
| Partition coefficient                   | No data available        | None known               |
| Vapour pressure                         | No data available        | None known               |
| Relative density                        | No data available        | None known               |
| Bulk density                            | No data available        |                          |
| Liquid Density                          | No data available        |                          |
| Relative vapour density                 | No data available        | None known               |
| Particle characteristics                |                          |                          |
| Particle Size                           | No information available |                          |
| Particle Size Distribution              | No information available |                          |

### 9.2. Other information

9.2.1. Information with regards to physical hazard classes



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 18-Jul-2023

Revision Number 1

**VHG-TMGN-500 - Magnesium Standard: Mg @ 10000 µg/mL in 5% HNO<sub>3</sub>**

---

Not applicable

9.2.2. Other safety characteristics  
No information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Reactivity No information available.

### 10.2. Chemical stability

Stability Stable under normal conditions.

#### Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

### 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

### 10.4. Conditions to avoid

Conditions to avoid Exposure to air or moisture over prolonged periods.

### 10.5. Incompatible materials

Incompatible materials Oxidising agent. Acids. Bases.

Hazardous decomposition products None known based on information supplied.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Information on likely routes of exposure

##### Product Information

##### Inhalation

Specific test data for the substance or mixture is not available. Corrosive by inhalation. (based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 18-Jul-2023

Revision Number 1

## VHG-TMGN-500 - Magnesium Standard: Mg @ 10000 µg/mL in 5% HNO<sub>3</sub>

increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal.

### Eye contact

Specific test data for the substance or mixture is not available. Causes serious eye damage. (based on components). Corrosive to the eyes and may cause severe damage including blindness. May cause irreversible damage to eyes.

### Skin contact

Specific test data for the substance or mixture is not available. Corrosive. (based on components). Causes burns.

### Ingestion

Specific test data for the substance or mixture is not available. Causes burns. (based on components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways.

### Symptoms related to the physical, chemical and toxicological characteristics

#### Symptoms

Redness. Burning. May cause blindness. Coughing and/ or wheezing.

### Numerical measures of toxicity

#### Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

|                               |                 |
|-------------------------------|-----------------|
| ATEmix (oral)                 | 99,999.00 mg/kg |
| ATEmix (dermal)               | 99,999.00 mg/kg |
| ATEmix (inhalation-gas)       | 99,999.00 ppm   |
| ATEmix (inhalation-dust/mist) | 99,999.00 mg/l  |
| ATEmix (inhalation-vapour)    | 44.20 mg/l      |

#### Component Information

| Chemical name     | Oral LD50            | Dermal LD50 | Inhalation LC50                                     |
|-------------------|----------------------|-------------|-----------------------------------------------------|
| Nitric Acid       |                      |             | = 2500 ppm ( Rat ) 1 h<br>ATE (vapours) = 2.65 mg/L |
| Magnesium nitrate | = 5440 mg/kg ( Rat ) |             |                                                     |

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### Skin corrosion/irritation

Classification based on data available for ingredients. Causes severe skin burns and eye



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 18-Jul-2023

Revision Number 1

**VHG-TMGN-500 - Magnesium Standard: Mg @ 10000 µg/mL in 5% HNO<sub>3</sub>**

---

damage.

**Serious eye damage/eye irritation** Classification based on data available for ingredients. Causes serious eye damage. Causes burns.

**Respiratory or skin sensitisation** No information available.

**Germ cell mutagenicity** No information available.

**Carcinogenicity** No information available.

**Reproductive toxicity** No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Aspiration hazard** No information available.

## 11.2. Information on other hazards

### 11.2.1. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

### 11.2.2. Other information

**Other adverse effects** No information available.

## **SECTION 12: Ecological information**

### 12.1. Toxicity

**Ecotoxicity** The environmental impact of this product has not been fully investigated.



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 18-Jul-2023

Revision Number 1

## VHG-TMGN-500 - Magnesium Standard: Mg @ 10000 µg/mL in 5% HNO<sub>3</sub>

**Unknown aquatic toxicity** Contains 0 % of components with unknown hazards to the aquatic environment.

### 12.2. Persistence and degradability

**Persistence and degradability** No information available.

### 12.3. Bioaccumulative potential

**Bioaccumulation** There is no data for this product.

#### Component Information

| Chemical name | Partition coefficient |
|---------------|-----------------------|
| Nitric Acid   | -2.3                  |

### 12.4. Mobility in soil

**Mobility in soil** No information available.

### 12.5. Results of PBT and vPvB assessment

#### PBT and vPvB assessment

| Chemical name | PBT and vPvB assessment                                       |
|---------------|---------------------------------------------------------------|
| Nitric Acid   | The substance is not PBT / vPvB PBT assessment does not apply |

### 12.6. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

### 12.7. Other adverse effects

No information available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**Waste from residues/unused products** Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Do not reuse empty containers.



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 18-Jul-2023

Revision Number 1

VHG-TMGN-500 - Magnesium Standard: Mg @ 10000 µg/mL in 5% HNO<sub>3</sub>

## SECTION 14: Transport information

### IATA

|                                   |                                    |
|-----------------------------------|------------------------------------|
| 14.1 UN number or ID number       | UN2031                             |
| 14.2 UN proper shipping name      | Nitric acid mixture                |
| 14.3 Transport hazard class(es)   | 8                                  |
| 14.4 Packing group                | II                                 |
| Description                       | UN2031, Nitric acid mixture, 8, II |
| 14.5 Environmental hazards        | Not applicable                     |
| 14.6 Special precautions for user |                                    |
| Special Provisions                | None                               |
| ERG Code                          | 8L                                 |

### IMDG

|                                                              |                                    |
|--------------------------------------------------------------|------------------------------------|
| 14.1 UN number or ID number                                  | UN2031                             |
| 14.2 UN proper shipping name                                 | Nitric acid mixture                |
| 14.3 Transport hazard class(es)                              | 8                                  |
| 14.4 Packing group                                           | II                                 |
| Description                                                  | UN2031, Nitric acid mixture, 8, II |
| 14.5 Marine pollutant                                        | NP                                 |
| 14.6 Special precautions for user                            |                                    |
| Special Provisions                                           | None                               |
| EmS-No.                                                      | F-A, S-B No information available  |
| 14.7 Maritime transport in bulk according to IMO instruments | No information available           |

### RID

|                                   |                                    |
|-----------------------------------|------------------------------------|
| 14.1 UN number or ID number       | UN2031                             |
| 14.2 UN proper shipping name      | Nitric acid mixture                |
| 14.3 Transport hazard class(es)   | 8                                  |
| 14.4 Packing group                | II                                 |
| Description                       | UN2031, Nitric acid mixture, 8, II |
| 14.5 Environmental hazards        | Not applicable                     |
| 14.6 Special precautions for user |                                    |
| Special Provisions                | None                               |
| Classification code               | C1                                 |

### ADR

|                                   |                                         |
|-----------------------------------|-----------------------------------------|
| 14.1 UN number or ID number       | UN2031                                  |
| 14.2 UN proper shipping name      | Nitric acid mixture                     |
| 14.3 Transport hazard class(es)   | 8                                       |
| 14.4 Packing group                | II                                      |
| Description                       | UN2031, Nitric acid mixture, 8, II, (E) |
| 14.5 Environmental hazards        | Not applicable                          |
| 14.6 Special precautions for user |                                         |



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 18-Jul-2023

Revision Number 1

VHG-TMGN-500 - Magnesium Standard: Mg @ 10000 µg/mL in 5% HNO<sub>3</sub>

|                         |      |
|-------------------------|------|
| Special Provisions      | None |
| Classification code     | C1   |
| Tunnel restriction code | (E)  |

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

##### Germany

Water hazard class (WGK) slightly hazardous to water (WGK 1)

##### Poland

SDS created according to the following Polish regulation: Act of February 25, 2011 on chemical substances and their mixtures (Journal of Laws of 2018, item 143, as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing the European Chemicals Agency (EC) as amended. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labeling and packaging of substances and mixtures, as amended. Regulation of the Minister of Health of 10 August 2012 on the criteria and method of classifying chemical substances and their mixtures (Journal of Laws of 2012, item 1018). Regulation of the Minister of Health of 20 April 2012 on labeling packaging of hazardous substances and mixtures and some mixtures (Journal of Laws of 2012, item 445). Regulation of the Minister of Family, Labor and Social Policy of 12 June 2018 on the maximum allowable concentrations and intensities of factors harmful to health in the work environment (Journal of Laws of 2018, item 1286). Announcement of the Minister of Economy, Labor and Social Policy of August 28, 2003 on the publication of the unified text of the Ordinance of the Minister of Labor and Social Policy on general health and safety at work regulations (Journal of Laws of 2003, No. 169, item 1650). Regulation of the Minister of Health of 30 December 2004 on occupational safety and health related to the presence of chemical agents in the workplace (Journal of Laws of 2005, No. 11, item 86). Act of December 14, 2012 on waste (Journal of Laws of 2013, item 21) Regulation of the Minister of Health of December 30, 2004 on occupational health and safety related to the presence of chemical agents in the workplace (Journal U. of 2005, No. 11, item 86). Waste Act of December 14, 2012 (Journal of Laws of 2013, item 21). Act of 13 June 2013 on the management of packaging and packaging waste, Journal of Laws 2013, item 888). Government statement of September 24, 2002 - European Agreement on the International Carriage of Dangerous Goods by Road (ADR) (Journal of Laws No. 194, item 1629 and Journal of Laws of 2003, No. 207, item 2013 and 2014).

##### European Union



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 18-Jul-2023

Revision Number 1

## VHG-TMGN-500 - Magnesium Standard: Mg @ 10000 µg/mL in 5% HNO3

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

### Authorisations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

### DIRECTIVE (EU) 2021/1187 on the marketing and use of explosives precursors

Product contains: Reportable explosives precursors. Making available, introduction, possession and use according to Regulation (EU) 2019/1148, Article 9

Product contains: Restricted explosives precursors. Making available, introduction, possession and use according to Regulation (EU) 2019/1148, Article 5 (1) and (3)

| Chemical name                  | RESTRICTED EXPLOSIVES<br>PRECURSORS - ANNEX I | REPORTABLE EXPLOSIVES<br>PRECURSORS - ANNEX II |
|--------------------------------|-----------------------------------------------|------------------------------------------------|
| Nitric Acid - 7697-37-2        | 3 %w/w                                        | -                                              |
| Magnesium nitrate - 13446-18-9 | -                                             | Present                                        |

| Chemical name           | Restricted substance per REACH<br>Annex XVII | Substance subject to authorisation per<br>REACH Annex XIV |
|-------------------------|----------------------------------------------|-----------------------------------------------------------|
| Nitric Acid - 7697-37-2 | 75.                                          |                                                           |

### Persistent Organic Pollutants

Not applicable

### Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

### International Inventories

|               |                                                  |
|---------------|--------------------------------------------------|
| TSCA          | Complies                                         |
| DSL/NDSL      | Contact supplier for inventory compliance status |
| EINECS/ELINCS | Contact supplier for inventory compliance status |
| ENCS          | Contact supplier for inventory compliance status |
| IECSC         | Contact supplier for inventory compliance status |
| KECL          | Contact supplier for inventory compliance status |
| PICCS         | Contact supplier for inventory compliance status |
| AIIC          | Contact supplier for inventory compliance status |

### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 18-Jul-2023

Revision Number 1

## VHG-TMGN-500 - Magnesium Standard: Mg @ 10000 µg/mL in 5% HNO3

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**AICS** - Australian Inventory of Chemical Substances

### 15.2. Chemical safety assessment

#### Chemical Safety Report

A Chemical Safety Assessment is not required for this substance

## SECTION 16: Other information

### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

EUH071 - Corrosive to the respiratory tract  
H272 - May intensify fire; oxidiser  
H290 - May be corrosive to metals  
H314 - Causes severe skin burns and eye damage  
H315 - Causes skin irritation  
H319 - Causes serious eye irritation  
H331 - Toxic if inhaled  
H335 - May cause respiratory irritation

#### Legend

SVHC: Substances of Very High Concern for Authorisation:

#### Legend Section 8: Exposure controls/personal protection

|         |                             |      |                                  |
|---------|-----------------------------|------|----------------------------------|
| TWA     | TWA (time-weighted average) | STEL | STEL (Short Term Exposure Limit) |
| Ceiling | Maximum limit value         | *    | Skin designation                 |

| Classification procedure                                        |                       |
|-----------------------------------------------------------------|-----------------------|
| Classification according to Regulation (EC) No. 1272/2008 [CLP] | Method Used           |
| Acute oral toxicity                                             | Calculation method    |
| Acute dermal toxicity                                           | Calculation method    |
| Acute inhalation toxicity - gas                                 | Calculation method    |
| Acute inhalation toxicity - Vapour                              | Calculation method    |
| Acute inhalation toxicity - dust/mist                           | Calculation method    |
| Skin corrosion/irritation                                       | On basis of test data |
| Serious eye damage/eye irritation                               | On basis of test data |
| Respiratory sensitisation                                       | Calculation method    |
| Skin sensitisation                                              | Calculation method    |



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 18-Jul-2023

Revision Number 1

## VHG-TMGN-500 - Magnesium Standard: Mg @ 10000 µg/mL in 5% HNO3

|                          |                       |
|--------------------------|-----------------------|
| Mutagenicity             | Calculation method    |
| Carcinogenicity          | Calculation method    |
| Reproductive toxicity    | Calculation method    |
| STOT - single exposure   | Calculation method    |
| STOT - repeated exposure | Calculation method    |
| Acute aquatic toxicity   | Calculation method    |
| Chronic aquatic toxicity | Calculation method    |
| Aspiration hazard        | Calculation method    |
| Ozone                    | Calculation method    |
| Corrosive to metals      | On basis of test data |

### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)  
U.S. Environmental Protection Agency ChemView Database  
European Food Safety Authority (EFSA)  
EPA (Environmental Protection Agency)  
Acute Exposure Guideline Level(s) (AEGL(s))  
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
U.S. Environmental Protection Agency High Production Volume Chemicals  
Food Research Journal  
Hazardous Substance Database  
International Uniform Chemical Information Database (IUCLID)  
Japan GHS Classification  
Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
NIOSH (National Institute for Occupational Safety and Health)  
National Library of Medicine's ChemID Plus (NLM CIP)  
National Library of Medicine's PubMed database (NLM PUBMED)  
National Toxicology Program (NTP)  
New Zealand's Chemical Classification and Information Database (CCID)  
Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications  
Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme  
Organisation for Economic Co-operation and Development Screening Information Data Set  
World Health Organization

Revision date 18-Jul-2023

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

### Disclaimer

The information in this safety data sheet (SDS) has been prepared with due care and is true and accurate to the best of our knowledge. The user must determine the suitability of the information for its particular purpose, ensure compliance with existing laws and regulations, and be aware that other or additional safety or performance considerations may arise when using, handling and/ or storing the material. The information in this SDS does not purport to be all inclusive or a guarantee as to the properties of the material supplied, and should be used only as a guide. LGC makes no warranties or representations as to the accuracy and completeness of the information contained herein, shall not be held responsible for the suitability of this information for the user's intended purposes or the consequences of such use, and shall not be liable for any damage or loss, howsoever arising, direct or otherwise.



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 18-Jul-2023

Revision Number 1

**VHG-TMGN-500 - Magnesium Standard: Mg @ 10000 µg/mL in 5% HNO<sub>3</sub>**

---

**End of Safety Data Sheet**