GB



Safety data sheet according to 1907/2006/EC, Article 31

Version number 1

Revision: 01.11.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier · Product name: cis-3-Hexenyl acetate · Part number: DRE-CA14202500 · CAS Number: 3681-71-8 · EC number: 222-960-1 · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. • Application of the substance / the mixture Reference material for laboratory use only · Manufacturer/Supplier: LGC Limited Tel:+44 (0) 20 8943 7000 Queens Road Fax :+44 (0) 20 8943 2767 **Teddington** eMail: gb@lgcstandards.com Middlesex TW11 0LY Web : www.lgcstandards.com UNITED KINGDOM · Further information obtainable from: Product safety department eMail : sds-request@lgcgroup.com • 1.4 Emergency telephone number: +44 (0) 20 8943 7000 (Monday - Friday : 8am - 5pm) **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 GHS02 flame Flam. Liq. 3 H226 Flammable liquid and vapour. Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. · Hazard pictograms GHS02 · Signal word Warning · Hazard statements H226 Flammable liquid and vapour. H412 Harmful to aquatic life with long lasting effects. · Precautionary statements P280 Wear protective gloves/protective clothing/eye protection/face protection. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P241 *Use explosion-proof electrical/ventilating/lighting/equipment.* P240 Ground/bond container and receiving equipment. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. (Contd. on page 2)

Version number 1

Revision: 01.11.2016

Product name: cis-3-Hexenyl acetate

P501

(Contd. from page 1) Dispose of contents/container in accordance with local/regional/national/international regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.1 Chemical characterisation: Substances
- · CAS No. Description
- 3681-71-8 cis-3-Hexen-1-yl acetate
- Identification number(s) None
- EC number: 222-960-1
- **RTECS:** MP8425050

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Rinse mouth. Do not induce vomiting.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures
Wear protective equipment. Keep unprotected persons away.
 6.2 Environmental precautions:
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.
 6.3 Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Absorb with liquia-binding material (sana, alatomite, acia binders, universal binders, sawaust). Dispose of contaminated material as waste according to item 13. Ensure adequate ventilation.

• 6.4 Reference to other sections See Section 7 for information on safe handling.

(Contd. on page 3)



Printing date 01.11.2016

GB

coraing to 1907/2000/EC, Article

Version number 1

Revision: 01.11.2016

Product name: cis-3-Hexenyl acetate

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Store in cool, dry place in tightly closed receptacles.
- · Information about fire and explosion protection:

Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

· 7.2 Conditions for safe storage, including any incompatibilities

- · Storage:
- *Requirements to be met by storerooms and receptacles:* Store in a cool location.

Please refer to the manufacturer's certificate for specific storage and transport temperature conditions. Store only in the original receptacle.

Keep container in a well-ventilated place. Keep away from sources of ignition and heat.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace: Not required.
- · Additional information: Lists used were valid at the time of SDS preparation.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
- Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

• Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation.

• Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374



Protective gloves

- · Material of gloves Butyl rubber, BR
- · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

GB



(Contd. from page 2)

Version number 1

Revision: 01.11.2016

Product name: cis-3-Hexenyl acetate

(Contd. from page 3)

· Eye protection:

LG

Printing date 01.11.2016

Tightly sealed goggles

SECTION 9: Physical and ch	SECTION 9: Physical and chemical properties	
 9.1 Information on basic physical and chemical properties General Information Appearance: 		
Form:	Liquid	
Colour:	Light yellow	
· Odour:	Fruit-like	
• Odour threshold:	Not determined.	
· pH-value:	Not determined.	
· Change in condition		
Melting point/Melting range:	< -20 °C	
Boiling point/Boiling range:	Not determined.	
· Flash point:	57 °C	
· Flammability (solid, gaseous):	Not determined.	
· Ignition temperature:	Not determined	
• Decomposition temperature:	Not determined.	
· Self-igniting:	Not determined.	
• Danger of explosion:	Product is not explosive. However, formation of explosive air/vapour mixtures is possible.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure at 25 °C:	2.14 hPa	
· Density at 20 °C:	$0.899 \ g/cm^3$	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
water at 20 °C:	1.11 g/l	
· Partition coefficient (n-octanol/wat	er): Not determined.	
· Viscosity:		
Dynamic at 20 °C:	0.893 mPas	
Kinematic:	Not determined.	
· 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity Stable under normal conditions.

· 10.2 Chemical stability Stable under normal conditions.

Safety data sheet

according to 1907/2006/EC, Article 31

Version number 1

Revision: 01.11.2016

Product name: cis-3-Hexenyl acetate

(Contd. from page 4)

- Thermal decomposition / conditions to be avoided:
- Formation of toxic gases is possible during heating or in case of fire.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid Heat.
- 10.5 Incompatible materials: Strong oxidizing agents.
- · 10.6 Hazardous decomposition products:
- Formation of toxic gases is possible during heating or in case of fire.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

Oral LD50 >5000 mg/kg (rat)

Dermal LD50 >5000 mg/kg (rabbit)

· Primary irritant effect:

· Skin corrosion/irritation Based on available data, the classification criteria are not met.

- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- $\cdot \textit{Carcinogenicity} \textit{ Based on available data, the classification criteria are not met.}$
- $\cdot \textit{Reproductive toxicity Based on available data, the classification criteria are not met.}$
- STOT-single exposure Based on available data, the classification criteria are not met.
- $\cdot \textit{STOT-repeated exposure Based on available data, the classification criteria are not met.}$
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

- Aquatic toxicity:
- EC50/48 h 31 mg/l (daphnia)
- EC50/72h 47 mg/l (Algae)

LC50/96 h 13 mg/l (fish)

- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Ecotoxicological effects:
- · Remark: Harmful to fish
- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Harmful to aquatic organisms

· 12.5 Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

· 12.6 Other adverse effects No further relevant information available.

(Contd. on page 6)



Printing date 01.11.2016

accord 6 Safety data sheet

according to 1907/2006/EC, Article 31

Version number 1

Revision: 01.11.2016

Product name: cis-3-Hexenyl acetate

(Contd. from page 5)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Printing date 01.11.2016

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. • *European waste catalogue*

Waste disposal key numbers from EWC have to be assigned depending on origin and processing.

· Uncleaned packaging:

· Recommendation: Dispose of in accordance with national regulations.

SECTION 14: Transport information	
14.1 UN-Number	
ADR, IMDG, IATA	UN3272
ADR	3272 ESTERS, N.O.S. (cis-3-Hexen-1-yl acetate)
IMDG, IATA	ESTERS, N.O.S. (cis-3-Hexen-1-yl acetate)
14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
Class	3 Flammable liquids.
Label	3
14.4 Packing group	
ADR, IMDĞ, IATA	III
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Warning: Flammable liquids.
Danger code (Kemler):	30
14.7 Transport in bulk according to Ann	ex II of
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Transport category	3
Tunnel restriction code	D/E
UN "Model Regulation":	UN 3272 ESTERS, N.O.S. (CIS-3-HEXEN-1-Y) ACETATE), 3, III

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- Philippines Inventory of Chemicals and Chemical Substances Substance is listed.
- · Australian Inventory of Chemical Substances Substance is listed.

• Standard for the Uniform Scheduling of Medicines and Poisons Substance is not listed.

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I Substance is not listed.

(Contd. on page 7)

GB

Version number 1

Revision: 01.11.2016

(Contd. from page 6)

Product name: cis-3-Hexenyl acetate

- · Seveso category P5c FLAMMABLE LIQUIDS
- \cdot Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 40
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

The information in this safety data sheet (SDS) has been prepared with due care and is true and accurate to the best of our knowledge. The user must determine the suitability of the information for its particular purpose, ensure compliance with existing laws and regulations, and be aware that other or additional safety or performance considerations may arise when using, handling and/ or storing the material. The information in this SDS does not purport to be all inclusive or a guarantee as to the properties of the material supplied, and should be used only as a guide. LGC makes no warranties or representations as to the accuracy and completeness of the information contained herein, shall not be held responsible for the suitability of this information for the user's intended purposes or the consequences of such use, and shall not be liable for any damage or loss, howsoever arising, direct or otherwise.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

SVHC: Substances of Very High Concern Flam. Liq. 3: Flammable liquids – Category 3

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

Tables 3.1 and 3.2 from Annex 6 of EC 1272/2008, EC 1907/2006, EH40/2005 as amended 2011, Registry of Toxic Effects of Chemical Substances (RTECS), The Dictionary of Substances and their Effects, 1st Edition, IUCLID.

· Data compared to the previous version altered. All sections have been updated.

GB



Printing date 01.11.2016

[·] Sources