

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 18-Sep-2023 Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code(s) VHG-PTAF-250

Product Name Tantalum Standard: Ta @ 1000 µg/mL in 2% HF

Form Not applicable

Unique Formula Identifier (UFI) 9MAP-F0N7-E00E-86G6

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Laboratory use

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Supplier

LGC Limited Queens Road Teddington Middlesex TW11 0LY UNITED KINGDOM :+44 (0) 20 8943 7000 Fax :+44 (0) 20 8943 2767 eMail : gb@lgcstandards.com

Web: www.lgcstandards.com

For further information, please contact

E-mail address sds-request@lgcgroup.com

1.4. Emergency telephone number

Emergency Telephone For Hazardous Materials or Dangerous Goods Incident

Spill, Leak, Fire Exposure, or Accident

Call CHEMTREC:

USA & Canada 1-800-424-9300 Rest of the world +1 703-741-5970

EGHS / EN Page 1/20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 18-Sep-2023 Revision Number 1

VHG-PTAF-250 - Tantalum Standard: Ta @ 1000 μg/mL in 2% HF

Emergency Telephone - §45 - (E	EC)1272/2008			
Europe	112			
Austria	No information available			
Bulgaria				
Croatia				
Cyprus				
Czech Republic				
Denmark				
France				
Hungary				
Ireland				
Italy				
Lithuania				
Luxembourg				
Netherlands				
Norway				
Portugal				
Romania				
Slovakia				
Slovenia				
Spain				
Sweden				
Switzerland				

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

109diation (20) No 1272/2000	
Acute toxicity - Oral	Category 3 - (H301)
Acute toxicity - Dermal	Category 3 - (H311)
Acute toxicity - Inhalation (Dusts/Mists)	Category 4 - (H332)
Skin corrosion/irritation	Category 1 Sub-category B - (H314)
Serious eye damage/eye irritation	Category 1 - (H318)
Corrosive to metals	Category 1 - (H290)

2.2. Label elements

Contains hydrofluoric acid

EGHS / EN Page 2/20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 18-Sep-2023 Revision Number 1

VHG-PTAF-250 - Tantalum Standard: Ta @ 1000 µg/mL in 2% HF



Signal word Danger

Hazard statements

H301 - Toxic if swallowed

H311 - Toxic in contact with skin

H314 - Causes severe skin burns and eye damage

H332 - Harmful if inhaled

H290 - May be corrosive to metals

Precautionary Statements - EU (§28, 1272/2008)

P201 - Obtain special instructions before use

P234 - Keep only in original container

P406 - Store in corrosive resistant stainless steel container with a resistant inner liner

P260 - Do not breathe dust/fume/gas/mist/vapours/spray

P280 - Wear protective gloves/protective clothing and eye/face protection

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P331 - Do NOT induce vomiting

2.3. Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Endocrine Disruptor InformationThis product does not contain any known or suspected endocrine disruptors.Chemical nameEU - REACH (1907/2006) - Article 59(1)EU - REACH (1907/2006) - Endocrine- Candidate List of Substances of Very High Concern (SVHC) for AuthorisationDisruptor Assessment List of Substanceshydrofluoric acid--

SECTION 3: Composition/information on ingredients

EGHS / EN Page 3/20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 18-Sep-2023 Revision Number 1

VHG-PTAF-250 - Tantalum Standard: Ta @ 1000 µg/mL in 2% HF

3.1 Substances

Not applicable

3.2 Mixtures

Chemical nature aqueous solution.

Chemio	cal name	Weight-%	REACH registration number	`	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
	uoric acid 4-39-3	1 - <3	-	(009-002-00 -6) 231-634-8	Acute Tox. 1 (H310) Acute Tox. 2 (H330) Skin Corr. 1A (H314)	Eye Irrit. 2 :: 0.1%<=C<1% Skin Corr. 1A :: C>=7% Skin Corr. 1B :: 1%<=C<7%		
	talum 0-25-7	0.1 - 1	-	231-135-5	-			

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Г	Chemical name	Oral LD50 mg/kg	Dermal LD50	Inhalation LC50 - 4	Inhalation LC50 - 4	Inhalation LC50 - 4
			mg/kg	hour - dust/mist - mg/L	hour - vapour - mg/L	hour - gas - ppm
Ī	hydrofluoric acid 7664-39-3	No data available	No data available	No data available	No data available	482.8875
L	1007-03-0	available				

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Inhalation Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical

EGHS / EN Page 4/20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 18-Sep-2023 Revision Number 1

VHG-PTAF-250 - Tantalum Standard: Ta @ 1000 µg/mL in 2% HF

attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical

advice/attention.

Eye contactRinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open

while rinsing. Do not rub affected area. Get immediate medical advice/attention.

Skin contact Get immediate medical advice/attention. Wash off immediately with soap and plenty of

water while removing all contaminated clothes and shoes.

Ingestion Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce

vomiting. Get immediate medical advice/attention.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Ensure that medical personnel are aware of the

material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Avoid breathing vapours or mists. Use personal protective equipment as

required. See section 8 for more information.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation. Coughing and/ or wheezing. Difficulty in breathing.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Product is a corrosive material. Use of gastric lavage or emesis is contra-indicated. Possible

perforation of stomach or esophagus should be investigated. Do not give chemical

antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may

occur with moist rales, frothy sputum, and high pulse pressure.

SECTION 5: Firefighting measures

5.1. Extinguishing media

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing mediaDo not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

EGHS / EN Page 5/20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Number 1 Revision date 18-Sep-2023

VHG-PTAF-250 - Tantalum Standard: Ta @ 1000 µg/mL in 2% HF

Specific hazards arising from the

chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition

can lead to release of irritating gases and vapours.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

> protective equipment as required. Evacuate personnel to safe areas. Attention! Corrosive material. Keep people away from and upwind of spill/leak. Avoid breathing vapours or mists.

Other information Refer to protective measures listed in Sections 7 and 8.

Use personal protection recommended in Section 8. For emergency responders

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Should not be released into the **Environmental precautions**

environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Clean contaminated objects and areas thoroughly observing environmental regulations. Prevention of secondary hazards

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with Advice on safe handling

skin, eyes or clothing. Take off contaminated clothing and wash it before reuse. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed

EGHS / EN Page 6 / 20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 18-Sep-2023 Revision Number 1

VHG-PTAF-250 - Tantalum Standard: Ta @ 1000 µg/mL in 2% HF

system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using

this product. Avoid breathing vapours or mists.

General hygiene considerations Regular cleaning of equipment, work area and clothing is recommended. Remove and wash

contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and immediately after handling the product. Contaminated work clothing should not be allowed out of the workplace. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear suitable

gloves and eye/face protection.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from

moisture. Store locked up. Keep out of the reach of children. Store away from other materials. Please refer to the manufacturer's certificate for specific storage and transport temperature conditions. Store only in the original receptacle unless other advice is given on

the CoA.

7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
hydrofluoric acid	TWA: 1.8 ppm	TWA: 1.8 ppm	TWA: 1.8 ppm	STEL: 3 ppm	TWA: 1.8 ppm
7664-39-3	TWA: 1.5 mg/m ³	TWA: 1.5 mg/m ³	TWA: 1.5 mg/m ³	STEL: 2.5 mg/m ³	TWA: 1.5 mg/m ³
	STEL: 3 ppm	STEL 3 ppm	STEL: 3 ppm	TWA: 1.8 ppm	STEL: 3 ppm
	STEL: 2.5 mg/m ³	STEL 2.5 mg/m ³	STEL: 2.5 mg/m ³	TWA: 1.5 mg/m ³	STEL: 2.5 mg/m ³
	_	H*		-	-
Tantalum	-	TWA: 5 mg/m ³	TWA: 5 mg/m ³	TWA: 5.0 mg/m ³	TWA: 5 mg/m ³
7440-25-7				_	STEL: 10 mg/m ³
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
hydrofluoric acid	STEL: 3.0 ppm	TWA: 1.5 mg/m ³	TWA: 1.8 ppm	TWA: 1.8 ppm	TWA: 1.8 ppm
7664-39-3	STEL: 2.5 mg/m ³	Ceiling: 2.5 mg/m ³	TWA: 1.5 mg/m ³	TWA: 1.5 mg/m ³	TWA: 1.5 mg/m ³
	TWA: 1.8 ppm		STEL: 2.5 mg/m ³	STEL: 3 ppm	STEL: 3 ppm
	TWA: 1.5 mg/m ³		STEL: 3 ppm	STEL: 2.5 mg/m ³	STEL: 2.5 mg/m ³
					iho*
Tantalum	-	-	TWA: 5 mg/m ³	-	TWA: 5 mg/m ³

EGHS / EN Page 7/20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 18-Sep-2023 Revision Number 1

VHG-PTAF-250 - Tantalum Standard: Ta @ 1000 µg/mL in 2% HF

7440-25-7						
Chemical name	France	Germany	Germany MAK	Gr	eece	Hungary
hydrofluoric acid	TWA: 1.8 ppm	TWA: 1 ppm	TWA: 1 ppm	TWA	: 3 ppm	TWA: 1.8 ppm
7664-39-3	TWA: 1.5 mg/m ³	TWA: 0.83 mg/m ³	TWA: 0.83 mg/m ³	TWA: 2	2.5 mg/m ³	TWA: 1.5 mg/m ³
	STEL: 3 ppm	H*	Peak: 2 ppm	STEL	.: 3 ppm	STEL: 2.5 mg/m ³
	STEL: 2.5 mg/m ³		Peak: 1.66 mg/m ³	STEL:	2.5 mg/m ³	STEL: 3 ppm
			*			*
Tantalum	TWA: 5 mg/m ³	TWA: 1.25 mg/m ³	TWA: 4 mg/m ³	TWA:	5 mg/m ³	-
7440-25-7		TWA: 10 mg/m ³	TWA: 0.3 mg/m ³	STEL:	10 mg/m ³	
			Peak: 2.4 mg/m ³			
Chemical name	Ireland	Italy	Italy REL		atvia	Lithuania
hydrofluoric acid	TWA: 1.5 mg/m ³	TWA: 1.8 ppm	TWA: 0.5 ppm		1.8 ppm	TWA: 1.8 ppm
7664-39-3	TWA: 1.8 ppm	TWA: 1.5 mg/m ³	TWA: 0.4 mg/m ³		1.5 mg/m³	TWA: 1.5 mg/m ³
	STEL: 2.5 mg/m ³	STEL: 3 ppm	*		_: 3 ppm	STEL: 3 ppm
	STEL: 3 ppm	STEL: 2.5 mg/m ³	Ceiling: 2 ppm	STEL: :	2.5 mg/m ³	STEL: 2.5 mg/m ³
	Sk*		Ceiling: 1.6 mg/m ³			
Tantalum	TWA: 5 mg/m ³	-	-		-	TWA: 10 mg/m ³
7440-25-7	STEL: 10 mg/m ³					
Chemical name	Luxembourg	Malta	Netherlands		rway	Poland
hydrofluoric acid	STEL: 3 ppm	STEL: 3 ppm	STEL: 1.27 ppm		0.6 ppm	STEL: 2 mg/m ³
7664-39-3	STEL: 2.5 mg/m ³	STEL: 2.5 mg/m ³	STEL: 1 mg/m ³		0.5 mg/m ³	TWA: 0.5 mg/m ³
	TWA: 1.8 ppm	TWA: 1.8 ppm			1.5 mg/m ³	
	TWA: 1.5 mg/m ³	TWA: 1.5 mg/m ³			1.8 ppm	
					H*	
Tantalum	-	-	-		-	TWA: 5 mg/m ³
7440-25-7			21 11			2 .
Chemical name	Portugal	Romania	Slovakia		venia	Spain
hydrofluoric acid	TWA: 1.8 ppm	TWA: 1.8 ppm	TWA: 1.8 ppm		1.8 ppm	TWA: 1.8 ppm
7664-39-3	TWA: 1.5 mg/m ³	TWA: 1.5 mg/m ³	TWA: 1.5 mg/m ³		1.5 mg/m ³	TWA: 1.5 mg/m ³
	STEL: 3 ppm	STEL: 3 ppm	Ceiling: 2.5 mg/m ³		_: 3 ppm	STEL: 3 ppm
	STEL: 2.5 mg/m ³	STEL: 2.5 mg/m ³		SIEL:	2.5 mg/m ³	STEL: 2.5 mg/m ³
	Ceiling: 2 ppm					
Tantalum	TWA: 5 mg/m ³	TWA: 5 mg/m ³	TWA: 1.5 mg/m ³			
7440-25-7	TWA. 5 mg/m ³	STEL: 10 mg/m ³	TWA: 1.5 mg/m ³		-	-
	1 0	<u>. </u>			Llei	to al IVia a alone
Chemical name		weden	Switzerland			ited Kingdom
hydrofluoric acid 7664-39-3	• • • • • • • • • • • • • • • • • • • •					VA: 1.8 ppm 'A: 1.5 mg/m ³
7004-39-3		e KGV: 2 ppm	TWA: 0.83 mg/m ³			TEL: 3 ppm
		GV: 1.7 mg/m ³	STEL: 2 ppm	n 3		EL: 2.5 mg/m ³
Tantalum	Diffualfue r	XG v. 1.7 mg/m²	STEL: 1.66 mg/m ³			
Tantalum 7440-25-7		-	TWA: 5 mg/m ³			VA: 5 mg/m³ EL: 10 mg/m³
1440-25-7					ال ا	=∟. 10 mg/m²

Biological occupational exposure limits

EGHS / EN Page 8/20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 18-Sep-2023 **Revision Number** 1

VHG-PTAF-250 - Tantalum Standard: Ta @ 1000 μg/mL in 2% HF

Chemical name	European Union		Austria	Bulg	garia	Croatia		Czech Republic
hydrofluoric acid	-		-		-	8 mg/g Creatin		-
7664-39-3						urine (Fluorides		
						the end of the	work	
						shift	-:	
						4.0 mg/g Creating urine (Fluoride		
						before the sta		
						the work shift in		
						middle of the w		
Chemical name	Denmark		Finland	Fra	nce	Germany		Germany
hydrofluoric acid	-		-	3 mg/g cr	eatinine -	4.0 mg/g Creat	inine	4.0 mg/g Creatinine
7664-39-3					uorides) -		e end	(urine - Fluoride end
					g of shift	of shift)		of shift)
						4 mg/L - BAT (e		
				urine (Flu	uoriaes) - of shift	exposure or er		
Chemical name	Hungary		Irelan		or Stillt	shift) urine Italy		Italy REL
hydrofluoric acid	7 mg/g Creatinine (ui	rine -	-	u		italy -	2 mc	g/g Creatinine - urine
7664-39-3	Fluoride end of shi							orides) - prior to shift
1 00 1 00 0	4 mg/g Creatinine (ui							g/g Creatinine - urine
	Fluoride prior to next							orides) - end of shift
	42 µmol/mmol Creati							·
	(urine - Fluoride en	d of						
	shift)							
	24 µmol/mmol Creati							
	(urine - Fluoride prident)	or to						
Chemical name	Latvia		Luxembo	oura	R	omania		Slovakia
hydrofluoric acid	-		-			eatinine - urine	7 mc	g/g creatinine (urine -
7664-39-3						e) - end of shift	Fluo	ride end of exposure
								or work shift)
								g/g creatinine (urine -
	2:							oride prior to shift)
Chemical name	Slovenia		Spair			itzerland		United Kingdom
hydrofluoric acid	7.0 mg/g Creatinin		2 mg/L (urine -			rine - Fluoride		-
7664-39-3	urine (Fluoride) - at end of the work sh		pre-shi 3 mg/L (urine -			d of shift) nol/L (urine -		
	4.0 mg/g Creatinin		end of sl			e end of shift)		
	urine () - before the		GIIG OI SI		1 1001106	ond or sility		
	working day							

Derived No Effect Level (DNEL) Predicted No Effect Concentration No information available.

No information available.

EGHS / EN Page 9/20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 18-Sep-2023 Revision Number 1

VHG-PTAF-250 - Tantalum Standard: Ta @ 1000 μg/mL in 2% HF

(PNEC)

8.2. Exposure controls

Personal protective equipment

Eye/face protection Tight sealing safety goggles. Face protection shield. Avoid contact with eyes. Wear safety

glasses with side shields (or goggles).

Hand protection Wear protective Neoprene™ gloves. Wear suitable gloves. Impervious gloves. The

protective gloves to be used must comply with the specifications of EC Directive

89/686/EEC and the related standard EN374.

Skin and body protection Long sleeved clothing. Chemical resistant apron. Wear suitable protective clothing.

Respiratory protectionNo protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Regular cleaning of equipment, work area and clothing is recommended. Remove and wash

contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and immediately after handling the product. Contaminated work clothing should not be allowed out of the workplace. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear suitable

gloves and eye/face protection.

Environmental exposure controls Do not allow into any sewer, on the ground or into any body of water.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical stateLiquidAppearanceLiquidColourcolourlessOdourOdourless.

Odour threshold No information available

Property Values Remarks • Method

Melting point / freezing point No data available None known Initial boiling point and boiling rangeNo data available None known Flammability No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

EGHS / EN Page 10/20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 18-Sep-2023 Revision Number 1

VHG-PTAF-250 - Tantalum Standard: Ta @ 1000 μg/mL in 2% HF

limits

Lower flammability or explosive No data available

limits

Flash pointNo data availableNone knownAutoignition temperatureNo data availableNone knownDecomposition temperatureNone known

ecomposition temperature None known

No data available None known

pH (as aqueous solution) No data available No information available

No data available Kinematic viscosity None known No data available Dynamic viscosity None known Water solubility No data available None known Solubility(ies) No data available None known **Partition coefficient** No data available None known No data available None known Vapour pressure Relative density No data available None known

Bulk density
No data available
Liquid Density
No data available

Relative vapour density

No data available

None known

Particle characteristics

Particle SizeNo information availableParticle Size DistributionNo information available

9.2. Other information

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

EGHS / EN Page 11/20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 18-Sep-2023 Revision Number 1

VHG-PTAF-250 - Tantalum Standard: Ta @ 1000 μg/mL in 2% HF

Possibility of hazardous reactions
None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Exposure to air or moisture over prolonged periods. Excessive heat.

10.5. Incompatible materials

Incompatible materials Oxidising agent. Acids. Bases.

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. Corrosive by inhalation.

(based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs.

Pulmonary edema can be fatal. Harmful by inhalation.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye damage.

(based on components). Corrosive to the eyes and may cause severe damage including

blindness. May cause irreversible damage to eyes.

Skin contact Specific test data for the substance or mixture is not available. Corrosive. (based on

components). Causes burns. Toxic in contact with skin.

Ingestion Specific test data for the substance or mixture is not available. Causes burns. (based on

components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways. Toxic if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. Burning. May cause blindness. Coughing and/ or wheezing.

EGHS / EN Page 12/20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 18-Sep-2023 Revision Number 1

VHG-PTAF-250 - Tantalum Standard: Ta @ 1000 μg/mL in 2% HF

Numerical measures of toxicity

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 250.50 mg/kg

 ATEmix (dermal)
 250.00 mg/kg

 ATEmix (inhalation-gas)
 99,999.00 ppm

 ATEmix (inhalation-dust/mist)
 2.50 mg/l

 ATEmix (inhalation-vapour)
 99,999.00 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
hydrofluoric acid			= 0.79 mg/L (Rat) 1 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes severe skin burns and eye

damage.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye damage. Causes

burns.

Respiratory or skin sensitisation No information available.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

EGHS / EN Page 13/20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 18-Sep-2023 Revision Number 1

VHG-PTAF-250 - Tantalum Standard: Ta @ 1000 μg/mL in 2% HF

Aspiration hazard No information available.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Unknown aquatic toxicityContains 0 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
hydrofluoric acid	-	-	-	EC50: =270mg/L (48h,
				Daphnia species)

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient
hydrofluoric acid	-1.4

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

EGHS / EN Page 14/20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 18-Sep-2023 Revision Number 1

VHG-PTAF-250 - Tantalum Standard: Ta @ 1000 μg/mL in 2% HF

PBT and vPvB assessment

Chemical name	PBT and vPvB assessment
hydrofluoric acid	The substance is not PBT / vPvB PBT assessment does
,	not apply
Tantalum	PBT assessment does not apply

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

SECTION 14: Transport information

IATA

14.1 UN number or ID number UN1790

14.2 UN proper shipping name Hydrofluoric acid mixture

14.3 Transport hazard class(es)
Subsidiary hazard class
14.4 Packing group
II

Description UN1790, Hydrofluoric acid mixture, 8 (6.1), II

14.5 Environmental hazards Not applicable

14.6 Special precautions for user

Special Provisions None ERG Code 8P

IMDG

14.1 UN number or ID number UN1790

14.2 UN proper shipping name Hydrofluoric acid mixture

14.3 Transport hazard class(es)

EGHS / EN Page 15/20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 18-Sep-2023 Revision Number 1

VHG-PTAF-250 - Tantalum Standard: Ta @ 1000 μg/mL in 2% HF

Subsidiary hazard class 6.1

14.4 Packing group

Description UN1790, Hydrofluoric acid mixture, 8 (6.1), II

14.5 Marine pollutant NP

14.6 Special precautions for user

Special Provisions None

EmS-No. F-A, S-B No information available

14.7 Maritime transport in bulk No information available according to IMO instruments

RID

14.1 UN number or ID number UN1790

14.2 UN proper shipping name Hydrofluoric acid mixture

14.3 Transport hazard class(es) 8
Subsidiary hazard class 6.1
14.4 Packing group ||

Description UN1790, Hydrofluoric acid mixture, 8 (6.1), II

14.5 Environmental hazards Not applicable

14.6 Special precautions for user

Special Provisions None **Classification code** CT1

<u>ADR</u>

14.1 UN number or ID number UN1790

14.2 UN proper shipping name Hydrofluoric acid mixture

14.3 Transport hazard class(es) 8
Subsidiary hazard class 6.1
14.4 Packing group ||

Description UN1790, Hydrofluoric acid mixture, 8 (6.1), II, (E)

14.5 Environmental hazards Not applicable

14.6 Special precautions for user

Special Provisions None Classification code CT1 Tunnel restriction code (E)

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

France

Occupational Illnesses (R-463-3, France)

Occupational linesses (K-405-5, I rance)		
Chemical name	French RG number	Title
hydrofluoric acid	RG 32	-

EGHS / EN Page 16/20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 18-Sep-2023 Revision Number 1

VHG-PTAF-250 - Tantalum Standard: Ta @ 1000 µg/mL in 2% HF

7664-39-3

Water hazard class (WGK)

slightly hazardous to water (WGK 1)

Poland

SDS created according to the following Polish regulation: Act of February 25, 2011 on chemical substances and their mixtures (Journal of Laws of 2018, item 143, as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing the European Chemicals Agency (EC) as amended. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labeling and packaging of substances and mixtures, as amended. Regulation of the Minister of Health of 10 August 2012 on the criteria and method of classifying chemical substances and their mixtures (Journal of Laws of 2012, item 1018). Regulation of the Minister of Health of 20 April 2012 on labeling packaging of hazardous substances and mixtures and some mixtures (Journal of Laws of 2012, item 445). Regulation of the Minister of Family, Labor and Social Policy of 12 June 2018 on the maximum allowable concentrations and intensities of factors harmful to health in the work environment (Journal of Laws of 2018, item 1286). Announcement of the Minister of Economy, Labor and Social Policy of August 28, 2003 on the publication of the unified text of the Ordinance of the Minister of Labor and Social Policy on general health and safety at work regulations (Journal of Laws of 2003, No. 169, item 1650). Regulation of the Minister of Health of 30 December 2004 on occupational safety and health related to the presence of chemical agents in the workplace (Journal of Laws of 2005, No. 11, item 86). Act of December 14, 2012 on waste (Journal of Laws of 2013, item 21) Regulation of the Minister of Health of December 30, 2004 on occupational health and safety related to the presence of chemical agents in the workplace (Journal U. of 2005, No. 11, item 86). Waste Act of December 14, 2012 (Journal of Laws of 2013, item 21). Act of 13 June 2013 on the management of packaging and packaging waste, Journal of Laws 2013, item 888). Government statement of September 24, 2002 - European Agreement on the International Carriage of Dangerous Goods by Road (ADR) (Journal of Laws No. 194, item 1629 and Journal of Laws of 2003, No. 207, item 2013 and 2014).

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorisations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

DIRECTIVE (EU) 2021/1187 on the marketing and use of explosives precursors Not applicable

Chemical name Restricted substance per REACH	Substance subject to authorisation per
--	--

EGHS / EN Page 17/20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 18-Sep-2023 Revision Number 1

VHG-PTAF-250 - Tantalum Standard: Ta @ 1000 µg/mL in 2% HF

	Annex XVII	REACH Annex XIV
hydrofluoric acid - 7664-39-3	75.	

Persistent Organic Pollutants

Not applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

International Inventories

TSCA Complies

DSL/NDSL
EINECS/ELINCS
Contact supplier for inventory compliance status
Contact supplier for inventory compliance status
ENCS
Contact supplier for inventory compliance status
IECSC
Contact supplier for inventory compliance status
KECL
Contact supplier for inventory compliance status
PICCS
Contact supplier for inventory compliance status
Contact supplier for inventory compliance status
AIIC
Contact supplier for inventory compliance status

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

Chemical Safety Report A Chemical Safety Assessment is not required for this substance

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

EGHS / EN Page 18/20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 18-Sep-2023 Revision Number 1

VHG-PTAF-250 - Tantalum Standard: Ta @ 1000 µg/mL in 2% HF

H300 - Fatal if swallowed

H310 - Fatal in contact with skin

H314 - Causes severe skin burns and eye damage

H330 - Fatal if inhaled

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

Classification procedure		
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used	
Acute oral toxicity	Calculation method	
Acute dermal toxicity	Calculation method	
Acute inhalation toxicity - gas	Calculation method	
Acute inhalation toxicity - Vapour	Calculation method	
Acute inhalation toxicity - dust/mist	Calculation method	
Skin corrosion/irritation	On basis of test data	
Serious eye damage/eye irritation	On basis of test data	
Respiratory sensitisation	Calculation method	
Skin sensitisation	Calculation method	
Mutagenicity	Calculation method	
Carcinogenicity	Calculation method	
Reproductive toxicity	Calculation method	
STOT - single exposure	Calculation method	
STOT - repeated exposure	Calculation method	
Acute aquatic toxicity	Calculation method	
Chronic aquatic toxicity	Calculation method	
Aspiration hazard	Calculation method	
Ozone	Calculation method	
Corrosive to metals	On basis of test data	

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

EGHS / EN Page 19/20



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 18-Sep-2023 Revision Number 1

VHG-PTAF-250 - Tantalum Standard: Ta @ 1000 μg/mL in 2% HF

Japan GHS Classification

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date

18-Sep-2023

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 Disclaimer

The information in this safety data sheet (SDS) has been prepared with due care and is true and accurate to the best of our knowledge. The user must determine the suitability of the information for its particular purpose, ensure compliance with existing laws and regulations, and be aware that other or additional safety or performance considerations may arise when using, handling and/ or storing the material. The information in this SDS does not purport to be all inclusive or a guarantee as to the properties of the material supplied, and should be used only as a guide. LGC makes no warranties or representations as to the accuracy and completeness of the information contained herein, shall not be held responsible for the suitability of this information for the user's intended purposes or the consequences of such use, and shall not be liable for any damage or loss, howsoever arising, direct or otherwise.

End of Safety Data Sheet

EGHS / EN Page 20/20