



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 23-Jun-2022

Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code(s) VHG-PPBN-250
Product Name Lead Standard: Pb @ 1000 µg/mL in 5% HNO₃
Unique Formula Identifier (UFI) AX77-8056-N00E-XXR2
Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Laboratory use
Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Supplier

LGC Limited
Queens Road
Teddington
Middlesex TW11 0LY
UNITED KINGDOM
:+44 (0) 20 8943 7000
Fax :+44 (0) 20 8943 2767
eMail : gb@lgcstandards.com

Web : www.lgcstandards.com

For further information, please contact

E-mail address sds-request@lgcgroup.com

1.4. Emergency telephone number

Emergency Telephone For Hazardous Materials or Dangerous Goods Incident
Spill, Leak, Fire Exposure, or Accident
Call CHEMTREC:
USA & Canada 1-800-424-9300
Rest of the world +1 703-741-5970

Emergency Telephone - §45 - (EC)1272/2008

Europe 112



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 23-Jun-2022

Revision Number 1

VHG-PPBN-250 - Lead Standard: Pb @ 1000 µg/mL in 5% HNO₃

Austria	No information available
Bulgaria	
Croatia	
Cyprus	
Czech Republic	
Denmark	
France	
Hungary	
Ireland	
Italy	
Lithuania	
Luxembourg	(+352) 8002 5500 Free telephone number with a 24/7 access in French, Dutch and English.
Netherlands	
Norway	
Portugal	
Romania	
Slovakia	
Slovenia	
Spain	
Sweden	
Switzerland	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 1 - (H318)
Reproductive toxicity	Category 1A - (H360)
Chronic aquatic toxicity	Category 3 - (H412)
Corrosive to metals	Category 1 - (H290)

2.2. Label elements

Contains Lead



Signal word



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 23-Jun-2022

Revision Number 1

VHG-PPBN-250 - Lead Standard: Pb @ 1000 µg/mL in 5% HNO₃

Danger

Hazard statements

H315 - Causes skin irritation
H318 - Causes serious eye damage
H360 - May damage fertility or the unborn child
H412 - Harmful to aquatic life with long lasting effects
H290 - May be corrosive to metals

Precautionary Statements - EU (§28, 1272/2008)

P201 - Obtain special instructions before use
P264 - Wash face, hands and any exposed skin thoroughly after handling
P280 - Wear protective gloves/protective clothing/eye protection/face protection
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P310 - Immediately call a POISON CENTER or doctor
P234 - Keep only in original container
P406 - Store in corrosive resistant stainless steel container with a resistant inner liner

2.3. Other hazards

No information available.

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Endocrine Disruptor Information

Chemical name	EU - REACH (1907/2006) - Article 59(1) - Candidate List of Substances of Very High Concern (SVHC) for Authorisation	EU - REACH (1907/2006) - Endocrine Disruptor Assessment List of Substances
Nitric Acid	-	-

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical nature aqueous solution.

Chemical name	Weight-%	REACH registration number	EC No	Classification according to Regulation (EC) No.	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
---------------	----------	---------------------------	-------	---	------------------------------------	----------	----------------------



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 23-Jun-2022

Revision Number 1

VHG-PPBN-250 - Lead Standard: Pb @ 1000 µg/mL in 5% HNO₃

				1272/2008 [CLP]			
Nitric Acid 7697-37-2	3 - <5	-	231-714-2	Ox. Liq. 2 (H272) Acute Tox. 3 (H331) Skin Corr. 1A (H314)	Ox. Liq. 2 :: C>=99% Ox. Liq. 3 :: C>=65% Skin Corr. 1A :: C>=20% Skin Corr. 1B :: 5%<=C<20%		
Lead 7439-92-1	0.1 - 1	-	231-100-4	Carc. 2 (H351) Repr. 1A (H360FD) Lact. (H362) STOT RE 1 (H372) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	Repr. 1A :: C>=0.03%	1	10

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Nitric Acid 7697-37-2	No data available	No data available	No data available	2.65	No data available

This product contains one or more candidate substance(s) of very high concern (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Chemical name	CAS No	SVHC candidates
Lead	7439-92-1	X

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 23-Jun-2022

Revision Number 1

VHG-PPBN-250 - Lead Standard: Pb @ 1000 µg/mL in 5% HNO₃

Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get immediate medical advice/attention.
Skin contact	Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a doctor.
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical No information available.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 23-Jun-2022

Revision Number 1

VHG-PPBN-250 - Lead Standard: Pb @ 1000 µg/mL in 5% HNO₃

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required.
Other information	Refer to protective measures listed in Sections 7 and 8.
For emergency responders	Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions	Prevent further leakage or spillage if safe to do so.
----------------------------------	---

6.3. Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections	See section 8 for more information. See section 13 for more information.
------------------------------------	--

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes. Take off contaminated clothing and wash it before reuse.
General hygiene considerations	Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials. Please refer to the manufacturer's certificate for specific storage and transport temperature conditions. Store only in the original receptacle unless other advice is given on the CoA.
---------------------------	---



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 23-Jun-2022

Revision Number 1

VHG-PPBN-250 - Lead Standard: Pb @ 1000 µg/mL in 5% HNO₃

7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Nitric Acid 7697-37-2	-	STEL 1 ppm STEL 2.6 mg/m ³	STEL: 1 ppm STEL: 2.6 mg/m ³	STEL: 1 ppm STEL: 2.6 mg/m ³	STEL: 1 ppm STEL: 2.6 mg/m ³
Lead 7439-92-1	TWA: 0.15 mg/m ³	TWA: 0.1 mg/m ³ STEL 0.4 mg/m ³	-	TWA: 0.05 mg/m ³	TWA: 0.15 mg/m ³
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Nitric Acid 7697-37-2	STEL: 1 ppm STEL: 2.6 mg/m ³	TWA: 1 mg/m ³ Ceiling: 2.5 mg/m ³	STEL: 1 ppm STEL: 2.6 mg/m ³	STEL: 1 ppm STEL: 2.6 mg/m ³	TWA: 0.5 ppm TWA: 1.3 mg/m ³ STEL: 1 ppm STEL: 2.6 mg/m ³
Lead 7439-92-1	TWA: 0.15 mg/m ³	TWA: 0.05 mg/m ³ Ceiling: 0.2 mg/m ³	TWA: 0.05 mg/m ³	TWA: 0.1 mg/m ³ TWA: 0.05 mg/m ³	TWA: 0.1 mg/m ³
Chemical name	France	Germany	Germany MAK	Greece	Hungary
Nitric Acid 7697-37-2	STEL: 1 ppm STEL: 2.6 mg/m ³	TWA: 1 ppm TWA: 2.6 mg/m ³	-	STEL: 1 ppm STEL: 2.6 mg/m ³	STEL: 2.6 mg/m ³
Lead 7439-92-1	TWA: 0.1 mg/m ³	-	TWA: 0.004 mg/m ³ Peak: 0.032 mg/m ³	TWA: 0.15 mg/m ³	TWA: 0.1 mg/m ³ TWA: 0.05 mg/m ³
Chemical name	Ireland	Italy	Italy REL	Latvia	Lithuania
Nitric Acid 7697-37-2	STEL: 1 ppm STEL: 2.6 mg/m ³	STEL: 1 ppm STEL: 2.6 mg/m ³	TWA: 2 ppm TWA: 5.2 mg/m ³ STEL: 4 ppm STEL: 10.3 mg/m ³	TWA: 0.78 ppm TWA: 2 mg/m ³ STEL: 1 ppm STEL: 2.6 mg/m ³	STEL: 1 ppm STEL: 2.6 mg/m ³
Lead 7439-92-1	TWA: 0.15 mg/m ³ STEL: 0.45 mg/m ³	TWA: 0.15 mg/m ³	TWA: 0.05 mg/m ³	TWA: 0.05 mg/m ³ STEL: 0.1 mg/m ³	TWA: 0.15 mg/m ³ TWA: 0.07 mg/m ³
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
Nitric Acid 7697-37-2	STEL: 1 ppm STEL: 2.6 mg/m ³	STEL: 1 ppm STEL: 2.6 mg/m ³	STEL: 1.3 mg/m ³	TWA: 2 ppm TWA: 5 mg/m ³ STEL: 4 ppm STEL: 10 mg/m ³	STEL: 2.6 mg/m ³ TWA: 1.4 mg/m ³
Lead 7439-92-1	TWA: 0.15 mg/m ³	-	TWA: 0.15 mg/m ³	TWA: 0.05 mg/m ³ STEL: 0.15 mg/m ³	TWA: 0.05 mg/m ³
Chemical name	Portugal	Romania	Slovakia	Slovenia	Spain
Nitric Acid	TWA: 2 ppm	-	Ceiling: 2.6 mg/m ³	TWA: 1 ppm	STEL: 1 ppm



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 23-Jun-2022

Revision Number 1

VHG-PPBN-250 - Lead Standard: Pb @ 1000 µg/mL in 5% HNO₃

7697-37-2	STEL: 1 ppm STEL: 2.6 mg/m ³			TWA: 2.6 mg/m ³ STEL: STEL ppm STEL: STEL mg/m ³	STEL: 2.6 mg/m ³
Lead 7439-92-1	TWA: 0.05 mg/m ³	TWA: 0.15 mg/m ³	TWA: 0.15 mg/m ³ TWA: 0.5 mg/m ³	TWA: 0.1 mg/m ³ STEL: 0.4 mg/m ³	TWA: 0.15 mg/m ³
Chemical name	Sweden		Switzerland		United Kingdom
Nitric Acid 7697-37-2	NGV: 0.5 ppm NGV: 1.3 mg/m ³ Bindande KGV: 1 ppm Bindande KGV: 2.6 mg/m ³		TWA: 2 ppm TWA: 5 mg/m ³ STEL: 2 ppm STEL: 5 mg/m ³		STEL: 1 ppm STEL: 2.6 mg/m ³
Lead 7439-92-1	NGV: 0.1 mg/m ³ NGV: 0.05 mg/m ³		TWA: 0.1 mg/m ³ STEL: 0.8 mg/m ³		TWA: 0.15 mg/m ³ STEL: 0.45 mg/m ³

Biological occupational exposure limits

Chemical name	European Union	Austria	Bulgaria	Croatia	Czech Republic
Lead 7439-92-1	70 µg/100 mL - blood (Lead) - no restriction 0.075 mg/m ³ - air (Lead) - 40 hours per week 40 µg/100 mL - blood (Lead) - no restriction	120 µg/100 mL RBC Erythrocyte protoporphyrin (blood - Ethylenediaminetetracetic acid not provided) 30 µg/100 mL blood Lead (blood - Ethylenediaminetetracetic acid not provided) 3.8 million/µL Erythrocytes (blood - Ethylenediaminetetracetic acid not provided) 12 g/dL Hemoglobin (blood - Ethylenediaminetetracetic acid not provided) 35 % Hematocrit (blood - Ethylenediaminetetracetic acid not provided) 10 mg/L (urine -	300 µg/L - blood (Lead) - not fixed 400 µg/L - blood (Lead) - not fixed	400 µg Pb/L - blood (Lead) - not critical 300 µg Pb/L - blood (Lead) - not critical 15 U/LE - blood (.delta.-Aminolevulinic acid dehydratase) - not critical 1.50 mg/LE - blood (Protoporphyrin in erythrocytes) - after exposure during 2-3 months (sample protected from light)	13 µmol/mmol Creatinine (urine - 5-Aminolevulinic acid discretionary) 0.035 µmol/mmol Creatinine (urine - Coproporphyrin discretionary) 15 mg/g Creatinine (urine - 5-Aminolevulinic acid discretionary) 0.2 mg/g Creatinine (urine - Coproporphyrin discretionary) 0.4 mg/L (blood - Lead discretionary)



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 23-Jun-2022

Revision Number 1

VHG-PPBN-250 - Lead Standard: Pb @ 1000 µg/mL in 5% HNO₃

		.delta.-Aminolevulinic acid not provided) 3.2 million/µL Erythrocytes (blood - Ethylenediaminetetraacetic acid not provided) 10 g/dL Hemoglobin (blood - Ethylenediaminetetraacetic acid not provided) 30 % Hematocrit (blood - Ethylenediaminetetraacetic acid not provided) 6 mg/L (urine - .delta.-Aminolevulinic acid not provided)			
Chemical name	Denmark	Finland	France	Germany	Germany
Lead 7439-92-1	20 µg/100 mL (blood - Lead)	1.4 µmol/L (blood - Lead time of day does not matter)	400 µg/L - blood (Lead) - 180 µg/L - blood (Lead) - indifferent sampling time 300 µg/L - blood (Lead) - 200 µg/L - blood (Lead) - 100 µg/L - blood (Lead) -	150 µg/L (whole blood - Lead no restriction) 150 µg/L - BAT (not fixed) blood 30 µg/L - BAR (not fixed) blood 40 µg/L - BAR (not fixed) blood	150 µg/L (whole blood - Lead no restriction)
Chemical name	Hungary	Ireland	Italy	Italy REL	
Lead 7439-92-1	-	70 µg/100 mL (blood - Lead not critical) 40 µg/100 mL (blood - Lead not critical) 30 µg/100 mL (blood - Lead not critical)	60 Pb µg/100 mL (blood - end of workweek)	30 µg/100 mL - blood (Lead) - not critical	
Chemical name	Latvia	Luxembourg	Romania	Slovakia	
Lead 7439-92-1	40 µg/100 mL - blood (Lead) - 100 µg/g Creatinine - urine (Coproporphyrin) - 5 mg/g Creatinine - urine (Aminolevulinic acid) -	70 µg/100 mL - blood (Lead) - 0.072 mg/m ³ - blood (Lead) - 40 µg/100 mL - blood (Lead) -	150 µg/L - urine (Lead) - end of shift 70 µg/100 mL - blood (Lead) - end of shift 3 mg/cm - hair (Lead) - end of shift	400 µg/L (blood - Lead not critical) 100 µg/L (blood - Lead not critical) 15 mg/L (urine - .delta.-Aminolevulinic	



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 23-Jun-2022

Revision Number 1

VHG-PPBN-250 - Lead Standard: Pb @ 1000 µg/mL in 5% HNO₃

			10 mg/L - urine (.delta.-Aminolevulinic acid) - end of shift 300 µg/L - urine (Coproporphyrin) - end of shift 100 µg/100 mL erythrocyte - blood (free erythrocytes protoporphyrin) - end of shift	acid not critical) 6 mg/L (urine - .delta.-Aminolevulinic acid not critical) 0.30 mg/L (urine - Coproporphyrins not critical)
Chemical name	Slovenia	Spain	Switzerland	United Kingdom
Lead 7439-92-1	400 µg/L - blood (Lead) - not relevant 300 µg/L - blood (Lead) - not relevant	70 µg/dL (blood - Lead not critical)	400 µg/L (whole blood - Lead no restrictions) 100 µg/L (whole blood - Lead no restrictions)	-

Derived No Effect Level (DNEL) No information available.
Predicted No Effect Concentration (PNEC) No information available.

8.2. Exposure controls

Personal protective equipment

Eye/face protection Tight sealing safety goggles. Avoid contact with eyes. Wear safety glasses with side shields (or goggles).

Hand protection Wear suitable gloves. Impervious gloves. The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374. Wear protective Neoprene™ gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection.

Environmental exposure controls Do not allow into any sewer, on the ground or into any body of water.



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 23-Jun-2022

Revision Number 1

VHG-PPBN-250 - Lead Standard: Pb @ 1000 µg/mL in 5% HNO₃

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Liquid
Colour	colourless
Odour	Odourless.
Odour threshold	No information available

Property	Values	Remarks • Method
Melting point / freezing point	No data available	None known
Initial boiling point and boiling range	No data available	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Flash point	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature		None known
pH	No data available	None known
pH (as aqueous solution)	No data available	No information available
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Vapour pressure	No data available	None known
Relative density	No data available	None known
Bulk density	No data available	
Liquid Density	No data available	
Relative vapour density	No data available	None known
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	

9.2. Other information

9.2.1. Information with regards to physical hazard classes
Not applicable

9.2.2. Other safety characteristics
No information available



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 23-Jun-2022

Revision Number 1

VHG-PPBN-250 - Lead Standard: Pb @ 1000 µg/mL in 5% HNO₃

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Exposure to air or moisture over prolonged periods.

10.5. Incompatible materials

Incompatible materials Oxidising agent. Strong acids. Strong bases.

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye damage. May cause irreversible damage to eyes.

Skin contact Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components).

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 23-Jun-2022

Revision Number 1

VHG-PPBN-250 - Lead Standard: Pb @ 1000 µg/mL in 5% HNO₃

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. Burning. May cause blindness. May cause redness and tearing of the eyes.

Numerical measures of toxicity

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (inhalation-vapour) 58.90 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Nitric Acid			= 2500 ppm (Rat) 1 h ATE (vapours) = 2.65 mg/L

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes burns. Causes serious eye damage.

Respiratory or skin sensitisation No information available.

Germ cell mutagenicity No information available.

Carcinogenicity Contains a known or suspected carcinogen.

Reproductive toxicity Contains a known or suspected reproductive toxin. Classification based on data available for ingredients. May damage fertility or the unborn child.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as reproductive toxins.

Chemical name	European Union
Lead	Repr. 1A Lact.



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 23-Jun-2022

Revision Number 1

VHG-PPBN-250 - Lead Standard: Pb @ 1000 µg/mL in 5% HNO₃

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Aspiration hazard No information available.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Harmful to aquatic life with long lasting effects.

Unknown aquatic toxicity Contains 0 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Lead	-	LC50: =0.44mg/L (96h, Cyprinus carpio) LC50: =1.17mg/L (96h, Oncorhynchus mykiss) LC50: =1.32mg/L (96h, Oncorhynchus mykiss)	-	EC50: =600µg/L (48h, water flea)

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 23-Jun-2022

Revision Number 1

VHG-PPBN-250 - Lead Standard: Pb @ 1000 µg/mL in 5% HNO₃

Chemical name	Partition coefficient
Nitric Acid	-2.3

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

Chemical name	PBT and vPvB assessment
Nitric Acid	The substance is not PBT / vPvB PBT assessment does not apply
Lead	PBT assessment does not apply

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

SECTION 14: Transport information

IATA

14.1 UN number or ID number	UN3264
14.2 UN proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)
14.3 Transport hazard class(es)	8
14.4 Packing group	III
Description	UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 23-Jun-2022

Revision Number 1

VHG-PPBN-250 - Lead Standard: Pb @ 1000 µg/mL in 5% HNO₃

Special Provisions	A3, A803
ERG Code	8L

IMDG

14.1 UN number or ID number	UN3264
14.2 UN proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)
14.3 Transport hazard class(es)	8
14.4 Packing group	III
Description	UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III
14.5 Marine pollutant	NP
14.6 Special precautions for user	
Special Provisions	223, 274
EmS-No	F-A, S-B No information available
14.7 Maritime transport in bulk according to IMO instruments	No information available

RID

14.1 UN number or ID number	UN3264
14.2 UN proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)
14.3 Transport hazard class(es)	8
14.4 Packing group	III
Description	UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	274
Classification code	C1

ADR

14.1 UN number or ID number	UN3264
14.2 UN proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)
14.3 Transport hazard class(es)	8
14.4 Packing group	III
Description	UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III, (E)
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	274
Classification code	C1
Tunnel restriction code	(E)

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

France



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 23-Jun-2022

Revision Number 1

VHG-PPBN-250 - Lead Standard: Pb @ 1000 µg/mL in 5% HNO₃

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number	Title
Lead 7439-92-1	RG 1	-

Water hazard class (WGK) slightly hazardous to water (WGK 1)

Netherlands

Chemical name	Netherlands - List of Carcinogens	Netherlands - List of Carcinogens	Netherlands - List of Reproductive Toxins
Lead	-	-	Fertility Category 1A Development Category 1A Can be harmful via breastfeeding

Poland

SDS created according to the following Polish regulation: Act of February 25, 2011 on chemical substances and their mixtures (Journal of Laws of 2018, item 143, as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing the European Chemicals Agency (EC) as amended. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labeling and packaging of substances and mixtures, as amended. Regulation of the Minister of Health of 10 August 2012 on the criteria and method of classifying chemical substances and their mixtures (Journal of Laws of 2012, item 1018). Regulation of the Minister of Health of 20 April 2012 on labeling packaging of hazardous substances and mixtures and some mixtures (Journal of Laws of 2012, item 445). Regulation of the Minister of Family, Labor and Social Policy of 12 June 2018 on the maximum allowable concentrations and intensities of factors harmful to health in the work environment (Journal of Laws of 2018, item 1286). Announcement of the Minister of Economy, Labor and Social Policy of August 28, 2003 on the publication of the unified text of the Ordinance of the Minister of Labor and Social Policy on general health and safety at work regulations (Journal of Laws of 2003, No. 169, item 1650). Regulation of the Minister of Health of 30 December 2004 on occupational safety and health related to the presence of chemical agents in the workplace (Journal of Laws of 2005, No. 11, item 86). Act of December 14, 2012 on waste (Journal of Laws of 2013, item 21) Regulation of the Minister of Health of December 30, 2004 on occupational health and safety related to the presence of chemical agents in the workplace (Journal U. of 2005, No. 11, item 86). Waste Act of December 14, 2012 (Journal of Laws of 2013, item 21). Act of 13 June 2013 on the management of packaging and packaging waste, Journal of Laws 2013, item 888). Government statement of September 24, 2002 - European Agreement on the International Carriage of Dangerous Goods by Road (ADR) (Journal of Laws No. 194, item 1629 and Journal of Laws of 2003, No. 207, item 2013 and 2014).



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 23-Jun-2022

Revision Number 1

VHG-PPBN-250 - Lead Standard: Pb @ 1000 µg/mL in 5% HNO₃

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorisations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

DIRECTIVE (EU) 2021/1187 on the marketing and use of explosives precursors

Product contains: Restricted explosives precursors. Making available, introduction, possession and use according to Regulation (EU) 2019/1148, Article 5 (1) and (3)

Chemical name	RESTRICTED EXPLOSIVES PRECURSORS - ANNEX I	REPORTABLE EXPLOSIVES PRECURSORS - ANNEX II
Nitric Acid - 7697-37-2	3 %w/w	-

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV
Lead - 7439-92-1	72. 30. 63. 75.	

Persistent Organic Pollutants

Not applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

EU - Water Framework Directive (2000/60/EC)

Chemical name	EU - Water Framework Directive (2000/60/EC)
Lead - 7439-92-1	Priority substance

EU - Environmental Quality Standards (2008/105/EC)

Chemical name	EU - Environmental Quality Standards (2008/105/EC)
Lead - 7439-92-1	Priority substance

International Inventories

TSCA

DSL/NDL

EINECS/ELINCS

ENCS

IECSC

KECL

Contact supplier for inventory compliance status

Contact supplier for inventory compliance status

Contact supplier for inventory compliance status

Contact supplier for inventory compliance status

Contact supplier for inventory compliance status

Contact supplier for inventory compliance status



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 23-Jun-2022

Revision Number 1

VHG-PPBN-250 - Lead Standard: Pb @ 1000 µg/mL in 5% HNO₃

PICCS Contact supplier for inventory compliance status
AIIC Contact supplier for inventory compliance status

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

Chemical Safety Report A Chemical Safety Assessment is not required for this substance

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H272 - May intensify fire; oxidiser
H314 - Causes severe skin burns and eye damage
H331 - Toxic if inhaled
H351 - Suspected of causing cancer
H360FD - May damage fertility. May damage the unborn child
H362 - May cause harm to breast-fed children
H372 - Causes damage to organs through prolonged or repeated exposure
H400 - Very toxic to aquatic life
H410 - Very toxic to aquatic life with long lasting effects

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) **STEL** STEL (Short Term Exposure Limit)
Ceiling Maximum limit value * Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 23-Jun-2022

Revision Number 1

VHG-PPBN-250 - Lead Standard: Pb @ 1000 µg/mL in 5% HNO₃

Acute inhalation toxicity - Vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	On basis of test data
Serious eye damage/eye irritation	On basis of test data
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
STOT - single exposure	On basis of test data
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method
Corrosive to metals	On basis of test data

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
U.S. Environmental Protection Agency ChemView Database
European Food Safety Authority (EFSA)
EPA (Environmental Protection Agency)
Acute Exposure Guideline Level(s) (AEGL(s))
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
U.S. Environmental Protection Agency High Production Volume Chemicals
Food Research Journal
Hazardous Substance Database
International Uniform Chemical Information Database (IUCLID)
Japan GHS Classification
Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine's PubMed database (NLM PUBMED)
National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications
Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme
Organisation for Economic Co-operation and Development Screening Information Data Set
World Health Organization

Revision date 23-Jun-2022

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information in this safety data sheet (SDS) has been prepared with due care and is true and accurate to the best of our knowledge. The user must determine the suitability of the information for its particular purpose, ensure compliance with existing laws and regulations, and be aware that other or additional safety or performance considerations may arise



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 23-Jun-2022

Revision Number 1

VHG-PPBN-250 - Lead Standard: Pb @ 1000 µg/mL in 5% HNO₃

when using, handling and/ or storing the material. The information in this SDS does not purport to be all inclusive or a guarantee as to the properties of the material supplied, and should be used only as a guide. LGC makes no warranties or representations as to the accuracy and completeness of the information contained herein, shall not be held responsible for the suitability of this information for the user's intended purposes or the consequences of such use, and shall not be liable for any damage or loss, howsoever arising, direct or otherwise.

End of Safety Data Sheet