

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 09-Oct-2024 Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code(s) DRE-LA20950077TO

Product Name PAH-Mix 77 10 μg/mL in Toluene

Form Not applicable

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Laboratory use

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Supplier

LGC Limited Queens Road Teddington Middlesex TW11 0LY UNITED KINGDOM :+44 (0) 20 8943 7000 Fax :+44 (0) 20 8943 2767 eMail : gb@lgcstandards.com

Web: www.lgcstandards.com

For further information, please contact

E-mail address sds-request@lgcgroup.com

1.4. Emergency telephone number

Emergency Telephone For Hazardous Materials or Dangerous Goods Incident

Spill, Leak, Fire Exposure, or Accident

Call CHEMTREC:

USA & Canada 1-800-424-9300 Rest of the world +1 703-741-3877

Emergency Telephone - §45 - (EC)1272/2008

EGHS / EN Page 1/22



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 09-Oct-2024 **Revision Number** 1

DRE-LA20950077TO - PAH-Mix 77 10 µg/mL in Toluene

Europe	112
Austria	No information available
Bulgaria	
Croatia	
Cyprus	
Czech Republic	
Denmark	
France	
Hungary	
Ireland	
Italy	
Lithuania	
Luxembourg	
Netherlands	
Norway	
Portugal	
Romania	
Slovakia	
Slovenia	
Spain	
Sweden	
Switzerland	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture Classification according to

Regulation (EC) No. 1272/2008 [CLP]

Aspiration hazard	Category 1 - (H304)
Skin corrosion/irritation	Category 2 - (H315)
Reproductive toxicity	Category 2 - (H361d)
Specific target organ toxicity — single exposure	Category 3 - (H336)
Category 3 Narcotic effects	·
Specific target organ toxicity — repeated exposure	Category 2 - (H373)
Flammable liquids	Category 2 - (H225)

2.2. Label elements

Contains Toluene

EGHS / EN Page 2 / 22



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 09-Oct-2024 Revision Number 1

DRE-LA20950077TO - PAH-Mix 77 10 µg/mL in Toluene



Signal word Danger

Hazard statements

H304 - May be fatal if swallowed and enters airways

H315 - Causes skin irritation

H336 - May cause drowsiness or dizziness

H361d - Suspected of damaging the unborn child

H373 - May cause damage to organs through prolonged or repeated exposure

H225 - Highly flammable liquid and vapour

Precautionary Statements - EU (§28, 1272/2008)

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P260 - Do not breathe dust/fume/gas/mist/vapours/spray

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor

P331 - Do NOT induce vomiting

P370 + P378 - In case of fire: Use dry chemical, CO2, water spray or alcohol-resistant foam to extinguish

P403 + P235 - Store in a well-ventilated place. Keep cool

2.3. Other hazards

No information available.

This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB). This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT).

Endocrine Disruptor InformationThis product does not contain any known or suspected endocrine disruptors.Chemical nameEU - REACH (1907/2006) - Article 59(1)
- Candidate List of Substances of Very
High Concern (SVHC) for AuthorisationEU - REACH (1907/2006) - Endocrine
Disruptor Assessment List of
SubstancesToluene-

SECTION 3: Composition/information on ingredients

3.1 Substances

EGHS / EN Page 3 / 22



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 09-Oct-2024 Revision Number 1

DRE-LA20950077TO - PAH-Mix 77 10 µg/mL in Toluene

Not applicable

3.2 Mixtures

Chemical nature

Mixture of organic compounds.

	Chemical name	Weight-%	REACH registration number	,	Classification according to Regulation (EC) No.	concentration	M-Factor	M-Factor (long-term)
- 1					1272/2008 [CLP]	limit (SCL)		
Ī	Toluene	80 - 100	-	203-625-9	Skin Irrit. 2 (H315)			
	108-88-3				Repr. 2 (H361d)			
					STOT SE 3 (H336)			
					STOT RE 2 (H373)			
					Asp. Tox. 1 (H304)			
					Flam. Liq. 2 (H225)			[

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

	Chemical name	Oral LD50 mg/kg	Dermal LD50	Inhalation LC50 - 4	Inhalation LC50 - 4	Inhalation LC50 - 4
			mg/kg	hour - dust/mist - mg/L	hour - vapour - mg/L	hour - gas - ppm
Γ	Toluene	2600	12000	12.5	No data available	No data available
	108-88-3					

Additional information

This product contains a stable isotope.

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Inhalation Remove to fresh air. Aspiration into lungs can produce severe lung damage. If breathing

has stopped, give artificial respiration. Get medical attention immediately. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult,

EGHS / EN Page 4/22



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 09-Oct-2024 Revision Number 1

DRE-LA20950077TO - PAH-Mix 77 10 µg/mL in Toluene

(trained personnel should) give oxygen. Get immediate medical attention. Delayed

pulmonary edema may occur.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area.

Skin contactWash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes. Get medical attention if irritation develops and persists.

Ingestion Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious

person. ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. If vomiting occurs spontaneously, keep head below hips to prevent aspiration.

Get immediate medical attention.

Self-protection of the first aider Remove all sources of ignition. Ensure that medical personnel are aware of the material(s)

involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Avoid contact with skin,

eyes or clothing.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Inhalation of high vapour

concentrations may cause symptoms like headache, dizziness, tiredness, nausea and

vomiting.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctorsBecause of the danger of aspiration, emesis or gastric lavage should not be used unless the

risk is justified by the presence of additional toxic substances.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing mediaDo not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire

extinguishing water must be disposed of in accordance with local regulations.

EGHS / EN Page 5 / 22



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 09-Oct-2024 Revision Number 1

DRE-LA20950077TO - PAH-Mix 77 10 µg/mL in Toluene

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. See

section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the

product must be grounded. Do not touch or walk through spilled material.

Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Environmental precautions Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if

safe to do so. Prevent product from entering drains.

6.3. Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. A

vapour suppressing foam may be used to reduce vapours. Dyke far ahead of spill to collect run-off water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand

or other non-combustible material and transfer to containers for later disposal.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labelled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

EGHS / EN Page 6 / 22



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 09-Oct-2024 Revision Number 1

DRE-LA20950077TO - PAH-Mix 77 10 µg/mL in Toluene

7.1. Precautions for safe handling

Advice on safe handling

Use personal protection equipment. Avoid breathing vapours or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes. Take off contaminated clothing and wash it before reuse. In case of insufficient ventilation, wear suitable respiratory equipment.

General hygiene considerations

Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions

Please refer to the manufacturer's certificate for specific storage and transport temperature conditions. Store only in the original receptacle unless other advice is given on the CoA. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labelled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store locked up. Keep out of the reach of children. Store away from other materials.

7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Toluene	TWA: 50 ppm	TWA: 50 ppm	TWA: 20 ppm	TWA: 50 ppm	TWA: 50 ppm
108-88-3	TWA: 192 mg/m ³	TWA: 190 mg/m ³	TWA: 77 mg/m ³	TWA: 192.0 mg/m ³	TWA: 192 mg/m ³
	STEL: 100 ppm	STEL 100 ppm	STEL: 100 ppm	STEL: 100 ppm	STEL: 100 ppm

EGHS / EN Page 7/22



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 09-Oct-2024 Revision Number 1

DRE-LA20950077TO - PAH-Mix 77 10 µg/mL in Toluene

		384 mg/m³ Sk*	STEL 380 mg/m ³ Sk*	STEL: 384 mg/m³ Sk*		84.0 mg/m ³ Sk*	STEL: 384 mg/m³ Sk*
Chemical name	С	yprus	Czech Republic	Denmark	Es	tonia	Finland
Toluene	TWA	: 50 ppm	TWA: 200 mg/m ³	TWA: 25 ppm	TWA:	50 ppm	TWA: 25 ppm
108-88-3		192 mg/m ³	Sk*	TWA: 94 mg/m ³	TWA: 1	92 mg/m ³	TWA: 81 mg/m ³
	STEL:	: 100 ppm	Ceiling: 500 mg/m ³	STEL: 384 mg/m ³	STEL:	100 ppm	STEL: 100 ppm
	STEL:	384 mg/m ³		STEL: 100 ppm	STEL: 3	384 mg/m ³	STEL: 380 mg/m ³
		Sk*		Sk*		Sk*	Sk*
Chemical name		rance	Germany TRGS	Germany DFG	Gr	eece	Hungary
Toluene	TWA	: 20 ppm	TWA: 50 ppm	TWA: 50 ppm		50 ppm	TWA: 190 mg/m ³
108-88-3		76.8 mg/m³	TWA: 190 mg/m ³	TWA: 190 mg/m ³		92 mg/m ³	TWA: 50 ppm
		: 100 ppm	Sk*	Peak: 100 ppm		100 ppm	STEL: 384 mg/m ³
		384 mg/m ³		Peak: 380 mg/m ³		384 mg/m ³	STEL: 100 ppm
		Sk*		Sk*		Sk*	Sk*
Chemical name		eland	Italy MDLPS	Italy AIDII		atvia	Lithuania
Toluene		192 mg/m³	TWA: 50 ppm	TWA: 20 ppm		14 ppm	TWA: 50 ppm
108-88-3		: 50 ppm	TWA: 192 mg/m ³	TWA: 75.4 mg/m ³		50 mg/m ³	TWA: 192 mg/m ³
		384 mg/m ³	Sk*			: 40 ppm	STEL: 100 ppm
		: 100 ppm				150 mg/m ³	STEL: 384 mg/m ³
		Sk*	5.4 Is	N. d. I. I.		Sk*	Sk*
Chemical name		embourg	Malta	Netherlands		rway	Poland
Toluene		: 50 ppm	TWA: 50 ppm	TWA: 39 ppm	TVVA:	25 ppm	TWA: 100 mg/m ³
108-88-3		192 mg/m ³	TWA: 192 mg/m ³	TWA: 150 mg/m ³		94 mg/m ³	STEL: 200 mg/m³ Sk*
		: 100 ppm	STEL: 100 ppm	STEL: 100 ppm STEL: 384 mg/m ³		37.5 ppm	SK"
		384 mg/m ³ Sk*	STEL: 384 mg/m ³ Sk*	STEL. 364 Hig/III		I41 mg/m³ Sk*	
Chemical name		ortugal	Romania	Slovakia		venia	Spain
Toluene		: 50 ppm	TWA: 50 ppm	TWA: 50 ppm		50 ppm	TWA: 50 ppm
108-88-3		192 mg/m ³	TWA: 192 mg/m ³	TWA: 192 mg/m ³		92 mg/m ³	TWA: 192 mg/m ³
100 00 0		: 100 ppm	STEL: 100 ppm	Sk*		100 ppm	STEL: 100 ppm
		384 mg/m ³	STEL: 384 mg/m ³	Ceiling: 384 mg/m ³		384 mg/m ³	STEL: 384 mg/m ³
		Sk*	Sk*	Coming. Commig		Sk*	Sk*
Chemical name		Sv	veden	Switzerland		Uni	ted Kingdom
Toluene		NGV	: 50 ppm	TWA: 50 ppm			VA: 50 ppm
108-88-3			192 mg/m ³	TWA: 190 mg/n	1 ³		A: 191 mg/m ³
I				OTEL 000		CT.	FI : 100 nnm
			KGV: 100 ppm	STEL: 200 ppn	1		EL: 100 ppm
		Bindande K	KGV: 100 ppm GV: 384 mg/m ³ Sk*	STEL: 200 ppn STEL: 760 mg/r Sk*	n n ³		L: 384 mg/m ³

Biological occupational exposure limits

Chemical name	European Union	Austria	Bulgaria	Croatia	Czech Republic
Toluene	-	Check	1.6 mmol/mmol	1.0 mg/L - blood	1.6 µmol/mmol

EGHS / EN Page 8 / 22



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 09-Oct-2024 Revision Number 1

DRE-LA20950077TO - PAH-Mix 77 10 µg/mL in Toluene

		I.a. (n. i.			I
108-88-3		10 g/dL Hemoglobin		(Toluene) - at the	Creatinine (urine -
		(blood - by the first			o-Cresol end of shift)
			the end of exposure	20 ppm - final	1000 µmol/mmol
		yearly)	or end of work shift	exhaled air	Creatinine (urine -
		12 g/dL Hemoglobin		(Toluene) - during	Hippuric acid end of
		(blood - by the first		exposure	shift)
		screening and once		2.50 g/g Creatinine -	1.5 mg/g Creatinine
		yearly)		urine (Hippuric acid)	(urine - o-Cresol end
		3.2 million/µL		- at the end of the	of shift)
		Erythrocytes (blood -		work shift	1600 mg/g
		by the first screening		1.0 mg/g Creatinine -	
		and once yearly)			Hippuric acid end of
		3.8 million/µL		the end of the work	shift)
		Erythrocytes (blood -		shift	J. J
		by the first screening		J	
		and once yearly)			
		4000 Leukocytes/µL			
		(blood - by the first			
		screening and once			
		· · · · ·			
		yearly)			
		13000			
		Leukocytes/µL			
		(blood - by the first			
		screening and once			
		yearly)			
		130000			
		Thrombocytes/µL			
		(blood - by the first			
		screening and once			
		yearly)			
		150000			
		Thrombocytes/µL			
		(blood - by the first			
		screening and once			
		yearly)			
		0.8 mg/L (urine -			
		o-Cresol after end of			
		work day, at the end			
		of a work week/end			
		of the shift)			
Chemical name	Denmark	Finland	France	Germany DFG	Germany TRGS
Toluene	-	500 nmol/L (blood -	20 μg/L - blood	600 µg/L (whole	600 µg/L (whole
108-88-3		Toluene in the	(Toluene) - end of	blood - Toluene	blood - Toluene
		morning after a	workweek	immediately after	immediately after
		working day)	- urine (Hippuric	exposure)	exposure)
		working day)	acid) - end of shift	75 μg/L (urine -	75 μg/L (urine -
		1	aoiu <i>j - e</i> riu di Sillit	ı / J μg/∟ (uille -	ı / J μg/∟ (uılıle -

EGHS / EN Page 9 / 22



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 09-Oct-2024 Revision Number 1

DRE-LA20950077TO - PAH-Mix 77 10 $\mu g/mL$ in Toluene

			1.5 mg/L (uring o-Cresol (after hydrolysis) for long-term exposures: at end of the shifter several shifter 1.5 mg/L (uring o-Cresol (after hydrolysis) en shifter shifter shifter shifter o-Cresol (after hydrolysis) en shifter of exposure or of shifter shifter shifter of exposure or of shifter s	o-Cresol (after hydrolysis) for long-term exposures: at the end of the shift after several shifts) 1.5 mg/L (urine - o-Cresol (after hydrolysis) end of shift) AT after ood (end end ee (end end ee
Chemical name	Hungary	Ireland	Italy MDLPS	Italy AIDII
Toluene 108-88-3	1 mg/g Creatinine (urine - o-Cresol end of shift) 1 µmol/mmol Creatinine (urine - o-Cresol end of shift)	0.02 mg/L (blood - Toluene prior to last shift of workweek) 0.03 mg/L (urine - Toluene end of shift) 0.3 mg/g Creatinine (urine - o-Cresol end of shift)	-	0.3 mg/g Creatinine - urine (o-Cresol (with hydrolysis)) - end of shift 0.03 mg/L - urine (Toluene) - end of shift 0.02 mg/L - blood (Toluene) - prior to last shift of workweek
Chemical name	Latvia	Luxembourg	Romania	Slovakia
Toluene 108-88-3	1.6 g/g Creatinine - urine (Hippuric acid) - end of shift 0.05 mg/L - blood (Toluene) - end of shift		2 g/L - urine (Hippuric acid) - end of shift 3 mg/L - urine (o-Cresol) - end of shift	600 µg/L (blood - Toluene end of exposure or work shift) 1.5 mg/L (urine - o-Cresol after all work shifts) 1.5 mg/L (urine - o-Cresol end of exposure or work shift) 1600 mg/g creatinine (- Hippuric acid end of exposure or work shift)
Chemical name	Slovenia	Spain	Switzerland 600 µg/L (whole blood -	United Kingdom
Toluene	600 μg/L - blood	0.6 mg/L (urine - o-Cresol		

EGHS / EN Page 10 / 22



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Number 1 Revision date 09-Oct-2024

DRE-LA20950077TO - PAH-Mix 77 10 µg/mL in Toluene

1.5 mg/L - urine (o-Cresol	Toluene start of last shift	- Toluene end of shift)	
(after hydrolysis)) - at the	of workweek)	2 g/g creatinine (urine -	
end of the work shift; for	0.08 mg/L (urine -	Hippuric acid end of shift,	
long-term exposure: at the	Toluene end of shift)	and after several shifts	
end of the work shift after		(for long-term exposures))	
several consecutive		1.26 mmol/mmol	
workdays		creatinine (urine -	
75 μg/L - urine (Toluene) -		Hippuric acid end of shift,	
at the end of the work		and after several shifts	
shift		(for long-term exposures))	
		0.5 mg/L (urine - o-Cresol	
		end of shift, and after	
		several shifts (for	
		long-term exposures))	
		4.62 µmol/L (urine -	
		o-Cresol end of shift, and	
		after several shifts (for	
		long-term exposures))	
		75 μg/L (urine - Toluol	
		end of shift)	

Derived No Effect Level (DNEL) Predicted No Effect Concentration No information available. (PNEC)

No information available.

8.2. Exposure controls

Personal protective equipment

Avoid contact with eyes. Wear safety glasses with side shields (or goggles). Tight sealing Eye/face protection

safety goggles.

Wear protective Viton™ gloves. The protective gloves to be used must comply with the Hand protection

specifications of EC Directive 89/686/EEC and the related standard EN374. Wear suitable

gloves. Impervious gloves.

Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Skin and body protection

Antistatic boots.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this **General hygiene considerations**

EGHS / EN Page 11 / 22



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 09-Oct-2024 Revision Number 1

DRE-LA20950077TO - PAH-Mix 77 10 µg/mL in Toluene

product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

Environmental exposure controls Do not allow into any sewer, on the ground or into any body of water.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical stateLiquidAppearanceLiquidColourcolourlessOdourAromatic.

Odour threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Melting point / freezing point-95 °CNone knownInitial boiling point and boiling range110.6 °CNone knownFlammabilityNo data availableNone knownFlammability Limit in AirNone known

Upper flammability or explosive 7.8 Vol% - 300 g/m³

limits

Lower flammability or explosive 1% - 39 g/m³

limits

Flash point 4 °C None known Autoignition temperature 535 °C None known

Decomposition temperatureNo data availableNone knownPHNo data availableNone known

pH (as aqueous solution) No data available No information available

Kinematic viscosity No data available None known **Dynamic viscosity** 0.6 mPas @ 20°C Water solubility 520 mg/L None known No data available Solubility(ies) None known **Partition coefficient** 2.7 None known 29.1 hPa @ 20°C Vapour pressure 0.87 None known Relative density

Bulk density
No data available
Liquid Density
No data available

Relative vapour density 3.18 None known

Particle characteristics

Particle Size No information available Particle Size Distribution No information available

9.2. Other information

EGHS / EN Page 12 / 22



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 09-Oct-2024 Revision Number 1

DRE-LA20950077TO - PAH-Mix 77 10 µg/mL in Toluene

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None. **Sensitivity to static discharge** Yes.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions
None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Heat, flames and sparks.

10.5. Incompatible materials

Incompatible materials Strong acids. Strong bases. Strong oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

EGHS / EN Page 13 / 22



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 09-Oct-2024 Revision Number 1

DRE-LA20950077TO - PAH-Mix 77 10 µg/mL in Toluene

Inhalation Specific test data for the substance or mixture is not available. Aspiration into lungs can

produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be

fatal. May cause drowsiness or dizziness.

Eye contact Specific test data for the substance or mixture is not available. May cause irritation.

Skin contact Repeated exposure may cause skin dryness or cracking. Specific test data for the

substance or mixture is not available. Causes skin irritation. (based on components).

Ingestion Specific test data for the substance or mixture is not available. Potential for aspiration if

swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhoea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Redness. May cause redness

and tearing of the eyes. Inhalation of high vapour concentrations may cause symptoms like

headache, dizziness, tiredness, nausea and vomiting.

Numerical measures of toxicity

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 99,999.00 mg/kg

 ATEmix (dermal)
 99,999.00 mg/kg

 ATEmix (inhalation-gas)
 99,999.00 ppm

 ATEmix (inhalation-dust/mist)
 99,999.00 mg/l

 ATEmix (inhalation-vapour)
 99,999.00 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Toluene	= 2600 mg/kg (Rat)	= 12000 mg/kg (Rabbit)	= 12.5 mg/L (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes skin irritation.

Serious eye damage/eye irritation No information available.

EGHS / EN Page 14 / 22



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 09-Oct-2024 Revision Number 1

DRE-LA20950077TO - PAH-Mix 77 10 µg/mL in Toluene

Respiratory or skin sensitisation No information available.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

Reproductive toxicity Contains a known or suspected reproductive toxin. Classification based on data available

for ingredients. Suspected of damaging fertility or the unborn child.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as reproductive toxins.

Chemical name	European Union	
Toluene	Repr. 2	

STOT - single exposure May cause drowsiness or dizziness.

STOT - repeated exposure May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard May be fatal if swallowed and enters airways.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Unknown aquatic toxicityContains 0 % of components with unknown hazards to the aquatic environment.

EGHS / EN Page 15 / 22



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 09-Oct-2024 Revision Number 1

DRE-LA20950077TO - PAH-Mix 77 10 µg/mL in Toluene

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Toluene	EC50: =12.5mg/L (72h,	LC50: 15.22 - 19.05mg/L	-	EC50: 5.46 - 9.83mg/L
	Pseudokirchneriella	(96h, Pimephales		(48h, Daphnia magna)
	subcapitata)	promelas)		EC50: =11.5mg/L (48h,
	EC50: >433mg/L (96h,	LC50: =12.6mg/L (96h,		Daphnia magna)
	Pseudokirchneriella	Pimephales promelas)		
	subcapitata)	LC50: 5.89 - 7.81mg/L		
		(96h, Oncorhynchus		
		mykiss)		
		LC50: 14.1 - 17.16mg/L		
		(96h, Oncorhynchus		
		mykiss)		
		LC50: =5.8mg/L (96h,		
		Oncorhynchus mykiss)		
		LC50: 11.0 - 15.0mg/L		
		(96h, Lepomis		
		macrochirus)		
		LC50: =54mg/L (96h,		
		Oryzias latipes)		
		LC50: =28.2mg/L (96h,		
		Poecilia reticulata)		
		LC50: 50.87 - 70.34mg/L		
		(96h, Poecilia reticulata)		

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient
Toluene	2.7

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB.

EGHS / EN Page 16 / 22



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 09-Oct-2024 Revision Number 1

DRE-LA20950077TO - PAH-Mix 77 10 µg/mL in Toluene

Chemical name	PBT and vPvB assessment
Toluene	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

products

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging

Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

SECTION 14: Transport information

ATA

14.1 UN number or ID number UN1294

14.2 UN proper shipping name Toluene mixture

14.3 Transport hazard class(es) 3
14.4 Packing group

14.4 Packing group II

Description UN1294, Toluene mixture, 3, II

14.5 Environmental hazards No

14.6 Special precautions for user

Special Provisions None ERG Code 3L

IMDG

14.1 UN number or ID number UN1294

14.2 UN proper shipping name Toluene mixture

14.3 Transport hazard class(es)14.4 Packing group

Description UN1294, Toluene mixture, 3, II, (4°C c.c.)

14.5 Marine pollutant NP Environmental hazards No

EGHS / EN Page 17 / 22



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 09-Oct-2024 Revision Number 1

DRE-LA20950077TO - PAH-Mix 77 10 µg/mL in Toluene

14.6 Special precautions for user

Special Provisions None

EmS-No. F-E, S-D No information available

No information available

14.7 Maritime transport in bulk

according to IMO instruments

<u>RID</u>

14.1 UN number or ID number UN1294

14.2 UN proper shipping name Toluene mixture

14.3 Transport hazard class(es) 3

14.4 Packing group

Description UN1294, Toluene mixture, 3, II

14.5 Environmental hazards No.

14.6 Special precautions for user

Special Provisions None **Classification code** F1

ADR

14.1 UN number or ID number UN1294

14.2 UN proper shipping name Toluene mixture

14.3 Transport hazard class(es) 3
14.4 Packing group

Description UN1294, Toluene mixture, 3, II, (D/E)

14.5 Environmental hazards No

14.6 Special precautions for user

Special ProvisionsNoneClassification codeF1Tunnel restriction code(D/E)

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number	Title
Toluene	RG 4bis,RG 84	-
108-88-3		

Water hazard class (WGK) strongly hazardous to water (WGK 3)

Netherlands

EGHS / EN Page 18 / 22



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 09-Oct-2024 Revision Number 1

DRE-LA20950077TO - PAH-Mix 77 10 µg/mL in Toluene

Chemical name	Netherlands - List of	Netherlands - List of	Netherlands - List of
	Carcinogens	Carcinogens	Reproductive Toxins
Toluene	-	-	Development Category 2

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorisations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

DIRECTIVE (EU) 2021/1187 on the marketing and use of explosives precursorsNot applicable

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV
Toluene - 108-88-3	48	
	75	

Persistent Organic Pollutants

Not applicable

Dangerous substance category per Seveso Directive (2012/18/EU)

P5a - FLAMMABLE LIQUIDS P5b - FLAMMABLE LIQUIDS P5c - FLAMMABLE LIQUIDS

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

International Inventories

TSCA

LGC has not confirmed that the chemical substances in this product are on the TSCA Inventory, and LGC is distributing this product solely for use either in applications statutorily exempt from TSCA and regulated under other laws (e.g., FFDCA, FIFRA) or in research and development activities in accordance with the TSCA Inventory R&D exemption provided at 40 CFR 720.36. It is the end-user's responsibility to understand and follow the

EGHS / EN Page 19 / 22



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 09-Oct-2024 Revision Number 1

DRE-LA20950077TO - PAH-Mix 77 10 µg/mL in Toluene

requirements that apply to its use of this product.

DSL/NDSL
Contact supplier for inventory compliance status
EINECS/ELINCS
Contact supplier for inventory compliance status
ECSC
Contact supplier for inventory compliance status
IECSC
Contact supplier for inventory compliance status
KECL
Contact supplier for inventory compliance status
PICCS
Contact supplier for inventory compliance status

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

Chemical Safety Report A Chemical Safety Assessment is not required for this substance

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H225 - Highly flammable liquid and vapour

H304 - May be fatal if swallowed and enters airways

H315 - Causes skin irritation

H336 - May cause drowsiness or dizziness

H361d - Suspected of damaging the unborn child

H373 - May cause damage to organs through prolonged or repeated exposure

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Sk* Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used

EGHS / EN Page 20 / 22



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 09-Oct-2024 Revision Number 1

DRE-LA20950077TO - PAH-Mix 77 10 µg/mL in Toluene

Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - Vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Chronic aquatic toxicity	Calculation method
Acute aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method
Flammable liquids	On basis of test data

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 09-Oct-2024

EGHS / EN Page 21 / 22



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 09-Oct-2024 Revision Number 1

DRE-LA20950077TO - PAH-Mix 77 10 µg/mL in Toluene

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 Disclaimer

The information in this safety data sheet (SDS) has been prepared with due care and is true and accurate to the best of our knowledge. The user must determine the suitability of the information for its particular purpose, ensure compliance with existing laws and regulations, and be aware that other or additional safety or performance considerations may arise when using, handling and/ or storing the material. The information in this SDS does not purport to be all inclusive or a guarantee as to the properties of the material supplied, and should be used only as a guide. LGC makes no warranties or representations as to the accuracy and completeness of the information contained herein, shall not be held responsible for the suitability of this information for the user's intended purposes or the consequences of such use, and shall not be liable for any damage or loss, howsoever arising, direct or otherwise.

End of Safety Data Sheet

EGHS / EN Page 22 / 22