

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Jan-2025

Revision Number 1.01

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Product Code(s)	VHG-S20MIN-75-100
Product Name	Sulfur Standard: S @ 75 $\mu g/g$ (0.0075 wt%) in 20 cSt Mineral Oil
Form	Not applicable
Unique Formula Identifier (UFI)	9KU5-N0KQ-Y00H-VJFG
Pure substance/mixture	Mixture
1.2. Relevant identified uses of the	substance or mixture and uses advised against
Recommended use	Laboratory use
Uses advised against	No information available
1.3. Details of the supplier of the sa	afety data sheet
<u>Supplier</u>	
LGC Limited Queens Road Teddington Middlesex TW11 0LY UNITED KINGDOM :+44 (0) 20 8943 7000 Fax :+44 (0) 20 8943 2767 eMail : gb@lgcstandards.com	
Web : www.lgcstandards.com	
For further information, please contact	<u>t</u>
E-mail address	sds-request@lgcstandards.com
1.4. Emergency telephone number	_
Emergency Telephone	For Hazardous Materials or Dangerous Goods Incident Spill, Leak, Fire Exposure, or Accident Call CHEMTREC: USA & Canada 1-800-424-9300 Rest of the world +1 703-741-3877



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Jan-2025

Revision Number 1.01

VHG-S20MIN-75-100 - Sulfur Standard: S @ 75 µg/g (0.0075 wt%) in 20 cSt Mineral Oil

Emergency Telephone - §45 - (EC)1272/2008		
Europe	112	
Austria	No information available	
Bulgaria		
Croatia		
Cyprus		
Czech Republic		
Denmark		
France		
Hungary		
Ireland		
Italy		
Lithuania		
Luxembourg		
Netherlands		
Norway		
Portugal		
Romania		
Slovakia		
Slovenia		
Spain		
Sweden		
Switzerland		

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture Classification according to

Classification according to Regulation (EC) No. 1272/2008 [CLP] Aspiration hazard

Category 1 - (H304)

2.2. Label elements

Contains White mineral oil, petroleum





This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Jan-2025

Revision Number 1.01

VHG-S20MIN-75-100 - Sulfur Standard: S @ 75 µg/g (0.0075 wt%) in 20 cSt Mineral Oil

Danger

Hazard statements

H304 - May be fatal if swallowed and enters airways

Precautionary Statements - EU (§28, 1272/2008)

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor

P331 - Do NOT induce vomiting

P405 - Store locked up

P501 - Dispose of contents and container in accordance with local, regional, national, and international regulations as applicable

2.3. Other hazards

No information available.

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors.

Chemical name	EU - REACH (1907/2006) - Article 59(1)	EU - REACH (1907/2006) - Endocrine
	- Candidate List of Substances of Very	Disruptor Assessment List of
	High Concern (SVHC) for Authorisation	Substances
White mineral oil, petroleum	-	-
Butyl sulfide	-	-

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical nature

Mixture of organic compounds.

Chemical name	Weight-%	REACH registration number		Classification according to Regulation (EC) No. 1272/2008 [CLP]	M-Factor	M-Factor (long-term)
White mineral oil, petroleum 8042-47-5	80 - 100	-	232-455-8	Asp. Tox. 1 (H304)		
Butyl sulfide 544-40-1	0.1 - 1	-	208-870-5	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319)		



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Jan-2025

Revision Number 1.01

VHG-S20MIN-75-100 - Sulfur Standard: S @ 75 µg/g (0.0075 wt%) in 20 cSt Mineral Oil

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50	Inhalation LC50 - 4	Inhalation LC50 - 4	Inhalation LC50 - 4
		mg/kg	hour - dust/mist - mg/L	hour - vapour - mg/L	hour - gas - ppm
White mineral oil, petroleum 8042-47-5	5000	No data available	No data available	No data available	No data available
Butyl sulfide 544-40-1	2220	No data available	No data available	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.
Inhalation	Aspiration into lungs can produce severe lung damage. If breathing has stopped, give artificial respiration. Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Get immediate medical attention. Delayed pulmonary edema may occur.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a doctor.
Skin contact	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a doctor.
Ingestion	ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. Do NOT induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Rinse mouth. Never give anything by mouth to an unconscious person. Get immediate medical attention.



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Jan-2025

Revision Number 1.01

VHG-S20MIN-75-100 - Sulfur Standard: S @ 75 µg/g (0.0075 wt%) in 20 cSt Mineral Oil

Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required.
4.2. Most important symptoms and	l effects, both acute and delayed
Symptoms	Difficulty in breathing. Coughing and/ or wheezing. Dizziness.
4.3. Indication of any immediate m	edical attention and special treatment needed
Note to doctors	Because of the danger of aspiration, emesis or gastric layage should not be used unless the

Note to doctors	Because of the danger of aspiration, emesis or gastric lavage should not be used unless the
	risk is justified by the presence of additional toxic substances.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.	
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.	
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.	
5.2. Special hazards arising from the substance or mixture		
Specific hazards arising from the chemical	No information available.	
5.3. Advice for firefighters		
Created protective equipment and	Firefighters should user colf contained breathing encorting and full firefighting turnout geor	

Special protective equipment and
precautions for fire-fightersFirefighters should wear self-contained breathing apparatus and full firefighting turnout gear.
Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Ensure adequate ventilation. Use personal protective equipment as required.
Other information	Refer to protective measures listed in Sections 7 and 8.
For emergency responders	Use personal protection recommended in Section 8.



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Jan-2025

Revision Number 1.01

VHG-S20MIN-75-100 - Sulfur Standard: S @ 75 µg/g (0.0075 wt%) in 20 cSt Mineral Oil

6.2. Environmental precautions		
Environmental precautions	See Section 12 for additional Ecological Information.	
6.3. Methods and material for containment and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal.	
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.	
6.4. Reference to other sections		
Reference to other sections	See section 8 for more information. See section 13 for more information.	

SECTION 7: Handling and storage

7.1. Precautions for safe handling	-
Advice on safe handling	Ensure adequate ventilation.
General hygiene considerations	Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection.
7.2. Conditions for safe storage, in	cluding any incompatibilities
Storage Conditions	Please refer to the manufacturer's certificate for specific storage and transport temperature conditions. Store only in the original receptacle unless other advice is given on the CoA. Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children. Store away from other materials.
7.2 Specific and use(a)	

7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Jan-2025

Revision Number 1.01

VHG-S20MIN-75-100 - Sulfur Standard: S @ 75 µg/g (0.0075 wt%) in 20 cSt Mineral Oil

Chemical name	France	Germany TRGS	Germany DFG	Gr	eece	Hungary
White mineral oil, petroleum 8042-47-5	-	TWA: 5 mg/m ³	TWA: 5 mg/m ³ Peak: 20 mg/m ³	01	-	TWA: 5 mg/m ³
Chemical name	Ireland	Italy MDLPS	Italy AIDII	La	atvia	Lithuania
White mineral oil, petroleum 8042-47-5	-	-	-	TWA:	5 mg/m ³	-
Butyl sulfide 544-40-1	-	-	-		-	TWA: 1 ppm
Chemical name	Portugal	Romania	Slovakia	Slo	venia	Spain
White mineral oil, petroleum 8042-47-5	-	-	-		5 mg/m³ 20 mg/m³	-
Chemical name	S	weden	Switzerland		Uni	ted Kingdom
White mineral oil, petrole 8042-47-5	eum	-	TWA: 5 mg/m ³	3		-
Butyl sulfide 544-40-1	NG	/: 1 ppm	-			-

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Derived No Effect Level (DNEL)	No information available.
Predicted No Effect Concentration	No information available.
(PNEC)	

8.2. Exposure controls

Personal protective equipment	
Eye/face protection	Avoid contact with eyes. Wear safety glasses with side shields (or goggles). If splashes are likely to occur, wear safety glasses with side-shields.
Hand protection	Wear protective nitrile rubber gloves. The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374.
Skin and body protection	Wear suitable protective clothing.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Jan-2025

Revision Number 1.01

VHG-S20MIN-75-100 - Sulfur Standard: S @ 75 µg/g (0.0075 wt%) in 20 cSt Mineral Oil

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations	Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this
	product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection.

Environmental exposure controls	Do not allow into any sewer, on the ground or into any body of water.
---------------------------------	---

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties Physical state Liquid

Appearance	Liquid	
Colour	light green	
Odour	Petroleum distillates.	
Odour threshold	No information available	
Property_	Values	Remarks • Method
Melting point / freezing point	No data available	None known
Initial boiling point and boiling range	je No data available	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive	No data available	
limits		
Flash point	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature		None known
pH	No data available	None known
pH (as aqueous solution)	No data available	No information available
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Vapour pressure	No data available	None known
Relative density	No data available	None known
Bulk density	No data available	
Liquid Density	No data available	
Relative vapour density	No data available	None known
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Jan-2025

Revision Number 1.01

VHG-S20MIN-75-100 - Sulfur Standard: S @ 75 µg/g (0.0075 wt%) in 20 cSt Mineral Oil

9.2. Other information

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity

No information available.

10.2. Chemical stability

Stability

Stable under normal conditions.

Explosion data Sensitivity to mechanical impact None. Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid None known based on information supplied.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Jan-2025

Revision Number 1.01

VHG-S20MIN-75-100 - Sulfur Standard: S @ 75 µg/g (0.0075 wt%) in 20 cSt Mineral Oil

Product	Information	

Inhalation	Specific test data for the substance or mixture is not available. Aspiration into lungs can produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be fatal.
Eye contact	Specific test data for the substance or mixture is not available.
Ingestion	Specific test data for the substance or mixture is not available. Potential for aspiration if swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

Difficulty in breathing. Coughing and/ or wheezing. Dizziness.

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	99,999.00	
ATEmix (dermal)	99,999.00	mg/kg
ATEmix (inhalation-gas)	99,999.00	ppm
ATEmix (inhalation-dust/mist)	99,999.00	mg/l
ATEmix (inhalation-vapour)	99,999.00	mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
White mineral oil, petroleum	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	
Butyl sulfide	= 2220 mg/kg (Rat)	> 5000 mg/kg(Rabbit)	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation No information available.



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Jan-2025

Revision Number 1.01

VHG-S20MIN-75-100 - Sulfur Standard: S @ 75 µg/g (0.0075 wt%) in 20 cSt Mineral Oil

Respiratory or skin sensitisation	No information available.	
Germ cell mutagenicity	No information available.	
Carcinogenicity	No information available.	
Reproductive toxicity	No information available.	
STOT - single exposure	No information available.	
STOT - repeated exposure	No information available.	
Aspiration hazard	May be fatal if swallowed and enters airways.	
11.2. Information on other hazards	<u>8</u>	
11.2.1. Endocrine disrupting properties		
Endocrine disrupting properties	No information available.	
11.2.2. Other information		
Other adverse effects	No information available.	

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
White mineral oil, petroleum	-	LC50: >10000mg/L (96h, Lepomis macrochirus)	-	-
Butyl sulfide	-	LC50: = 3.58 mg/L (96h, Pimephales promelas)	-	-



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Jan-2025

Revision Number 1.01

VHG-S20MIN-75-100 - Sulfur Standard: S @ 75 µg/g (0.0075 wt%) in 20 cSt Mineral Oil

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation

There is no data for this product.

Component Information

Chemical name	Partition coefficient
White mineral oil, petroleum	6

12.4. Mobility in soil

Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

Chemical name	PBT and vPvB assessment
White mineral oil, petroleum	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.

SECTION 14: Transport information



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Jan-2025

Revision Number 1.01

VHG-S20MIN-75-100 - Sulfur Standard: S @ 75 µg/g (0.0075 wt%) in 20 cSt Mineral Oil

<u>IATA</u> 14.1	UN number or ID number	Not regulated
14.2 14.3 14.4 14.5	Transport hazard class(es)	Not regulated Not regulated Not applicable
14.6 S	Special precautions for user pecial Provisions	None
IMDG		
14.1		Not regulated
14.2		i tot rogulatoù
	Transport hazard class(es)	Not regulated
14.4	Packing group	Not regulated
	Environmental hazards	Not applicable
14.6	Special precautions for user	
	pecial Provisions	None
14.7	•	No information available
acco	rding to IMO instruments	
	-	
RID		
14.1	UN number or ID number	Not regulated
14.2		
14.3	Transport hazard class(es)	Not regulated
14.4	· · · · · · · · · · · · · · · · · · ·	Not regulated
14.5		Not applicable
14.6		
S	pecial Provisions	None
ADR		Net regulated
14.1		Not regulated
14.2 14.3		Not regulated Not regulated
-	Transport hazard class(es) Packing group	Not regulated
14.4		Not applicable
14.6		Not applicable
	pecial Provisions	None
Ŭ		
ADN		
	UN number or ID number	Not regulated
14.2		
14.3		Not regulated
14.4	33 1	Not regulated
14.5	Environmental hazard	Not applicable
14.6		None
3	pecial Provisions	None



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Jan-2025

Revision Number 1.01

VHG-S20MIN-75-100 - Sulfur Standard: S @ 75 µg/g (0.0075 wt%) in 20 cSt Mineral Oil

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

France

Occupational Illnesses (R-463-3, France)

	Chemical name	French RG number	Title
Γ	White mineral oil, petroleum	RG 36bis	-
	8042-47-5		

Germany

Water hazard class (WGK)

slightly hazardous to water (WGK 1)

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

DIRECTIVE (EU) 2021/1187 on the marketing and use of explosives precursors

Not applicable

Persistent Organic Pollutants

Not applicable

Ozone-depleting substances (ODS) regulation (EC) 2024/590 Not applicable

EU - Plant Protection Products (1107/2009/EC)

Chemical name	EU - Plant Protection Products (1107/2009/EC)
White mineral oil, petroleum - 8042-47-5	Plant protection agent



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Jan-2025

Revision Number 1.01

VHG-S20MIN-75-100 - Sulfur Standard: S @ 75 µg/g (0.0075 wt%) in 20 cSt Mineral Oil

International Inventories TSCA	LGC, to the best of its ability, has confirmed that the chemical substances in this product are listed as "Active" in the EPA (Environmental Protection Agency) "TSCA Inventory Notification (Active-Inactive) Requirements Rule" ("the Final Rule") of Feb 2019, as amended Feb 2021."
DSL/NDSL	Contact supplier for inventory compliance status
EINECS/ELINCS	Contact supplier for inventory compliance status
ENCS	Contact supplier for inventory compliance status
IECSC	Contact supplier for inventory compliance status
KECL	Contact supplier for inventory compliance status
PICCS	Contact supplier for inventory compliance status
AIIC	Contact supplier for inventory compliance status

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing Chemicals Inventory

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

Chemical Safety Report

A Chemical Safety Assessment is not required for this substance

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of any hazard and/or precautionary statements referred to under Sections 2-15

H304 - May be fatal if swallowed and enters airways

H315 - Causes skin irritation

H319 - Causes serious eye irritation

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	Sk*	Skin designation



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Jan-2025

Revision Number 1.01

VHG-S20MIN-75-100 - Sulfur Standard: S @ 75 µg/g (0.0075 wt%) in 20 cSt Mineral Oil

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Chronic aquatic toxicity	Calculation method
Acute aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) Environmental Protection Agency Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) U.S. National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme Organisation for Economic Co-operation and Development Screening Information Data Set World Health Organization

Revision date

08-Jan-2025



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 08-Jan-2025

Revision Number 1.01

VHG-S20MIN-75-100 - Sulfur Standard: S @ 75 µg/g (0.0075 wt%) in 20 cSt Mineral Oil

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 Disclaimer

The information in this safety data sheet (SDS) has been prepared with due care and is true and accurate to the best of our knowledge. The user must determine the suitability of the information for its particular purpose, ensure compliance with existing laws and regulations, and be aware that other or additional safety or performance considerations may arise when using, handling and/ or storing the material. The information in this SDS does not purport to be all inclusive or a guarantee as to the properties of the material supplied, and should be used only as a guide. LGC makes no warranties or representations as to the accuracy and completeness of the information contained herein, shall not be held responsible for the suitability of this information for the user's intended purposes or the consequences of such use, and shall not be liable for any damage or loss, howsoever arising, direct or otherwise.

End of Safety Data Sheet